National Institute of Technology Meghalaya

Assignment No: 03

Student Name: Subhasish Dutta

Roll Number: T23CS001

Programme: Master of Technology

Department: Computer Science & Engineering

Semester: 1

Course Name: ADVANCED DBMS LAB

Course Code: CS553

Assignment 03

MySQL Code for creating Table 01

```python
import mysql.connector

conn = mysql.connector.connect(host='localhost', password='shuvo634',
user='root', database='shuvodb')

mycursor = conn.cursor()



Table_1="""
create table if not exists Student(
StudentID int PRIMARY KEY,
Name varchar(255),
Email varchar(255),
Phone varchar(255),
Address text
)
"""
```

Screenshot

MySQL Code for creating Table 02

```
Table_2="""
create table if not exists Course(
CourseID int PRIMARY KEY,
CourseName varchar(255),
Credits int
)
"""
```

Screenshot

MySQL Code for creating Table 03

```
Table_3="""
create table if not exists Exam(
ExamID int PRIMARY KEY,
ExamDate Date,
ExamTime Time,
Location varchar(255)
)
"""
```

Screenshot

MySQL Code for creating Table 04

```
Table_4="""
create table if not exists Faculty(
FacultyID int PRIMARY KEY,
Name varchar(255),
Email varchar(255),
Phone varchar(20),
Department varchar(255)
)
"""
```

Screenshot

MySQL Code for creating Table 05

```
Table_5="""
create table if not exists Enrollment(
EnrollmentID int PRIMARY KEY,
StudentID int,
CourseID int,
EnrollmentDate date,
Foreign key(StudentID) references Student(StudentID),
Foreign key(CourseID) references Course(CourseID)
)
"""
```

Screenshot

MySQL Code for creating Table 06

```
Table_6="""
create table if not exists Teaching(
TeachingID int PRIMARY KEY,
FacultyID int,
CourseID int,
Foreign key(FacultyID) references Faculty(FacultyID),
Foreign key(CourseID) references Course(CourseID)
)
"""
```

Screenshot

MySQL Code for creating Table 07

```
Table_7="""
create table if not exists ExamRegistration(
RegistrationID int PRIMARY KEY,
StudentID int,
ExamID int,
RegistrationDate Date,
Foreign key(StudentID) references Student(StudentID),
Foreign key(ExamID) references Exam(ExamID)
)
"""
```

Screenshot

MySQL Code for creating Table 08

```
Table_8="""
create table if not exists ExamResults(
ResultID int PRIMARY KEY,
StudentID int,
ExamID int,
Score Decimal(5,2),
Foreign key(StudentID) references Student(StudentID),
Foreign key(ExamID) references Exam(ExamID)
)
"""
```

Screenshot

MySQL Full Code

```python
import mysql.connector

conn = mysql.connector.connect(host='localhost', password='shuvo634',
user='root', database='shuvodb')

mycursor = conn.cursor()


Table_1="""
create table if not exists Student(
StudentID int PRIMARY KEY,
Name varchar(255),
Email varchar(255),
Phone varchar(255),
Address text
```

```python
)
"""
Table_2="""
create table if not exists Course(
CourseID int PRIMARY KEY,
CourseName varchar(255),
Credits int
)
"""
Table_3="""
create table if not exists Exam(
ExamID int PRIMARY KEY,
ExamDate Date,
ExamTime Time,
Location varchar(255)
)
"""
Table_4="""
create table if not exists Faculty(
FacultyID int PRIMARY KEY,
Name varchar(255),
Email varchar(255),
Phone varchar(20),
Department varchar(255)
)
"""
Table_5="""
create table if not exists Enrollment(
EnrollmentID int PRIMARY KEY,
StudentID int,
CourseID int,
EnrollmentDate date,
Foreign key(StudentID) references Student(StudentID),
Foreign key(CourseID) references Course(CourseID)
)
"""
Table_6="""
create table if not exists Teaching(
TeachingID int PRIMARY KEY,
FacultyID int,
CourseID int,
Foreign key(FacultyID) references Faculty(FacultyID),
Foreign key(CourseID) references Course(CourseID)
)
"""
```

```python
Table_7="""
create table if not exists ExamRegistration(
RegistrationID int PRIMARY KEY,
StudentID int,
ExamID int,
RegistrationDate Date,
Foreign key(StudentID) references Student(StudentID),
Foreign key(ExamID) references Exam(ExamID)
)
"""
Table_8="""
create table if not exists ExamResults(
ResultID int PRIMARY KEY,
StudentID int,
ExamID int,
Score Decimal(5,2),
Foreign key(StudentID) references Student(StudentID),
Foreign key(ExamID) references Exam(ExamID)
)
"""
mycursor.execute(Table_1)
mycursor.execute(Table_2)
mycursor.execute(Table_3)
mycursor.execute(Table_4)
mycursor.execute(Table_5)
mycursor.execute(Table_6)
mycursor.execute(Table_7)
mycursor.execute(Table_8)
conn.commit()
conn.close()
```