

Zenith AI Session Prompt Guide

Cloud Resource Optimization Platform — Copy-Paste Templates for Cursor AI

Version: 2026-05-29 | Protocol: ai-docs/AI_MASTER.md (PRE → EXECUTE → POST)

Quick reference — which template?

Situation	Section	Path
Something broken	§2 Bug fix	Full PRE/POST
Tiny one-file fix	§2b Lightweight	Lightweight
Structural / refactor	§3 Architecture	Full + DECISIONS
New capability	§4 Feature	Full PRE/POST
UI polish only	§5 UI/UX	Full + DESIGN_SYSTEM
Explain / plan only	§6 General query	No code
Daily short prompt	§7 Default	Agent infers type

§1 — Universal footer (add to any template)

Scope: [files or modules in scope]
Do NOT touch: [explicit exclusions]
Done when: [measurable finish line]

Git: [skip | commit when done | commit and push to stage]

§2 — Bug fix (Full PRE/POST)

Zenith – follow ai-docs/AI_MASTER.md (Full PRE → EXECUTE → Full POST).

Type: BUGFIX

Read Tier A: ai-docs/STATUS.md + ai-docs/SCRATCHPAD.md

Problem: [what is broken]
Repro: [steps, URL, endpoint, or error/log]
Expected: [correct behavior]
Actual: [what happens now]

Scope: [files]
Do NOT touch: [exclusions]
Done when: [bug fixed + pytest passes (+ lint if frontend)]

Tier B: [AI_CONTEXT_BACKEND.md | AI_CONTEXT_FRONTEND.md | both]

§2b — Lightweight / trivial fix

Zenith – Lightweight PRE/POST only (ai-docs/AI_MASTER.md).

Type: TRIVIAL

Fix: [one sentence]
File: [exact path]
Done when: [lint passes / typo fixed]

Do not rewrite STATUS/PROGRESS if active Phase task unchanged.

USE ONLY: one file, no API/security/architecture change.

§3 — Architectural change

Zenith – follow ai-docs/AI_MASTER.md (Full PRE → EXECUTE → Full POST).

Type: ARCHITECTURE

Read Tier A: STATUS.md + SCRATCHPAD.md
Read Tier B (required): DECISIONS.md + AI_RULES.md
[+ AI_CONTEXT_* if cross-stack]

Goal: [structural change and why]
Current state: [...]
Target state: [...]

Scope: [modules/files]
Do NOT touch: [e.g. merge collections, stub dirs]
Done when: [tests pass + DEC-0xx if new decision + context updated]

Flag conflicts in PRE-PHASE COMPLETE before coding.

§4 — New feature

Zenith – follow ai-docs/AI_MASTER.md (Full PRE → EXECUTE → Full POST).

Type: FEATURE

Read Tier A: STATUS.md + SCRATCHPAD.md
Read Tier B: [AI_CONTEXT_BACKEND | FRONTEND + DESIGN_SYSTEM | PHASE_12 spec]

Feature: [name + one sentence]
User story: As a [user], I want [action] so that [outcome].

Scope: [pages, routes, collections]
Do NOT touch: [out of scope]
Done when: [works + pytest/lint/build + context files if new routes]

Acceptance criteria:
- [] ...
New dependencies: [none | free-tier only – ask before install]

§5 — UI/UX design

Zenith – follow ai-docs/AI_MASTER.md (Full PRE → EXECUTE → Full POST).

Type: FEATURE (UI/UX)

Read Tier A: STATUS.md + SCRATCHPAD.md
Read Tier B: DESIGN_SYSTEM.md + AI_CONTEXT_FRONTEND.md

Task: [what to polish]
Pages/components: [exact .jsx + .css]
Do NOT touch: [backend unless scoped]
Done when: DESIGN_SYSTEM match + lint + build pass

Avoid: Redux/Zustand, legacy purple gradients

§6 — General query (no code)

Zenith – ASK / PLAN MODE (no product code changes).

Read Tier A: STATUS.md + SCRATCHPAD.md only.
Do NOT edit STATUS/PROGRESS/SCRATCHPAD unless I say "implement".

Question: [your question]
Context: [optional paths, errors]

Reply: answer + files to read + recommended Type if implementation needed

§7 — Short daily default

Zenith – STATUS + SCRATCHPAD, then AI_MASTER PRE → EXECUTE → POST.

[bugfix | feature | arch | trivial]: [one-line task]

Scope: [...] | Do NOT: [...] | Done when: [...]

Workflow summary (agents)

- **Tier A every session:** STATUS.md + SCRATCHPAD.md
- **AI_MASTER.md:** first turn in thread only — not every message
- **Never read at startup:** AUDIT_LOG, PROGRESS_HISTORY, archives
- **Full PRE:** claim STATUS + PROGRESS + SCRATCHPAD → PRE-PHASE COMPLETE block
- **Lightweight:** one-file trivial only — not security/auth/ML/arch
- **Full POST:** tests → docs → PROGRESS_HISTORY → AUDIT_LOG (≤5 bullets)
- **Git:** commit/push only when user asks or at milestone
- **Chat:** ≤5 bullets — long text goes to PROGRESS_HISTORY

Standing anti-tasks

- Do NOT refactor SecurityPage.jsx to use api.js
- Do NOT delete stub dirs (aws/, providers/, queue/, errors/)
- Do NOT run npm audit fix --force
- Do NOT change Zenith / ZenithApp branding
- Do NOT add Redux/Zustand or paid services
- Do NOT commit backend/.env

Quality commands

```
cd backend && .venv/bin/python -m pytest -q  
cd frontend && npm run lint && npm run build
```

Source: ai-docs/ZENITH_AI_SESSION_PROMPTS.md · Live state: STATUS.md