

September 20, 2022

Lab No. : CH 2277432

Customer No. : 7013516

Silq Technologies

Attn: Chris Turner
 311 Otterson Drive Suite 60
 Chico, Ca 95928

Laboratory Report

Introduction: This report package contains a total of 7 pages divided into 4 sections:

Case Narrative	(2 pages)	: An overview of the work performed at FGL.
Sample Results	(1 page)	: Results for each sample submitted.
Interpretation	(1 page)	: Drinking water Interpretation for each sample submitted.
Quality Control	(3 pages)	: Supporting Quality Control (QC) results.

Case Narrative

This Case Narrative pertains to the following samples:

Sample Description	Date Sampled	Date Received	FGL Lab No.	Matrix
C GMP-001	08/29/2022	08/29/2022	CH 2277432-001	DW

Sampling and Receipt Information:

The Sample was received in acceptable condition and within temperature requirements, unless noted on the Condition Upon Receipt (CUR) form. The Sample was received, prepared and analyzed within the method specified holding times except those as listed in the table below. All samples arrived on ice. All samples were checked for pH if acid or base preservation is required (except for VOAs). For details of sample receipt information, please see the associated Chain of Custody and Condition Upon Receipt Form.

Samples Over Hold Time

Lab No	Analyte Method	Maximum Hold Time	Actual Hold Time
CH 2277432-001	pH	15 minutes	74.0 minutes

Quality Control: All samples were prepared and analyzed according to established quality control criteria. Any exceptions are noted in the Quality Control Section of this report.

Test Summary

EPA 200.7	Preparation and analysis performed by FGL-Santa Paula (FGL-SP ELAP# 1573)
EPA 300.0	Preparation and analysis performed by FGL-Santa Paula (FGL-SP ELAP# 1573)
SM 2320 B	Preparation and analysis performed by FGL-Santa Paula (FGL-SP ELAP# 1573)
SM 2510 B	Preparation and analysis performed by FGL-Santa Paula (FGL-SP ELAP# 1573)
SM 2540 C	Preparation and analysis performed by FGL-Santa Paula (FGL-SP ELAP# 1573)
SM 4500-H+B	Preparation and analysis performed by FGL-Chico (FGL-CH ELAP# 2670)
SM 4500-NO3 F	Preparation and analysis performed by FGL-Santa Paula (FGL-SP ELAP# 1573)
SM 5540 C	Preparation and analysis performed by FGL-Santa Paula (FGL-SP ELAP# 1573)

Certification: I certify that this data package is in compliance with ELAP standards, both technically and for completeness, except for any conditions listed above and in the QC Section. Release of the data contained in this data package is authorized by the Laboratory Director or his designee, as verified by the following electronic signature. This report shall not be reproduced except in full, without the written approval of the laboratory.

KD: GMA

Approved By **Kelly A. Dunnahoo, B.S.**  Digitally signed by Kelly A. Dunnahoo, B.S.
Title: Laboratory Director
Date: 2022-09-20

September 20, 2022

Silq Technologies

Attn: Chris Turner
 311 Otterson Drive Suite 60
 Chico, Ca 95928

Description : C GMP-001
 Project : Silq Technologies

Lab No. : CH 2277432-001

Customer No. : 7013516

Sampled On : August 29, 2022 at 15:30

Sampled By : Chris T

Received On : August 29, 2022 at 16:02

Matrix : Drinking Water

Sample Results - Inorganic

Constituent	Result	RL	Units	MCL/AL	Dil.	DQF	Sample Preparation			Sample Analysis			
General Mineral							Date	Time	Who	Method	Date	Time	Who
Total Hardness as CaCO3	ND	2.5	mg/L		1	U	09/01/2022	08:00	ac	EPA 200.7	09/01/2022	10:33	ac
Calcium	ND	1	mg/L		1	U	09/01/2022	08:00	ac	EPA 200.7	09/01/2022	10:33	ac
Magnesium	ND	1	mg/L		1	U	09/01/2022	13:00	ac	EPA 200.7	09/01/2022	20:58	ac
Potassium	ND	1	mg/L		1	U	09/01/2022	08:00	ac	EPA 200.7	09/01/2022	10:33	ac
Sodium	ND	1	mg/L		1	U	09/01/2022	08:00	ac	EPA 200.7	09/01/2022	10:33	ac
Total Cations	ND	---	meq/L		1	U	09/01/2022	08:00	ac	EPA 200.7	09/01/2022	10:33	ac
Boron	ND	0.1	mg/L		1	UI	09/01/2022	08:00	ac	EPA 200.7	09/01/2022	10:33	ac
Copper	ND	10	ug/L	1000 ²	1	U	09/01/2022	08:00	ac	EPA 200.7	09/01/2022	10:33	ac
Iron	ND	30	ug/L	300 ²	1	U	09/01/2022	08:00	ac	EPA 200.7	09/01/2022	10:33	ac
Manganese	ND	10	ug/L	50 ²	1	U	09/01/2022	08:00	ac	EPA 200.7	09/01/2022	10:33	ac
Zinc	ND	20	ug/L		1	UI	09/01/2022	08:00	ac	EPA 200.7	09/01/2022	10:33	ac
Total Alkalinity (as CaCO3)	ND	10	mg/L		1	UI	09/12/2022	16:53	amm	SM 2320 B	09/12/2022	20:19	amm
Hydroxide as OH	ND	10	mg/L		1	U	09/12/2022	16:53	amm	SM 2320 B	09/12/2022	20:19	amm
Carbonate as CO3	ND	10	mg/L		1	U	09/12/2022	16:53	amm	SM 2320 B	09/12/2022	20:19	amm
Bicarbonate as HCO3	ND	10	mg/L		1	UI	09/12/2022	16:53	amm	SM 2320 B	09/12/2022	20:19	amm
Sulfate	ND	0.5	mg/L	500 ²	1	U	09/14/2022	12:54	ldm	EPA 300.0	09/15/2022	00:56	ldm
Chloride	ND	1	mg/L	500 ²	1	J	09/14/2022	12:54	ldm	EPA 300.0	09/15/2022	00:56	ldm
Nitrate as NO3	0.5	0.2	mg/L	45	1	J	08/30/2022	15:00	lfs	SM 4500-NO3 F	08/30/2022	16:37	lfs
Nitrite as N	ND	0.2	mg/L	1	1	U	08/30/2022	15:00	lfs	SM 4500-NO3 F	08/30/2022	16:35	lfs
Fluoride	ND	0.1	mg/L	2	1	U	09/14/2022	12:54	ldm	EPA 300.0	09/15/2022	00:56	ldm
Total Anions	ND	---	meq/L		1	UIJ	09/12/2022	16:53	amm	SM 2320 B	09/12/2022	20:19	amm
pH	6.7	--	units		1	T	08/29/2022	16:44	hhh	SM 4500-H+B	08/29/2022	16:44	hhh
Specific Conductance	1.07	1	umhos/cm	1600 ²	1		09/14/2022	10:46	sta	SM 2510 B	09/14/2022	10:46	sta
Total Dissolved Solids	ND	20	mg/L	1000 ²	1	U	08/31/2022	10:50	ctl	SM 2540 C	09/01/2022	11:58	ctl
MBAS (foaming agents)	Negative	0.1	mg/L	0.5 ²	1	U	08/30/2022	15:52	jba	SM 5540 C	08/30/2022	15:58	jba
Aggressiveness Index	8.1	1	--		1		08/29/2022	16:44	hhh	SM 4500-H+B	08/29/2022	16:44	hhh
Langelier Index (20°C)	6.1	1	--		1	I	08/29/2022	16:44	hhh	SM 4500-H+B	08/29/2022	16:44	hhh
Nitrate Nitrogen	ND	0.2	mg/L	10	1	U	08/30/2022	15:00	lfs	SM 4500-NO3 F	08/30/2022	16:37	lfs

DQF Flags Definition:

- U Constituent results were non-detect.
- I The MS/MSD did not meet QC criteria.
- I The RPD for the laboratory duplicate exceeded laboratory criteria.
- J Reported value is estimated; detected at a concentration below the PQL and above the laboratory MDL.
- T Exceeded method/regulatory-specific holding time.

ND=Non-Detected, RL=Reporting Level, Dil.=Dilution

MCL = Maximum Contamination Level. 2 - Secondary Standard. 3 - CDPH Notification Level. AL = Regulatory Action Level.

September 20, 2022

Silq Technologies

Description : C GMP-001
 Project : Silq Technologies

Lab No. : CH 2277432-001
 Customer No. : 7013516
 Matrix : Drinking Water
 Sampled On : August 29, 2022 at 15:30

Drinking Water Interpretations

Summary: Your water was acceptable for all items tested on this sample report. Details are presented below:

Constituent	Result	Units	MCL	Result Compared to MCL	
Inorganic - Primary				Less Than or Equal	Exceeded
Fluoride	ND	mg/L	2	PASS	
Nitrate as NO3	0.5	mg/L	45	PASS	
Nitrate Nitrogen	ND	mg/L	10	PASS	
Nitrite as N	ND	mg/L	1	PASS	
Inorganic - Secondary				Less Than or Equal	Exceeded
Chloride	ND	mg/L	500	PASS	
Copper	ND	ug/L	1000	PASS	
Iron	ND	ug/L	300	PASS	
MBAS (foaming agents)	Negative	mg/L	0.5	PASS	
Specific Conductance	1.07	umhos/cm	1600	PASS	
Sulfate	ND	mg/L	500	PASS	
Total Dissolved Solids	ND	mg/L	1000	PASS	
Other				Less Than or Equal	Exceeded
Copper	ND	ug/L	1300**	PASS	

ND=Non-Detect; ** California Title 22, Section 64672.3

Definitions

MCL	The maximum level at which a constituent may be present and be considered acceptable for potability or aesthetics.
Primary	Items listed as primary are regulated because of health concerns. If there is a failure for a primary constituent treatment is normally required.
Secondary	Items listed as secondary are regulated because they may adversely affect the taste, odor or appearance of drinking water. They are not directly health related. If there is a failure for a secondary constituent on a small public water system it is best to consult your regulator to determine if treatment is required. A secondary constituent failure for a private water system does not require treatment. However, the owner may wish to treat the water in order to improve the quality.
Treatment	If your water requires treatment we suggest that you contact a qualified water treatment company. They are normally listed under the following searches: Water Purification & Filtration Equipment Water Softening & Conditioning Equipment Water Treatment Equipment

September 20, 2022
Silq Technologies

Lab No. : CH 2277432
 Customer No. : 7013516

Quality Control - Metals

Constituent	Method	Date/ID	Type	Units	Conc.	QC Data	DQO	Note
Metals								
Boron	200.7	09/01/2022:209923AC (STK2252281-001)	MS	mg/L	4.000	111 %	75-125	
			MSD	mg/L	4.000	70.3 %	75-125	435
			MSRPD	mg/L	800.0	44.6%	≤20.0	435
Calcium	200.7	09/01/2022:209923AC (STK2252281-001)	MS	mg/L	12.00	104 %	75-125	
			MSD	mg/L	12.00	108 %	75-125	
			MSRPD	mg/L	800.0	1.8%	≤20.0	
Copper	200.7	09/01/2022:209923AC (STK2252281-001)	MS	ug/L	800.0	112 %	75-125	
			MSD	ug/L	800.0	110 %	75-125	
			MSRPD	ug/L	800.0	2.2%	≤20.0	
Iron	200.7	09/01/2022:209923AC (STK2252281-001)	MS	ug/L	4000	110 %	75-125	
			MSD	ug/L	4000	109 %	75-125	
			MSRPD	ug/L	800.0	0.4%	≤20.0	
Magnesium	200.7	09/01/2022:209973AC (VI 2246678-005)	MS	mg/L	12.00	114 %	75-125	
			MSD	mg/L	12.00	107 %	75-125	
			MSRPD	mg/L	4.000	3.4%	≤20.0	
Manganese	200.7	09/01/2022:209923AC (STK2252281-001)	MS	ug/L	800.0	115 %	75-125	
			MSD	ug/L	800.0	115 %	75-125	
			MSRPD	ug/L	800.0	0.5%	≤20.0	
Potassium	200.7	09/01/2022:209923AC (STK2252281-001)	MS	mg/L	12.00	109 %	75-125	
			MSD	mg/L	12.00	111 %	75-125	
			MSRPD	mg/L	800.0	1.0%	≤20.0	
Sodium	200.7	09/01/2022:209923AC (STK2252281-001)	MS	mg/L	12.00	100 %	75-125	
			MSD	mg/L	12.00	104 %	75-125	
			MSRPD	mg/L	800.0	1.4%	≤20.0	
Zinc	200.7	09/01/2022:209923AC (STK2252281-001)	MS	ug/L	800.0	123 %	75-125	
			MSD	ug/L	800.0	73.1 %	75-125	435
			MSRPD	ug/L	800.0	46.0%	≤20.0	435

Definition

DQO : Data Quality Objective - This is the criteria against which the quality control data is compared.

MS : Matrix Spikes - A random sample is spiked with a known amount of analyte. The recoveries are an indication of how that sample matrix affects analyte recovery.

MSD : Matrix Spike Duplicate of MS/MSD pair - A random sample duplicate is spiked with a known amount of analyte. The recoveries are an indication of how that sample matrix affects analyte recovery.

MSRPD : MS/MSD Relative Percent Difference (RPD) - The MS relative percent difference is an indication of precision for the preparation and analysis.

ND : Non-detect - Result was below the DQO listed for the analyte.

Explanation

435 : Sample matrix may be affecting this analyte. Data was accepted based on the LCS or CCV recovery.

Quality Control - Wet Chem

Constituent	Method	Date/ID	Type	Units	Conc.	QC Data	DQO	Note
Wet Chem								
Alkalinity (as CaCO ₃)	2320B	09/12/2022:210298AMM	ND	mg/L		92.8%	10	435
Bicarbonate	2320B	(CH 2277432-001)	Dup	mg/L		120%	10	440
E. C.	2510B	09/14/2022:210405STA	Blank	umhos/cm		ND	<1	
		(CH 2277509-004)	Dup	umhos/cm		0.6%	5	
Solids, Total Dissolved	2540CE	08/31/2022:209903CTL	Blank	mg/L		ND	<20	
		(SP 2213958-001)	Dup	mg/L	990.8	102 %	90-110	
		(SP 2213958-001)	Dup	mg/L		0.4%	5	
			Dup	mg/L		3.4%	5	
Chloride	300.0	09/14/2022:210550LDM	Blank	mg/L		ND	<1	
			LCS	mg/L	25.00	104 %	90-110	
			MS	mg/L	50.00	95.1 %	85-121	
		(CH 2277850-003)	MSD	mg/L	50.00	103 %	85-121	
			MSRPD	mg/L	10.00	5.2%	≤19	
			MS	mg/L	50.00	91.2 %	85-121	
		(CH 2277848-001)	MSD	mg/L	50.00	101 %	85-121	
			MSRPD	mg/L	10.00	5.9%	≤19	
Fluoride	300.0	09/14/2022:210550LDM	Blank	mg/L		ND	<0.1	
			LCS	mg/L	2.500	103 %	90-110	
			MS	mg/L	5.000	99.7 %	87-120	
		(CH 2277850-003)	MSD	mg/L	5.000	108 %	87-120	
			MSRPD	mg/L	10.00	6.5%	≤16	
			MS	mg/L	5.000	94.9 %	87-120	
		(CH 2277848-001)	MSD	mg/L	5.000	105 %	87-120	
			MSRPD	mg/L	10.00	8.3%	≤16	
Sulfate	300.0	09/14/2022:210550LDM	Blank	mg/L		ND	<0.5	
			LCS	mg/L	50.00	103 %	90-110	
			MS	mg/L	100.0	98.9 %	82-124	
		(CH 2277850-003)	MSD	mg/L	100.0	107 %	82-124	
			MSRPD	mg/L	10.00	7.4%	≤23	
			MS	mg/L	100.0	94.8 %	82-124	
		(CH 2277848-001)	MSD	mg/L	100.0	105 %	82-124	
			MSRPD	mg/L	10.00	9.0%	≤23	
pH	4500-H B	(CH 2277432-001)	Dup	units		1.3%	4.80	
Nitrate	4500NO3F	08/30/2022:209886LFS	Blank	mg/L		ND	<0.2	
			LCS	mg/L	11.22	97.2%	80-120	
			MS	mg/L	5.609	95.8%	66-125	
		(SP 2213912-001)	MSD	mg/L	5.609	98.4%	66-125	
			MSRPD	mg/L	5.609	1.2%	≤30.4	
Nitrate Nitrogen	4500NO3F	08/30/2022:209886LFS	Blank	mg/L		ND	<0.2	
			LCS	mg/L	11.22	97.2%	80-120	
			MS	mg/L	5.609	95.8%	66-125	
		(SP 2213912-001)	MSD	mg/L	5.609	98.4%	66-125	
			MSRPD	mg/L	5.609	1.2%	≤30.4	
Nitrite as Nitrogen	4500NO3F	08/30/2022:209888LFS	Blank	mg/L		ND	<0.2	
			LCS	mg/L	1.218	104%	80-120	
			MS	mg/L	0.6090	104%	50-150	
		(SP 2213912-001)	MSD	mg/L	0.6090	105%	50-150	
			MSRPD	mg/L	0.6090	0.5%	≤30	
MBAS	5540C	08/30/2022:210021JBA	MS	mg/L	10.00	100%	90-110	
		(SP 2213897-001)	MSD	mg/L	10.00	100%	90-110	

September 20, 2022

Silq Technologies

Lab No. : CH 2277432

Customer No. : 7013516

Quality Control - Wet Chem

Constituent	Method	Date/ID	Type	Units	Conc.	QC Data	DQO	Note
			MSRPD	mg/L	10.00	0.0%	≤0.1	

Definition

Blank	: Method Blank - Prepared to verify that the preparation process is not contributing contamination to the samples.
Dup	: Duplicate Sample - A random sample with each batch is prepared and analyzed in duplicate. The relative percent difference is an indication of precision for the preparation and analysis.
LCS	: Laboratory Control Standard/Sample - Prepared to verify that the preparation process is not affecting analyte recovery.
MS	: Matrix Spikes - A random sample is spiked with a known amount of analyte. The recoveries are an indication of how that sample matrix affects analyte recovery.
MSD	: Matrix Spike Duplicate of MS/MSD pair - A random sample duplicate is spiked with a known amount of analyte. The recoveries are an indication of how that sample matrix affects analyte recovery.
MSRPD	: MS/MSD Relative Percent Difference (RPD) - The MS relative percent difference is an indication of precision for the preparation and analysis.
ND	: Non-detect - Result was below the DQO listed for the analyte.

Explanation

435	: Sample matrix may be affecting this analyte. Data was accepted based on the LCS or CCV recovery.
440	: Sample nonhomogeneity may be affecting this analyte. Data was accepted based on the LCS or CCV recovery.



CHAIN OF CUSTODY AND ANALYSIS REQUEST DOCUMENT

Corporate Offices & Laboratory
853 Corporation Street
Santa Paula, CA 93060
TEL: (805)392-2000
Env FAX: (805)525-4172 / Ag FAX: (805)392-2063
CA ELAP Certification No.1573

Office & Laboratory
2500 Stagecoach Road
Stockton, CA 95215
TEL: (209)942-0182
FAX: (209)942-0423
CA ELAP Certification No. 1563

Office & Laboratory
563 E. Lindo Avenue
Chico, CA 95926
TEL: (530)343-5818
FAX: (530)343-3807
CA ELAP Certification No. 2670

Office & Laboratory
3442 Empresa Drive, Suite D
San Luis Obispo, CA 93401
TEL: (805)783-2940
FAX: (805)783-2912
CA ELAP Certification No. 2775

Office & Laboratory
9415 W. Goshen Avenue
Visalia, CA 93291
TEL: (559)734-9473
FAX: (559)734-8435
CA ELAP Certification No. 2810

2277432

Inter-Laboratory Condition Upon Receipt (Attach to COC)

Sample Receipt at: STK CC **CH** VI

1. Number of ice chests/packages received: 200 Shipping tracking # _____
 2. Were samples received in a chilled condition? Temps: 62 / _____ / _____ / _____ / _____
Surface water SWTR bact samples: A sample that has a temperature upon receipt of $>10^{\circ}\text{C}$, whether iced or not, should be flagged unless the time since sample collection has been less than two hours.
 3. Do the number of bottles received agree with the COC? ☒ Yes No N/A
 4. Were samples received intact? (i.e. no broken bottles, leaks etc.) ☒ Yes No
 5. VOAs checked for Headspace? Yes No ☒ N/A
 6. Were sample custody seals intact? Yes No ☒ N/A
 7. If required, was sample split for pH analysis? Yes No ☒ N/A
 8. Were all analyses within holding times at time of receipt? ☒ Yes No
 9. Verify sample date, time and sampler name ☒ Yes No
- Sign and date the COC, place in a ziplock and put in the same ice chest as the samples.
Sample Receipt Review completed by (initials): LM

Sample Receipt at SP:

1. Were samples received in a chilled condition? Temps: 10 / _____ / _____ / _____ / _____
Acceptable is above freezing to 6E C. If many packages are received at one time check for tests/H.T.'s/rushes/
 2. Shipping tracking numbers: 557648723 9088
722
 3. Do the number of bottles received agree with the COC? ☒ Yes No N/A
 4. Were samples received intact? (i.e. no broken bottles, leaks etc.) ☒ Yes No
 5. Were sample custody seals intact? Yes No ☒ N/A
- Sign and date the COC, obtain LIMS sample numbers, select methods/tests and print labels.

Sample Verification, Labeling and Distribution:

1. Were all requested analyses understood and acceptable? ☒ Yes No
2. Did bottle labels correspond with the client's ID's? ☒ Yes No
3. Were all bottles requiring sample preservation properly preserved? Yes No ☒ N/A FGL
[Exception: Oil & Grease, VOA and CrVI verified in lab]
4. VOAs checked for Headspace? Yes No ☒ N/A
5. Have rush or project due dates been checked and accepted? Yes No ☒ N/A
6. Were all analyses within holding times at time of receipt? ☒ Yes No

Attach labels to the containers and include a copy of the COC for lab delivery.

Sample Receipt, Login and Verification completed by (initials): LM

Discrepancy Documentation:

Any items above which are "No" or do not meet specifications (i.e. temps) must be resolved.

1. Person Contacted: _____ Phone Number: _____
Initiated By: _____ Date: _____
Problem: _____
Resolution: _____
2. Person Contacted: _____
Initiated By: _____
Problem: _____
Resolution: _____

(Please use the back of this sheet for additional com contacts)

(7013516)
Silq Technologies
CH 2277432

iv 08/30/2022 08:15:31



CH 2277432