

March 7, 2023

Silq Technologies

Attn: Chris Turner
 311 Otterson Drive Suite 60
 Chico, Ca 95928

CH 2371431:1 **Coliform Bacteria Analysis**

Customer ID : 7013516

System Number : N/A

Project Name : Silq Technologies

Analytical Results

ID	Sample Description	Total	Fecal	E. Coli	Units	Method	Prep	Footnote
1	CGMP-002A	<1.0 Absent	---	<1.0 Absent	MPN/100ml	SM 9223B	Quanti Tray 18	

N/R Not Required

MPN Most Probable Number

A/P Absence/Presence

The samples listed above were Acceptable for both Total and Fecal Coliform

Sample Handling Information

ID	Sample Number	System Number	Sample Type/Reason	Sampler	Employed By	Sampled
1	CH 2371431-001	N/A	System-Other	Chris Turner	Silq Technologies	2023-02-28 13:00

Field Analysis/QA Information

ID	Sample Description	Cl Total/Free mg/l	Temp	Analysis Started	Analysis Completed	Contact	Contacted
1	CGMP-002A	---/---	---	2023-02-28 15:55 hhh	2023-03-01 10:15 kx1	N/R	

Analyses were performed at the FGL Chico Laboratory using Standard Methods 20th edition. If you have any questions regarding your results, please call.

Prepared By: RRH

Reviewed and
Approved By

Raquel R. Harvey



Digitally signed by Raquel R. Harvey
 Title: Tech Director Microbiology
 Date: 2023-03-08

March 21, 2023

Lab No. : CH 2371431

Customer No. : 7013516

Silq Technologies

Attn: Chris Turner
 311 Otterson Drive Suite 60
 Chico, Ca 95928

Laboratory Report

Introduction: This report package contains a total of 9 pages divided into 4 sections:

Case Narrative	(2 pages)	: An overview of the work performed at FGL.
Sample Results	(2 pages)	: Results for each sample submitted.
Interpretation	(1 page)	: Drinking water Interpretation for each sample submitted.
Quality Control	(4 pages)	: Supporting Quality Control (QC) results.

Case Narrative

This Case Narrative pertains to the following samples:

Sample Description	Date Sampled	Date Received	FGL Lab No.	Matrix
CGMP-002A	02/28/2023	02/28/2023	CH 2371431-001	DW

Sampling and Receipt Information:

The Sample was received in acceptable condition and within temperature requirements, unless noted on the Condition Upon Receipt (CUR) form. The Sample was received, prepared and analyzed within the method specified holding times except those as listed in the table below. All samples arrived on ice. All samples were checked for pH if acid or base preservation is required (except for VOAs). For details of sample receipt information, please see the associated Chain of Custody and Condition Upon Receipt Form.

Samples Over Hold Time

Lab No	Analyte Method	Maximum Hold Time	Actual Hold Time
CH 2371431-001	pH	15 minutes	63.0 minutes

Quality Control: All samples were prepared and analyzed according to established quality control criteria. Any exceptions are noted in the Quality Control Section of this report.

Test Summary

EPA 200.7	Preparation and analysis performed by FGL-Santa Paula (FGL-SP ELAP# 1573)
EPA 300.0	Preparation and analysis performed by FGL-Santa Paula (FGL-SP ELAP# 1573)
SM 2540 C	Preparation and analysis performed by FGL-Santa Paula (FGL-SP ELAP# 1573)
SM 4500-H+B	Preparation and analysis performed by FGL-Santa Paula (FGL-SP ELAP# 1573)
	Preparation and analysis performed by FGL-Chico (FGL-CH ELAP# 2670)
SM 5310 C	Preparation and analysis performed by FGL-Santa Paula (FGL-SP ELAP# 1573)
SM 5540 C	Preparation and analysis performed by FGL-Santa Paula (FGL-SP ELAP# 1573)

Certification: I certify that this data package is in compliance with ELAP standards, both technically and for completeness, except for any conditions listed above and in the QC Section. Release of the data contained in this data package is authorized by the Laboratory Director or his designee, as verified by the following electronic signature. This report shall not be reproduced except in full, without the written approval of the laboratory.

KD: SVH

Approved By **Kelly A. Dunnahoo, B.S.**



Digitally signed by Kelly A. Dunnahoo, B.S.
Title: Laboratory Director
Date: 2023-03-21

March 21, 2023

Silq Technologies

Attn: Chris Turner
 311 Otterson Drive Suite 60
 Chico, Ca 95928

Description : CGMP-002A
 Project : Silq Technologies

Lab No. : CH 2371431-001
 Customer No. : 7013516

Sampled On : February 28, 2023 at 15:00
 Sampled By : Chris Turner
 Received On : February 28, 2023 at 15:51
 Matrix : Drinking Water

Sample Results - Inorganic

Constituent	Result	RL	Units	MCL/AL	Dil.	DQF	Sample Preparation			Sample Analysis			
General Mineral							Date	Time	Who	Method	Date	Time	Who
Total Hardness as CaCO3	ND	2.5	mg/L		1	U	03/03/2023	13:00	ac	EPA 200.7	03/03/2023	14:56	ac
Calcium	ND	1	mg/L		1	U	03/03/2023	13:00	ac	EPA 200.7	03/03/2023	14:56	ac
Magnesium	ND	1	mg/L		1	U	03/03/2023	13:00	ac	EPA 200.7	03/03/2023	14:56	ac
Potassium	ND	1	mg/L		1	U	03/03/2023	13:00	ac	EPA 200.7	03/03/2023	14:56	ac
Sodium	ND	1	mg/L		1	UI	03/03/2023	13:00	ac	EPA 200.7	03/03/2023	14:56	ac
Total Cations	ND	---	meq/L		1	UI	03/03/2023	13:00	ac	EPA 200.7	03/03/2023	14:56	ac
Boron	ND	0.1	mg/L		1	U	03/03/2023	13:00	ac	EPA 200.7	03/03/2023	14:56	ac
Copper	ND	10	ug/L	1000 ²	1	J	03/03/2023	13:00	ac	EPA 200.7	03/03/2023	14:56	ac
Iron	ND	30	ug/L	300 ²	1	J	03/03/2023	13:00	ac	EPA 200.7	03/03/2023	14:56	ac
Manganese	ND	10	ug/L	50 ²	1	U	03/03/2023	13:00	ac	EPA 200.7	03/03/2023	14:56	ac
Zinc	ND	20	ug/L		1	U	03/03/2023	13:00	ac	EPA 200.7	03/03/2023	14:56	ac
Total Alkalinity (as CaCO3)	ND	10	mg/L		1	U	03/06/2023	13:57	amm	SM 4500-H+B	03/07/2023	01:25	amm
Hydroxide as OH	ND	10	mg/L		1	U	03/06/2023	13:57	amm	SM 4500-H+B	03/07/2023	01:25	amm
Carbonate as CO3	ND	10	mg/L		1	U	03/06/2023	13:57	amm	SM 4500-H+B	03/07/2023	01:25	amm
Bicarbonate as HCO3	ND	10	mg/L		1	U	03/06/2023	13:57	amm	SM 4500-H+B	03/07/2023	01:25	amm
Sulfate	ND	0.5	mg/L	500 ²	1	UI	03/01/2023	16:15	ldm	EPA 300.0	03/02/2023	04:10	ldm
Chloride	ND	1	mg/L	500 ²	1	J	03/01/2023	16:15	ldm	EPA 300.0	03/02/2023	04:10	ldm
Nitrate as NO3	ND	0.4	mg/L	45	1	UI	03/01/2023	16:15	ldm	EPA 300.0	03/02/2023	04:10	ldm
Nitrite as N	ND	0.1	mg/L	1	1	Ub	03/01/2023	16:15	ldm	EPA 300.0	03/02/2023	04:10	ldm
Fluoride	ND	0.1	mg/L	2	1	U	03/01/2023	16:15	ldm	EPA 300.0	03/02/2023	04:10	ldm
Total Anions	ND	---	meq/L		1	UIJb	03/06/2023	13:57	amm	SM 4500-H+B	03/07/2023	01:25	amm
pH	7.1	--	units		1	T	02/28/2023	16:03	kx1	SM 4500-H+B	02/28/2023	16:03	kx1
Specific Conductance	3	1	umhos/cm	1600 ²	1		03/06/2023	13:57	amm	SM 4500-H+B	03/07/2023	01:25	amm
Total Dissolved Solids	ND	20	mg/L	1000 ²	1	U	03/02/2023	09:50	ctl	SM 2540 C	03/03/2023	11:00	ctl
MBAS (foaming agents)	Negative	0.1	mg/L	0.5 ²	1	U	03/02/2023	09:08	krh	SM 5540 C	03/02/2023	09:14	krh
Aggressiveness Index	8.5	1	--		1		02/28/2023	16:03	kx1	SM 4500-H+B	02/28/2023	16:03	kx1
Langelier Index (20°C)	6.5	1	--		1		02/28/2023	16:03	kx1	SM 4500-H+B	02/28/2023	16:03	kx1
Nitrate Nitrogen	ND	0.1	mg/L	10	1	UI	03/01/2023	16:15	ldm	EPA 300.0	03/02/2023	04:10	ldm

ND=Non-Detected, RL=Reporting Level.

MCL = Maximum Contamination Level. 2 - Secondary Standard. 3 - CDPH Notification Level. AL = Regulatory Action Level.

March 21, 2023

Silq Technologies

Attn: Chris Turner
 311 Otterson Drive Suite 60
 Chico, Ca 95928

Description : CGMP-002A
 Project : Silq Technologies

Lab No. : CH 2371431-001
 Customer No. : 7013516

Sampled On : February 28, 2023 at 15:00
 Sampled By : Chris Turner
 Received On : February 28, 2023 at 15:51
 Matrix : Drinking Water

Sample Results - Organic

Constituent	Result	RL	Units	MCL/AL	Dil.	DQF	Sample Preparation			Sample Analysis		
TOC												
TOC	0.3	0.3	mg/L	---	1		03/08/2023	10:00	mm	SM 5310 C	03/08/2023	19:34 mm

DQF Flags Definition:

- U Constituent results were non-detect.
- l The MS/MSD did not meet QC criteria.
- J Reported value is estimated; detected at a concentration below the RL and above the laboratory MDL.
- b The Blank was positive for constituent but less than the PQL
- T Exceeded method/regulatory-specific holding time.

ND=Non-Detected, RL=Reporting Level, Dil.=Dilution

MCL = Maximum Contamination Level. 2 - Secondary Standard. 3 - CDPH Notification Level. AL = Regulatory Action Level.

Corporate Offices & Laboratory

853 Corporation Street
 Santa Paula, CA 93060
 TEL: (805)392-2000
 Env FAX: (805)525-4172 / Ag FAX: (805)392-2063
 CA ELAP Certification No. 1573

Office & Laboratory

2500 Stagecoach Road
 Stockton, CA 95215
 TEL: (209)942-0182
 FAX: (209)942-0423
 CA ELAP Certification No. 1563

Office & Laboratory

563 E. Lindo Avenue
 Chico, CA 95926
 TEL: (530)343-5818
 FAX: (530)343-3807
 CA ELAP Certification No. 2670

Office & Laboratory

3442 Empresa Drive, Suite D
 San Luis Obispo, CA 93401
 TEL: (805)783-2940
 FAX: (805)783-2912
 CA ELAP Certification No. 2775

Office & Laboratory

9415 W. Goshen Avenue
 Visalia, CA 93291
 TEL: (559)734-9473
 FAX: (559)734-8435
 CA ELAP Certification No. 2810

March 21, 2023

Silq Technologies

Description : CGMP-002A
Project : Silq Technologies

Lab No. : CH 2371431-001
Customer No. : 7013516
Matrix : Drinking Water
Sampled On : February 28, 2023 at 15:00

Drinking Water Interpretations

Summary: Your water has a failure **to meet maximum contaminant levels (MCLs)** for one or more items on this sample report. Please see the table below to determine which items failed. Following the table is a brief explanation describing the significance of the failure and whether treatment may be required.

Constituent	Result	Units	MCL	Result Compared to MCL	
Inorganic - Primary				Less Than or Equal	Exceeded
Fluoride	ND	mg/L	2	PASS	
Nitrate as NO3	ND	mg/L	45	PASS	
Nitrate Nitrogen	ND	mg/L	10	PASS	
Nitrite as N	ND	mg/L	1	PASS	
Organic - Primary				Less Than or Equal	Exceeded
TOC	0.3	mg/L	---	PASS	
Inorganic - Secondary				Less Than or Equal	Exceeded
Chloride	ND	mg/L	500	PASS	
Copper	ND	ug/L	1000	PASS	
Iron	ND	ug/L	300	PASS	
MBAS (foaming agents)	Negative	mg/L	0.5	PASS	
Specific Conductance	3	umhos/cm	1600	PASS	
Sulfate	ND	mg/L	500	PASS	
Total Dissolved Solids	ND	mg/L	1000	PASS	
Other				Less Than or Equal	Exceeded
Copper	ND	ug/L	1300**	PASS	

ND=Non-Detect; ** California Title 22, Section 64672.3

Definitions

MCL	The maximum level at which a constituent may be present and be considered acceptable for potability or aesthetics.
Primary	Items listed as primary are regulated because of health concerns. If there is a failure for a primary constituent treatment is normally required.
Secondary	Items listed as secondary are regulated because they may adversely affect the taste, odor or appearance of drinking water. They are not directly health related. If there is a failure for a secondary constituent on a small public water system it is best to consult your regulator to determine if treatment is required. A secondary constituent failure for a private water system does not require treatment. However, the owner may wish to treat the water in order to improve the quality.
Treatment	If your water requires treatment we suggest that you contact a qualified water treatment company. They are normally listed under the following searches: Water Purification & Filtration Equipment Water Softening & Conditioning Equipment Water Treatment Equipment

March 21, 2023
Silq Technologies

Lab No. : CH 2371431
 Customer No. : 7013516

Quality Control - Metals

Constituent	Method	Date/ID	Type	Units	Conc.	QC Data	DQO	Note
Metals								
Boron	200.7	03/03/2023:202357AC (VI 2341223-001)	MS	mg/L	4.000	94.8 %	75-125	
			MSD	mg/L	4.000	96.8 %	75-125	
			MSRPD	mg/L	800.0	2.0%	≤20.0	
Calcium	200.7	03/03/2023:202357AC (VI 2341223-001)	MS	mg/L	12.00	99.0 %	75-125	
			MSD	mg/L	12.00	91.0 %	75-125	
			MSRPD	mg/L	800.0	2.8%	≤20.0	
Copper	200.7	03/03/2023:202357AC (VI 2341223-001)	MS	ug/L	800.0	93.5 %	75-125	
			MSD	ug/L	800.0	96.5 %	75-125	
			MSRPD	ug/L	800.0	3.2%	≤20.0	
Iron	200.7	03/03/2023:202357AC (VI 2341223-001)	MS	ug/L	4000	102 %	75-125	
			MSD	ug/L	4000	103 %	75-125	
			MSRPD	ug/L	800.0	0.3%	≤20.0	
Magnesium	200.7	03/03/2023:202357AC (VI 2341223-001)	MS	mg/L	12.00	106 %	75-125	
			MSD	mg/L	12.00	106 %	75-125	
			MSRPD	mg/L	800.0	0.2%	≤20.0	
Manganese	200.7	03/03/2023:202357AC (VI 2341223-001)	MS	ug/L	800.0	101 %	75-125	
			MSD	ug/L	800.0	101 %	75-125	
			MSRPD	ug/L	800.0	0.08%	≤20.0	
Potassium	200.7	03/03/2023:202357AC (VI 2341223-001)	MS	mg/L	12.00	103 %	75-125	
			MSD	mg/L	12.00	102 %	75-125	
			MSRPD	mg/L	800.0	1.4%	≤20.0	
Sodium	200.7	03/03/2023:202357AC (VI 2341223-001)	MS	mg/L	12.00	91.4 %	75-125	
			MSD	mg/L	12.00	74.1 %	75-125	435
			MSRPD	mg/L	800.0	4.1%	≤20.0	
Zinc	200.7	03/03/2023:202357AC (VI 2341223-001)	MS	ug/L	800.0	95.6 %	75-125	
			MSD	ug/L	800.0	97.5 %	75-125	
			MSRPD	ug/L	800.0	1.9%	≤20.0	

Definition

DQO : Data Quality Objective - This is the criteria against which the quality control data is compared.

MS : Matrix Spikes - A random sample is spiked with a known amount of analyte. The recoveries are an indication of how that sample matrix affects analyte recovery.

MSD : Matrix Spike Duplicate of MS/MSD pair - A random sample duplicate is spiked with a known amount of analyte. The recoveries are an indication of how that sample matrix affects analyte recovery.

MSRPD : MS/MSD Relative Percent Difference (RPD) - The MS relative percent difference is an indication of precision for the preparation and analysis.

ND : Non-detect - Result was below the DQO listed for the analyte.

Explanation

435 : Sample matrix may be affecting this analyte. Data was accepted based on the LCS or CCV recovery.

Quality Control - Organic

Constituent	Method	Date/ID	Type	Units	Conc.	QC Data	DQO	Note
Organic TOC 415.1	5310C	03/08/2023:202509MNM (SP 2302900-001)	ND	mg/L		0	0.3	435
			MS	mg/L	25.00	105%	75-125	
			MSD	mg/L	25.00	105%	75-125	
			MSRPD	mg/L	25.00	0.3%	≤23.0	

Definition

- MS : Matrix Spikes - A random sample is spiked with a known amount of analyte. The recoveries are an indication of how that sample matrix affects analyte recovery.
- MSD : Matrix Spike Duplicate of MS/MSD pair - A random sample duplicate is spiked with a known amount of analyte. The recoveries are an indication of how that sample matrix affects analyte recovery.
- MSRPD : MS/MSD Relative Percent Difference (RPD) - The MS relative percent difference is an indication of precision for the preparation and analysis.
- ND : Non-detect - Result was below the DQO listed for the analyte.

Explanation

- 435 : Sample matrix may be affecting this analyte. Data was accepted based on the LCS or CCV recovery.

Quality Control - Wet Chem

Constituent	Method	Date/ID	Type	Units	Conc.	QC Data	DQO	Note
Wet Chem								
Alkalinity (as CaCO3)	2320B	03/06/2023:202435AMM	ND	mg/L		1.43%	10	435
Bicarbonate	2320B	(CC 2380676-001)	Dup	mg/L		1.59%	10	
E. C.	2320B	(CC 2380676-001)	Dup	umhos/cm		0%	5	
Solids, Total Dissolved	2540CE	03/02/2023:202282CTL	Blank	mg/L		ND	<20	
		(SP 2302960-001)	LCS	mg/L	992.0	99.8%	90-110	
		(SP 2302960-001)	Dup	mg/L		2.31%	5	
		(SP 2302960-001)	Dup	mg/L		0.8%	5	
Chloride	300.0	03/01/2023:202294LDM	Blank	mg/L		ND	<1	
			LCS	mg/L	25.00	94.6 %	90-110	
			MS	mg/L	50.00	94.5 %	85-121	
		(STK2332401-001)	MSD	mg/L	50.00	101 %	85-121	
			MSRPD	mg/L	10.00	5.5%	≤19	
			MS	mg/L	50.00	87.2 %	85-121	
		(STK2332428-001)	MSD	mg/L	50.00	92.9 %	85-121	
			MSRPD	mg/L	10.00	5.6%	≤19	
Fluoride	300.0	03/01/2023:202294LDM	Blank	mg/L		ND	<0.1	
			LCS	mg/L	2.500	94.2 %	90-110	
			MS	mg/L	5.000	96.3 %	87-120	
		(STK2332401-001)	MSD	mg/L	5.000	96.6 %	87-120	
			MSRPD	mg/L	10.00	0.2%	≤16	
			MS	mg/L	5.000	95.9 %	87-120	
		(STK2332428-001)	MSD	mg/L	5.000	102 %	87-120	
			MSRPD	mg/L	10.00	5.9%	≤16	
Nitrate	300.0	03/01/2023:202294LDM	Blank	mg/L		ND	<0.4	
			LCS	mg/L	20.00	93.9 %	90-110	
			MS	mg/L	40.00	96.1 %	85-119	
		(STK2332401-001)	MSD	mg/L	40.00	115 %	85-119	
			MSRPD	mg/L	10.00	16.6%	≤19	
			MS	mg/L	40.00	62.5 %	85-119	435
		(STK2332428-001)	MSD	mg/L	40.00	68.4 %	85-119	435
			MSRPD	mg/L	10.00	6.1%	≤19	
Nitrate Nitrogen	300.0	03/01/2023:202294LDM	Blank	mg/L		ND	<0.4	
			LCS	mg/L	20.00	93.9 %	90-110	
			MS	mg/L	40.00	96.1 %	85-119	
		(STK2332401-001)	MSD	mg/L	40.00	115 %	85-119	
			MSRPD	mg/L	10.00	16.6%	≤19	
			MS	mg/L	40.00	62.5 %	85-119	435
		(STK2332428-001)	MSD	mg/L	40.00	68.4 %	85-119	435
			MSRPD	mg/L	10.00	6.1%	≤19	
Nitrite as Nitrogen	300.0	03/01/2023:202294LDM	Blank	mg/L		1	<0.4	
			LCS	mg/L	15.00	93.1 %	90-110	
			MS	mg/L	30.00	93.2 %	74-126	
		(STK2332401-001)	MSD	mg/L	30.00	96.9 %	74-126	
			MSRPD	mg/L	10.00	3.8%	≤20	
			MS	mg/L	30.00	91.8 %	74-126	
		(STK2332428-001)	MSD	mg/L	30.00	98.1 %	74-126	
			MSRPD	mg/L	10.00	6.6%	≤20	
Sulfate	300.0	03/01/2023:202294LDM	Blank	mg/L		ND	<0.5	
			LCS	mg/L	50.00	93.7 %	90-110	
			MS	mg/L	100.0	91.2 %	82-124	

Quality Control - Wet Chem

Constituent	Method	Date/ID	Type	Units	Conc.	QC Data	DQO	Note
		(STK2332401-001)	MSD	mg/L	100.0	118 %	82-124	
			MSRPD	mg/L	10.00	19.2%	≤23	
			MS	mg/L	100.0	72.3 %	82-124	435
		(STK2332428-001)	MSD	mg/L	100.0	78.1 %	82-124	435
			MSRPD	mg/L	10.00	5.5%	≤23	
pH	4500-H B	(CH 2371422-001)	Dup	units		0.6%	4.80	
MBAS	5540C	03/02/2023:202322KRH	MS	mg/L	1.000	100%	90-110	
		(CH 2371431-001)	MSD	mg/L	1.000	100%	90-110	
			MSRPD	mg/L	1.000	0.0%	≤0.1	

Definition

Blank	: Method Blank - Prepared to verify that the preparation process is not contributing contamination to the samples.
Dup	: Duplicate Sample - A random sample with each batch is prepared and analyzed in duplicate. The relative percent difference is an indication of precision for the preparation and analysis.
LCS	: Laboratory Control Standard/Sample - Prepared to verify that the preparation process is not affecting analyte recovery.
MS	: Matrix Spikes - A random sample is spiked with a known amount of analyte. The recoveries are an indication of how that sample matrix affects analyte recovery.
MSD	: Matrix Spike Duplicate of MS/MSD pair - A random sample duplicate is spiked with a known amount of analyte. The recoveries are an indication of how that sample matrix affects analyte recovery.
MSRPD	: MS/MSD Relative Percent Difference (RPD) - The MS relative percent difference is an indication of precision for the preparation and analysis.
ND	: Non-detect - Result was below the DQO listed for the analyte.

Explanation

435	: Sample matrix may be affecting this analyte. Data was accepted based on the LCS or CCV recovery.
-----	--



CHAIN OF CUSTODY AND ANALYSIS REQUEST DOCUMENT

Corporate Offices & Laboratory
853 Corporation Street
Santa Paula, CA 93060
TEL: (805)392-2000
Env FAX: (805)525-4172 / Ag FAX: (805)392-2063
CA ELAP Certification No.1573

Office & Laboratory
2500 Stagecoach Road
Stockton, CA 95215
TEL: (209)942-0182
FAX: (209)942-0423
CA ELAP Certification No. 1563

Office & Laboratory
563 E. Lindo Avenue
Chico, CA 95926
TEL: (530)343-5818
FAX: (530)343-3807
CA ELAP Certification No. 2670

Office & Laboratory
3442 Empresa Drive, Suite D
San Luis Obispo, CA 93401
TEL: (805)783-2940
FAX: (805)783-2912
CA ELAP Certification No. 2775

Office & Laboratory
9415 W. Goshen Avenue
Visalia, CA 93291
TEL: (559)734-8473
FAX: (559)734-8435
CA ELAP Certification No. 2810

2371431

Inter-Laboratory Condition Upon Receipt (Attach to COC)

Sample Receipt at: STK CC **CH** VI

1. Number of ice chests/packages received: POC Shipping tracking # _____
2. Were samples received in a chilled condition? Temps: RM / _____ / _____ / _____ / _____
Surface water SWTR bact samples: A sample that has a temperature upon receipt of $>10^{\circ}\text{C}$, whether iced or not, should be flagged unless the time since sample collection has been less than two hours.
3. Do the number of bottles received agree with the COC? Yes No N/A
4. Were samples received intact? (i.e. no broken bottles, leaks etc.) Yes No
5. VOAs checked for Headspace? Yes No N/A
6. Were sample custody seals intact? Yes No N/A
7. If required, was sample split for pH analysis? Yes No N/A
8. Were all analyses within holding times at time of receipt? Yes No
9. Verify sample date, time and sampler name Yes No

Sign and date the COC, place in a ziplock and put in the same ice chest as the samples.

Sample Receipt Review completed by (initials): UM

Sample Receipt at SP:

1. Were samples received in a chilled condition? Temps: 3C / _____ / _____ / _____ / _____
Acceptable is above freezing to 6E C. If many packages are received at one time check for tests/H.T.'s/rushes/
2. Shipping tracking numbers: 558902051
963
3. Do the number of bottles received agree with the COC? Yes No N/A
4. Were samples received intact? (i.e. no broken bottles, leaks etc.) Yes No
5. Were sample custody seals intact? Yes No N/A

Sign and date the COC, obtain LIMS sample numbers, select methods/tests and print labels.

Sample Verification, Labeling and Distribution:

1. Were all requested analyses understood and acceptable? Yes No
2. Did bottle labels correspond with the client's ID's? Yes No
3. Were all bottles requiring sample preservation properly preserved? Yes No N/A FGL
[Exception: Oil & Grease, VOA and CrVI verified in lab]
4. VOAs checked for Headspace? Yes No N/A
5. Have rush or project due dates been checked and accepted? Yes No N/A
6. Were all analyses within holding times at time of receipt? Yes No

Attach labels to the containers and include a copy of the COC for lab delivery.

Sample Receipt, Login and Verification completed by (initials): MDC

Discrepancy Documentation:

Any items above which are "No" or do not meet specifications (i.e. temps) must be resolved.

1. Person Contacted: _____ Phone Number: _____
Initiated By: _____ Date: _____
Problem: pt out of field
Resolution: ran pH in lab
2. Person Contacted: _____ Phone Number: _____
Initiated By: _____ Date: _____
Problem: _____
Resolution: _____

(Please use the back of this sheet for additional comi contacts)