

SALES & MARKETING KICKOFF

ClearTract™ FOLEY CATHETER



FDA CLEARED

For Suprapubic (SPT), Urethral
and Nephrostomy Placement

SILQ Surface Science
Perfected.

ClearTract™ FOLEY CATHETER

18F SPT 2-way 10cc Balloon




URINARY CATHETERS MARKET ESTIMATION



URINARY CATHETER MARKET

GLOBAL URINARY CATHETERS MARKET, BY PRODUCT, 2020-2027 (USD MILLION)



Position/share in the total catheter Market

- Indwelling catheters accounted for a considerable share of the overall urinary catheter market. These catheters are mostly preferred in patients who require long-term care. However, these catheters are used in hospital facilities, and nearly 50% of hospitalized patients receive indwelling catheters during their stay. The prevalence of Foley catheter use in long-term care facilities ranges between 7.5-10%.

Growth Rate Estimates

- The intermittent catheters segment is expected to grow at the highest rate of 6.5% during the forecast period. The growth of this segment is mainly due to the higher prevalence of CAUTIs associated with indwelling catheters. Various studies have demonstrated the benefits of intermittent to indwelling catheterization, such as the lower risk of urinary tract infections, greater patient autonomy, and improved quality of life.




MARKET COMPETITORS

BD, MEDLINE INDUSTRIES, TELEFLEX INCORPORATED, CARDINAL HEALTH ARE SOME OF THE LEADING PLAYERS OPERATING IN THE GLOBAL URINARY CATHETERS MARKET



Urinary catheters are of three types: indwelling, intermittent, and external.



Indwelling catheters, also known as Foley catheters, drain urine in patients who cannot do so independently. Indwelling catheters are placed inside the body and can be used longer. A small, inflated balloon holds the catheter in the bladder, which keeps it in place for days or weeks. Indwelling catheters are regularly replaced between 3–12 weeks to prevent complications from an infection. Indwelling catheters involve invasive placement through the abdominal wall (suprapubic indwelling) or the urethra (urethral indwelling). Companies offering indwelling/foley catheters include Becton, Dickinson, and Company (BD) (US), Medline Industries, Inc. (US), Cardinal Health (US), B. Braun Melsungen AG (Germany), and Teleflex Incorporated (US).



Intermittent catheters are single-use catheters inserted several times daily to drain the bladder. Catheter-associated urinary tract infections (CAUTIs) are the most common complications associated with all catheters; however, intermittent catheters are reported to reduce the risk of infections compared to indwelling catheters. Some of the prominent players manufacturing intermittent catheters include BD (US), Boston Scientific Corporation (US), Cardinal Health (US), Coloplast Ltd. (Denmark), and B. Braun Melsungen AG (Germany).



External/condom catheters are non-invasive and easy to use. They are used for indications such as urinary incontinence in male patients, overactive bladder incontinence without post-void residual urine (PVR) in men, complex orthopedic surgery of the pelvis in men with a normal voiding pattern, and urological problems in men with some neuromuscular syndromes. Condom catheters can be used instead of internal catheters in men with no urinary retention or obstruction. Companies operating in this market include B. Braun Melsungen AG (Germany), BD (US), Cardinal Health (US), Coloplast Ltd. (Denmark), and Medline Industries, Inc. (US).

List of companies	Indwelling Catheters	Intermittent Catheters	External Catheters
BD	✓	✓	✓
Medline Industries, Inc.	✓	✓	✓
Cardinal Health	✓	✓	✓
B Braun Melsungen AG	✓	✓	✓
Teleflex Incorporated	✓	✓	✓
Boston Scientific Corporation	✗	✓	✗
Coloplast Ltd.	✓	✓	✓

MARKET COMPETITORS

US HEADQUARTERED COMPANIES HOLD SIGNIFICANT SHARE OF 55-60% IN THE USA INDWELLING CATHETERS MARKET




OVERVIEW



- Key companies operating in the US indwelling catheters market (accounting for 55–60% in 2021) include B. Braun Melsungen AG (Germany), Becton, Dickinson and Company (BD) (US), Cardinal Health (US), Teleflex Incorporated (US), and Medline Industries, Inc. (US).
- Key market players have strong portfolios, high-quality products, and well-developed sales networks that allow them to hold large market shares. Most players in the US market are headquartered in the country, enabling them to hold strong market positions. Leading US-based manufacturers include BD (US), Cardinal Health (US), Teleflex Incorporated (US), and Medline Industries, Inc. (US).

US: FOLEY CATHETERS MARKET SHARE ANALYSIS (2021)



(Bactiguard AB (Sweden), ConvaTec Inc. (UK), Coloplast Ltd. (Denmark), Amsino International, Inc. (US), Degania Silicone Ltd (US), ICU Medical, Inc. (US), J&M Urinary Catheters LLC. (US), McKesson Medical (US), and Medtronic (US), etc.)



CATHETER MATERIAL


Definition and market trends

- Silicone is a smooth material with a degree of flexibility, which makes insertion easy and causes less irritation to the urethra. Compared to latex, silicone catheters have less encrustation and are more tissue-friendly. Silicone catheters have a wider lumen for drainage, cause fewer allergies than latex, and are biocompatible with the urethral mucosa, making them the preferred option for long-term indwelling catheterization.
- While similar to silicone, latex is thermo-sensitive, due to which it can adapt to the temperature of its environment, increasing its flexibility. Due to their higher flexibility, latex catheters are known to ease discomfort during insertion. However, there is a high risk of latex allergy, due to which these catheters require coating with a protective layer to avoid irritation.
- Materials such as PVC and PTFE are preferred materials for short-term indwelling catheters. Their lower cost makes them preferred for short-term catheterization.

Market size and Growth Rate

- Silicone catheters accounted for the largest market share in 2021. They are expected to register the fastest growth (6.0%) owing to their benefits, such as biocompatibility, preferred use for long-term use, and reduced risk of allergies.

US: INDWELLING CATHETERS MARKET, BY MATERIAL, 2020-2027 (USD MILLION)




CATHETER LUMENS

2-WAY FOLEY CATHETERS TO REMAIN THE MOST USED ONE BASED ON LUMEN NUMBER, SINCE 3 OR 4-WAY CATHETERS ARE USED ONLY IN COMPLICATED/RARE CASES



- Lumens are the channels or tubes used to drain urine, irrigate the bladder, and inflate the balloon. Based on lumen number, indwelling catheters are categorized as two, three, and four-way catheters.
- 2-way catheters: Both lumens have separate functions: one to drain urine and the other to water the balloon to ensure inflation. These lumens are enclosed in a single flexible tube and empty the bladder when a person cannot independently do so. These are the most preferred type since they provide a steadier and more forceful urine flow than three or four-way catheters.
- 3-way catheters: These are used for continuous bladder irrigation and introducing medications into the bladder; the additional lumen helps deliver the irrigation fluid into the bladder.
- 4-way catheters: The fourth channel/lumen irrigates or aspirates the surgical site. The catheter can also be used to medicate the lower urinary tract.
- 3-way lumen catheters are used for inflation, drainage, and irrigation, while 2-way catheters have an additional function of prostatic surgical irrigation. In 2021, 2-way catheters accounted for the highest share due to their greater preference for long-term care. The segment is also expected to grow at the highest rate during the forecast period.

US: INDWELLING CATHETERS MARKET, BY LUMEN NUMBER, 2020-2027 (USD MILLION)



CATHETER SIZES

THE STANDARD CATHETER KITS INCLUDE 16FR INDWELLING CATHETERS, HENCE THE SEGMENT HOLDS THE HIGHEST SHARE IN THE MARKET, BY FRENCH SIZE




Definition and
market trends

- Catheter size refers to the thickness or diameter of the catheter and is measured in terms of Charriere (Ch) or French Gauge (FG). French sizes exclusively apply to intermittent and indwelling (Foley) catheters. The French size is compared to the circumference of the catheter in millimeters. “French” or “Fr” is equivalent to 0.33 millimeters. The French size does not apply to the length of the catheter.
- Commonly used French sizes in indwelling catheters include: 12Fr and below, 14Fr, 16Fr, 18Fr, and 20Fr and above).
- The average catheter size preferred by adult males and females ranges from 14–16Fr. Most men require 14Fr catheters while adult women require 10–12Fr catheters. The French size for children (pediatric) ranges between 6–10Fr; for adolescents, the catheter size preferred is 14Fr.
- The recommended French size also depends on the complication to be treated. For instance, 12–14Fr indwelling catheters are used to drain clear urine; catheters of 14–16Fr are preferred for urine containing debris or particles; and 18Fr or above catheters are recommended if blood clots are present in the urine.

Market size and
Growth Rate
estimates

- 16Fr indwelling catheters accounted for the largest share of the US indwelling catheters market, based on French Size, since they are mainly used among adult men, and the percentage of men being catheterized is significantly high due to the increasing prevalence of prostate-related complications. The segment is also anticipated to register the highest growth of 5.8% during the forecast period.

US: INDWELLING CATHETERS MARKET, BY FRENCH SIZE, 2020-2027 (USD MILLION)



DRIVERS/OPPORTUNITIES

INCREASING VOLUME OF SURGICAL PROCEDURES & USAGE OF FOLEY CATHETERS IN VARIOUS TYPES OF SURGERIES


- Foley catheters are used in various types of surgeries, including cardiac, head & neck, bariatric, gynecological, and orthopedic surgeries. Some of the usages of foley catheters are listed below:
 - To avoid the undesirable Urinary retention following total joint arthroplasty,
 - Used prior to the breast surgery to monitor the fluid status.
 - Post colonic surgeries to monitor the hydration status.
 - To control port-site bleeding in bariatric surgery.
- At most hospitals, the placement of an indwelling catheter is considered standard for surgical procedures that are expected to last one hour or longer, Involve the urinary tract, and Will require the patient to go to the ICU after surgery. As per the Society of Critical Care Medicine, more than 5 million patients are admitted annually to U.S. ICUs for intensive or invasive monitoring of various medical conditions.
- More than 13 million US surgical procedures were performed from January 1, 2019, through January 30, 2021 (JAMA Network 2021). Likewise, as per the PubMed 2020, Globally, 310 million major surgeries are performed each year and around 40 to 50 million in USA Hence the wide usage of foley catheters in the number of surgeries is expected to thrive the market during the forecast period.
- Moreover, foley catheters are widely used in patients undergoing minimally invasive procedures. Surgeons perform many minimally invasive surgeries on specific parts of the body Kidney transplant, Nephrectomy (kidney removal) likewise, minimally invasive surgery can also be used for more general surgeries such as Urologic surgery.
- Some of the common urology related symptoms for which require minimally invasive surgeries include moderate to severe BPH symptoms, urinary tract obstruction, bladder stones, or blood in patient's urine, inability to empty the bladder completely, bleeding from the prostate, and slow urination.
- According to The Mount Sinai Hospital, in 2021, minimally invasive treatments for prostate, kidney, and bladder cancers and a wide range of urologic disorders have been widely adopted. Also, as per the article published in World Journal of Emergency Surgery 2022, the USA reported higher proportion (69.4%) of minimally invasive surgery in emergency general surgery, Moreover, in 2021, 41,354 organ transplants were performed in the United States (24,669 kidney transplants), an increase of 5.9 percent over 2020 exceeded the annual total 40,000.



DRIVERS/OPPORTUNITIES

HIGH INCIDENCE OF ANATOMICAL ABNORMALITY

- Obstruction of urethra by an anatomical abnormality that makes difficult to urinate. Examples include prostate cancer, urethra narrowing, or prostate hypertrophy (prostate enlargement), and dysfunction of the bladder caused by nerve-related damage such as spinal trauma.
- According to PubMed 2022, the overall global incidence of Traumatic Spinal Injury (TSI) was 10.5 cases per 100,000 persons. As per the National Spinal Cord Injury Statistical Centre 2022, In 2021 population size in the United States was estimated to 333 million people. The annual incidence of traumatic spinal cord injury (SCI) is approximately 54 cases per one million people in the United States, which equals about 18,000 new SCI cases each year. Similarly, prostate cancer is the most common cancer in American men. The American Cancer Society's estimation for prostate cancer in the United States for 2023, are: 288,300 new cases of prostate cancer and 34,700 deaths from prostate cancer.
- Similarly, about 1 man in 8 will be diagnosed with prostate cancer during his lifetime. Prostate cancer is more likely to develop in older men and in non-Hispanic Black men. About 6 cases in 10 are diagnosed in men who are 65 or older, and it is rare in men under 40. The average age of men when they are first diagnosed is about 66. Likewise, according to Globocan 2020, there were 1,414,259 new prostate cancer cases and 375,304 deaths recorded globally.
- Prostate cancer patients usually require Foley catheters to aid the bladder or urethra in healing or to help reduce the side-effects (or unwanted changes in the body) of cancer treatment. Prostate cancer surgery very often weakens the muscles that control the flow of urine or may hurt the nerves that help control the bladder of the patient. This may cause leakage of urine, or patients may not be able to control the flow of urine after surgery. Hence, the high incidence of prostate cancer will drive the market for urinary catheters.
- The increasing prevalence of kidney stone, cystitis, BPH, and other urinary tract disorders will create demand for Foley Catheter. For instance, as per the article published in BMC Urology 2022, the prevalence rate of kidney stone in North America is 7-15%. In addition, 14 million men in the United States have symptoms of BPH.



DRIVERS/OPPORTUNITIES

PRESENCE OF ACCESSIBLE HEALTHCARE REIMBURSEMENT

Indwelling ureteral catheters are a mainstay in the care of hospitalized patients. An estimated 50 million indwelling urethral (Foley) catheters are used annually in the United States and 20% of hospitalized patients have a urethral catheter at any given time. The reimbursement policies and growing demand for a rise in medical procedures performed in the US are boosting the Foley Catheter market.

Below are some of the available medical coverage criteria in the US for Indwelling catheter:

- No more than one catheter for routine catheter maintenance
- Non-routine catheter changes if documentation substantiate medical necessity such as below indications
 - Catheter is accidentally removed (for instance, pulled out by patients)
 - Catheter malfunction (for instance, balloon doesn't stay inflated, hole in catheter)
- Use of specialty (for instance, Coude tipped) IUC or an all-silicone catheter requires,
 - Documentation of medical necessity for that catheter instead of straight type IUC which coating such as (recurrent encrustation, inability to pass straight catheter or sensitivity to latex)
 - Use of Coude-tipped IUC in female patients is rarely medically necessary and documentation of medical necessity may be requested
- Similarly, the applicable CPT codes are:
 - **CPT 51702** Insertion of temporary indwelling bladder catheter; simple (For instance Foley) Used when an indwelling catheter is inserted in the physician's office and the procedure is considered simple (versus complicated), and reimbursed under 51702 includes the insertion of the catheter itself
 - **CPT 51703** Insertion of temporary indwelling bladder catheter; complicated (For instance, altered anatomy, fractured catheter/balloon) Used when an indwelling catheter is inserted in the physician's office and the procedure is considered complicated (versus simple) and reimbursed under 51703 includes the insertion of the catheter itself
 - **CPT 51010** Insertion of suprapubic catheter (with aspiration) refers to the transabdominal placement of a specially designed suprapubic catheter; the aspiration confirms proper placement of the device within the bladder
 - **CPT 51705** Change of cystostomy tube; simple, may be reported to describe the removal of an existing suprapubic tube with reinsertion of a new tube through the established cystostomy tunnel from the abdominal wall to the bladder



DRIVERS/OPPORTUNITIES

PRESENCE OF ACCESSIBLE HEALTHCARE REIMBURSEMENT

- Moreover, HCPCS codes are billed to private payers, Medicaid and Medicare DMEs for urological supplies. Coverage for these products is at the discretion of the individual carrier in alignment with the patient's benefits. (source; Cardinal Health) For instance:
 - **A4338** – indwelling catheter, Foley type, two-way latex with silicone coating (Teflon, silicone elastomer, or hydrophilic, etc.)
 - **A4344** – indwelling catheter, Foley type, all silicone
 - **A4346** – indwelling catheter, Foley type, three-way for contiguous irrigation
- In addition, as per Medicare, it covers 1 indwelling catheter each month. A coude tip Foley catheter is also available if the user can demonstrate medical necessity for this variation. Foley catheters comes in both silicone and natural rubber latex options. It additionally has a provision to cover 2-4 Foley catheters per month if individual patient presents with insertion difficulties such as encrustation or frequent mucous plugs that necessitate changing the catheter more often
- Health care-associated infections are one of the most common complications of hospital care hence the presence of reimbursement facility in the US related to the urinary supplies is expected to drive the market for Foley catheter during the forecast period.



MARKET DYNAMICS

RISKS ASSOCIATED WITH THE USE OF THE FOLEY CATHETER

- Bacterial UTI is the most prevalent bacterial infection, resulting in more than 400 million cases yearly (Source microbe notes 2022). As per the National Healthcare Safety Network 2023, UTIs additionally account for more than 9.5% of infections reported by acute care hospitals also most of the healthcare associated UTIs are caused by instrumentation of the urinary tract. Approximately 12%-16% of adult hospital inpatients will have an indwelling urinary catheter (IUC) at some time during their hospitalization, and each day the indwelling urinary catheter remains, a patient has a 3%-7% increased risk of acquiring a catheter-associated urinary tract infection. Likewise, as per the FLUME estimates, the total annual burden associated with Foley catheter complications in the U.S. is equivalent to USD 80 on average, USD 2.2 billion in total and USD 60 for short term placement.
- According to UroToday, urinary tract infections (UTIs) are the most common healthcare-associated infections, accounting for ~36% of all healthcare-associated infections. Of these, 80% are catheter-associated. over 75% of all hospital-acquired or nosocomial urinary tract infections are initiated by urinary catheters, which are used during the treatment of 16% of hospitalized patients. Similarly, Foley catheters are used routinely for both short- and long-term drainage of the urinary bladder and have been associated with many complications including infections, catheter encrustation, catheter blockage, bladder spasms, balloon rupture, leakage and retained catheter. Some of the most common risks associated with catheter use include:
 - The breaking of the balloon within the bladder.
 - The balloon is not fully inflating, making it impossible for the catheter to remain in place.
 - The urine ceasing to flow into the attached bag
 - The flow of the urine being blocked due to issues with the bag or the tubing
 - Bleeding of the urethra
 - Bladder spasms when the indwelling catheter is inserted
 - Damage to the urethra if the balloon is inflated before the indwelling catheter is completely inserted within the bladder; the result of pre-inflation can be anything from mild bleeding to rupture of the bladder this can result in permanent narrowing of the urethra due to scar tissue.
- Hence due to complications arising from the foley catheter's usage is the restraining factor for the market growth.



PRODUCT FEATURES & POSITIONING



SILQ Surface Science
Perfected.



**Prevent
Infection**

**Maintain
Flow**



STANDARD FOLEY FEATURES

- Material: Silicone, Silicone-coated latex, silver impregnated hydrogel-silicone-coated latex
- Catheter Size: 6F through 24F; 16F is the most common
- Balloon Size: (10ml and 30ml)
- Lumen or port: Two-way is the most common
- Tip: Straight, Coude (angled tip) or Council (end hole to accommodate wire) for anatomical abnormality

Council tip Foley catheter has a whole on both side of the catheter tip, a small hole at the end, which allows them to be threaded over a guide wire

Coude tip Foley catheter which has only one hole on the side of the tip, cannot be threaded, a curved or bent tip, designed to navigate around obstacles in the urethra more smoothly, minimizing discomfort and potential injury.



From left to right Coude Foley Catheter vs Council Tip Foley.



16F

18F

14F

Q&A

What is the difference in a 3-way Foley catheter vs a 2-way Foley?

The three-way irrigation catheter is a large indwelling urinary catheter which has three lumens – one for inflating the balloon which retains the catheter in the bladder, one for urine drainage and one for irrigation. The catheter simultaneously allows fluid to run into and drain out of the bladder. The two-way does not include the third port for bladder irrigation.

What size Foley should I use?

They vary in size between 12 Fr (4 mm) and 30 Fr (10 mm). Size 12 Fr is large enough to relieve urinary obstruction in most adults, although practitioners typically choose size 14 to 16 Fr for initial catheterization. Larger diameter catheters may be required for adequate drainage of hematuria or clots.

When should you use a 3-way catheter?

Three-way Foley catheters are used when irrigation of the bladder is anticipated to prevent or manage bleeding or blood clots in the bladder.

How do I know what size Foley catheter to get?

The higher the number the larger the diameter. To determine the size of a urinary catheter, simply multiply the diameter length in millimeters by 3. For example, if the catheter has a diameter of 4.7 mm, it will have an FR size of 14.

What is the difference in a 10-ml and 30-ml balloon size?

There are two sizes of Foley catheter balloons: a 10-mL balloon and a 30-mL balloon. The most common balloon size used is 10 mL, and it is typically inflated with 10 mL of sterile water, which accounts for the lumen volume and the balloon volume; 30-mL balloons are used to ensure that the Foley catheter does not migrate into the prostatic fossa or out of the urinary bladder altogether.



Q&A

What is a suprapubic catheter (SPT or SP Tube)?

A suprapubic catheter is a hollow flexible tube that is used to drain urine from the bladder. It is inserted into the bladder through a cut in the tummy, a few inches below the navel (tummy button). This is done under a local anesthetic or a light general anesthetic.

Why would someone need a suprapubic catheter?

Anyone who cannot empty their bladder may need a catheter. A suprapubic catheter may be chosen because it is more comfortable and less likely to give you an infection than indwelling urethral catheters.

Suprapubic catheters are sometimes used for the following reasons:

- Urethral trauma (damage that has been caused to the urethra)
- Long-term catheterization for incontinence to avoid medical complications with the urethra
- People who require long-term catheterization and are sexually active
- Some wheelchair users or people who can't self-catheterize find this method simpler to manage
- After some gynecological operations e.g. surgery for prolapsed uterus or bladder, or surgery for stress incontinence



PRODUCT POSITIONING

Product

ClearTract is a premium indwelling foley catheter FDA cleared for urethral, suprapubic and nephrostomy placement, treated with an innovative surface treatment designed to minimize catheter-related complications, early interventions and healthcare costs.

Place & Position

- **Target surgical procedures requiring foley catheter placement for 3 days+ to reduce catheter infection rates**
 - Target complicated surgical & minimally invasive surgeries (e.g. prostate)
 - Leverage the benefit of the unique surface to curtail catheter complications and infection
 - Leverage the evidence from the randomized clinical studies to develop clinic champions with Infection Control, Infectious Disease and the Critical Care Units
- **Target chronic patients that require a Foley monthly for bladder drainage (MS, MD, SCI, STROKE) to minimize complications and CAUTI**
 - Leverage the recent FDA clearance for suprapubic use and the more rigorous endotoxin testing
 - Leverage unique surface technology to help minimize complications in chronic catheterized patients with complications that include encrustation, blockage, early intervention and infection
 - Target Urology clinics, ASC's, physician offices, VA's (SCID), REHAB Centers, LTC's and Home Care
 - Target specific clinician; NP/PAs and nurses who manage these chronic patients



PRODUCT POSITIONING


Features

- **100% silicone base catheter and latex free**
- **Standard Foley catheter dimensions and sizes**
- **Surface treatment is covalently bonded to underlying substrate by UV light and creates a permanent new surface**
- **Meets the FDA's new standards for safety and biocompatibility genotoxicity testing**
- **Provides non-tack and hydrophilic properties, facilitating easy implant and explant**
- **In the US, FDA cleared for urethral, suprapubic and nephrostomy placement**
- **14F, 16F and 18F available; 20F, 22F, and 24F are FDA cleared**
 - **We have seen numerous examples of patients downsizing from larger catheters because ClearTract® stays open and does not clog as easily**
- **Evidence: 60% less biofilm accumulation in Study 1 and 60% less CAUTI in Study 2 Target surgical procedures requiring foley catheter placement for 3 days+ to reduce catheter infection rates**
- **US Manufactured**




SUPRAPUBIC (SP) TARGET

- Establish ClearTract as premium catheter in market for suprapubic use over standard, non-treated catheters
 - Unique technology to minimize complications and early intervention
 - Physicians are more interested in our technology when they consider the significant issues seen most often in this SPT group, and have no real options that are working to prevent complications
 - New genotoxicity testing required for clearance; competitors do not meet this new standard
 - Large French sizes typical for chronic SPT patients; expanded range of catheters required
- Focus sales and marketing efforts on rehabilitation centers that treat spinal cord injury, neurogenic bladder, muscular dystrophy, spina bifida and stroke
 - Rehabilitation centers that treat spinal cord injury, neurogenic bladder, muscular dystrophy, spina bifida and stroke
 - <https://www.spinalcord.com/spinal-cord-injury-hospitals-rehabilitation-directory>



SALES PROCESS EXAMPLE

- Developed a physician champion to shepherd the product evaluation process (LA County DHS example)
 - I. Developed utilization in single facility for problematic patient(s) to build personal experience with ClearTract and impact on typical patient complications.
 - II. Physician continued utilization to deepen personal experience and assess impact on early interventions.
 - III. Physician presented product experience to the Urology subgroup, which had a physician representative from each hospital in the system.
 - IV. Physician gained support of the Urology subgroup and approval to present to LAC DHS VAC.
 - V. VAC presentation was led by the physician champion from the single facility within the 4-hospital system/IDN (Vizient GPO); likely representatives from Infection control and Nursing were part of the VAC committee for the hospital system/IDN
 - VI. Hospital system approved ClearTract for use in chronic catheterized patients.
 - VII. UPDATE: Infection control champion at Harbor UCLA is presenting ClearTract for inpatient use to help manage CAUTI problem



DEVELOP A QUICK PITCH

What makes the Silq catheter unique?

Silq's ClearTract® Indwelling Foley catheter is the first indwelling urinary catheter (IUC) that harnesses the potent antifouling properties of zwitterionic surface chemistry. ClearTract® catheters are made from 100% medical grade silicone that is treated with the Silq zwitterion surface treatment on both the outer and inner surface of the catheters.

For the past 20 years, zwitterion chemistry has been identified as one of the most powerful technologies to resist the deposition of organic materials on synthetic surfaces. The technology has been intensively studied during this period, resulting in more than 600 peer-reviewed publications on the properties, clinical benefits and potential applications of zwitterions in the medical implant field.

Emulating the chemistry of the phospholipid bilayer that encompasses every cell in the body, zwitterionic polymers bind to water electrostatically to create an extremely thin hydration layer on the surface of materials. Researchers have found that this unique property of zwitterionic chemistry transforms surfaces, providing resistance to:

1. Biofilm adherence and formation
2. Inflammation/foreign-body response
3. Blood coagulation, platelet accumulation, and thrombosis

Due to the complexity and high cost of the deposition process onto large surfaces, utilization and demonstration of zwitterionic coatings have been previously constrained to academic settings with highly specialized equipment on small samples.

Recently, multidisciplinary research among material scientists, chemists, microbiologists, and biomedical engineers at the University of California, Los Angeles has led to the development of a scalable manufacturing process that enables the broad-based use of zwitterionic chemistry on implanted medical devices.

Silq Technologies was founded by these scientists and engineers with the mission to apply the chemistry to all implanted devices to reduce device-related complications, improve patient outcomes, lower healthcare costs and maintain global antimicrobial stewardship.





COMPETITION



MARKET COMPETITORS



Bardex[®] I.C.

ANTI-INFECTIVE FOLEY CATHETERS WITH BARD[®] HYDROGEL
AND BACTI-GUARD[®]* SILVER ALLOY COATING



[View Products](#) / [BARDEX[®] I.C. Foley Catheter](#)

[Product Details](#)

[How to Order](#)

[Related Products](#)

[Request More Information](#)

BARDEX[®] I.C. Foley Catheter

The BARDEX[®] I.C. anti-infective latex Foley catheter is clinically proven to reduce catheter-associated urinary tract infections. Incorporating a technologically-advanced formulation consisting of BARD[®] hydrogel and BACTI-GUARD[®]* silver alloy coating, the BARDEX[®] I.C. Foley catheter dramatically reduces bacterial adherence and minimises biofilm formation.

The occurrence of urinary tract infection is 3.7 times greater in patients catheterised with a standard catheter than in patients catheterised with the BARDEX[®] I.C. Foley catheter with BARD[®] hydrogel and BACTI-GUARD[®]* silver alloy coating.

Recommended indwelling time not to exceed 28 days².



CLEARTRACT VS BARD EX IC

Is it comparable to BD's antimicrobial catheter?

- ClearTract does not rely on the elution of an antimicrobial to kill bacteria like BardEx IC (which uses silver ions). Mechanistically, ClearTract's unique zwitterionic surface treatment resists bacterial accumulation on the catheter from the start and does employ silver or antimicrobials to be effective.
- ClearTract Foley catheter is clinically proven to be superior to BD's antimicrobial catheter, demonstrating greater than 60% reduction in biofilm growth when compared to BardEx IC in our first randomized study (NCT04841226).
- Additionally, we have heard anecdotally that BardEx silver has proven to be ineffective in clinical use, which is corroborated by our clinical trial data that demonstrates that BardEx IC has no more effectiveness in reducing biofilm than a standard, conventional first line latex Foley. (data from NCT04841226)

Antimicrobial catheters for reduction of symptomatic urinary tract infection in adults requiring short-term catheterisation in hospital: a multicentre randomised controlled trial

Robert Pickard*, Thomas Lam*, Graeme MacLennan, Kath Starr, Mary Kilonzo, Gladys McPherson, Katie Gillies, Alison McDonald, Katherine Walton, Brian Buckley, Cathryn Glazener, Charles Boachie, Jennifer Burr, John Norrie, Luke Vale, Adrian Grant, James N'Dow

Summary

Background Catheter-associated urinary tract infection (CAUTI) is a major preventable cause of harm for patients in hospital. We aimed to establish whether short-term routine use of antimicrobial catheters reduced risk of CAUTI compared with standard polytetrafluoroethylene (PTFE) catheterisation.

Methods In our parallel, three group, multicentre, randomised controlled superiority trial, we enrolled adults (aged ≥ 16 years) requiring short-term (≤ 14 days) catheterisation at 24 hospitals in the UK. Participants were randomly allocated 1:1:1 with a remote computer allocation to receive a silver alloy-coated catheter, a nitrofurantoin-impregnated catheter, or a PTFE-coated catheter (control group). Patients undergoing unplanned catheterisation were also included and consent for participation was obtained retrospectively. Participants and trial staff were unmasked to treatment assignment. Data were collected by trial staff and by patient-reported questionnaires for 6 weeks after randomisation. The primary outcome was incidence of symptomatic urinary tract infection for which an antibiotic was prescribed by 6 weeks. We postulated that a 3.3% absolute reduction in CAUTI would represent sufficient benefit to recommend routine use of antimicrobial catheters. This study is registered, number ISRCTN75198618.

Findings 708 (10%) of 7102 randomly allocated participants were not catheterised, did not confirm consent, or withdrew, and were not included in the primary analyses. Compared with 271 (12.6%) of 2144 participants in the control group, 263 (12.5%) of 2097 participants allocated a silver alloy catheter had the primary outcome (difference -0.1% [95% CI -2.4 to 2.2]), as did 228 (10.6%) of 2153 participants allocated a nitrofurantoin catheter (-2.1% [-4.2 to 0.1]). Rates of catheter-related discomfort were higher in the nitrofurantoin group than they were in the other groups.

Interpretation Silver alloy-coated catheters were not effective for reduction of incidence of symptomatic CAUTI. The reduction we noted in CAUTI associated with nitrofurantoin-impregnated catheters was less than that regarded as clinically important. Routine use of antimicrobial-impregnated catheters is not supported by this trial.

Funding UK National Institute for Health Research Health Technology Assessment Programme.



MARKET COMPETITORS



FREE SHIP

Catheters

Incontinence

V

Home

/ Catheters

/ Foley Catheters

/ 2-Way

/ 1



****The images on the website are for reference only and do not reflect the actual configuration of the product.** Learn more..**

SKU: **POD-10014-MI** Brand: **Poiesis Medical** MPN: **D-10014** UPC: **20852732004030**

Poiesis Duette 2-Way Foley Catheter

Select Gauge :

- 14 Fr
- 16 Fr
- 18 Fr

Select Packaging :

- Each
- Box

 **Need Help Or Advice ?**

Our Product Experts are here for you

Contact Us



MARKET COMPETITORS



[View Products](#) / [LUBRI-SIL® Foley Catheter](#)

[Product Details](#)

[How to Order](#)

[Related Products](#)

[Request More Information](#)

LUBRI-SIL® Foley Catheter

The BARD® LUBRI-SIL® Foley catheter is a 100% latex-free silicone catheter. The hydrogel coating creates a “cushion” between the catheter surface and the delicate urethral tissue, reducing friction and improving patient comfort. Available in an AQUAFIL® option – containing a pre-filled syringe of sterile water.

Can remain in situ for up to 12 weeks¹

ADVANTAGES

- Lubricious catheter surface allows for smoother insertion.
- Clear construction permits visualization of mucous build-up, clots and initial urine flow.
- Enhances safety and comfort for latex sensitive patients.





in: **products** ▼

[Log In/Register](#)



- [Shop Products ▼](#)
- [Capabilities ▼](#)
- [Performance Solutions ▼](#)
- [Insights and Strategies ▼](#)
- [About Us ▼](#)

[Catalog](#) > [Urology & Ostomy](#) > [Urology](#) > [Catheters](#) > [Foley](#) >



[View full image](#)

SelectSilicone 100% Silicone Foley Catheters

Manufacturer: Medline

Description

- Completely inert for less tissue irritation and encrustation during extended periods of indwelling use
- Easy insertion and less buckling with bullet-shaped tip
- Features symmetrical balloon shape for improved reliability and larger inner lumen for better drainage
- Clear for easy visualization of clots, mucous and urine flow

[See More ▼](#)

For your business ⓘ
To view pricing and availability

[Login](#)

Ordering Information

To see product options, make selections below.

[Report Incorrect Product Information](#)



RESOURCES



PRODUCT ORDERING

1. Purchase Orders (“PO’s”) from a Participating Member for Products should be directed to Seller’s sales associate/customer service representative via e mail at customerservice@silq.tech or chuckg@silq.tech.
2. PO’s created will include the Participating Member’s product description of each item, quantity requested, any special requirements for intended use, contract pricing per item, total purchase price, date of PO, Participating Member contact information (including billing address, name of ordering representative, work phone number and email address), shipping address, shipping instructions and expected delivery date.
3. PO confirmation will be sent to the Participating Member’s contact within 48 hours after receipt of PO. Any product that is not immediately available will be communicated to the Participating Member at that time.

Vizient contract # MS1301
Premier contract# BT-NS-002

Marathon Medical (SDVOSB)
36F79718D0321 FSS APPROVAL
MOD 53
EFFECTIVE 5/15/2024



PRODUCT PRICING

2024-25 PRICE GUIDELINES

I. Category: Hospital (non-Gov)

CLEARTRACT - URE	DESCRIPTION	LIST PRICE
21400101003	ClearTract 2-way Foley Catheter, 14 Fr, 10 ml balloon, Straight Tip, box of 10	\$350
21600101003	ClearTract 2-way Foley Catheter, 16 Fr, 10 ml balloon, Straight Tip, box of 10	\$350

CLEARTRACT - SPT	DESCRIPTION	LIST PRICE
21800101003	ClearTract SPT 2-way Foley Catheter, 18 Fr, 10 ml balloon, Straight Tip, box of 10	\$400

II. Category: Government (shipping included)

PRODUCT	DESCRIPTION	LIST PRICE	MARATHON SELL PRICE
21400101003	ClearTract 2-way Foley Catheter, 14 Fr, 10 ml balloon, Straight Tip, box of 10	\$370	\$357.42
21600101003	ClearTract 2-way Foley Catheter, 16 Fr, 10 ml balloon, Straight Tip, box of 10	\$370	\$357.42
21800101003	ClearTract SPT 2-way Foley Catheter, 18 Fr, 10 ml balloon, Straight Tip, box of 10	\$420	\$405.72

III. Category: GPO (Vizient & Premier)

PRODUCT	DESCRIPTION	LIST PRICE	Tier 1 (Access) \$0k - \$4.99k	Tier 2 \$5k - \$49.9k	Tier 3 or AMC \$50k - \$149.9k	Tier 4 \$150k - \$299.9k	Tier 5 > \$300k
21400101003	ClearTract 2-way Foley Catheter, 14 Fr, 10 ml balloon, Straight Tip, box of 10	\$350	\$325	\$310	\$295	\$280	\$265
21600101003	ClearTract 2-way Foley Catheter, 16 Fr, 10 ml balloon, Straight Tip, box of 10	\$350	\$325	\$310	\$295	\$280	\$265
21800101003	ClearTract SPT 2-way Foley Catheter, 18 Fr, 10 ml balloon, Straight Tip, box of 10	\$400	\$375	\$360	\$345	\$330	\$315



OTHER SUPPORT MATERIALS

- **Company Website:** <https://silq.tech/>
- **Corporate Video:** <https://vimeo.com/710986413/5da512ecbc?share=copy>
- **ClearTract Patient Video:** <https://vimeo.com/941695395/5022b884f7?share=copy>
- **Vendor credentialing Letter (RepTrax, GHX, Green Security)**

Statement of Training and Competency

Silq Technologies Corporation

Date:

To Whom It May Concern,

We are pleased to confirm that [1099 Name] has been thoroughly trained and is competent in the products and services provided by our company, Silq Technologies. [1099 Name] has demonstrated exceptional skill and knowledge in their role, and we have full confidence in their ability to deliver high-quality service and support.

For those performing clinical activities for the facility, please find attached a “Skills Checklist” or “Training Assessment” that outlines the specific knowledge, skills, and behavior assessed. The evaluation and assessment were completed by Dr. Brian McVerry, Chief Technology Officer and Charles R. Greiner, Chief Commercial Officer.

This letter serves as a formal declaration of our continued support for [1099 Name]’s actions and contributions to our company.

Sincerely,

Charles R. Greiner

Chief Commercial Officer

Silq Technologies Corp.

Attachment: Skills Checklist or Training Assessment



THANK YOU!

