
off_tf05
RL
Heuristic
CP-SAT
T+Consolidate
LST+WorstFit
WLST+BestFit
WLST+FirstFit
en idle (n=3)
expert (n=4)
tuned] (n=3)
tuned] (n=3)
expert (n=3)
tuned] (n=3)
tuned] (n=3)
tuned] (n=3)
x0.25] (n=3)
a x0.5] (n=3)
x0.25] (n=3)
tuned] (n=3)
jective (n=3)
a x0.5] (n=3)
tuned] (n=3)
tuned] (n=3)
WEDF+BestFit
WEDF+FirstFit
a x0.5] (n=3)
tuned] (n=3)
oda x2] (n=3)
n-delay (n=3)
tuned] (n=3)
tuned] (n=3)
tuned] (n=3)
x0.25] (n=3)
tuned] (n=3)
expert (n=3)
jective (n=8)
jective (n=3)
jective (n=3)
n-delay (n=3)
jective (n=3)
oda x2] (n=3)
tuned] (n=3)
tuned] (n=3)
jective (n=3)
jective (n=3)
oda x2] (n=3)
en idle (n=8)
jective (n=3)
jective (n=3)
en idle (n=3)
jective (n=3)
jective (n=3)
tuned] (n=3)
CP-SAT
oda x4] (n=3)
tuned] (n=3)
jective (n=3)
jective (n=3)
tuned] (n=3)
oda x4] (n=3)
LST+FirstFit
tuned] (n=3)
tuned] (n=3)
oda x4] (n=3)
tuned] (n=3)
tuned] (n=3)
tuned] (n=3)
expert (n=3)
EDF+FirstFit
jective (n=3)
jective (n=3)
tuned] (n=3)
en idle (n=3)
tuned] (n=3)
expert (n=3)
tuned] (n=3)
ATC+FirstFit
tuned] (n=3)
FitConsolidate
tuned] (n=3)
mRule+FirstFit
n-delay (n=1)
tuned] (n=3)
tuned] (n=3)
10^5
J = sum of w_j T_j^2, mean over instances (log scale, lower is better)
error bars: std across seeds if n>1, otherwise standard error over instances