

Assignment 5

Ethan

Set Up

Packages

```
library(tidyverse)
library(here)
library(janitor)
library(snakecase)

#Wrap Axis Label
library(scales)

#reading .xlsx files
library(readxl)

# visualize missing data
library(naniar)

# visualizing
library(patchwork)
```

Data

```
# taxonomic information
taxon_list <- read_csv(here("data", "taxon_list.csv"))

# aquatic invertebrates
aq_ins <- read_xlsx(
```

```

  here("data", "Aquatic Sampling Data-2026-03-10.xlsx"),
  sheet = "Aquatic Insects"
)

# site information
sites <- read_xlsx(
  here("data", "Aquatic Sampling Data-2026-03-10.xlsx"),
  sheet = "sites"
)

# water quality
water_quality <- read_xlsx(
  here("data", "Aquatic Sampling Data-2026-03-10.xlsx"),
  sheet = "Water Quality",
  na = c("", "n/a", "N/A", "over", "173+")
)

```

Necessary Code from Class

```

# creating new object from sites
ncos_sites <- sites %>%
  # filtering to only include sites at NCOS, sampled quarterly
  filter(sector == "NCOS" & sampling_frequency == "Quarterly")

# creating new object from taxon_list
taxon_list_clean <- taxon_list %>%
  # converted taxon names to snake case
  mutate(verbatim_name = to_any_case(verbatim_name,
                                     case = "snake"))

water_quality_clean <- water_quality %>%
  clean_names() %>%
  semi_join(ncos_sites, by = "site") %>%
  unite("date_site", date, site, remove = TRUE) %>%
  group_by(date_site) %>%

```

```

summarize(med_ph = median(p_h, na.rm = TRUE),
          med_sal = median(salinity_ppt, na.rm = TRUE),
          med_do = median(dissolved_oxygen_mg_l, na.rm = TRUE)) %>%
ungroup() %>%
filter(date_site != "2022-08-12NVBR")

aq_ins_clean <- aq_ins %>%
  clean_names() %>%
  semi_join(ncos_sites, by = "site") %>%
  rename(date = date_on_vial) %>%
  select(date, sample_type, site,
         ostracod,
         copepod,
         hemiptera_corixidae_boatman,
         cladocera,
         nematode,
         diptera_ceratopogonidae,
         annelida_oligochaete,
         annelida_polychaete,
         diptera_chironomid) %>%
  filter(sample_type %in% c("FB250", "FB 250")) %>%
  pivot_longer(
    # columns to make longer
    cols = ostracod:annelida_polychaete,
    # new column for the old column names
    names_to = "taxon",
    # new column for the values in each of the old columns
    values_to = "abundance"
  ) %>%
  group_by(date, site, taxon) %>%
  summarize(ave_lit = sum(abundance, na.rm = TRUE)/7.5) %>%
  ungroup() %>%
  unite("date_site", date, site, remove = FALSE) %>%
  left_join(water_quality_clean, by = "date_site") %>%
  left_join(taxon_list_clean, by = c("taxon" = "verbatim_name")) %>%
  mutate(site_full = case_when(
    site == "NVBR" ~ "North of Venoco Bridge",
    site == "NEC" ~ "South of Venoco Bridge",
    site == "NMC" ~ "Main Channel",
    site == "NPB" ~ "South of Phelps Bridge",
    site == "NPB1" ~ "North of Phelps Bridge",
    site == "NPB2" ~ "West Pond",

```

```
site == "NDV" ~ "Devereux Creek")) %>%  
mutate(site_full = fct_reorder(site_full,  
                                med_sal,  
                                .fun = "median",  
                                .na_rm = TRUE),  
       site_full = fct_rev(site_full))
```

1. Visualizing differences across sites in major taxon

a. Planning the Figure

- x-axis: Salinity (ppt)
- y-axis: Ostracod
- geometry to represent average abundance/L: `geom_jitter()`
- geometry to represent medians: `stat_summary()`

wrangling the data