## Project Idea

Create a programming language and compiler. Below are some formal grammar rules and syntax for the language, E++.

## **Syntax**

- Variable *shadowing* is **not** allowed. Having a variable with the same name in an inner scope is invalid, unless the variable is first declared in the inner scope.
- You must terminate a statement with a semicolon, unless that statement ends with a scope.
- Single line comments are denoted by '//' and Multi-line comments are denoted with '/\* \*/'
- You must say **please** or **PLEASE** enough to satisfy the compiler.

## **Producers**

$$[Program] \rightarrow [Statement]^*$$

$$\begin{cases} please \\ PLEASE \\ exit([Expr]); \\ set ID = [Expr]; \\ reset ID = [Expr]; \\ if([Expr])[Scope][AfterIf] \\ [Scope] \end{cases}$$

$$[Scope] \rightarrow \{[Stmt]^*\}$$

$$[AfterIf] \rightarrow \begin{cases} elsif([Expr])[Scope][AfterIf] \\ else([Expr])[Scope] \\ \epsilon \end{cases}$$

$$[Expr] \rightarrow \begin{cases} [Term] \\ [BinaryExpr] \end{cases}$$

$$[Term] \rightarrow \begin{cases} int\_lit \\ ID \\ ([Expr]) \end{cases}$$

```
 \begin{cases} [\operatorname{Expr}] \times [\operatorname{Expr}] & \operatorname{precedence} = 2 \\ [\operatorname{Expr}] \div [\operatorname{Expr}] & \operatorname{precedence} = 2 \\ [\operatorname{Expr}] \% [\operatorname{Expr}] & \operatorname{precedence} = 2 \\ [\operatorname{Expr}] + [\operatorname{Expr}] & \operatorname{precedence} = 1 \\ [\operatorname{Expr}] - [\operatorname{Expr}] & \operatorname{precedence} = 1 \\ [\operatorname{Expr}] \le [\operatorname{Expr}] & \operatorname{precedence} = 0 \\ [\operatorname{Expr}] \ge [\operatorname{Expr}] & \operatorname{precedence} = 0 \\ [\operatorname{Expr}] > [\operatorname{Expr}] & \operatorname{precedence} = 0 \\ [\operatorname{Expr}] < [\operatorname{Expr}] & \operatorname{precedence} = 0 \\ [\operatorname{Expr}] < [\operatorname{Expr}] & \operatorname{precedence} = 0 \\ [\operatorname{Expr}] = [\operatorname{Expr}] & \operatorname{precedence} = 0 \\ [\operatorname{Expr}] ! = [\operatorname{Expr}] & \operatorname{precedence} = 0 \end{cases}
```

## **Terminals**

$$\begin{split} \text{int\_lit} &\rightarrow [0\text{-}9]^* \\ \text{ID} &\rightarrow [\text{a-zA-Z}][\text{a-zA-Z0-9}]^* \end{split}$$