



CLR Connection Center

Standard Operating Procedures

Daily Operational Reference — CLRs, Managers, Admins

West Capital Lending

Version 1.0 · April 2026

Internal use only — do not distribute externally.

Table of Contents

How to use this manual

Section A — CLR Daily Workflow

- A.1** Logging in (web + PWA)
- A.2** Reviewing today's assignments
- A.3** Running the calling script / dialer
- A.4** Logging a call outcome
- A.5** Scheduling an appointment
- A.6** Using the Appointments page
- A.7** Submitting the End-of-Day report
- A.8** Using the LO Directory
- A.9** State Lookup and NMLS License tools
- A.10** Team chat and forum etiquette

Section B — Manager Workflow

- B.1** Reviewing team stats and leaderboard
- B.2** Reviewing EOD reports
- B.3** Monitoring submission compliance
- B.4** Spotting coverage gaps with LO Stats
- B.5** Escalating issues to admin

Section C — Admin Workflow

- C.1** Generating daily assignments
- C.2** Managing LO Vacation
- C.3** Configuring team goals
- C.4** Running NMLS license checks
- C.5** Reviewing the Audit Log
- C.6** Managing users and roles
- C.7** Sending invites
- C.8** Viewing the Reports center

Section D — Integrations (admin)

- D.1** Setting up the Mojo webhook
- D.2** Running the Mojo CSV import
- D.3** Setting up the Bonzo webhook
- D.4** Viewing Mojo Sessions and Bonzo Prospects
- D.5** Working with the Contact Hub

Section E — PWA & Install

- E.1** Installing on iPhone
- E.2** Installing on Android
- E.3** Installing on desktop
- E.4** Enabling Web Push notifications

Section F — Troubleshooting

- F.1** Can't log in / forgot password
- F.2** EOD PDF won't export
- F.3** Appointment badge shows wrong number
- F.4** Missing data after Mojo CSV import
- F.5** Service worker stuck on old version
- F.6** Escalation path for bugs

How to use this manual

This manual is the day-to-day operational reference for the CLR Connection Center at West Capital Lending. It is organized by role — CLR first, then Manager, then Admin — and is designed so each SOP is self-contained. You should be able to open to any procedure and follow it without reading the rest of the document.

Every SOP follows the same three-part structure: **When to use** states the trigger, **Steps** lists the exact actions in the order they appear in the app, and **Edge cases** lists known variations and what to do about them.

Conventions

Page names (such as **Dashboard**, **Assignments**, **EOD Report**) match the sidebar labels in the live app. Buttons and field names are shown in **bold**. Menu paths use an arrow, for example: **Settings** → **Daily Assignments**.

Production URL

The CLR Connection Center is served at **<https://www.wlc.it.com>**. Bookmark this URL, or install the PWA from the **Install App** page in the sidebar, so you always launch the current version.

Keep it current

UI labels change over time. If a step in this manual disagrees with what you see on screen, trust the app and report the drift to Ethan Wood so this document can be updated.

Admin-only procedures

Sections C and D cover admin-only features. If you do not see the **ADMIN** or **INTEGRATIONS** groups in the sidebar, your account does not have the admin role — ask a current admin to promote you in **Settings** → **Users** before attempting those SOPs.



Section A

CLR Daily Workflow

A.1 Logging in (web and PWA)

When to use

At the start of every shift, or any time your session has expired.

Steps

1. Open <https://www.wlc.it.com> in your browser, or launch the installed CLR Connection Center app from your home screen or taskbar.
2. Enter your **West Capital Lending email address** in the Email field.
3. Enter your **password**. If this is your first login, use the temporary password from your invite email.
4. Click **Log In**. You will land on the **Dashboard** by default.
5. Confirm the top-left badge shows your name and role (CLR, Manager, or Admin). If the role is wrong, stop and contact an admin before logging calls.

Edge cases

- If the page shows a **Demo Login** banner, you are on a staging build — switch to <https://www.wlc.it.com>.
- If login fails with "Invalid email or password", use the **Forgot password?** link on the login screen (see F.1).
- If the PWA opens a blank screen, close the app fully and relaunch. If still blank, see F.5 on service-worker refresh.

Stay signed in

The app uses a secure session cookie. On a trusted device you can stay logged in across reloads; on a shared machine, log out from the avatar menu when you finish your shift.

A.2 Reviewing today's assignments

When to use

Every morning, before you start dialing, so you know which LOs you are covering.

Steps

1. Click **Assignments** in the **MAIN** sidebar group.
2. Confirm the date header at the top of the page is today's date. If it is not, refresh the browser — the page is cached per day.
3. Review the list of **assigned LOs**. Each card shows the LO name, NMLS, priority tier, and any admin notes.
4. Click into each LO card to expand the list of prospect / borrower rows you are expected to call for that LO.
5. If the page is empty and shows "No assignments generated", contact your admin — assignments are generated once per day by an admin (see C.1).
6. Once you have reviewed all LOs, move to **Script** or **Call History** to begin dialing.

Edge cases

- Assignments are locked once generated for the day. If an LO is missing or wrong, ask an admin to unlock and regenerate (they must provide a reason — this is audited).
- Vacation-flagged LOs are skipped automatically. If you expected an LO and they are absent, check LO Vacation (C.2).

A.3 Running the calling script / dialer

When to use

While actively dialing contacts, to guide the conversation and record the outcome.

Steps

1. Open **Script** from the **MAIN** sidebar group.
2. Select the active script at the top (the one marked as the team default). If multiple scripts exist, confirm the name matches today's campaign.
3. Click **Start Call** on the contact you are dialing. The script renders one node at a time with the current line of copy.
4. Read the script node aloud. Placeholders such as borrower name and LO name are filled in from the contact record.
5. Choose the colored response button that best matches what the contact said. The script will branch to the next node automatically.
6. When you reach a terminal node (transfer, fell through, callback, etc.), the page prompts you to log the outcome — proceed to SOP **A.4**.

Edge cases

- If a node shows no response buttons, the script designer left a dead-end — log the outcome as **Other / Fell Through** and flag it in team chat.
- Placeholder text in **{{curly_braces}}** means that field is missing on the contact record — log a callback and update the contact in the Directory.

A.4 Logging a call outcome

Every call must end with an outcome log. The system supports six primary outcome types, plus transfer sub-types. This SOP gives the common prefix first, then the specifics for each type.

Common prefix — always do these steps first

1. On the contact card (from Script, Assignments, or Directory), click **Log Outcome**.
2. In the outcome dialog, select the **Outcome Type** from the six options: Transfer, Appointment, Fell Through, Callback, Deferral (future contact), or No Answer.
3. Confirm the **Borrower Name** and **Loan Officer** fields are correct — they auto-fill from the contact but can be edited.
4. Add a short note in **Notes** describing what happened. Keep it factual; this feeds the EOD report.

A.4.a Transfer

Use when the borrower is warm and is being passed to an LO right now, or has committed to a specific appointment time. After selecting **Transfer**, choose a **Transfer Type**:

1. **Direct transfer** — you are live-transferring the call to the LO immediately.
2. **Appointment transfer** — you have booked a specific date and time; enter it in **Appointment Datetime**.
3. Click **Save**. The outcome will appear on the LO's **Transfers** list on the Dashboard and in your EOD report.

A.4.b Appointment

Use when the borrower has agreed to a specific date and time but the LO is not live. Enter the **follow-up date** and, if known, time. Assign to the correct LO (SOP A.5). The appointment will surface in the Appointments page and count toward the sidebar badge.

A.4.c Fell Through

Use when a previously-booked appointment did not convert — the borrower declined, did not show, or the LO could not take it. In the outcome dialog, add a clear explanation in **Notes**. Fell-through entries are counted separately from No-Answer in reporting.

A.4.d Callback Requested

Use when the borrower asked to be called back within days or weeks but did not commit to a specific time. Enter an approximate **follow-up date**. These show up on the Appointments page under **Upcoming**.

A.4.e Deferral / Future Contact

Use for contacts who are not ready now but may be in months ("call me after my lease ends", etc.). Set a follow-up date far enough out that it is realistic. Legacy records tagged **future_contact** are displayed as **Deferral**.

A.4.f No Answer

Use when the phone rang, went to voicemail, or no one picked up. Do not set a follow-up date — the daily assignment engine will cycle the contact back to you. Multiple no-answer entries on the same number in one day should be consolidated into one logged outcome with a count note.

Every call must be logged

The EOD report pulls totals directly from the outcomes table. If you skip a log, your end-of-day numbers will under-count and you will have to manually reconcile. Log the call before dialing the next number.

A.5 Scheduling an appointment (setting follow-up date and LO)

When to use

When a borrower has agreed to a future call with a specific LO.

Steps

1. From the outcome dialog (SOP A.4), choose **Appointment**, **Callback**, or **Deferral**.
2. Set the **Follow-up Date**. For appointments, also set the time if known.
3. Select the **Loan Officer** the borrower is expecting. Only active (non-vacation) LOs appear in the dropdown.

4. Double-check the **Borrower Name** and phone are correct — the LO will use these to prepare.
5. Add a **Note** that tells the LO exactly what the borrower is expecting ("wants rate quote", "cash-out refi, \$400k target", etc.).
6. Click **Save**. The appointment appears on the **Appointments** page under **Today** or **Upcoming** and contributes to the sidebar badge if within 3 days.

Edge cases

- If the borrower insists on a specific LO who is on vacation, pick the backup from the same state in the LO Directory and note the original request.
- If the date is within the next 3 days, the Appointments badge on the sidebar will increment immediately on refresh (see F.3 if it doesn't).

A.6 Using the Appointments page

When to use

Once per day (and before any handoffs), to see what's overdue, due today, and coming up.

Steps

1. Click **Appointments** in the **MAIN** sidebar group.
2. Review the three lists: **Overdue** (red badge — follow-up date before today), **Today**, and **Upcoming** (follow-up date after today).
3. Click any appointment card to open the detail drawer. From here you can edit the outcome type, LO, borrower, or notes.
4. For each **Overdue** item, either reschedule (click **Edit Appointment** and pick a new follow-up date) or convert to **Transfer / Fell Through** with a note.
5. For **Today**, make the call at the scheduled time and log the resulting outcome. The appointment is converted automatically when you log Transfer or Fell Through against the same contact.
6. Use the tabs at the top to filter by outcome type (Appointment, Callback, Deferral) if the list is long.

Edge cases

- The Appointments sidebar badge counts only **active** items with a follow-up in the next 3 days, and excludes transfers and overdue. A high badge number usually means you need to clear overdue items.
- Undated callbacks appear under a separate **No date** group — pick a date or convert to Deferral as soon as reasonable.

A.7 Submitting the End-of-Day (EOD) report

When to use

Every working day, before signing off. One report per CLR per day.

Steps

1. Open **EOD Report** from the **MAIN** sidebar group.

2. Confirm the **Report Date** at the top is today. The form is prefilled from your logged outcomes: **Total Calls Made, Transfers, Appointments**, and the outcome breakdown.
3. Check off each **Assigned LO** you actually called for today. Any you did not call should remain unchecked.
4. Under **Additional LOs you covered**, list any LOs you called for outside your own assignments, plus a short note why (vacation coverage, overflow, etc.).
5. Add any noteworthy events to **Notes** — blockers, borrower escalations, DNC issues, script confusion, etc. These are read by managers.
6. Click **Submit Report**. You will see a **Submitted** badge and the form becomes read-only. An email goes to your managers automatically.

Edge cases

- Once submitted, the report can be viewed but not edited. If you must correct something, ask a manager to reopen it.
- Only **one report per day** is allowed. Do not attempt to submit a second — edit the existing draft instead.

PDF export is for past reports only

The **Print / Export PDF** button works only on submitted reports from a previous day. Today's draft is not exportable — this ensures the day is closed before printing. If the button is missing, confirm the report date is not today and that it has been submitted.

A.8 Using the LO Directory

When to use

Any time you need an LO's contact details, NMLS number, priority tier, or licensed states.

Steps

1. Click **Directory** in the **MAIN** sidebar group.
2. Use the **Search** box at the top to filter by LO name, email, or NMLS number.
3. Each LO card shows name, priority tier (colored badge), NMLS, email, and a summary of licensed states.
4. Click an LO card to open the full profile: all licensed states, availability flag, goals, and recent transfer history.
5. Use **Add LO** (admin only) to create a new LO record; use the pencil icon to edit an existing one.
6. When handing off a call, use the LO's email and NMLS from this directory — do not rely on memory.

Edge cases

- LOs flagged **On Vacation** or **Inactive** are visually dimmed and excluded from daily assignments (see C.2).
- If an LO's state list is out of date, ask an admin to update it — borrower referrals must match a licensed state.

A.9 Using the State Lookup and NMLS License tools

When to use

When a borrower's state is unclear, or when you need to verify an LO's NMLS status on the fly.

Steps

1. Open **State Lookup** from the **TOOLS** sidebar group.
2. Pick the borrower's state from the dropdown. The page lists every LO licensed in that state, sorted by priority tier.
3. Use the email and phone shown to reach the correct LO. If the state shows "No LOs licensed", escalate in team chat — the borrower cannot be transferred.
4. For NMLS verification, open **NMLS License** from the **TOOLS** sidebar group.
5. Search by LO name or NMLS ID. The status column shows Active, Inactive, Expired, Failed, or Never Checked.
6. If the status is **Never Checked** or **Expired**, click **Refresh All** (or the row-level refresh) to run an automated check. If NMLS blocks the automated check, follow the provided direct link to verify manually.

Edge cases

- Admins who need to triage pending NMLS items should use the **NMLS** page in the sidebar (badge-counted). See C.4.
- State Lookup only returns LOs currently marked active; vacationed LOs are excluded.

A.10 Team chat and forum etiquette

When to use

Throughout the day for quick coordination; the forum for longer-form posts.

Steps

1. Use **Chat** (under **TEAM**) for real-time messages: coverage asks, quick scripts questions, blockers that need an answer in minutes.
2. Keep messages short. Tag the person you need by name so they see a notification.
3. Use **Forum** (under **TEAM**) for persistent posts: script change proposals, training recaps, process feedback. Give each post a descriptive title.
4. Do not paste borrower PII (SSNs, full DOBs) into chat or forum — use the borrower record in the Directory instead.
5. Clear the unread badge regularly by scrolling to the bottom of the Chat thread. Unread posts in the Forum are listed with a dot next to the title.
6. For anything that requires admin action (unlocks, role changes, integration errors), switch to escalation — see B.5 and F.6.

Edge cases

- If the chat unread badge does not clear after reading, hard-refresh the page (Cmd/Ctrl + Shift + R).

- Deleted messages cannot be restored. Be deliberate before using the delete action.



Section B

Manager Workflow

B.1 Reviewing team stats and the leaderboard

When to use

Every morning and again mid-afternoon to gauge team pace against goals.

Steps

1. Open **Stats** from the **TEAM** sidebar group. This is the leaderboard view.
2. Review the top cards: total Transfers, all-time Transfers, average conversion rate, and per-CLR ranking.
3. Scroll to the **Volume by Period** area chart and the **Conversion Rate Trend** line chart. Use the **1D / 1W / 1M / All Time** toggle (top-right of each chart) to change the time range — the selection is remembered per-chart on your device.
4. Identify the top-ranked CLR and the bottom-ranked CLR for the selected period. Note any CLR whose conversion rate has dropped week-over-week.
5. Use the CLR filter dropdown to drill into a single CLR's trend when you need a focused coaching conversation.
6. For full team-wide rollups, open **Team Stats** in the same group; it shares the same time-range toggle.

Edge cases

- An empty chart usually means the time range is too narrow (1D before 9 AM). Switch to 1W or 1M.
- If the leaderboard ranks a CLR above what you expect, verify their outcomes in **Call History** — sometimes a large transfer day is legitimate.

B.2 Reviewing EOD reports (history, filtering, exporting PDFs)

When to use

Daily, typically the morning after, to confirm every CLR submitted and to spot issues.

Steps

1. Open **EOD Report** and scroll to the **Report History** section (managers and admins see all CLR's reports).
2. Use the date range and CLR filters to narrow the list. Sort by **Submitted At** to see the latest first.
3. Click a report row to expand the full breakdown: calls, outcomes, transfer prospects, LO coverage, and notes.
4. Click **Print / Export PDF** on any **submitted** report to produce the dedicated print sheet. This includes CLR identity, submission timestamp, outcome breakdown, transfer prospects, LO coverage rollup, notes, activity log, and signature lines.
5. If a report is missing for a CLR who worked that day, follow B.3.
6. For spot coaching, highlight a transfer row and compare its note against the outcome timestamp in **Call History** to validate the story.

Edge cases

- Today's report is always a draft — the PDF export button is only enabled on past submitted reports. Do not ask a CLR to "export today's report"; instead, wait until the day closes.
- Very long notes can overflow the print sheet; ask the CLR to trim and resubmit via an admin reopen.

Batch export for audits

Export one PDF per CLR per day during month-end audits and save them to your shared folder. The print sheet is stable across deploys, so older PDFs remain usable.

B.3 Monitoring submission compliance

When to use

Every morning, to confirm every scheduled CLR submitted an EOD for the previous working day.

Steps

1. Open **EOD Report → Report History** and set the date filter to **yesterday**.
2. Scan the list for CLRs who worked yesterday but have no row. Cross-check against the **Assignments** page for that same date.
3. Message missing CLRs in **Chat** before 10 AM and ask them to submit late. Tag the CLR by name.
4. If a CLR had a legitimate reason not to submit (sick, PTO), note it in the day's team chat thread so the absence is visible to admins.
5. Track repeat misses. Three missed submissions in a rolling two-week window is the threshold for escalation to admin (see B.5).

Edge cases

- A report submitted after midnight counts for the previous day only if the CLR backdated the **Report Date** field. Verify the date on the row rather than the submission timestamp.

B.4 Spotting coverage gaps with LO Stats and LO Performance

When to use

Weekly, and any time you suspect an LO is being under-served.

Steps

1. Open **LO Stats** from the **TOOLS** sidebar group. This shows per-LO outcomes, transfers, and call counts.
2. Sort by **Calls made last 7 days**. Any LO with a conspicuously low count relative to their tier is a candidate for a coverage gap.
3. Cross-reference with **LO Vacation**: LOs flagged on vacation are expected to be zero — filter them out mentally.
4. Click into an LO to open the detail view (or use **LO Performance**) and look at the last 30 days of transfers and appointments per CLR. A tier-1 LO receiving zero appointments over 30 days is a red flag.

5. Bring the gap to standup or post in **Forum** with the LO name, observed window, and proposed fix (reassignment, vacation flag, state-lookup correction).

Edge cases

- Brand-new LOs added mid-period will show misleading low counts. Filter to LOs created before the window.
- If **State Lookup** shows only one LO for a busy state, that LO will receive outsized volume — this is a coverage gap, not an individual performance problem.

B.5 Escalating issues to admin

When to use

Whenever a problem requires action only an admin can take: unlocking assignments, reopening an EOD, changing a role, or fixing integration errors.

Steps

1. Write down (before you send anything) the exact CLR name, LO name, date, and what you need changed.
2. Open **Chat** and DM the on-call admin. If the issue is urgent (blocking a live transfer), tag with an "URGENT" prefix.
3. For non-urgent issues, post in **Forum** under the operations category — this preserves a searchable record.
4. If the admin must take an audited action (assignment regeneration, role change), include a clear reason — they must type one into the app.
5. For suspected bugs, follow the bug escalation path in F.6 (Ethan Wood → Chris Redoble).

Edge cases

- Do not escalate the same issue in both chat and forum at once — the admin will see the duplicate and it slows triage. Pick one channel.



Section C

Admin Workflow

C.1 Generating daily assignments

When to use

Once each working morning, ideally before 7 AM Pacific, so CLRs find their lists ready.

Steps

1. Open **Assignments** in the **MAIN** sidebar group (admins see the generator controls at the top).
2. Confirm the date header is today's date.
3. Review the **LO pool**: any LO flagged on vacation is automatically excluded (see C.2).
4. Click **Generate Today's Assignments**. The system creates one assignment per CLR per day.
5. After generation, the action is locked. Every CLR now sees their list on their own **Assignments** page.
6. If you need to regenerate (e.g. a CLR called in sick and their list needs to move), click **Unlock & Regenerate**, then follow the three-step confirm: type a **reason**, click **I understand**, and type the confirmation phrase exactly. The action is logged in the Audit Log with your name and the reason.

Edge cases

- If the generator button is greyed out and says "Already generated", confirm you are not viewing yesterday's page. A page stuck on an old date usually means a cached tab — reload.
- Generation will refuse to run if the LO pool is empty (all LOs on vacation). Clear at least one LO's vacation flag first.

Unlocks are audited

Every regeneration after the initial lock is recorded with admin name, timestamp, and your typed reason. Use specific reasons ("CLR Maria out sick, reassigning her LOs to Aaron") — the audit log will be reviewed during compliance checks.

C.2 Managing LO Vacation

When to use

Whenever an LO is going on leave, returning from leave, or being temporarily deactivated.

Steps

1. Open **LO Vacation** from the **TOOLS** sidebar group.
2. Search for the LO by name or NMLS.
3. Click the status button to toggle: **Mark On Vacation**, **Mark Inactive**, or **Mark Active**.
4. Confirm the action in the modal. The page displays the impact — e.g. "They will be excluded from daily assignments while on vacation."
5. If the LO is returning, click **Mark Active**. They will be included in the next daily generation run.
6. Tell the CLR team in chat whenever a tier-1 LO is flagged or cleared, so expectations are aligned.

Edge cases

- Vacation status does NOT retroactively remove assignments already generated for today. To remove them same-day, regenerate assignments (see C.1).
- "Inactive" is stronger than "On Vacation" — use it when the LO has left WCL or is on long leave with no return date.

C.3 Configuring team goals in Settings

When to use

At the start of each quarter, or whenever leadership revises targets.

Steps

1. Open **Settings** from the **ADMIN** sidebar group.
2. Scroll to the **Users** table (all users in your organization).
3. For each CLR, click the row's **Set Goals** button to open the per-CLR weekly goal modal.
4. Enter **Weekly Calls**, **Weekly Transfers**, and **Weekly Appointments**. Enter **0** for any goal you want to disable.
5. Click **Save**. The CLR's progress bars on **My Report** and their dashboard will update on their next page load.
6. CLRs can also set their own personal goals on the **Weekly Goals** card under their Settings profile — admin-set goals take precedence for team reporting.

Edge cases

- Goals do not affect assignment generation or payroll — they are a visual tracker only. Do not rely on them for performance management in isolation.

C.4 Running NMLS license checks

When to use

Weekly for all active LOs, and whenever a new LO is added.

Steps

1. Open **NMLS** from the **TOOLS** sidebar group (the item with a badge count of pending checks).
2. Review the **pending check queue**. Each row lists an LO whose license is due for verification.
3. For each row, click **Confirm Verified** after checking the NMLS portal manually. If you completed the check and the license is current, confirm to clear the row.
4. For bulk verification of known-good LOs, open **NMLS License** (status reference) and use **Refresh All** to trigger automated checks in parallel.
5. If the automated check returns **NMLS blocked automated check**, use the direct link to verify in the NMLS portal, then click **Confirm Verified** in the app.
6. License results (Active, Inactive, Expired, Failed) are stored with a timestamp — managers can see them in the LO Directory.

Edge cases

- An **Expired** license blocks the LO from receiving assignments — notify the LO immediately and coordinate renewal.
- **Never Checked** appears on newly added LOs. Run a check before their first assignment.

C.5 Reviewing the Audit Log

When to use

Weekly during normal operations; immediately after any incident or unexpected change.

Steps

1. Open **Audit Log** from the admin area.
2. Use the top filter to limit by type: Assignment, Auth, Login, Loan Officer, Outcome, Settings, User, Create, Update, Delete, Generate.
3. Each row shows actor, action, target, timestamp, and — for unlock events — the typed reason.
4. For any row that looks unusual (unexpected role change, unlock with a vague reason, delete of a user), click through to see the full payload.
5. Export filtered rows to CSV (where available) if you need to attach them to a compliance ticket.
6. When investigating a specific issue, start from the timestamp in the affected user's report or the chat message, then filter the audit log to a 15-minute window.

Edge cases

- The Audit Log is append-only. You cannot edit or delete entries. If a row appears wrong, raise it with Ethan Wood for root-cause analysis.

C.6 Managing users and roles

When to use

When someone joins or leaves the team, or when a role change is approved.

Steps

1. Open **Settings** → **Users**.
2. To promote a user, click their row's role dropdown and select **Admin**, **Manager**, or **CLR**. Changes are saved immediately and recorded in the Audit Log.
3. To deactivate a user (leaving WCL), set their status to **Inactive**. They can no longer log in; their historical data is preserved.
4. To remove a user entirely (rare — almost always prefer Inactive), use **Delete**. This is logged as a destructive action in the Audit Log.
5. For password resets, direct the user to the **Forgot password?** link on the login screen (F.1). Admins do not set user passwords directly.
6. Role changes take effect on the user's next page load; ask them to reload or log out and back in.

Edge cases

- Do not demote yourself from Admin unless another Admin is available — you cannot re-promote yourself without admin access.
- Super-admin-only actions (org management) live under the **SUPER ADMIN** group and are not covered here.

C.7 Sending invites

When to use

When a new CLR, manager, or admin needs access.

Steps

1. Open **Settings** → **Users**.
2. Click **Invite User** (top-right of the Users panel).
3. Enter the new hire's **email address** and select the intended **role**.
4. Click **Send Invite**. The user receives an email with a one-time invite link that expires.
5. The new user clicks the link, sets their password, and lands on the Dashboard. Their row in Users switches from pending to active.
6. If the invite email was lost or expired, return to the Users page and click **Resend Invite**.

Edge cases

- Invite links are single-use. Do not forward them — the first click claims the account.
- If the user reports never receiving the email, check spam, then confirm the email you entered. If still missing, remove the pending invite and re-send.

C.8 Viewing the Reports center

When to use

For monthly rollups, board decks, or any cross-period analysis.

Steps

1. Open **Reports** from the **TOOLS** sidebar group.
2. Set the **date range** and, if needed, the **CLR filter**.
3. Review the aggregated metrics: total calls, transfers, appointments, conversion rate, and the per-CLR breakdown.
4. Click **Print / Export PDF** for a print-friendly copy, or **Export CSV** to pull the raw table into a spreadsheet.
5. For personal admin metrics, use **My Report** under the **ADMIN** sidebar group — it shows your own goals and outcomes.

Edge cases

- Very large date ranges (quarter+) can be slow to render. Start narrow and expand.
- The CSV export reflects the same filters as the on-screen table; change filters before exporting.



Section D

Integrations (admin)

D.1 Setting up the Mojo webhook

When to use

During initial setup, and whenever Mojo credentials rotate.

Steps

1. Open **Integrations** from the **INTEGRATIONS** sidebar group.
2. Locate the **Mojo** card. Copy the **Webhook URL** shown at the top — this is what you paste into the Mojo admin console.
3. In Mojo, configure the outbound webhook to POST to that URL for session-end events.
4. Back in the CLR Connection Center, generate a new **Webhook Secret** (Mojo signs each POST with it) and paste the same value into Mojo's secret field. Click **Save**.
5. If you also want the public-API sync (not yet launched publicly), paste the **API Key** and click **Save**.
6. Trigger a test session in Mojo and verify the event appears in the CLR Connection Center. The Integrations page lists recent webhook events and any signature-verification failures.

Edge cases

- If events are arriving but show a signature error, the secrets are out of sync — regenerate on this side and paste the new secret into Mojo.
- Mojo session data feeds the **Mojo Sessions** page (D.4); empty session pages usually mean webhook delivery is failing.

Rotate secrets carefully

Rotating the Mojo webhook secret here will reject events signed with the old secret. Update both sides in the same sitting.

D.2 Running the Mojo CSV import for historical data

When to use

One-time during onboarding, or to backfill after a webhook outage.

Steps

1. Export a CSV from Mojo containing the contact or call-log data you need to backfill.
2. Open **Mojo Import** from the **INTEGRATIONS** sidebar group.
3. Pick the import type: **Import Contacts** (creates `mojo_contacts` and `unified_contacts`, matches CLR by normalized phone) or **Import Call Logs**.
4. Drag the CSV onto the upload target, or click and pick the file. The page shows column mapping — verify every required column is present.
5. Click **Start Import**. The progress bar advances per row.
6. When the import completes, check the summary: rows inserted, rows matched, rows skipped. Any skipped row lists the reason (missing column, invalid phone, etc.).

Edge cases

- The importer expects Mojo's standard export columns. If the CSV is from a custom report, re-export from the default Mojo report template.
- Duplicate phone numbers are de-duplicated on the normalized phone key — import is idempotent. Re-running the same file is safe.

D.3 Setting up the Bonzo webhook

When to use

During initial setup with Bonzo, and any time the Bonzo API token changes.

Steps

1. Open **Integrations** from the **INTEGRATIONS** sidebar group.
2. Locate the **Bonzo** card. Copy the **Webhook URL**.
3. In Bonzo's settings, add the webhook URL and generate a webhook secret. Paste the same secret into the **Bonzo Webhook Secret** field here.
4. Paste your Bonzo **API Token** into the **Bonzo API Token** field.
5. Click **Save**. The page shows **Bonzo Connected** when the token is verified.
6. Open **Bonzo Prospects** and click **Import from Bonzo** to pull existing prospects. Webhooks will keep the list current going forward.

Edge cases

- If **Bonzo API Not Connected** appears, the token is missing or invalid. Paste a fresh token from the Bonzo admin.
- Bonzo prospects feed into the unified **Contact Hub** — if prospects show up in Bonzo Prospects but not Contact Hub, see D.5.

D.4 Viewing Mojo Sessions and Bonzo Prospects

When to use

Any time you need to verify that integration data is flowing, or research a specific CLR's dialer day.

Steps

1. Open **Mojo Sessions** from the **INTEGRATIONS** sidebar group. Each row is one CLR-day with call volume, contacts dialed, DNC hits, transfers, and appointments.
2. Click a row to see the session detail and source payload. Use this to reconcile a CLR's EOD numbers against what Mojo recorded.
3. If data is missing, click **Import from Mojo** at the top to trigger a manual sync (for webhook gaps).
4. Open **Bonzo Prospects** to see all synced Bonzo records. Filter by **Pipeline** or **Stage** using the dropdowns, or search name / email / phone.
5. Click **Import from Bonzo** to force a fresh pull — useful right after a Bonzo pipeline change.
6. Sync status toasts (**Sync complete**, **Sync failed**) tell you whether the last run succeeded.

Edge cases

- If a sync fails repeatedly, check Integrations for an auth error on the relevant card and re-enter credentials (D.1, D.3).

D.5 Working with the Contact Hub

When to use

When you need a single view of a contact across Mojo, Bonzo, and manual imports.

Steps

1. Open **Contact Hub** from the **INTEGRATIONS** sidebar group.
2. Use the search box to find a contact by name, phone, or email.
3. Each contact row shows the source(s) the record came from — Mojo, Bonzo, manual — and the unified profile.
4. Click a contact to see the merged record, including every touchpoint across sources.
5. Use this page when a CLR reports "the phone number in Mojo doesn't match the one in Bonzo" — the Hub exposes both side by side.
6. To create a unified contact manually, use the **Add Contact** control (if available) or import via the CSV tool (D.2).

Edge cases

- Contacts are matched on normalized phone. A contact with a non-US or poorly-formatted phone may appear in multiple rows — report to Ethan to adjust the matcher.



Section E

PWA & Install

E.1 Installing on iPhone (Add to Home Screen from Safari)

When to use

To run the CLR Connection Center as a standalone iOS app.

Steps

1. Open <https://www.wlc.it.com> in **Safari** on your iPhone or iPad. This must be Safari — Chrome and other browsers will not install as a PWA on iOS.
2. Tap the **Share** button (the square with an arrow) in the Safari toolbar.
3. Scroll the share sheet until you see **Add to Home Screen**, then tap it.
4. Confirm the name **CLR Connection Center** (or shorten it if you prefer) and tap **Add**.
5. The W-mark icon now appears on your home screen. Tap it to launch the app in its own window, with no Safari toolbar.

Edge cases

- If the Add to Home Screen option is missing, you are likely in a non-Safari browser — copy the URL and open it in Safari.
- iOS treats each PWA as a separate app; signed-in sessions from Safari do not transfer automatically — log in once inside the installed app.

E.2 Installing on Android (Chrome install prompt)

When to use

To run the CLR Connection Center as a standalone Android app.

Steps

1. Open <https://www.wlc.it.com> in **Google Chrome** on your Android device.
2. Watch for the install banner near the bottom of the screen. If it appears, tap **Install**.
3. If the banner does not appear, tap the three-dot menu () in the top-right of Chrome.
4. Select **Add to Home screen** or **Install app** from the menu.
5. Confirm the install dialog. The W-mark icon is added to your home screen and app drawer.
6. Launch from the home screen icon — the app runs full-screen with no browser chrome.

Edge cases

- If neither option shows, Chrome has not detected the site as installable — reload and wait a few seconds, or clear site data and try again.

E.3 Installing on desktop (Chrome / Edge)

When to use

To run the CLR Connection Center as a standalone desktop app on Windows, macOS, or Linux.

Steps

1. Open <https://www.wlc.it.com> in **Google Chrome** or **Microsoft Edge**.

2. Look at the right side of the address bar for an install icon — a small computer with a downward arrow (⌵). Click it to install instantly.
3. If the icon is missing, open the three-dot menu (⋮) in the top-right.
4. In Chrome, choose **Save and share → Install as app....** In Edge, choose **Apps → Install this site as an app.**
5. Confirm the dialog. The app is added to your Applications folder (macOS), Start menu (Windows), or apps list (Linux), and a shortcut may be pinned to the taskbar.
6. Launch the app from the shortcut. It runs in its own window with no browser tabs.

Edge cases

- Firefox and Safari on desktop do not support PWA installation. Use Chrome or Edge for this workflow.

E.4 Enabling Web Push notifications

When to use

To receive real-time chat pings, appointment reminders, and system alerts.

Steps

1. Install the PWA first (E.1, E.2, or E.3) — push is most reliable when the app is installed.
2. Open **Settings** and scroll to the notifications section (visible on supported devices).
3. Click **Enable Notifications**. Your browser or OS will show a permission prompt.
4. Choose **Allow**. The app registers with your browser's push service and sends a test notification.
5. Fine-tune which events you want to be notified about (chat messages, appointments due, EOD reminders) using the per-event toggles.
6. To disable, click **Disable Notifications** in the same section, or revoke permission in your browser's site settings.

Edge cases

- iOS supports Web Push only when the app is installed via Add to Home Screen (iOS 16.4+).
- If you never see a prompt, your browser may have silently blocked it — open site settings, reset the notifications permission, then retry.



Section F

Troubleshooting

F.1 Can't log in / forgot password

When to use

When you can't get past the login screen.

Steps

1. Confirm you are on **https://www.wlc.it.com**, not a staging or demo URL.
2. Check your email is typed correctly (no trailing spaces, correct domain).
3. If you know your password is wrong, click **Forgot password?** on the login screen.
4. Enter your email and submit. You will receive a reset link by email. The link expires after a short window — use it right away.
5. Click the link, set a new password (follow the on-screen rules), and log in with the new password.
6. If you never receive the email, check spam, then confirm the email is correct. If still missing, ask an admin to resend or check your account status.

Edge cases

- Accounts marked Inactive cannot receive reset emails. Ask an admin to reactivate first (C.6).
- If the reset link says "expired" the moment you open it, request a new one — some email clients pre-fetch links and consume them.

F.2 EOD PDF won't export

When to use

When the **Print / Export PDF** button is missing, disabled, or produces a blank file.

Steps

1. Confirm the report is not today's draft. The PDF export is only available for **past submitted reports** — this is intentional, to ensure the day is closed.
2. Confirm the report shows a **Submitted** badge. Drafts have no badge and no export button.
3. If it still does not show, scroll to **Report History** and open the past report from there; the Print button is in the top-right of the detail view.
4. If the PDF opens but is blank, hard-refresh the page (Cmd/Ctrl + Shift + R) and retry. Browser print preview caches can corrupt.
5. If the PDF has missing rows, the report may have been submitted with empty outcome counts — compare to Call History for that date.

F.3 Appointment badge shows wrong number

When to use

When the Appointments sidebar badge disagrees with the count on the Appointments page.

Steps

1. Hard-refresh the page (Cmd/Ctrl + Shift + R). Badge counts are computed on page load.

2. Understand the rule: the badge counts **active appointment-type outcomes** (Appointment, Callback, Deferral, legacy Future Contact) with a follow-up date in the next 3 days — **today through today + 3**.
3. The badge **excludes** outcomes already converted to Transfer and outcomes that are overdue (follow-up date before today).
4. Go to **Appointments** and count the items under Today + Upcoming that fall in the next 3 days. If the number still disagrees, proceed.
5. Check whether an overdue item has been mistakenly edited to a future date; look at the Audit Log.
6. If the discrepancy persists across refresh and hard-refresh, escalate per F.6.

F.4 Missing data after Mojo CSV import

When to use

When rows you expected to appear after an import are missing.

Steps

1. Reopen **Mojo Import** and view the last import's summary — skipped-row count and reasons are shown there.
2. Verify the CSV column headers match Mojo's standard export template. Custom reports miss required columns and are silently skipped.
3. Spot-check a missing row in the CSV: confirm it has a phone number that normalizes cleanly (digits only, US format).
4. Re-run the import with the corrected CSV. The importer is idempotent on normalized phone, so re-running is safe.
5. If rows are present as `mojo_contacts` but not in Contact Hub, see D.5.

Edge cases

- Imports limited by server timeouts on very large files — split files over 10 MB into chunks and import sequentially.

F.5 Service worker stuck on old version

When to use

When you see stale UI or a deploy note says "reload to get the latest" but reload doesn't help.

Steps

1. Hard-refresh: Cmd + Shift + R (macOS) or Ctrl + Shift + R (Windows/Linux).
2. If still stale, open **DevTools** (F12 or Cmd/Ctrl + Option/Shift + I).
3. Go to the **Application** tab, then **Service Workers** in the left pane.
4. Click **Unregister** next to the `wclcc-v2` service worker.
5. Also under **Application**, open **Storage** → **Clear site data** → **Clear site data**. This clears cached assets.
6. Reload the page. A fresh service worker registers and the latest assets are fetched.

Edge cases

- On the installed PWA, you may need to close and reopen the app after unregistering for changes to take effect.

F.6 Escalation path for bugs

When to use

When you believe you've found a bug — UI glitch, data error, integration failure.

Steps

1. Write down the exact steps to reproduce, what you expected, and what happened.
2. Capture a screenshot if the issue is visual. Include the URL from the address bar.
3. Post in **Forum** under the ops/bugs category with the above details. This gives the team a searchable record.
4. For urgent issues (blocking production), message **Ethan Wood** directly — ethan.anthony.wood@gmail.com.
5. If Ethan is unavailable, escalate to **Chris Redoble** as the secondary contact.
6. Do not mass-DM the admin channel — duplicate reports slow triage. One clear report is always better than three partial ones.

Primary and secondary contacts

Primary: Ethan Wood — ethan.anthony.wood@gmail.com

Secondary: Chris Redoble

For production outages, contact both in parallel.

End of manual

This document reflects the CLR Connection Center as of April 2026. Report inaccuracies to Ethan Wood so the next revision can correct them.