

# ASSIGNMENT 6

# PHP

STUDENT NAME : TELORE GANESH BHASKAR

CLASS : SYBBACA

ROLL NO : 215174

ASSIGNMENT BASED ON : SESSION & COOKIE

GUIDING TEACHER : PROF. LANDE R.D



## ASSIGNMENT 6

### SET-A

Q.1 Write a PHP program to store student information like seat number, name, and class. On the second page, accept marks of the subject PHP, DS, CPP, and RDBMS. Display Result in table format on the third page(use cookies).

Ans :

#### HTML Code:

##### Page First:

```
<html>
<form action="direction.php" method="POST">
<label>Seat No :</label>
<input type="text" name="t1" placeholder="Enter Seat No:"/>
<br>
<label>Student Name :</label>
<input type="text" name="t2" placeholder="Enter Student Name :"/>
<br>
<label>Class :</label>
<input type="text" name="t3" placeholder="Enter Class:"/>
<br>
<input type="submit" name="submit" />
</form>
</html>
```

##### Page Second:

```
<?php
if(isset($_POST['t1']) && isset($_POST['t2']) && isset($_POST['t3'])) {
setcookie("t1",$_POST['t1'], time()+30*24*60*60*60);
setcookie("t2",$_POST['t2'], time()+30*24*60*60*60);
setcookie("t3",$_POST['t3'], time()+30*24*60*60*60);
}
?>
```

```
<html>
<form action="direction2.php" method="POST">
<label><h2>Enter Subject Marks:</h2></label><br>
<label>PHP :</label><br>
<input type="text" name="php" placeholder="Enter marks..." />
<br>
<label>DS :</label><br>
<input type="text" name="ds" placeholder="Enter marks...">
<br>
<label>CPP :</label><br>
<input type="text" name="cpp" placeholder="Enter marks...">
<br>
<label>RDBMS :</label><br>
<input type="text" name="rdbms" placeholder="Enter marks...">
<br>
```

```
<input type="submit" name="submit"/>
</form>
</html>
```


**PHP Code:**

**Page Third:**

```
<?php
if(isset($_POST['php']) && isset($_POST['ds']) && isset($_POST['cpp']) &&
isset($_POST['rdbms']))
{
    setcookie('php',$_POST['php'],time()+84600*120);
    setcookie('ds',$_POST['ds'],time()+84600*120);
    setcookie('cpp',$_POST['cpp'],time()+84600*120);
    setcookie('rdbms',$_POST['rdbms'],time()+84600*120);
}
?>
<table border="1">
<tr>
<th>Seat No</th>
<th>Student Name</th>
<th>Class</th>
<th>PHP</th>
<th>DS</th>
<th>CPP</th>
<th>RDBMS</th>
<th>Total</th>
</tr>
<tr>
<td><?php echo $_COOKIE['t1']; ?></td>
<td><?php echo $_COOKIE['t2']; ?></td>
<td><?php echo $_COOKIE['t3']; ?></td>
<td><?php echo $_COOKIE['php']; ?></td>
<td><?php echo $_COOKIE['ds']; ?></td>
<td><?php echo $_COOKIE['cpp']; ?></td>
<td><?php echo $_COOKIE['rdbms']; ?></td>
<td><?php echo $_COOKIE['php']+$_COOKIE['ds']+$_COOKIE['cpp']+$_COOKIE['rdbms']; ?></td>
</tr>
</table>
```

Output :


### OUTPUT INTERFACE 1



A screenshot of a web browser window. The address bar shows 'localhost/php\_programs/Assignment%206/SET-A/Q.1.php'. The form contains the following fields and values:

- Seat No : 215174
- Student Name : Telore Ganesh Bhaskar
- Class : SYBBACA
- A 'Submit' button.


### OUTPUT INTERFACE 2



A screenshot of a web browser window. The address bar shows 'localhost/php\_programs/Assignment%206/SET-A/direction.php'. The form is titled 'Enter Subject Marks:' and contains the following fields and values:

- PHP : 95
- DS : 85
- CPP : 80
- RDBMS : 82
- A 'Submit' button.

### OUTPUT INTERFACE 3



A screenshot of a web browser window. The address bar shows 'localhost/php\_programs/Assignment%206/SET-A/direction2.php'. The page displays a table with the following data:

Seat No	Student Name	Class	PHP	DS	CPP	RDBMS	Total
215174	Telore Ganesh Bhaskar	SYBBACA	22	56	85	09	172

## ASSIGNMENT 6

### SET-A

Q.2 Write a PHP script to accept username and password. If in the first three chances username and password is correct, then display the welcome message on the second form otherwise display an error message.

Ans :

#### HTML Code:

#### Page First:

```
<?php
session_start();
?>
<html>
<fieldset>
<form method="post" action="<?php echo $_SERVER['PHP_SELF']?>">
<b>Username</b><br>
<input type="text" name="t1" value="<?php if(isset($_POST['t1'])) echo $_POST['t1'];?>" />
<br>
<b>Password</b><br>
<input type="password" name="t2" value="<?php if(isset($_POST['t2'])) echo
$_POST['t2'];?>" /><br><br>
<input type="submit" name="submit" value="submit">
</fieldset>
</form>
</html>
<?php
if(isset($_POST['submit']))
{
    $name=$_POST['t1'];
    $pwd=$_POST['t2'];
    if(($name=="ganesh") && ($pwd=="123"))
        echo "<script>>window.location='proof.php';</script>";
    else{
        $_SESSION['chance']++;
        echo "wrong username & password<br> Chance
        :".$_SESSION['chance']." Try Again...!";
    }
    if($_SESSION['chance']==3){
        echo "<br> sorry....Your chances are finished<br>You Must Have to
        Login Again...";
        echo"<script>alert('Your chances are finished, login again..!');
        window.location='new 1.php';</script>";
    }
}

}

echo "<b>Note : Use 'ganesh' as a username, and '123' as a password to login...</b>";
?>
```

**PHP Code:**

**Page Second:**


```
<?php
```

```
echo "Welcome Ganesh, login succeed....</br>";
```

```
?>
```

Output :

### **OUTPUT INTERFACE 1**



localhost/php\_programs/Assignment x +

localhost/php\_programs/Assignment%206/SET-A/Q.2.php


Username  
ganesh

Password  
\*\*\*

submit

Note : Use 'ganesh' as a username, and '123' as a password to login...

### **OUTPUT INTERFACE 2**



localhost/php\_programs/Assignment x +

localhost/php\_programs/Assignment%206/SET-A/proof.php

Welcome Ganesh, login succeed....

## ASSIGNMENT 6

**SET-A**

Q.3 Write a PHP script to accept font style, font size, font color, background color using a cookie. Display Selected values on the next second page and actual implementation on the third web page.

Ans :

**HTML Code:**

**Page First:**

[illegible]

**HTML Code:**

## Page Second:

```
<?php
if(isset($_GET['s1']) && isset($_GET['s2']) && isset($_GET['s3']) && isset($_GET['s4'])) {
    setcookie("s1", $_GET['s1'], time() + 84600 * 120);
    setcookie("s2", $_GET['s2'], time() + 84600 * 120);
    setcookie("s3", $_GET['s3'], time() + 84600 * 120);
    setcookie("s4", $_GET['s4'], time() + 84600 * 120);
}
?>
<html>
<table border=1>
<tr>
<th>Font Name</th>
<th>Font Size</th>
<th>Font Color</th>
<th>Background color</th>
</tr>
```

```

<tr>
<td><?php echo $_COOKIE['s1']; ?></td>
<td><?php echo $_COOKIE['s2']; ?></td>
<td><?php echo $_COOKIE['s3']; ?></td>
<td><?php echo $_COOKIE['s4']; ?></td>
</tr>
</table>
<form action="aim2.php">
<input type="submit" value="Next Page"/>
</form>
</html>

```

### **PHP Code:**

### **Third Second:**

```

<?php
$style=$_COOKIE['s1'];
$size=$_COOKIE['s2'];
$color=$_COOKIE['s3'];
$bgcolor=$_COOKIE['s4'];
$message="Hello This is GT.";
echo "<center><br><br><br><br><br><br><br><br><br><br><br><br><br>";
echo "<body bgcolor=$bgcolor>";
echo "<font color=$color size=$size face=$style><u>$message</u></font>";
echo "</body>";
echo "</center>"
?>

```

Output :

### **OUTPUT INTERFACE 1**

localhost/php\_programs/Assign... x +

localhost/php\_programs/Assignment%206/SET-A/Q.3.php

### INFORMATION PAGE

Enter Font style :  
calisto mt bold

Select Font Size :  
7


Enter Font Color :  
maroon

Enter Background Color :  
powderblue


submit



## OUTPUT INTERFACE 2



## OUTPUT INTERFACE 3



ASSIGNMENT 6
SET-B
Q.1 Cret
Ans :  <u>HTML Code:</u> <u>Page First:</u>
Output :

GT

## ASSIGNMENT 6

### SET-B

Q.2 Create a form to accept patient details like name, address, birthdate, and mobile number. Once the Patient information is Accepted, and then accept health details like medicare number, Health fund and critical information. Display Patient details and Health details on the next form.

Ans :

#### HTML Code:

##### Page First:

```
<html>
<head><h1><center>Patient Details<center></h1></head>
<body bgcolor="#006609">
<fieldset>
<legend>Registration Form</legend>
<form action="target.php" method="GET">
<label for="applicant name">Name :</label><br>
<input type="text" name="B1" placeholder="Enter your name....."/><br>
<label for="applicant address">Address :</label><br>
<input type="text" name="B2" placeholder="Enter your current address..."/><br>
<label for="applicant birthdate">Birthdate :</label><br>
<input type="date" name="B3"/><br>
<label for="applicant mobile no.">Mobile No :</label><br>
<input type="text" name="B4" placeholder="Enter your mobile no..." maxlength="10"/><br><br>
<input type="submit" name="submit" value="Register"/>
</fieldset>
</body>
</form>
</html>
```

##### Page Second:

```
<?php
setcookie("B1", $_GET['B1'],time()+84600*1200);
setcookie("B2", $_GET['B2'],time()+84600*1200);
setcookie("B3", $_GET['B3'],time()+84600*1200);
setcookie("B4", $_GET['B4'],time()+84600*1200);

?>

<html>
<head><h1><center>Patient Details<center></h1></head>
<body bgcolor="#006609">
<fieldset>
<legend>Registration Form</legend>
<form action="target2.php" method="post">
<label for="applicant name">Medicare No :</label><br>
<input type="text" name="p1" placeholder="Enter number" maxlength="8"/><br>
<label for="applicant address">Health Fund :</label><br>
```

```

<input type="text" name="p2" placeholder="Enter health fund..."/><br>
<label for="applicant birthdate"><b>Critical Information :</b></label><br>
<select name="info">
<option name="op1" value="Accident">Accident</option>
<option name="op1" value="Accident">Fracture</option>
<option name="op1" value="Accident">Bone Broke</option>
</select><br>
<br><br>
<input type="submit" name="submit" value="Register"/>
</fieldset>
</body>
</form>
<html>

```

#### **PHP Code:**

#### **Page Third:**

```

<?php
setcookie("p1", $_POST['p1'],time()+84600*1200);
setcookie("p2", $_POST['p2'],time()+84600*1200);
setcookie("info", $_POST['info'],time()+84600*1200);
?>
<?php

echo "<h1>Patient Details :</h1>";
echo "Patient Name :".$_COOKIE['B1']. "<br>";
echo "Patient Address :".$_COOKIE['B2']. "<br>";
echo "Patient Birthdate :".$_COOKIE['B3']. "<br>";
echo "Patient Mobile No. :".$_COOKIE['B4']. "<br>";
echo "<hr>";
echo "<h1>Health Details :</h1>";
echo "Patient Medicare No :".$_COOKIE['p1']. "<br>";
echo "Patient Health Fund :".$_COOKIE['p2']. "<br>";
echo "Patient Critical Info :".$_COOKIE['info']. "<br>";
?>

```

Output :


### **OUTPUT INTERFACE 1**

The screenshot shows a web browser window with the URL 'localhost/php\_programs/Assignment%206/SET-B/Q.2.html'. The page has a green header with the title 'Patient Details'. Below the header, there is a 'Registration Form' section. The form contains the following fields and values:

- Name: GANESH TELORE
- Address: GANESHNAGAR
- Birthdate: 24-02-2003
- Mobile No: 8010486885

A 'Register' button is located at the bottom of the form.

## OUTPUT INTERFACE 2



The screenshot shows a web browser window with a single tab titled 'localhost/php\_programs/Assign...'. The address bar contains the URL 'localhost/php\_programs/Assignment%206/SET-B/target.php?B1=GANESH+TELORE&B2=GANESHNAGAR&B3=2003-02-24&B4=8010486885&submit=Register'. The page has a green background and is titled 'Patient Details' in bold black text. Below the title is a 'Registration Form' with the following fields: 'Medicare No.' with the value '38837838', 'Health Fund' with the value '2000', and 'Critical Information' with a dropdown menu showing 'Fracture'. A 'Register' button is located at the bottom of the form. The Windows taskbar at the bottom shows the search bar, taskbar icons, and system tray with weather and date information.

localhost/php\_programs/Assign...  
localhost/php\_programs/Assignment%206/SET-B/target.php?B1=GANESH+TELORE&B2=GANESHNAGAR&B3=2003-02-24&B4=8010486885&submit=Register

### Patient Details

Registration Form


Medicare No : 38837838

Health Fund : 2000

Critical Information : Fracture

Register

## OUTPUT INTERFACE 3



The screenshot shows a web browser window with a single tab titled 'localhost/php\_programs/Assign...'. The address bar contains the URL 'localhost/php\_programs/Assignment%206/SET-B/target2.php'. The page has a white background and is titled 'Patient Details :'. Below the title, the patient's details are listed: 'Patient Name :GANESH TELORE', 'Patient Address :GANESHNAGAR', 'Patient Birthdate :2003-02-24', and 'Patient Mobile No. :8010486885'. Below this is a section titled 'Health Details :' with the following information: 'Patient Medicare No :38837838', 'Patient Health Fund :2000', and 'Patient Critical Info :Accident'. The Windows taskbar at the bottom shows the search bar, taskbar icons, and system tray with weather and date information.

localhost/php\_programs/Assign...  
localhost/php\_programs/Assignment%206/SET-B/target2.php

### Patient Details :

Patient Name :GANESH TELORE  
Patient Address :GANESHNAGAR  
Patient Birthdate :2003-02-24  
Patient Mobile No. :8010486885

### Health Details :

Patient Medicare No :38837838  
Patient Health Fund :2000  
Patient Critical Info :Accident

## ASSIGNMENT 6

### SET-B

Q.3 Write a PHP script to create an inventory management system. On the first page accept the Highest sold product details like product name, total quantity and total sold. On the second page accept the latest sales details like product name, date and total sale. Display highest sold product details in one table and latest sales product details in another table on the third page.

Ans :

#### **HTML Code:**

##### **Page First:**

```
<html>
<head><h1>Inventory management system</h1></head>
<fieldset>
<legend>Highest Sold Product Details :</legend>
<form action="null1.php" method="post">
<label>Product Name :</label><br>
<input type="text" name="t1"/><br>
<label>Total Quantity :</label><br>
<input type="text" name="t2"/><br>
<label>Total Sold :</label><br>
<input type="text" name="t3"/><br>
<br><br>
<input type="submit" name="submit" value="Submit"/>
</fieldset>
</body>
</form>
</html>
<label>
```

##### **Page Second:**

```
<?php
session_start();
$name=$_POST['t1'];
$totalq=$_POST['t2'];
$total=$_POST['t3'];
$_SESSION['t1']=$name;
$_SESSION['t2']=$totalq;
$_SESSION['t3']=$total;
?>

<html>
<head><h1>Inventory management system</h1></head>
<fieldset>
<legend>latest sales Product Details :</legend>
<form action="null2.php" method="post">
<label>Product Name :</label><br>
<input type="text" name="text1"/><br>
<label>Date :</label><br>
<input type="date" name="text2"/><br>
<label>Total Sell :</label><br>
```

```
<input type="text" name="text3"/><br>
<br><br>
<input type="submit" name="submit" value="Submit"/>
</fieldset>
</body>
</form>
</html>
```

**PHP Code:**

**Page Third:**

```
<?php
session_start();
$prname=$_POST['text1'];
$date=$_POST['text2'];
$totalale=$_POST['text3'];
$_SESSION['text1']=$prname;
$_SESSION['text2']=$date;
$_SESSION['text3']=$totalale;
?>

<html>
<center>
<table border="1" cellpadding="20px" cellspacing="20px" frame="void">
<tr>
<th colspan="3">Highest Sold Products </th>
</tr>
<tr>
<th>Product Name</th>
<th>Total Quantity</th>
<th>Total Sold</th>
</tr>
<tr>
<td><?php echo $_SESSION['t1']; ?></td>
<td><?php echo $_SESSION['t2']; ?></td>
<td><?php echo $_SESSION['t3']; ?></td>
</tr>
<tr>
<th colspan="3">Latest Seles Products </th>
</tr>
<th>Product Name</th>
<th>Date</th>
<th>Total Sale</th>
</tr>
<tr>
<td><?php echo $_SESSION['text1']; ?></td>
<td><?php echo $_SESSION['text2']; ?></td>
<td><?php echo $_SESSION['text3']; ?></td>
</tr>
</table>
```

</center>

</html>

Output :

### OUTPUT INTERFACE 1

localhost/php\_programs/Assignment%206/SET-B/Q.3.php

## Inventory management system

Highest Sold Product Details :

Product Name :  
Dettol

Total Quantity :  
1200

Total Sold :  
1150

Submit

### OUTPUT INTERFACE 2

localhost/php\_programs/Assignment%206/SET-B/null1.php

## Inventory management system

latest sales Product Details :

Product Name :  
Sunsilk

Date :  
25-11-2022

Total Sell :  
900

Submit



### OUTPUT INTERFACE 3

Highest Sold Products		
Product Name	Total Quantity	Total Sold
Dettol	1200	1150

Latest Seles Products		
Product Name	Date	Total Sale
Sunsilk	2022-11-25	900

## ASSIGNMENT 6

### SET-C

Q.1 Write a PHP script to create an online shopping form. On the first page accept customer name, email, address, shipping address, mode of payment . Design the Second page as given below. And the third page should display a bill, which consist of the customer details and purchase details in Proper format.

Ans :

#### HTML Code:

##### Page First:

```
<html>
<head><h1><center><font color="cyan" face="Calisto MT
Bold">Avatar.com</font></h1></center></head>
<body background src="bgimage.jpg">
<fieldset>
<legend>Online Shopping Form</legend>
<form action="format.php" method="POST">
<label>Customer Name :</label><br>
<input type="text" name="q1" placeholder="Enter Your Name..."/><br>
<label>Email :</label><br>
<input type="email" name="q2" placeholder="eg.abc@gmail.com"/><br>
<label>Shipping Address :</label><br>
<input type="address" name="q3" placeholder="Enter your address...."/><br>
<label>Mode of Payment :</label><br>
<select name="q4">
<option name="q4" value="Google Pay">Google Pay</option>
<option name="q4" value="Phone Pay">Phone Pay</option>
<option name="q4" value="Paytm">Paytm </option>
<option name="q4" value="Bhim Pay">Bhim Pay</option>
</select><br>
<input type="submit" name="submit" value="Register"/>
</fieldset>
</form>
</body>
</html>
```

##### Page Second:

```
<?php
if(isset($_POST['q1']) && isset($_POST['q2']) && isset($_POST['q3']) && isset($_POST['q4'])){
    setcookie('q1',$_POST['q1'],time()+84600*120);
    setcookie('q2',$_POST['q2'],time()+84600*120);
    setcookie('q3',$_POST['q3'],time()+84600*120);
    setcookie('q4',$_POST['q4'],time()+84600*120);
}
?>

<html>
<frameset cols="33.33%,33.33%,*">
```

```

<frame src="tshirt.php">
<frame src="sweatshirt.php">
<frame src="shoe.php">
</frameset>
</html>

```

### Page Third:

```

<html>
<body>
<center>
<br><br><br><br><br>

<form action="#" method="post">
<label><b>T-Shirt</b></label><br><br>
<label>Price :</label><br>
<input type="text" name="price" placeholder="Enter the price..."/><br>
<label>Quantity :</label><br>
<select name="list">
<option value="1" name="list">1</option>
<option value="2" name="list">2</option>
<option value="3" name="list">3</option>
<option value="4" name="list">4</option>
<option value="5" name="list">5</option>
</select><br>
<label>Color :</label><br>
<select name="list1">
<option value="Green" name="list2">Green</option>
<option value="Blue" name="list2">Blue</option>
<option value="Mild" name="list2">Mild</option>
<option value="Voilet" name="list2">Voilet</option>
<option value="White" name="list2">White</option>
</select><br>
<label>Size :</label><br>
<select name="list2">
<option value="M" name="list3">M</option>
<option value="L" name="list3">L</option>
<option value="XL" name="list3">XL</option>
<option value="XXl" name="list3">XXl</option>
<option value="XS" name="list3">XS</option>
</select><br><br>
<input type="submit" value="submit" name="submit"/>
</body>
</form>
</center>
</html>
<?php
if(isset($_POST['price']) && isset($_POST['list']) && isset($_POST['list1']) &&
isset($_POST['list2'])){
    setcookie('price',$_POST['price'],time()+84600*120);
    setcookie('list',$_POST['list'],time()+84600*120);
}

```

```

        setcookie('list1',$_POST['list2'],time()+84600*120);
        setcookie('list2',$_POST['list2'],time()+84600*120);
    }
    ?>

```

#### Page Fourth:

```

<html>
<center>
<br><br><br><br><br>

<form action="#" method="post">
<label><b>Sweatshirt</b></label><br><br>
<label>Price</label><br>
<input type="text" name="Price" placeholder="Enter the price..."/><br>
<label>Quantity :</label><br>
<select name="List">
<option value="1" name="List">1</option>
<option value="2" name="List">2</option>
<option value="3" name="List">3</option>
<option value="4" name="List">4</option>
<option value="5" name="List">5</option>
</select><br>
<label>Color :</label><br>
<select name="List1">
<option value="Green" name="List1">Green</option>
<option value="Blue" name="List1">Blue</option>
<option value="Mild" name="List1">Mild</option>
<option value="Voilet" name="List1">Voilet</option>
<option value="White" name="List1">White</option>
</select><br>
<label>Size :</label><br>
<select name="List2">
<option value="M" name="List2">M</option>
<option value="L" name="List2">L</option>
<option value="XL" name="List2">XL</option>
<option value="XXl" name="List2">XXl</option>
<option value="XS" name="List2">XS</option>
</select><br><br>
<input type="submit" name="submit" value="Buy Now"/>
</center>
</form>
</html>
<?php
if(isset($_POST['Price'])) && isset($_POST['List']) && isset($_POST['List1']) &&
isset($_POST['List2'])){
    setcookie('Price',$_POST['Price'],time()+84600*120);
    setcookie('List',$_POST['List'],time()+84600*120);
    setcookie('List1',$_POST['List1'],time()+84600*120);
    setcookie('List2',$_POST['List2'],time()+84600*120);
}

```

```
}  
?>
```

#### **Page Fifth:**

```
<html>  
<center>  
<br><br><br><br><br><br>  
  
<form action="final.php" method="post" target="_blank">  
<label><b>Shoes</b></label><br><br>  
<label>Price</label><br>  
<input type="text" name="cost" placeholder="Enter the price..."/><br>  
<label>Size :</label><br>  
<select name="items">  
<option value="M" name="list3">M</option>  
<option value="L" name="list3">L</option>  
<option value="XL" name="list3">XL</option>  
<option value="XXL" name="list3">XXL</option>  
<option value="XS" name="list3">XS</option>  
</select><br><br>  
<label>Quantity :</label><br>  
<select name="Qu">  
<option value="1" name="Qu">1</option>  
<option value="2" name="Qu">2</option>  
<option value="3" name="Qu">3</option>  
<option value="4" name="Qu">4</option>  
<option value="5" name="Qu">5</option>  
</select><br><br><br>  
<input type="submit" name="submit" value="Buy Now"/><br><br>  
</body>  
</form>  
</center>  
</html>
```

#### **PHP Code:**

#### **Page Sixth:**

```
<?php  
if(isset($_POST['cost']) && isset($_POST['items']) && isset($_POST['Qu'])) {  
    setcookie('cost',$_POST['cost'],time()+84600*120);  
    setcookie('items',$_POST['items'],time()+84600*120);  
    setcookie('Qu',$_POST['Qu'],time()+84600*120);  
}  
?>  
<html>  
<fieldset>  
<center><h1>Bill</h1><br>  
<br><br>  
<table border="1">  
<tr>
```

```


<th colspan="18">Customer Information</th>
</tr>
<tr>
<th rowspan="3">Customer Name</th>
<th rowspan="3">Email</th>
<th rowspan="3">Shipping Address</th>
<th colspan="11">Product Details</th>
<th rowspan="3">Mode of Payment</th>
<th rowspan="3">Total</th>
</tr>
<tr>
<th colspan="4">T-Shirt</th>
<th colspan="4">Sweatshirt</th>
<th colspan="3">Shoes</th>
</tr>
<tr>
<th>Cost</th>
<th>Quantity</th>
<th>Color</th>
<th>Size</th>
<th>Cost</th>
<th>Quantity</th>
<th>Color</th>
<th>Size</th>
<th>Cost</th>
<th>Quantity</th>
<th>size</th>
</tr>
<tr>
<td><?php echo $_COOKIE['q1']; ?></td>
<td><?php echo $_COOKIE['q2']; ?></td>
<td><?php echo $_COOKIE['q3']; ?></td>
<td><?php echo $_COOKIE['price']; ?></td>
<td><?php echo $_COOKIE['list']; ?></td>
<td><?php echo $_COOKIE['list1']; ?></td>
<td><?php echo $_COOKIE['list2']; ?></td>
<td><?php echo $_COOKIE['Price']; ?></td>
<td><?php echo $_COOKIE['List']; ?></td>
<td><?php echo $_COOKIE['List1']; ?></td>
<td><?php echo $_COOKIE['List2']; ?></td>
<td><?php echo $_COOKIE['cost']; ?></td>
<td><?php echo $_COOKIE['Qu']; ?></td>
<td><?php echo $_COOKIE['items']; ?></td>
<td><?php echo $_COOKIE['q4']; ?></td>
<td><?php echo $_COOKIE['cost']+$_COOKIE['Price']+$_COOKIE['price']; ?></td>
</tr>
</table>
<br>
<u>Your Total Shipping Charges Are :<?php echo
$_COOKIE['cost']+$_COOKIE['Price']+$_COOKIE['price']; ?></u><br><br>
<b>Thank You for Visiting Us..!</b>

```

```
</fieldset>
</center>
</html>
```


Output :

### OUTPUT INTERFACE 1



The screenshot shows a web browser window with the address bar displaying 'localhost/php\_programs/Assignment%206/SET-C/Q.3.php'. The page title is 'Avatar.com'. Below the title is an 'Online Shopping Form' with the following fields: 'Customer Name' (Ganesh Telore), 'Email' (ganeshtelore4@gmail.com), 'Shipping Address' (Ganeshnagar), 'Mode of Payment' (Paytm), and a 'Register' button.

### OUTPUT INTERFACE 2



The screenshot shows a web browser window with the address bar displaying 'localhost/php\_programs/Assignment%206/SET-C/format.php'. The page displays three product listings in a grid format:

- T-Shirt**: Price 650, Quantity 2, Color Blue, Size L, submit button.
- Sweatshirt**: Price 1200, Quantity 2, Color Blue, Size L, Buy Now button.
- Shoes**: Price 1800, Size L, Quantity 3, Buy Now button.

### OUTPUT INTERFACE 3

localhost/php\_programs/Assignn... x localhost/php\_programs/Assignn... x +

localhost/php\_programs/Assignment%206/SET-C/final.php

Bill

Customer Information															
Customer Name	Email	Shipping Address	Product Details										Mode of Payment	Total	
			T-Shirt				Sweatshirt				Shoes				
			Cost	Quantity	Color	Size	Cost	Quantity	Color	Size	Cost	Quantity			size
Ganesh Telore	ganeshtelore4@gmail.com	Ganeshnagar	650	2	L	L	1200	2	Blue	L	1800	3	L	Paytm	3650

Your Total Shipping Charges Are :3650

Thank You for Visiting Us..!