```jsx
import React, { useState, useEffect, useRef } from 'react';
import { Search, Megaphone, Mail, Users, Bot, Target, FileText, BrainCircuit, LineChart,
MessageSquare, TestTube, Phone, MapPin, Code, TrendingUp, ShieldCheck, Layers, Package,
Clock, ArrowRight, Menu, X, User, Paintbrush, Handshake, Star } from 'lucide-react';

// Helper to combine class names
const cn = (...classes) => classes.filter(Boolean).join(' ');

// --- MOCK DATA ---
const services = [
  {
    icon: <Search className="w-10 h-10 text-cyan-400" />,
    title: "SEO Services",
    description: "Enhance your visibility with transparent, data-driven SEO strategies built on a
foundation of integrity.",
  },
  {
    icon: <Megaphone className="w-10 h-10 text-cyan-400" />,
    title: "PPC Advertising",
    description: "Drive targeted traffic with campaigns managed with complete transparency and
a focus on your growth.",
  },
  {
    icon: <FileText className="w-10 h-10 text-cyan-400" />,
    title: "Content Marketing",
    description: "Engage your audience with high-quality, authentic content that builds trust and
fosters customer loyalty.",
  },
  {
    icon: <Users className="w-10 h-10 text-cyan-400" />,
    title: "Social Media Marketing",
    description: "Build a vibrant, loyal community around your brand by fostering genuine
connections with your customers.",
  },
  {
    icon: <Mail className="w-10 h-10 text-cyan-400" />,
    title: "Email Marketing",
    description: "Nurture leads and serve your audience through personalized and ethical email
campaigns.",
  },
  {
    icon: <Code className="w-10 h-10 text-cyan-400" />,
    title: "Web Design & Development",
```

```
    description: "Create a high-performance website that serves as a reliable cornerstone for your
long-term growth.",
  },
];

const aiFeatures = [
    { icon: <BrainCircuit className="w-8 h-8 mx-auto text-cyan-400" />, title: "Deep Competitor
Analysis" },
    { icon: <TrendingUp className="w-8 h-8 mx-auto text-cyan-400" />, title: "SEO & Content
Strategy" },
    { icon: <Target className="w-8 h-8 mx-auto text-cyan-400" />, title: "Audience Persona
Generation" },
    { icon: <LineChart className="w-8 h-8 mx-auto text-cyan-400" />, title: "PPC Campaign
Optimization" },
    { icon: <MessageSquare className="w-8 h-8 mx-auto text-cyan-400" />, title: "Customer
Sentiment Analysis" },
    { icon: <TestTube className="w-8 h-8 mx-auto text-cyan-400" />, title: "A/B Testing
Hypotheses" },
];

const pricingTiers = [
  {
    icon: <Clock className="w-10 h-10 mx-auto text-cyan-400" />,
    title: "Hourly Retainer",
    price: "$50 - $300/hr",
    description: "Flexible access to our experts for consultations, specific tasks, or when project
scope is variable.",
    features: ["Ideal for startups", "Pay for what you use", "Transparent time tracking", "No
long-term commitment"],
    buttonText: "Get Started",
  },
  {
    icon: <Package className="w-10 h-10 mx-auto text-cyan-400" />,
    title: "Project-Based",
    price: "Custom Quote",
    description: "A fixed price for a well-defined project, like a website build or a specific
campaign launch.",
    features: ["Clear upfront cost", "Defined scope & deliverables", "Perfect for one-off needs",
"Result-oriented"],
    buttonText: "Request a Quote",
    popular: true,
  },
  {
    icon: <Layers className="w-10 h-10 mx-auto text-cyan-400" />,
```

```
    title: "Monthly Retainer",
    price: "$2,000 - $6,000+",
    description: "Ongoing, comprehensive marketing management for sustained growth and a
predictable monthly budget.",
    features: ["Continuous optimization", "Dedicated team access", "Long-term strategy", "Best
for consistent growth"],
    buttonText: "Choose Plan",
  },
];

const teamMembers = [
  {
    icon: <Code className="w-12 h-12 text-cyan-400" />,
    name: "Christopher McElwain",
    title: "Lead Developer & Technical Strategist",
    bio: "With several years of programming experience, Christopher is the architect behind
our technical solutions. He specializes in building robust, scalable web applications and
providing tailor-made solutions that solve unique business challenges. His passion for clean
code and efficient systems ensures every project is built for success."
  },
  {
    icon: <Paintbrush className="w-12 h-12 text-cyan-400" />,
    name: "Thomas Grimm",
    title: "Creative Director & Marketing Expert",
    bio: "Thomas brings the creative vision and marketing acumen to the team. With a
background in brand strategy and digital content, he excels at crafting compelling narratives that
resonate with audiences. Thomas ensures that every campaign is not only data-driven but also
creatively inspiring, driving engagement and building lasting brand loyalty."
  }
];

const testimonials = [
  {
    quote: "Working with Ethos Digital has been a game-changer. Their commitment to our
growth felt like a true partnership, not just a service. The results speak for themselves, and their
integrity is unmatched.",
    name: "Sarah Johnson",
    company: "Founder, Growth Co.",
    rating: 5,
  },
  {
    quote: "The level of transparency and loyalty from this team is incredible. They took the
time to understand our vision and delivered a strategy that has driven real, sustainable growth.
We finally feel like we have a partner we can trust.",
```

```
      name: "Michael Chen",
      company: "CEO, Innovate Solutions",
      rating: 5,
    },
    {
      quote: "I've worked with many agencies, but Ethos Digital Partners is different. Their
dedication to serving our needs and their ethical approach to marketing have built a foundation
of trust and loyalty that is hard to find.",
      name: "Emily Rodriguez",
      company: "Marketing Director, Connective Tech",
      rating: 5,
    }
];


// --- COMPONENTS ---

const Header = ({ onNavigate }) => {
  const [isOpen, setIsOpen] = useState(false);

  const navLinks = [
    { href: '#home', label: 'Home' },
    { href: '#services', label: 'Services' },
    { href: '#ai-advantage', label: 'AI Advantage' },
    { href: '#pricing', label: 'Pricing' },
    { href: '#about', label: 'About Us' },
    { href: '#testimonials', label: 'Testimonials' },
    { href: '#contact', label: 'Contact' },
  ];

  const handleLinkClick = (e, href) => {
    e.preventDefault();
    onNavigate(href);
    setIsOpen(false);
  };

  return (
    <header className="bg-gray-900/80 backdrop-blur-sm fixed top-0 left-0 right-0 z--50
shadow-lg shadow-cyan-500/10">
      <div className="container mx-auto px-6 py-4 flex justify-between items-center">
        <a href="#home" onClick={(e) => handleLinkClick(e, '#home')} className="flex
items-center space-x-2">
          <Handshake className="w-8 h-8 text-cyan-400" />
```

```
      <span className="text-xl font-bold text-white tracking-wider">Ethos Digital
Partners</span>
      </a>
      <nav className="hidden md:flex space-x-8">
       {navLinks.map(link => (
        <a key={link.href} href={link.href} onClick={(e) => handleLinkClick(e, link.href)}
className="text-gray-300 hover:text-cyan-400 transition duration-300 font-medium">
         {link.label}
        </a>
       ))}
      </nav>
      <div className="md:hidden">
       <button onClick={() => setIsOpen(!isOpen)} className="text-white focus:outline-none">
        {isOpen ? <X size={28} /> : <Menu size={28} />}
       </button>
      </div>
     </div>
     {isOpen && (
      <div className="md:hidden bg-gray-900">
       <nav className="flex flex-col items-center space-y-4 py-4">
        {navLinks.map(link => (
         <a key={link.href} href={link.href} onClick={(e) => handleLinkClick(e, link.href)}
className="text-gray-300 hover:text-cyan-400 transition duration-300 font-medium">
          {link.label}
         </a>
        ))}
       </nav>
      </div>
     )}
    </header>
  );
};

const HeroSection = ({ onNavigate }) => {
   const [offsetY, setOffsetY] = useState(0);
   const handleScroll = () => setOffsetY(window.pageYOffset);

   useEffect(() => {
     window.addEventListener('scroll', handleScroll);
     return () => window.removeEventListener('scroll', handleScroll);
   }, []);

   return (
```

```jsx
    <section id="home" className="flex items-center justify-center bg-gray-900 text-white
relative overflow-hidden min-h-screen">
        {/* Parallax Background Image */}
        <div
            className="absolute top-0 left-0 w-full h-full -z-10 bg-fixed bg-cover bg-center"
            style={{
                backgroundImage:
`url('https://placehold.co/1920x1080/020617/0891b2.png?text=Growth')`,
                transform: `translateY(${offsetY * 0.4}px)`
            }}
        />
        {/* Dark Overlay for Readability */}
        <div className="absolute inset-0 bg-gray-900/60 z-0"></div>

        <div className="container mx-auto px-6 text-center relative z-10 pt-24 pb-12">
            <h1 className="text-4xl md:text-6xl font-extrabold tracking-tight mb-4 bg-clip-text
text-transparent bg-gradient-to-r from-white to-gray-400">
                Marketing with Integrity, Strategies for Growth
            </h1>
            <p className="text-lg md:text-xl text-gray-300 max-w-3xl mx-auto mb-8">
                We build lasting partnerships through loyalty and transparency, delivering
data-driven marketing solutions that fuel sustainable growth for our clients.
            </p>
            <div className="flex flex-wrap justify-center items-center gap-4">
                <button onClick={() => onNavigate('#contact')} className="bg-cyan-500
hover:bg-cyan-600 text-white font-bold py-3 px-8 rounded-full transition duration-300 shadow-lg
shadow-cyan-500/20 transform hover:scale-105">
                    Schedule a Consultation
                </button>
                <button onClick={() => onNavigate('#services')} className="bg-transparent
border-2 border-gray-500 hover:border-cyan-400 hover:text-cyan-400 text-gray-300 font-bold
py-3 px-8 rounded-full transition duration-300 transform hover:scale-105">
                    Explore Services
                </button>
            </div>
        </div>
    </section>
    );
};

const ServicesSection = () => (
    <section id="services" className="py-20 bg-gray-800">
      <div className="container mx-auto px-6">
        <div className="text-center mb-12">
```

```jsx
      <h2 className="text-3xl md:text-4xl font-bold text-white">Our Core Services</h2>
      <p className="text-lg text-gray-400 mt-2">Comprehensive solutions to build and grow
your online presence.</p>
      <div className="mt-4 h-1 w-24 bg-cyan-500 mx-auto rounded"></div>
    </div>
    <div className="grid grid-cols-1 md:grid-cols-2 lg:grid-cols-3 gap-8">
      {services.map((service, index) => (
        <div key={index} className="bg-gray-900 p-8 rounded-xl shadow-lg
hover:shadow-cyan-500/20 transition-shadow duration-300 transform hover:-translate-y-1
text-center">
          <div className="flex justify-center mb-6">{service.icon}</div>
          <h3 className="text-xl font-bold text-white mb-3">{service.title}</h3>
          <p className="text-gray-400">{service.description}</p>
        </div>
      ))}
    </div>
   </div>
  </section>
 );

const AiAdvantageSection = () => {
  const sectionRef = useRef(null);
  const [bgTranslateY, setBgTranslateY] = useState(0);

  useEffect(() => {
    const handleScroll = () => {
      if (sectionRef.current) {
        const sectionTop = sectionRef.current.offsetTop;
        const scrollY = window.scrollY;
        const windowHeight = window.innerHeight;
        const sectionHeight = sectionRef.current.offsetHeight;

        if (scrollY + windowHeight > sectionTop && scrollY < sectionTop + sectionHeight) {
          const relativeScroll = scrollY - sectionTop;
          setBgTranslateY(relativeScroll * 0.2);
        }
      }
    };

    window.addEventListener('scroll', handleScroll, { passive: true });
    return () => window.removeEventListener('scroll', handleScroll);
  }, []);

  return (
```

```jsx
<section id="ai-advantage" ref={sectionRef} className="py-20 bg-gray-900 text-white relative overflow-hidden">
      {/* Parallax Background Image */}
      <div
        className="absolute top-0 left-0 w-full h-[150%] -z-10"
        style={{
          backgroundImage:
`url('https://placehold.co/1920x1080/083344/0891b2.png?text=AI+Advantage')`,
          backgroundSize: 'cover',
          backgroundPosition: 'center',
          transform: `translateY(${bgTranslateY}px)`,
          willChange: 'transform'
        }}
      ></div>
      {/* Dark Overlay for Readability */}
      <div className="absolute inset-0 bg-gray-900/70 z-0"></div>

      <div className="container mx-auto px-6 relative z-10">
        <div className="text-center mb-12">
          <h2 className="text-3xl md:text-4xl font-bold text-white">The AI-Powered Advantage</h2>
          <p className="text-lg text-gray-400 mt-2 max-w-3xl mx-auto">We leverage AI ethically for deep research and automation, uncovering insights while maintaining the highest standards of integrity.</p>
          <div className="mt-4 h-1 w-24 bg-cyan-500 mx-auto rounded"></div>
        </div>
        <div className="grid grid-cols-2 md:grid-cols-3 lg:grid-cols-6 gap-8 text-center">
          {aiFeatures.map((feature, index) => (
            <div key={index} className="bg-gray-800/50 backdrop-blur-sm p-6 rounded-lg border border-gray-700 hover:border-cyan-500 transition-colors duration-300">
              {feature.icon}
              <h4 className="font-semibold text-white mt-4 text-sm">{feature.title}</h4>
            </div>
          ))}
        </div>
        <div className="mt--12 text-center bg-gray-800/80 backdrop-blur-md p-8 rounded-lg max-w-4xl mx-auto border border-gray-700 shadow-xl">
          <Bot className="w-12 h-12 mx-auto text-cyan-400 mb-4" />
          <h3 className="text-2xl font-bold text-white mb-3">Transforming Research into Strategy</h3>
          <p className="text-gray-300">
            Our AI tools synthesize data from dozens of sources, providing detailed reports with citations. This allows us to rapidly formulate comprehensive strategies, identify content gaps, and optimize campaigns with a level of precision that was previously impossible.
```

```jsx
          </p>
        </div>
      </div>
    </section>
  );
};


const PricingSection = () => (
  <section id="pricing" className="py-20 bg-gray-800">
    <div className="container mx-auto px-6">
      <div className="text-center mb-12">
        <h2 className="text-3xl md:text-4xl font-bold text-white">Flexible & Transparent
Pricing</h2>
        <p className="text-lg text-gray-400 mt-2">Choose a model that aligns with your business
goals and budget.</p>
        <div className="mt-4 h-1 w-24 bg-cyan-500 mx-auto rounded"></div>
      </div>
      <div className="grid grid-cols-1 lg:grid-cols-3 gap-8 items-stretch">
        {pricingTiers.map((tier, index) => (
          <div key={index} className={cn(
            "bg-gray-900 rounded-xl shadow-lg p-8 flex flex-col relative",
            tier.popular ? "border-2 border-cyan-500" : "border border-gray-700"
          )}>
            {tier.popular && (
              <div className="absolute top-0 -translate-y-1/2 left-1/2 -translate-x-1/2 bg-cyan-500
text-white text-xs font-bold px-4 py-1 rounded-full uppercase">Most Popular</div>
            )}
            <div className="text-center">
              {tier.icon}
              <h3 className="text-2xl font-bold text-white mt-4">{tier.title}</h3>
              <p className="text-4xl font-extrabold text-cyan-400 my-4">{tier.price}</p>
              <p className="text-gray-400 h-16">{tier.description}</p>
            </div>
            <ul className="my-8 space-y-4 flex-grow">
              {tier.features.map((feature, i) => (
                <li key={i} className="flex items-center">
                  <ShieldCheck className="w-5 h-5 text-green-500 mr-3 flex-shrink-0" />
                  <span className="text-gray-300">{feature}</span>
                </li>
              ))}
            </ul>
            <button className={cn(
              "w-full font-bold py-3 px-6 rounded-lg transition duration-300 mt-auto",
```

```jsx
                    tier.popular ? "bg-cyan-500 hover:bg-cyan-600 text-white" : "bg-gray-700
hover:bg-gray-600 text-white"
                  )}>
                    {tier.buttonText}
                  </button>
                </div>
            ))}
          </div>
        </div>
      </section>
);

const AboutUsSection = () => (
    <section id="about" className="py-20 bg-gray-900">
        <div className="container mx-auto px-6">
            <div className="text-center mb-12">
                <h2 className="text-3xl md:text-4xl font-bold text-white">Our Foundation: Loyalty,
Integrity & Growth</h2>
                <p className="text-lg text-gray-400 mt-2 max-w-3xl mx-auto">We are a duo of
passionate experts dedicated to a partnership approach. Our work is guided by a commitment
to serving our clients' success.</p>
                <div className="mt-4 h-1 w-24 bg-cyan-500 mx-auto rounded"></div>
            </div>
            <div className="max-w-4xl mx-auto grid md:grid-cols-1 lg:grid-cols-2 gap-10">
                {teamMembers.map((member, index) => (
                    <div key={index} className="bg-gray-800 p-8 rounded-xl shadow-lg flex flex-col
items-center text-center">
                        <div className="mb-4">{member.icon}</div>
                        <h3 className="text-2xl font-bold text-white">{member.name}</h3>
                        <p className="text-cyan-400 font-semibold mb-4">{member.title}</p>
                        <p className="text-gray-300">{member.bio}</p>
                    </div>
                ))}
            </div>
        </div>
    </section>
);

const TestimonialsSection = () => (
    <section id="testimonials" className="py-20 bg-gray-800">
        <div className="container mx-auto px-6">
            <div className="text-center mb-12">
                <h2 className="text-3xl md:text-4xl font-bold text-white">What Our Partners
Say</h2>
```

```jsx
                    <p className="text-lg text-gray-400 mt-2 max-w-3xl mx-auto">We're proud to build
loyal partnerships that drive real growth.</p>
                    <div className="mt-4 h-1 w-24 bg-cyan-500 mx-auto rounded"></div>
                </div>
                <div className="grid grid-cols-1 lg:grid-cols-3 gap-8">
                    {testimonials.map((testimonial, index) => (
                        <div key={index} className="bg-gray-900 p-8 rounded-xl shadow-lg flex flex-col">
                            <div className="flex text-yellow-400 mb-4">
                                {[...Array(testimonial.rating)].map((_, i) => <Star key={i} className="w-5 h-5
fill-current" />)}
                            </div>
                            <p className="text-gray-300 mb-6 flex-grow">"{testimonial.quote}"</p>
                            <div>
                                <p className="font-bold text-white">{testimonial.name}</p>
                                <p className="text-cyan-400 text-sm">{testimonial.company}</p>
                            </div>
                        </div>
                    ))}
                </div>
            </div>
        </section>
    );


const ContactSection = () => {
    const [formData, setFormData] = useState({ name: ", email: ", message: " });
    const [status, setStatus] = useState(");

    const handleChange = (e) => {
        const { name, value } = e.target;
        setFormData(prev => ({ ...prev, [name]: value }));
    };

    const handleSubmit = (e) => {
        e.preventDefault();
        // In a real app, you'd handle form submission here (e.g., send to an API)
        console.log('Form submitted:', formData);
        setStatus('Thank you for your message! We will get back to you shortly.');
        setFormData({ name: ", email: ", message: " });
        setTimeout(() => setStatus("), 5000);
    };

    return (
        <section id="contact" className="py-20 bg-gray-900">
```

```
<div className="container mx-auto px-6">
    <div className="text-center mb-12">
        <h2 className="text-3xl md:text-4xl font-bold text-white">Partner with Us for
Principled Growth</h2>
        <p className="text-lg text-gray-400 mt-2">Ready to grow with a team you can
trust? Reach out and let's discuss your project.</p>
        <div className="mt-4 h-1 w-24 bg-cyan-500 mx-auto rounded"></div>
    </div>
    <div className="max-w-4xl mx-auto grid md:grid-cols-2 gap-12 bg-gray-800 p-8
rounded-xl shadow-2xl">
        <div className="text-white">
            <h3 className="text-2xl font-bold mb-6">Contact Information</h3>
            <p className="text-gray-300 mb-6">
                Have a question or want to work together? Fill out the form or contact us
directly. We're excited to hear from you.
            </p>
            <div className="space-y-4">
                <div className="flex items-center">
                    <Phone className="w-5 h-5 text-cyan-400 mr-4" />
                    <span className="text-gray-300">(812) 555-0123</span>
                </div>
                <div className="flex items-center">
                    <Mail className="w-5 h-5 text-cyan-400 mr-4" />
                    <span className="text-gray-300">hello@ethosdigitalpartners.com</span>
                </div>
                <div className="flex items-center">
                    <MapPin className="w-5 h-5 text-cyan-400 mr-4" />
                    <span className="text-gray-300">401 Main Street, Evansville, IN
47708</span>
                </div>
            </div>
        </div>
        <form onSubmit={handleSubmit}>
            <div className="mb-4">
                <label htmlFor="name" className="block text-gray-400 mb-2">Name</label>
                <input type="text" id="name" name="name" value={formData.name}
onChange={handleChange} required className="w-full bg-gray-700 border border-gray-600
rounded-lg py-2 px-4 text-white focus:outline-none focus:ring-2 focus:ring-cyan-500" />
            </div>
            <div className="mb-4">
                <label htmlFor="email" className="block text-gray-400 mb-2">Email</label>
                <input type="email" id="email" name="email" value={formData.email}
onChange={handleChange} required className="w-full bg-gray-700 border border-gray-600
rounded-lg py-2 px-4 text-white focus:outline-none focus:ring-2 focus:ring-cyan-500" />
```

```jsx
            </div>
            <div className="mb-4">
                <label htmlFor="message" className="block text-gray-400
mb-2">Message</label>
                <textarea id="message" name="message" rows="5"
value={formData.message} onChange={handleChange} required className="w-full
bg-gray-700 border border-gray-600 rounded-lg py-2 px-4 text-white focus:outline-none
focus:ring-2 focus:ring-cyan-500"></textarea>
            </div>
            <button type="submit" className="w-full bg-cyan-500 hover:bg-cyan-600
text-white font-bold py-3 px-6 rounded-lg transition duration-300 shadow-lg
shadow-cyan-500/20">
                Send Message <ArrowRight className="inline w-5 h-5 ml-2" />
            </button>
            {status && <p className="text-center text-green-400 mt-4">{status}</p>}
          </form>
        </div>
      </div>
    </section>
  );
};

const Footer = () => (
    <footer className="bg-gray-900 border-t border-gray-800">
        <div className="container mx-auto px-6 py-6 text-center text-gray-500">
            <p>&copy; {new Date().getFullYear()} Ethos Digital Partners. All Rights Reserved.</p>
            <p className="text-sm mt-1">Your Trusted Partner in Digital Growth.</p>
        </div>
    </footer>
);

const Chatbot = () => {
    const [isOpen, setIsOpen] = useState(false);

    return (
        <>
            {/* Chat Window */}
            <div className={cn(
                "fixed bottom-[160px] right-6 sm:right-10 w-80 sm:w-96 h-[28rem] bg-gray-800
rounded-xl shadow-2xl flex flex-col transition-all duration-300 ease-in-out z-50",
                isOpen ? "opacity-100 translate-y-0" : "opacity-0 translate-y-4 pointer-events-none"
            )}>
                {/* Header */}
```

```jsx
        <div className="bg-gray-900 p-4 rounded-t-xl flex justify-between items-center flex-shrink-0">
            <h3 className="text-white font-bold flex items-center"><Bot className="w-5 h-5 mr-2 text-cyan-400" /> Ethos Digital Assistant</h3>
            <button onClick={() => setIsOpen(false)} className="text-gray-400 hover:text-white">
                <X size={20} />
            </button>
        </div>
        {/* Body */}
        <div className="flex-grow p-4 overflow-y-auto">
            <div className="flex flex-col space-y-3">
                <div className="bg-gray-700 p-3 rounded-lg self-start max-w-xs">
                    <p className="text-sm text-gray-300">Hello! Our virtual assistant is currently under development.</p>
                </div>
                <div className="bg-gray-700 p-3 rounded-lg self-start max-w-xs">
                    <p className="text-sm text-gray-300">It will be available soon to answer your questions. For now, please use the contact form for any inquiries. We look forward to assisting you!</p>
                </div>
            </div>
        </div>
        {/* Footer/Input */}
        <div className="p-4 border-t border-gray-700 flex-shrink-0">
            <div className="flex space-x-2">
                <input type="text" placeholder="Virtual assistant coming soon..." disabled className="w-full bg-gray-700 border border-gray-600 rounded-lg py-2 px-4 text-white cursor-not-allowed" />
                <button disabled className="bg-cyan-800 text-white/50 font-bold py-2 px-4 rounded-lg cursor-not-allowed">
                    <ArrowRight size={20} />
                </button>
            </div>
        </div>
    </div>

    {/* Chat Icon Button */}
    <button
        onClick={() => setIsOpen(!isOpen)}
        className="fixed bottom-20 right-6 sm:right-10 bg-cyan-500 hover:bg-cyan-600 text-white p-4 rounded-full shadow-lg z-50 transition-transform duration-300 transform hover:scale-110"
        aria-label="Open Chat"
```

```jsx
        >
            <MessageSquare size={24} />
        </button>
      </>
    );
};


// --- MAIN APP COMPONENT ---
export default function App() {
  const handleNavigate = (selector) => {
    const element = document.querySelector(selector);
    if (element) {
      // Adjust scroll position based on whether it's the hero section or another section
      const offset = selector === '#home' ? 0 : 80;
      const top = element.offsetTop - offset;

      window.scrollTo({
        top: top,
        behavior: 'smooth',
      });
    }
  };

  return (
    <div className="bg-gray-900 min-h-screen font-sans">
      <Header onNavigate={handleNavigate} />
      <main>
        <HeroSection onNavigate={handleNavigate} />
        <ServicesSection />
        <AiAdvantageSection />
        <PricingSection />
        <AboutUsSection />
        <TestimonialsSection />
        <ContactSection />
      </main>
      <Footer />
      <Chatbot />
    </div>
  );
}
```