Documentao da API - EngluzSoft Esta documentao descreve todas as rotas da API do sistema **EngluzSoft**, com detalhes completos para facilitar o desenvolvimento do frontend em Next.js por parte do Gildo. Todas as rotas seguem o prefixo '/api' e as protegidas requerem autenticao com **token JWT** gerado via **Sanctum**. ## Autenticao ### POST /api/login Realiza login e retorna um token para autenticao. Body: "email": "teste@email.com", "password": "12345678" } ### POST /api/logout Revoga o token do usurio autenticado. ## Imveis (properties) GET /api/properties GET /api/properties/{id}

POST /api/properties

PUT /api/properties/{id}
DELETE /api/properties/{id}
Fotos (photos)
GET /api/properties/{id}/photos
POST /api/photos
DELETE /api/photos/{id}
Caractersticas (features)
GET /api/features
POST /api/features
PUT /api/features/{id}
DELETE /api/features/{id}
Favoritos (favorites)
GET /api/users/{userId}/favorites
POST /api/favorites
DELETE /api/favorites
Mensagens (messages)

GET /api/users/{userId}/messages
POST /api/messages
GET /api/messages/{id}
DELETE /api/messages/{id}
Visitas (visits)
GET /api/users/{userId}/visits
POST /api/visits
PUT /api/visits/{id}
DELETE /api/visits/{id}
Visualizaes (views)
GET /api/properties/{id}/views
POST /api/views
Avaliaes (reviews)
GET /api/properties/{id}/reviews
POST /api/reviews
PUT /api/reviews/{id}
DELETE /api/reviews/{id}

Todas as rotas protegidas requerem:

Authorization: Bearer <token>