# Class SplashScreen

java.lang.Object
android.content.Context
android.content.ContextWrapper
android.view.ContextThemeWrapper
android.app.Activity
android.support.v4.app.SupportActivity
android.support.v4.app.FragmentActivity
android.support.v7.app.AppCompatActivity
ultramirinc.champs mood.SplashScreen

#### All Implemented Interfaces:

```
android.content.ComponentCallbacks, android.content.ComponentCallbacks2, android.support.v4.app.ActivityCompat.OnRequestPermissionsResultCallback, android.support.v4.app.ActivityCompatApi23.RequestPermissionsRequestCodeValidator, android.support.v4.app.TaskStackBuilder.SupportParentable, android.support.v7.app.ActionBarDrawerToggle.DelegateProvider, android.support.v7.app.AppCompatCallback, android.view.KeyEvent.Callback, android.view.LayoutInflater.Factory, android.view.LayoutInflater.Factory2, android.view.View.OnCreateContextMenuListener, android.view.Window.Callback
```

```
public class SplashScreen
extends android.support.v7.app.AppCompatActivity
```

Created by William on 2017-05-03. This activity makes the bridge between the login page and the main app

authentication reference

# **Nested Class Summary**

Nested classes/interfaces inherited from class android.support.v4.app.SupportActivity

android.support.v4.app.SupportActivity.ExtraData

# Field Summary

#### Fields

# Modifier and Type Field and Description private com.google.firebase.auth.FirebaseAuth Contains the database

private static int

SPLASH TIME OUT

The time in millisecond this activity should stay active

# Fields inherited from class android.app.Activity

DEFAULT\_KEYS\_DIALER, DEFAULT\_KEYS\_DISABLE, DEFAULT\_KEYS\_SEARCH\_GLOBAL, DEFAULT\_KEYS\_SEARCH\_LOCAL, DEFAULT\_KEYS\_SHORTCUT, FOCUSED\_STATE\_SET, RESULT\_CANCELED, RESULT\_FIRST\_USER, RESULT\_OK

## Fields inherited from class android.content.Context

ACCESSIBILITY\_SERVICE, ACCOUNT\_SERVICE, ACTIVITY\_SERVICE, ALARM\_SERVICE, APP\_OPS\_SERVICE, APPWIDGET\_SERVICE, AUDIO\_SERVICE, BATTERY\_SERVICE, BIND ABOVE CLIENT, BIND ADJUST WITH ACTIVITY, BIND ALLOW OOM MANAGEMENT, BIND\_AUTO\_CREATE, BIND\_DEBUG\_UNBIND, BIND\_EXTERNAL\_SERVICE, BIND\_IMPORTANT, BIND\_NOT\_FOREGROUND, BIND\_WAIVE\_PRIORITY, BLUETOOTH\_SERVICE, CAMERA\_SERVICE, CAPTIONING\_SERVICE, CARRIER\_CONFIG\_SERVICE, CLIPBOARD\_SERVICE, CONNECTIVITY\_SERVICE, CONSUMER\_IR\_SERVICE, CONTEXT\_IGNORE\_SECURITY, CONTEXT\_INCLUDE\_CODE, CONTEXT\_RESTRICTED, DEVICE\_POLICY\_SERVICE, DISPLAY\_SERVICE, DOWNLOAD\_SERVICE, DROPBOX\_SERVICE, FINGERPRINT\_SERVICE, HARDWARE\_PROPERTIES\_SERVICE, INPUT\_METHOD\_SERVICE, INPUT\_SERVICE, JOB\_SCHEDULER\_SERVICE, KEYGUARD\_SERVICE, LAUNCHER\_APPS\_SERVICE, LAYOUT\_INFLATER\_SERVICE, LOCATION\_SERVICE, MEDIA\_PROJECTION\_SERVICE, MEDIA ROUTER SERVICE, MEDIA SESSION SERVICE, MIDI SERVICE, MODE APPEND, MODE\_ENABLE\_WRITE\_AHEAD\_LOGGING, MODE\_MULTI\_PROCESS, MODE\_NO\_LOCALIZED\_COLLATORS, MODE PRIVATE, MODE WORLD READABLE, MODE WORLD WRITEABLE, NETWORK STATS SERVICE, NFC\_SERVICE, NOTIFICATION\_SERVICE, NSD\_SERVICE, POWER\_SERVICE, PRINT\_SERVICE, RESTRICTIONS\_SERVICE, SEARCH\_SERVICE, SENSOR\_SERVICE, SHORTCUT\_SERVICE, STORAGE SERVICE, SYSTEM HEALTH SERVICE, TELECOM SERVICE, TELEPHONY SERVICE, TELEPHONY\_SUBSCRIPTION\_SERVICE, TEXT\_SERVICES\_MANAGER\_SERVICE, TV\_INPUT\_SERVICE, UI MODE SERVICE, USAGE STATS SERVICE, USB SERVICE, USER SERVICE, VIBRATOR SERVICE, WALLPAPER\_SERVICE, WIFI\_P2P\_SERVICE, WIFI\_SERVICE, WINDOW\_SERVICE

# Fields inherited from interface android.content.ComponentCallbacks2

TRIM\_MEMORY\_BACKGROUND, TRIM\_MEMORY\_COMPLETE, TRIM\_MEMORY\_MODERATE, TRIM\_MEMORY\_RUNNING\_CRITICAL, TRIM\_MEMORY\_RUNNING\_LOW, TRIM\_MEMORY\_RUNNING\_MODERATE, TRIM\_MEMORY\_UI\_HIDDEN

## **Constructor Summary**

## Constructors

#### **Constructor and Description**

SplashScreen()

# **Method Summary**

All Methods Instance Methods Concrete Methods

Modifier and Type Method and Description

protected void onCreate(android.os.Bundle savedInstanceState)

Creates and inflate the visual layout for the activity.

# Methods inherited from class android.support.v7.app.AppCompatActivity

addContentView, dispatchKeyEvent, findViewById, getDelegate, getDrawerToggleDelegate, getMenuInflater, getResources, getSupportActionBar, getSupportParentActivityIntent, invalidateOptionsMenu, onConfigurationChanged, onContentChanged, onCreateSupportNavigateUpTaskStack, onDestroy, onMenuItemSelected, onMenuOpened, onPanelClosed, onPostCreate, onPostResume, onPrepareSupportNavigateUpTaskStack, onSaveInstanceState, onStart, onStop, onSupportActionModeFinished, onSupportActionModeStarted, onSupportContentChanged, onSupportNavigateUp, onTitleChanged, onWindowStartingSupportActionMode, setContentView, setContentView, setSupportProgress, setSupportProgressBarIndeterminate, setSupportProgressBarIndeterminateVisibility, setSupportProgressBarVisibility, setTheme, startSupportActionMode, supportInvalidateOptionsMenu, supportNavigateUpTo, supportRequestWindowFeature, supportShouldUpRecreateTask

# Methods inherited from class android.support.v4.app.FragmentActivity

dump, getLastCustomNonConfigurationInstance, getSupportFragmentManager,
getSupportLoaderManager, getSupportMediaController, onActivityResult,
onAttachFragment, onBackPressed, onCreatePanelMenu, onLowMemory,
onMultiWindowModeChanged, onNewIntent, onPause, onPictureInPictureModeChanged,
onPrepareOptionsPanel, onPreparePanel, onRequestPermissionsResult, onResume,
onResumeFragments, onRetainCustomNonConfigurationInstance,
onRetainNonConfigurationInstance, onStateNotSaved, setEnterSharedElementCallback,
setExitSharedElementCallback, setSupportMediaController, startActivityForResult,
startActivityFromFragment, startActivityFromFragment,
startIntentSenderFromFragment, supportFinishAfterTransition,
supportPostponeEnterTransition, supportStartPostponedEnterTransition,
validateRequestPermissionsRequestCode

# Methods inherited from class android.support.v4.app.SupportActivity

getExtraData, putExtraData

# Methods inherited from class android.app.Activity

closeContextMenu, closeOptionsMenu, createPendingResult, dismissDialog, dismissKeyboardShortcutsHelper, dispatchGenericMotionEvent, dispatchKeyShortcutEvent, dispatchPopulateAccessibilityEvent, dispatchTouchEvent, dispatchTrackballEvent, enterPictureInPictureMode, finish, finishActivity, finishActivityFromChild, finishAffinity, finishAfterTransition, finishAndRemoveTask, finishFromChild, getActionBar, getApplication, getCallingActivity, getCallingPackage, getChangingConfigurations, getComponentName, getContentScene, getContentTransitionManager, getCurrentFocus, getFragmentManager, getIntent, getLastNonConfigurationInstance, getLayoutInflater, getLoaderManager, getLocalClassName, getMediaController, getParent, getParentActivityIntent, getPreferences, getReferrer, getRequestedOrientation, getSearchEvent, getSystemService, getTaskId, getTitle, getTitleColor, getVoiceInteractor, getVolumeControlStream, getWindow, getWindowManager, hasWindowFocus, isChangingConfigurations, isChild, isDestroyed, isFinishing, isImmersive, isInMultiWindowMode, isInPictureInPictureMode, isLocalVoiceInteractionSupported, isTaskRoot, isVoiceInteraction, isVoiceInteractionRoot, managedQuery, moveTaskToBack, navigateUpTo, navigateUpToFromChild, onActionModeFinished, onActionModeStarted, onActivityReenter, onApplyThemeResource, onAttachedToWindow, onAttachFragment, onChildTitleChanged, onContextItemSelected, onContextMenuClosed, onCreate, onCreateContextMenu, onCreateDescription, onCreateDialog, onCreateDialog, onCreateNavigateUpTaskStack, onCreateOptionsMenu, onCreatePanelView, onCreateThumbnail, onDetachedFromWindow, onEnterAnimationComplete, onGenericMotionEvent, onKeyDown, onKeyLongPress, onKeyMultiple, onKeyShortcut, onKeyUp, onLocalVoiceInteractionStarted, onLocalVoiceInteractionStopped, onNavigateUp, onNavigateUpFromChild, onOptionsItemSelected, onOptionsMenuClosed, onPostCreate, onPrepareDialog, onPrepareDialog, onPrepareNavigateUpTaskStack, onPrepareOptionsMenu, onProvideAssistContent, onProvideAssistData, onProvideKeyboardShortcuts, onProvideReferrer, onRestart, onRestoreInstanceState, onRestoreInstanceState, onSaveInstanceState, onSearchRequested, onSearchRequested, onTouchEvent, onTrackballEvent, onTrimMemory, onUserInteraction, onUserLeaveHint, onVisibleBehindCanceled, onWindowAttributesChanged, onWindowFocusChanged, onWindowStartingActionMode, onWindowStartingActionMode, openContextMenu, openOptionsMenu, overridePendingTransition, postponeEnterTransition, recreate, registerForContextMenu, releaseInstance, removeDialog, reportFullyDrawn, requestDragAndDropPermissions, requestPermissions, requestShowKeyboardShortcuts, requestVisibleBehind, requestWindowFeature, runOnUiThread, setActionBar, setContentTransitionManager, setDefaultKeyMode, setEnterSharedElementCallback, setExitSharedElementCallback, setFeatureDrawable, setFeatureDrawableAlpha, setFeatureDrawableResource, setFeatureDrawableUri, setFinishOnTouchOutside, setImmersive, setIntent, setMediaController, setProgress, setProgressBarIndeterminate, setProgressBarIndeterminateVisibility, setProgressBarVisibility, setRequestedOrientation, setResult, setResult, setSecondaryProgress, setTaskDescription, setTitle, setTitle, setTitleColor, setVisible, setVolumeControlStream, setVrModeEnabled, shouldShowRequestPermissionRationale, shouldUpRecreateTask, showAssist, showDialog, showDialog, showLockTaskEscapeMessage, startActionMode, startActionMode, startActivities, startActivities, startActivity, startActivity, startActivityFromChild, startActivityFromChild, startActivityFromFragment, startActivityFromFragment, startActivityIfNeeded, startActivityIfNeeded, startIntentSender, startIntentSender, startIntentSenderFromChild, startIntentSenderFromChild, startLocalVoiceInteraction, startLockTask, startManagingCursor, startNextMatchingActivity, startNextMatchingActivity, startPostponedEnterTransition, startSearch, stopLocalVoiceInteraction,

stopLockTask, stopManagingCursor, takeKeyEvents, triggerSearch, unregisterForContextMenu

## Methods inherited from class android.view.ContextThemeWrapper

applyOverrideConfiguration, attachBaseContext, getAssets, getTheme

## Methods inherited from class android.content.ContextWrapper

bindService, checkCallingOrSelfPermission, checkCallingOrSelfUriPermission, checkCallingPermission, checkCallingUriPermission, checkPermission, checkSelfPermission, checkUriPermission, checkUriPermission, clearWallpaper, createConfigurationContext, createDeviceProtectedStorageContext, createDisplayContext, createPackageContext, databaseList, deleteDatabase, deleteFile, deleteSharedPreferences, enforceCallingOrSelfPermission, enforceCallingOrSelfUriPermission, enforceCallingPermission, enforceCallingUriPermission, enforcePermission, enforceUriPermission, enforceUriPermission, fileList, getApplicationContext, getApplicationInfo, getBaseContext, getCacheDir, getClassLoader, getCodeCacheDir, getContentResolver, getDatabasePath, getDataDir, getDir, getExternalCacheDir, getExternalCacheDirs, getExternalFilesDir, getExternalFilesDirs, getExternalMediaDirs, getFilesDir, getFileStreamPath, getMainLooper, getNoBackupFilesDir, getObbDir, getObbDirs, getPackageCodePath, getPackageManager, getPackageName, getPackageResourcePath, getSharedPreferences, getSystemServiceName, getWallpaper, getWallpaperDesiredMinimumHeight, getWallpaperDesiredMinimumWidth, grantUriPermission, isDeviceProtectedStorage, isRestricted, moveDatabaseFrom, moveSharedPreferencesFrom, openFileInput, openFileOutput, openOrCreateDatabase, openOrCreateDatabase, peekWallpaper, registerReceiver, registerReceiver, removeStickyBroadcast, removeStickyBroadcastAsUser, revokeUriPermission, sendBroadcast, sendBroadcast, sendBroadcastAsUser, sendBroadcastAsUser, sendOrderedBroadcast, sendOrderedBroadcast, sendOrderedBroadcastAsUser, sendStickyBroadcast, sendStickyBroadcastAsUser, sendStickyOrderedBroadcast, sendStickyOrderedBroadcastAsUser, setWallpaper, setWallpaper, startInstrumentation, startService, stopService, unbindService, unregisterReceiver

## Methods inherited from class android.content.Context

getColor, getColorStateList, getDrawable, getString, getString, getSystemService, getText, obtainStyledAttributes, obtainStyledAttributes, obtainStyledAttributes, obtainStyledAttributes, registerComponentCallbacks, unregisterComponentCallbacks

## Methods inherited from class java.lang.Object

clone, equals, finalize, getClass, hashCode, notify, notifyAll, toString, wait,
wait, wait

## firebaseAuth

private com.google.firebase.auth.FirebaseAuth firebaseAuth

Contains the database authentication reference

# SPLASH\_TIME\_OUT

private static int SPLASH\_TIME\_OUT

The time in millisecond this activity should stay active

## **Constructor Detail**

# SplashScreen

public SplashScreen()

## **Method Detail**

#### onCreate

protected void onCreate(android.os.Bundle savedInstanceState)

Creates and inflate the visual layout for the activity.

# Overrides:

onCreate in class android.support.v7.app.AppCompatActivity