## Class LoginActivity

java.lang.Object android.content.Context android.content.ContextWrapper android.view.ContextThemeWrapper android.app.Activity android.support.v4.app.SupportActivity android.support.v4.app.FragmentActivity android.support.v7.app.AppCompatActivity ultramirinc.champs\_mood.LoginActivity

#### All Implemented Interfaces:

android.app.LoaderManager.LoaderCallbacks<android.database.Cursor>, android.content.ComponentCallbacks, android.content.ComponentCallbacks2, android.support.v4.app.ActivityCompat.OnRequestPermissionsResultCallback, and roid. support. v4. app. Activity Compat Api 23. Request Permissions Request Code Validator,and roid. support. v4. app. Task Stack Builder. Support Parentable, and roid. support. v7. app. Action Bar Drawer Toggle. Delegate Provider, and roid. support. v7. app. Action Bar Drawer Toggle. Delegate Provider, and roid. support. v7. app. Action Bar Drawer Toggle. Delegate Provider, and roid. support. v7. app. Action Bar Drawer Toggle. Delegate Provider, and roid. support. v7. app. Action Bar Drawer Toggle. Delegate Provider, and roid. support. v7. app. Action Bar Drawer Toggle. Delegate Provider, and roid. support. v7. app. Action Bar Drawer Toggle. Delegate Provider, and roid. support. v7. app. Action Bar Drawer Toggle. Delegate Provider, and roid. support. v7. app. Action Bar Drawer Toggle. Delegate Provider, and roid. support. v7. app. Action Bar Drawer Toggle. Delegate Provider, and roid. support. v7. app. Action Bar Drawer Toggle. Delegate Provider, and roid. support. v7. app. Action Bar Drawer Toggle. Delegate Provider, and roid. support. v7. app. Action Bar Drawer Toggle. Delegate Provider Toggle. Delegaand roid. support. v7. app. App Compat Callback, and roid. view. Key Event. Callback, and roid. view. Layout Inflater. Factory, and roid. View. Layout Inflater. Factory and roid.android.view.LayoutInflater.Factory2, android.view.View.OnCreateContextMenuListener, android.view.Window.Callback

public class LoginActivity

extends android.support.v7.app.AppCompatActivity

implements android.app.LoaderManager.LoaderCallbacks<android.database.Cursor>

Created by Etienne Berube on 2017-03-23. A login screen that offers login via email/password.

# **Nested Class Summary**

## **Nested Classes**

**Modifier and Type** Class and Description

private static interface LoginActivity.ProfileQuery

Interface for the profile query.

# Nested classes/interfaces inherited from class android.support.v4.app.SupportActivity

android.support.v4.app.SupportActivity.ExtraData

# Field Summary

# **Fields**

Modifier and Type	Field and Description
private boolean	cancel Contains a boolean value of cancellation for the account that is logging in
private com.google.firebase.auth.FirebaseAuth	<b>firebaseAuth</b> Defining Firebase auth object
private android.view.View	focusView Contains a View of the focus of the account that is logging in
<pre>private android.widget.AutoCompleteTextView</pre>	mEmailView Contains a AutoCompleteTextView of the email of the account that is logging in
private android.view.View	mLoginFormView Contains a View of the login form of the account that is logging in

<pre>private android.widget.EditText</pre>	mPasswordView Contains a EditText of the password of the account that is logging in
private android.app.ProgressDialog	progressDialog Contains a ProgressDialog of the account that is logging in
private static int	REQUEST_READ_CONTACTS  Id to identity  READ_CONTACTS  permission request.

### Fields inherited from class android.app.Activity

DEFAULT\_KEYS\_DIALER, DEFAULT\_KEYS\_DISABLE, DEFAULT\_KEYS\_SEARCH\_GLOBAL, DEFAULT\_KEYS\_SEARCH\_LOCAL, DEFAULT\_KEYS\_SHORTCUT, FOCUSED\_STATE\_SET, RESULT\_CANCELED, RESULT\_FIRST\_USER, RESULT\_OK

#### Fields inherited from class android.content.Context

ACCESSIBILITY\_SERVICE, ACCOUNT\_SERVICE, ACTIVITY\_SERVICE, ALARM\_SERVICE, APP\_OPS\_SERVICE, APPWIDGET\_SERVICE,
AUDIO\_SERVICE, BATTERY\_SERVICE, BIND\_ABOVE\_CLIENT, BIND\_ADJUST\_WITH\_ACTIVITY, BIND\_ALLOW\_OOM\_MANAGEMENT, BIND\_AUTO\_CREATE,
BIND\_DEBUG\_UNBIND, BIND\_EXTERNAL\_SERVICE, BIND\_IMPORTANT, BIND\_NOT\_FOREGROUND, BIND\_WAIVE\_PRIORITY, BLUETOOTH\_SERVICE,
CAMERA\_SERVICE, CAPTIONING\_SERVICE, CARRIER\_CONFIG\_SERVICE, CLIPBOARD\_SERVICE, CONNECTIVITY\_SERVICE, CONSUMER\_IR\_SERVICE,
CONTEXT\_IGNORE\_SECURITY, CONTEXT\_INCLUDE\_CODE, CONTEXT\_RESTRICTED, DEVICE\_POLICY\_SERVICE, DISPLAY\_SERVICE,
DOWNLOAD\_SERVICE, DROPBOX\_SERVICE, FINGERPRINT\_SERVICE, HARDWARE\_PROPERTIES\_SERVICE, INPUT\_METHOD\_SERVICE, INPUT\_SERVICE,
JOB\_SCHEDULER\_SERVICE, KEYGUARD\_SERVICE, LAUNCHER\_APPS\_SERVICE, LAYOUT\_INFLATER\_SERVICE, LOCATION\_SERVICE,
MEDIA\_PROJECTION\_SERVICE, MEDIA\_ROUTER\_SERVICE, MEDIA\_SESSION\_SERVICE, MIDI\_SERVICE, MODE\_APPEND,
MODE\_ENABLE\_WRITE\_AHEAD\_LOGGING, MODE\_MULTI\_PROCESS, MODE\_NO\_LOCALIZED\_COLLATORS, MODE\_PRIVATE, MODE\_WORLD\_READABLE,
MODE\_WORLD\_WRITEABLE, NETWORK\_STATS\_SERVICE, NFC\_SERVICE, NOTIFICATION\_SERVICE, NSD\_SERVICE, POWER\_SERVICE, PRINT\_SERVICE,
RESTRICTIONS\_SERVICE, SEARCH\_SERVICE, SENSOR\_SERVICE, SHORTCUT\_SERVICE, STORAGE\_SERVICE, SYSTEM\_HEALTH\_SERVICE,
TELECOM\_SERVICE, TELEPHONY\_SERVICE, TELEPHONY\_SUBSCRIPTION\_SERVICE, TEXT\_SERVICES\_MANAGER\_SERVICE, TV\_INPUT\_SERVICE,
UI\_MODE\_SERVICE, WINDOW\_SERVICE, USB\_SERVICE, USER\_SERVICE, VIBRATOR\_SERVICE, WALLPAPER\_SERVICE, WIFI\_P2P\_SERVICE,
WIFI\_SERVICE, WINDOW\_SERVICE

# Fields inherited from interface android.content.ComponentCallbacks2

TRIM\_MEMORY\_BACKGROUND, TRIM\_MEMORY\_COMPLETE, TRIM\_MEMORY\_MODERATE, TRIM\_MEMORY\_RUNNING\_CRITICAL, TRIM\_MEMORY\_RUNNING\_LOW, TRIM\_MEMORY\_RUNNING\_MODERATE, TRIM\_MEMORY\_UI\_HIDDEN

### **Constructor Summary**

# Constructors

## **Constructor and Description**

LoginActivity()

# **Method Summary**

All Methods	Instance Methods	Concrete Methods	
Modifier and Type	•	Method and Description	
private void		<pre>addEmailsToAutoComplete(java.util.List<java.lang.string> emailAddressCollect Creates adapter to tell the AutoCompleteTextView what to show in its dropdown list.</java.lang.string></pre>	ction)
private void		<pre>attemptLogin() Attempts to sign in or register the account specified by the login form.</pre>	
private boolea	an	<pre>isEmailValid(java.lang.String email) Checks if the email is valid.</pre>	
private boolea	an	<pre>isPasswordValid(java.lang.String password) Checks if the password is valid.</pre>	
private boolea	an	<pre>mayRequestContacts() Requests the user's permission to access the contacts.</pre>	
void		onBackPressed()	

	Prevents the user from using the back button
protected void	<pre>onCreate(android.os.Bundle savedInstanceState) Creates and inflates the layout of the activity.</pre>
android.content.Loader <android.database.cursor></android.database.cursor>	<pre>onCreateLoader(int i, android.os.Bundle bundle) Creates and inflates the layout of the loader.</pre>
void	<pre>onLoaderReset(android.content.Loader<android.database.cursor> cursorLoader) Handles if the loader is reset.</android.database.cursor></pre>
void	<pre>onLoadFinished(android.content.Loader<android.database.cursor> cursorLoader, android.database.Cursor cursor) Handles if the loader is finished.</android.database.cursor></pre>
void	<pre>onRequestPermissionsResult(int requestCode, java.lang.String[] permissions, int[] grantResults) Callback received when a permissions request has been completed.</pre>
private void	<pre>populateAutoComplete()</pre> Fills in the blanks if the permission for the contacts is not granted.
void	<pre>startRegisterActivityView(android.view.View view) Starts the RegisterActivity</pre>
private void	<pre>userLogin(java.lang.String email, java.lang.String password) Logs the user in</pre>

## Methods inherited from class android.support.v7.app.AppCompatActivity

addContentView, dispatchKeyEvent, findViewById, getDelegate, getDrawerToggleDelegate, getMenuInflater, getResources, getSupportActionBar, getSupportParentActivityIntent, invalidateOptionsMenu, onConfigurationChanged, onContentChanged, onCreateSupportNavigateUpTaskStack, onDestroy, onMenuItemSelected, onMenuOpened, onPanelClosed, onPostCreate, onPostResume, onPrepareSupportNavigateUpTaskStack, onSaveInstanceState, onStart, onStop, onSupportActionModeFinished, onSupportActionModeStarted, onSupportContentChanged, onSupportNavigateUp, onTitleChanged, onWindowStartingSupportActionMode, setContentView, setContentView, setSupportProgress, setSupportProgressBarIndeterminate, setSupportProgressBarIndeterminateVisibility, setSupportProgressBarVisibility, setTheme, startSupportActionMode, supportInvalidateOptionsMenu, supportNavigateUpTo, supportRequestWindowFeature, supportShouldUpRecreateTask

# Methods inherited from class android.support.v4.app.FragmentActivity

dump, getLastCustomNonConfigurationInstance, getSupportFragmentManager, getSupportLoaderManager, getSupportBoderManager, getSupportMediaController, onActivityResult, onAttachFragment, onCreatePanelMenu, onLowMemory, onMultiWindowModeChanged, onNewIntent, onPause, onPictureInPictureModeChanged, onPrepareOptionsPanel, onPreparePanel, onResume, onResumeFragments, onRetainCustomNonConfigurationInstance, onRetainNonConfigurationInstance, onStateNotSaved, setEnterSharedElementCallback, setExitSharedElementCallback, setSupportMediaController, startActivityForResult, startActivityFromFragment, startActivityFromFragment, supportFinishAfterTransition, supportPostponeEnterTransition, supportStartPostponedEnterTransition, validateRequestPermissionsRequestCode

# Methods inherited from class android.support.v4.app.SupportActivity

getExtraData, putExtraData

### Methods inherited from class android.app.Activity

 ${\tt closeContextMenu,\ closeOptionsMenu,\ createPendingResult,\ dismissDialog,\ dismissKeyboardShortcutsHelper,\ dismissDialog,\ dismissLeyboardShortcutsHelper,\ dismissDialog,\ dismissLeyboardShortcutsHelper,\ dismissLeyboardShortcutsHel$  ${\tt dispatch Generic Motion Event, dispatch Key Short cut Event, dispatch Populate Accessibility Event, dispatch Touch Event, dispa$  ${\tt dispatch Trackball Event,\ enter Picture In Picture Mode,\ finish Activity,\ finish Activity From Child,\ finish Affinity,}$ finishAfterTransition, finishAndRemoveTask, finishFromChild, getActionBar, getApplication, getCallingActivity, getCallingPackage, getChangingConfigurations, getComponentName, getContentScene, getContentTransitionManager, getCurrentFocus, getFragmentManager, getIntent, getLastNonConfigurationInstance, getLayoutInflater, getLoaderManager, getLocalClassName, getMediaController, getParent, getParentActivityIntent, getPreferences, getReferrer, getRequestedOrientation, getSearchEvent, getSystemService, getTaskId, getTitle, getTitleColor, getVoiceInteractor, getVolumeControlStream, getWindow, getWindowManager, hasWindowFocus, isChangingConfigurations, isChild, isDestroyed, isFinishing, isImmersive, isInMultiWindowMode, isInPictureInPictureMode, isLocalVoiceInteractionSupported, isTaskRoot, isVoiceInteraction, isVoiceInteractionRoot, managedQuery, moveTaskToBack, navigateUpTo, navigateUpToFromChild, onActionModeFinished, onActionModeStarted, onActivityReenter, onApplyThemeResource, onAttachedToWindow, onAttachFragment,  $on Child Title Changed, \ on Context Item Selected, \ on Context Menu Closed, \ on Create Context Menu, \ on Create Description, \ on Create Context Menu, \ on Create Conte$ onCreateDialog, onCreateDialog, onCreateNavigateUpTaskStack, onCreateOptionsMenu, onCreatePanelView, onCreateThumbnail,  $on Detached From Window, \ on Enter Animation Complete, \ on Generic Motion Event, \ on Key Down, \ on Key Long Press, \ on Key Multiple, \ on K$ onKeyShortcut, onKeyUp, onLocalVoiceInteractionStarted, onLocalVoiceInteractionStopped, onNavigateUp, onNavigateUpFromChild, onOptionsItemSelected, onOptionsMenuClosed, onPostCreate, onPrepareDialog, onPrepareDialog,

 $on Prepare Navigate Up Task Stack, \ on Prepare Options Menu, \ on Provide Assist Content, \ on Provide Assist Data, \ on Provide Assist Content, \ on Provide Assist Data, \ on Provide Assist Content, \ on Provide Assist Content, \ on Provide Assist Data, \ on Provide Assist Content, \ on Provide Assist$ onProvideKeyboardShortcuts, onProvideReferrer, onRestart, onRestoreInstanceState, onRestoreInstanceState, onSaveInstanceState, onSearchRequested, onSearchRequested, onTouchEvent, onTrackballEvent, onTrimMemory,  $\verb"onUserInteraction", on \verb"UserLeaveHint", on \verb"VisibleBehindCanceled", on \verb"WindowAttributesChanged", on \verb"WindowFocusChanged", on \verb"WindowFocusChanged", on \verb"WindowAttributesChanged", on \verb"WindowFocusChanged", on "WindowFocusChanged", on "WindowFocusChanged",$ onWindowStartingActionMode, onWindowStartingActionMode, openContextMenu, openOptionsMenu, overridePendingTransition, postponeEnterTransition, recreate, registerForContextMenu, releaseInstance, removeDialog, reportFullyDrawn, requestDragAndDropPermissions, requestPermissions, requestShowKeyboardShortcuts, requestVisibleBehind,  $request \verb|Window| Feature|, run On UiThread|, set Action Bar, set Content Transition Manager|, set Default Key Mode|, request Variable Manager|, request Var$  $setEnterSharedElementCallback, \ setFeatureDrawable, \ setFeatureDrawableAlpha, \ setFeatureDrawable$ setFeatureDrawableResource, setFeatureDrawableUri, setFinishOnTouchOutside, setImmersive, setIntent, setMediaController, setProgress, setProgressBarIndeterminate, setProgressBarIndeterminateVisibility, setProgressBarVisibility, setRequestedOrientation, setResult, setResult, setSecondaryProgress, setTaskDescription, setTitle, setTitle, setTitleColor, setVisible, setVolumeControlStream, setVrModeEnabled, shouldShowRequestPermissionRationale, should Up Recreate Task, show Assist, show Dialog, show Dialog, show Lock Task Escape Message, start Action Mode, start Actio $start Activities, \ start Activities, \ start Activity, \ start Activity From Child, \ start Activity$  $start Activity From Fragment, \ start Activity From Fragment, \ start Activity If Needed, \ start Activity If Needed, \ start Intent Sender, \ start Activity If Needed, \ start Activity If Needed,$  $startIntent Sender, \ startIntent Sender From Child, \ startIntent Sender From Child, \ startLocal Voice Interaction, \ startLock Task, \ startLocal Voice Interaction, \ startLock Task, \ startLocal Voice Interaction, \ startLock Task, \ startLock Task, \ startLocal Voice Interaction, \ startLock Task, \ startLock$  $start Managing Cursor, \ start Next Matching Activity, \ start Next Matching Activity, \ start Postponed Enter Transition, \ start Search, \ start Next Matching Activity, \ start Next Matc$ stopLocalVoiceInteraction, stopLockTask, stopManagingCursor, takeKeyEvents, triggerSearch, unregisterForContextMenu

## Methods inherited from class android.view.ContextThemeWrapper

applyOverrideConfiguration, attachBaseContext, getAssets, getTheme

## Methods inherited from class android.content.ContextWrapper

bindService, checkCallingOrSelfPermission, checkCallingOrSelfUriPermission, checkCallingPermission, checkCallingUriPermission, checkPermission, checkSelfPermission, checkUriPermission, checkUriPermission, clearWallpaper,  $create Configuration Context,\ create Device Protected Storage Context,\ create Display Context,\ create Package Context,\ database List,$ deleteDatabase, deleteFile, deleteSharedPreferences, enforceCallingOrSelfPermission, enforceCallingOrSelfUriPermission, enforceCallingPermission, enforceCallingUriPermission, enforcePermission, enforceUriPermission, enforceUriPermission, fileList, getApplicationContext, getApplicationInfo, getBaseContext, getCacheDir, getClassLoader, getCodeCacheDir, getContentResolver, getDatabasePath, getDataDir, getExternalCacheDir, getExternalCacheDirs, getExternalFilesDir, getExternalFilesDirs, getExternalMediaDirs, getFilesDir, getFileStreamPath, getMainLooper, getNoBackupFilesDir, getObbDir, getObbDirs, getPackageCodePath, getPackageManager, getPackageName, getPackageResourcePath, getSharedPreferences,  $\verb|getSystemServiceName|, getWallpaper|, getWallpaperDesiredMinimumHeight, getWallpaperDesiredMinimumWidth, grantUriPermission, and the state of th$ isDeviceProtectedStorage, isRestricted, moveDatabaseFrom, moveSharedPreferencesFrom, openFileInput, openFileOutput, openOrCreateDatabase, openOrCreateDatabase, peekWallpaper, registerReceiver, registerReceiver, removeStickyBroadcast, removeStickyBroadcastAsUser, revokeUriPermission, sendBroadcast, sendBroadcast, sendBroadcastAsUser, sendBroadcastAsUser, sendOrderedBroadcast, sendOrderedBroadcast, sendOrderedBroadcastAsUser, sendStickyBroadcast, sendStickyBroadcastAsUser, sendStickyOrderedBroadcast, sendStickyOrderedBroadcastAsUser, setWallpaper, setWallpaper, startInstrumentation, startService, stopService, unbindService, unregisterReceiver

#### Methods inherited from class android.content.Context

getColor, getColorStateList, getDrawable, getString, getString, getSystemService, getText, obtainStyledAttributes, obtainStyledAttributes, obtainStyledAttributes, obtainStyledAttributes, registerComponentCallbacks, unregisterComponentCallbacks

### Methods inherited from class java.lang.Object

clone, equals, finalize, getClass, hashCode, notify, notifyAll, toString, wait, wait, wait

# Field Detail

## REQUEST\_READ\_CONTACTS

private static final int REQUEST\_READ\_CONTACTS

 ${\rm Id\ to\ identity\ READ\_CONTACTS\ permission\ request.}$ 

See Also:

Constant Field Values

#### firebaseAuth

private com.google.firebase.auth.FirebaseAuth firebaseAuth

Defining Firebase auth object

# progressDialog

private android.app.ProgressDialog progressDialog

Contains a ProgressDialog of the account that is logging in

#### mEmailView

 $\verb"private" and \verb"roid.widget.AutoCompleteTextView" mEmailView"$ 

Contains a AutoCompleteTextView of the email of the account that is logging in

#### mPasswordView

private android.widget.EditText mPasswordView

Contains a EditText of the password of the account that is logging in

#### cancel

private boolean cancel

Contains a boolean value of cancellation for the account that is logging in

## focusView

private android.view.View focusView

Contains a View of the focus of the account that is logging in

# mLoginFormView

private android.view.View mLoginFormView

Contains a View of the login form of the account that is logging in

## **Constructor Detail**

# LoginActivity

public LoginActivity()

# **Method Detail**

# onCreate

protected void onCreate(android.os.Bundle savedInstanceState)

Creates and inflates the layout of the activity.

### Overrides:

onCreate in class android.support.v7.app.AppCompatActivity

# populateAutoComplete

private void populateAutoComplete()

Fills in the blanks if the permission for the contacts is not granted.

#### mayRequestContacts

private boolean mayRequestContacts()

Requests the user's permission to access the contacts.

## onRequestPermissionsResult

Callback received when a permissions request has been completed.

Specified by:

 $on Request Permissions Result\ in\ interface\ and roid. support. v4.app. Activity Compat. On Request Permissions Result Callback\ app. Activity Compat. On Request Permission Result Callback\ app. Activity Compat. On Request Permission Result Callback\ app. Activity Compat. On Result Callback\ app. Activity Compat. On Result Callback\ app. Activity Callback\ app. Activity$ 

Overrides:

onRequestPermissionsResult in class android.support.v4.app.FragmentActivity

#### attemptLogin

private void attemptLogin()

Attempts to sign in or register the account specified by the login form. If there are form errors (invalid email, missing fields, etc.), the errors are presented and no actual login attempt is made.

#### isEmailValid

private boolean isEmailValid(java.lang.String email)

Checks if the email is valid.

## isPasswordValid

private boolean isPasswordValid(java.lang.String password)

Checks if the password is valid.

## onCreateLoader

Creates and inflates the layout of the loader.

Specified by:

onCreateLoader in interface android.app.LoaderManager.LoaderCallbacks<android.database.Cursor>

#### onLoadFinished

Handles if the loader is finished.

Specified by

onLoadFinished in interface android.app.LoaderManager.LoaderCallbacks<android.database.Cursor>

## onLoaderReset

public void onLoaderReset(android.content.Loader<android.database.Cursor> cursorLoader)

Handles if the loader is reset.

Specified by:

onLoaderReset in interface android.app.LoaderManager.LoaderCallbacks<android.database.Cursor>

# addEmailsToAutoComplete

private void addEmailsToAutoComplete(java.util.List<java.lang.String> emailAddressCollection)

 $Creates\ adapter\ to\ tell\ the\ AutoComplete TextView\ what\ to\ show\ in\ its\ dropdown\ list.$ 

## userLogin

Logs the user in

# startRegisterActivityView

public void startRegisterActivityView(android.view.View view)

Starts the RegisterActivity

# onBackPressed

public void onBackPressed()

Prevents the user from using the back button

#### Overrides:

onBackPressed in class android.support.v4.app.FragmentActivity