ultramirinc.champs_mood

Class RegisterActivity

java.lang.Object
android.content.Context
android.content.ContextWrapper
android.view.ContextThemeWrapper
android.app.Activity
android.support.v4.app.SupportActivity
android.support.v4.app.FragmentActivity
android.support.v7.app.AppCompatActivity
ultramirinc.champs_mood.RegisterActivity

All Implemented Interfaces:

android.app.LoaderManager.LoaderCallbacks<android.database.Cursor>, android.content.ComponentCallbacks, android.content.ComponentCallbacks2, android.support.v4.app.ActivityCompat.OnRequestPermissionsResultCallback, android.support.v4.app.ActivityCompatApi23.RequestPermissionsRequestCodeValidator, android.support.v4.app.TaskStackBuilder.SupportParentable, android.support.v7.app.ActionBarDrawerToggle.DelegateProvider, android.support.v7.app.AppCompatCallback, android.view.KeyEvent.Callback, android.view.LayoutInflater.Factory, android.view.LayoutInflater.Factory2, android.view.OnCreateContextMenuListener, android.view.Window.Callback

public class RegisterActivity

extends android.support.v7.app.AppCompatActivity

implements android.app.LoaderManager.LoaderCallbacks<android.database.Cursor>

Created by Etienne Berube on 2017-03-23. Allows the user to create an account into the Database. This account can be used to login later on

Nested Class Summary

Nested Classes

Modifier and Type	Class and Description
private static interface	RegisterActivity.ProfileQuery Interface for the profile query
class	RegisterActivity.UserRegisterTask Represents an asynchronous login/registration task used to authenticate the user.

Nested classes/interfaces inherited from class android.support.v4.app.SupportActivity

android.support.v4.app.SupportActivity.ExtraData

Field Summary

Fields

Modifier and Type	Field and Description	
private com.google.firebase.auth.FirebaseAuth	firebaseAuth Defining firebase auth object	
private RegisterActivity.UserRegisterTask	mAuthTask Keep track of the login task to ensure we can cancel it if requested.	
private android.widget.EditText	mConfirmView Contains a EditText of the password confirmation of the account that is being created	
<pre>private android.widget.AutoCompleteTextView</pre>	mEmailView Contains a AutoCompleteTextView of the email of the	

	account that is being created
<pre>private android.widget.AutoCompleteTextView</pre>	mNameView Contains a AutoCompleteTextView of the name of the account that is being created
<pre>private android.widget.EditText</pre>	mPasswordView Contains a EditText of the password of the account that is being created
private android.view.View	mProgressView Contains a View of the progress of the account that is being created
private android.view.View	mRegisterFormView Contains a View of the register form of the account that is being created
private android.app.ProgressDialog	progressDialog Contains a ProgressDialog of the account that is being created
private static int	REQUEST_READ_CONTACTS Id to identity READ_CONTACTS permission request.

Fields inherited from class android.app.Activity

DEFAULT_KEYS_DIALER, DEFAULT_KEYS_DISABLE, DEFAULT_KEYS_SEARCH_GLOBAL, DEFAULT_KEYS_SEARCH_LOCAL, DEFAULT_KEYS_SHORTCUT, FOCUSED_STATE_SET, RESULT_CANCELED, RESULT_FIRST_USER, RESULT_OK

Fields inherited from class android.content.Context

ACCESSIBILITY_SERVICE, ACCOUNT_SERVICE, ACTIVITY_SERVICE, ALARM_SERVICE, APP_OPS_SERVICE, APPWIDGET_SERVICE,

AUDIO_SERVICE, BATTERY_SERVICE, BIND_ABOVE_CLIENT, BIND_ADJUST_WITH_ACTIVITY, BIND_ALLOW_OOM_MANAGEMENT, BIND_AUTO_CREATE,

BIND_DEBUG_UNBIND, BIND_EXTERNAL_SERVICE, BIND_IMPORTANT, BIND_NOT_FOREGROUND, BIND_WAIVE_PRIORITY, BLUETOOTH_SERVICE,

CAMERA_SERVICE, CAPTIONING_SERVICE, CARRIER_CONFIG_SERVICE, CLIPBOARD_SERVICE, CONNECTIVITY_SERVICE, CONSUMER_IR_SERVICE,

CONTEXT_IGNORE_SECURITY, CONTEXT_INCLUDE_CODE, CONTEXT_RESTRICTED, DEVICE_POLICY_SERVICE, DISPLAY_SERVICE,

DOWNLOAD_SERVICE, DROPBOX_SERVICE, FINGERPRINT_SERVICE, HARDWARE_PROPERTIES_SERVICE, INPUT_METHOD_SERVICE, INPUT_SERVICE,

JOB_SCHEDULER_SERVICE, KEYGUARD_SERVICE, LAUNCHER_APPS_SERVICE, LAYOUT_INFLATER_SERVICE, LOCATION_SERVICE,

MEDIA_PROJECTION_SERVICE, MEDIA_ROUTER_SERVICE, MEDIA_SESSION_SERVICE, MIDI_SERVICE, MODE_APPEND,

MODE_ENABLE_WRITE_AHEAD_LOGGING, MODE_MULTI_PROCESS, MODE_NO_LOCALIZED_COLLATORS, MODE_PRIVATE, MODE_WORLD_READABLE,

MODE_WORLD_WRITEABLE, NETWORK_STATS_SERVICE, NFC_SERVICE, NOTIFICATION_SERVICE, NSD_SERVICE, POWER_SERVICE, PRINT_SERVICE,

RESTRICTIONS_SERVICE, SEARCH_SERVICE, SENSOR_SERVICE, SHORTCUT_SERVICE, STORAGE_SERVICE, SYSTEM_HEALTH_SERVICE,

TELECOM_SERVICE, TELEPHONY_SERVICE, TELEPHONY_SUBSCRIPTION_SERVICE, TEXT_SERVICES_MANAGER_SERVICE, TV_INPUT_SERVICE,

UI_MODE_SERVICE, USAGE_STATS_SERVICE, USB_SERVICE, VIBRATOR_SERVICE, WALLPAPER_SERVICE, WIFI_P2P_SERVICE,

WIFI_SERVICE, WINDOW_SERVICE

Fields inherited from interface android.content.ComponentCallbacks2

TRIM_MEMORY_BACKGROUND, TRIM_MEMORY_COMPLETE, TRIM_MEMORY_MODERATE, TRIM_MEMORY_RUNNING_CRITICAL, TRIM_MEMORY_RUNNING_LOW, TRIM_MEMORY_RUNNING_MODERATE, TRIM_MEMORY_UI_HIDDEN

Constructor Summary

Constructors

Constructor and Description

RegisterActivity()

Method Summary

All Methods	Instance Methods	Concrete Methods
Modifier and Type		Method and Description
private void		<pre>addEmailsToAutoComplete(java.util.List<java.lang.string> emailAddressCollection Creates adapter to tell the AutoCompleteTextView what to show in its dropdown list.</java.lang.string></pre>
private void		<pre>attemptLogin() Attempts to sign in or register the account specified by the login form.</pre>
private boolea	n	<pre>isEmailValid(java.lang.String email) Checks if the email is valid.</pre>
private boolea	n	<pre>isPasswordValid(java.lang.String password) Checks if the password is valid.</pre>
private boolea	n	mayRequestContacts() Requests the user's permission to access the contacts
protected void		<pre>onCreate(android.os.Bundle savedInstanceState) Creates and inflates the layout of the activity.</pre>
android.conten	t.Loader <android.data< td=""><td>creates and inflates the layout of the loader.</td></android.data<>	creates and inflates the layout of the loader.
void		<pre>onLoaderReset(android.content.Loader<android.database.cursor> cursorLoader) Handles if the loader is reset.</android.database.cursor></pre>
void		<pre>onLoadFinished(android.content.Loader<android.database.cursor> cursorLoader, android.database.Cursor cursor) Handles if the loader is finished.</android.database.cursor></pre>
void		<pre>onRequestPermissionsResult(int requestCode, java.lang.String[] permissions, int[] grantResults) Callback received when a permissions request has been completed.</pre>
private void		<pre>populateAutoComplete()</pre> Fills in the blanks if the permission for the contacts is not granted
private void		<pre>registerUser(java.lang.String email, java.lang.String password) Registers the user</pre>
private void		<pre>showProgress(boolean show) Shows the progress UI and hides the login form.</pre>

Methods inherited from class android.support.v7.app.AppCompatActivity

addContentView, dispatchKeyEvent, findViewById, getDelegate, getDrawerToggleDelegate, getMenuInflater, getResources, getSupportActionBar, getSupportParentActivityIntent, invalidateOptionsMenu, onConfigurationChanged, onContentChanged, onCreateSupportNavigateUpTaskStack, onDestroy, onMenuItemSelected, onMenuOpened, onPanelClosed, onPostCreate, onPostResume, onPrepareSupportNavigateUpTaskStack, onSaveInstanceState, onStart, onStop, onSupportActionModeFinished, onSupportActionModeStarted, onSupportContentChanged, onSupportNavigateUp, onTitleChanged, onWindowStartingSupportActionMode, setContentView, setContentView, setSupportProgress, setSupportProgressBarIndeterminate, setSupportProgressBarIndeterminateVisibility, setSupportProgressBarVisibility, setTheme, startSupportActionMode, supportInvalidateOptionsMenu, supportNavigateUpTo, supportRequestWindowFeature, supportShouldUpRecreateTask

Methods inherited from class android.support.v4.app.FragmentActivity

dump, getLastCustomNonConfigurationInstance, getSupportFragmentManager, getSupportLoaderManager, getSupportMediaController, onActivityResult, onAttachFragment, onBackPressed, onCreatePanelMenu, onLowMemory, onMultiWindowModeChanged, onNewIntent, onPause, onPictureInPictureModeChanged, onPrepareOptionsPanel, onPreparePanel, onResume, onResumeFragments, onRetainCustomNonConfigurationInstance, onRetainNonConfigurationInstance, onStateNotSaved, setEnterSharedElementCallback, setExitSharedElementCallback, setSupportMediaController, startActivityForResult, startActivityFromFragment, startActivityFromFragment, startIntentSenderFromFragment, supportFinishAfterTransition, supportPostponeEnterTransition, supportStartPostponedEnterTransition, validateRequestPermissionsRequestCode

Methods inherited from class android.support.v4.app.SupportActivity

getExtraData, putExtraData

Methods inherited from class android.app.Activity

 ${\tt closeContextMenu,\ closeOptionsMenu,\ createPendingResult,\ dismissDialog,\ dismissKeyboardShortcutsHelper,\ dismissBialog,\ dismissBialo$ ${\tt dispatch Generic Motion Event, \ dispatch Key Short cut Event, \ dispatch Populate Accessibility Event, \ dispatch Touch Event, \ dispatch Touch$ dispatchTrackballEvent, enterPictureInPictureMode, finish, finishActivity, finishActivityFromChild, finishAffinity, $finish After Transition, \ finish And Remove Task, \ finish From Child, \ get Action Bar, \ get Application, \ get Calling Activity, \ finish Activity, \ finish And Remove Task, \ finish From Child, \ get Action Bar, \ get Application, \ get Calling Activity, \ finish And Remove Task, \ finish From Child, \ get Action Bar, \ get Application, \ get Calling Activity, \ finish And Remove Task, \ finish From Child, \ get Action Bar, \ get Application, \ get Calling Activity, \ finish And Remove Task, \ finish From Child, \ get Application, \ get Calling Activity, \ finish And Remove Task, \ finish From Child, \ get Application, \ get Calling Activity, \ finish And Remove Task, \ finish From Child, \ get Application, \ get Calling Activity, \ finish From Child, \ get Application, \ get Calling Activity, \ finish From Child, \ get Application, \ get Calling Activity, \ finish From Child, \ get Application, \ get Calling Activity, \ finish From Child, \ get Application, \ get Calling Activity, \ finish From Child, \ get Calling Activity, \ finis$ getCallingPackage, getChangingConfigurations, getComponentName, getContentScene, getContentTransitionManager, $\verb|getCurrentFocus|, getFragmentManager|, getIntent|, getLastNonConfigurationInstance|, getLayoutInflater|, getLoaderManager|, getLoaderManager|,$ getLocalClassName, getMediaController, getParent, getParentActivityIntent, getPreferences, getReferrer, ${\tt getRequestedOrientation, getSearchEvent, getSystemService, getTaskId, getTitle, getTitleColor, getVoiceInteractor, getSearchEvent, getSystemService, getTaskId, getTitle, getTitleColor, getVoiceInteractor, getSearchEvent, getSearchEve$ getVolumeControlStream, getWindow, getWindowManager, hasWindowFocus, isChangingConfigurations, isChild, isDestroyed, isFinishing, isImmersive, isInMultiWindowMode, isInPictureInPictureMode, isLocalVoiceInteractionSupported, isTaskRoot, isVoiceInteraction, isVoiceInteractionRoot, managedQuery, moveTaskToBack, navigateUpTo, navigateUpToFromChild, onActionModeFinished, onActionModeStarted, onActivityReenter, onApplyThemeResource, onAttachedToWindow, onAttachFragment, onChildTitleChanged, onContextItemSelected, onContextMenuClosed, onCreate, onCreateContextMenu, onCreateDescription, onCreateDialog, onCreateDialog, onCreateNavigateUpTaskStack, onCreateOptionsMenu, onCreatePanelView, onCreateThumbnail, onDetachedFromWindow, onEnterAnimationComplete, onGenericMotionEvent, onKeyDown, onKeyLongPress, onKeyMultiple, onKeyShortcut, onKeyUp, onLocalVoiceInteractionStarted, onLocalVoiceInteractionStopped, onNavigateUp, onNavigateUpFromChild, onOptionsItemSelected, onOptionsMenuClosed, onPostCreate, onPrepareDialog, onPrepareDialog, $on Prepare Navigate Up Task Stack, \ on Prepare Options Menu, \ on Provide Assist Content, \ on Provide Assist Data,$ onProvideKeyboardShortcuts, onProvideReferrer, onRestart, onRestoreInstanceState, onRestoreInstanceState, onSaveInstanceState, onSearchRequested, onSearchRequested, onTouchEvent, onTrackballEvent, onTrimMemory, $\verb"onUserInteraction", on UserLeave Hint, on Visible Behind Canceled, on Window Attributes Changed, on Window Focus Changed, on Visible Behind Canceled, on Visible Behin$ $on Window Starting Action Mode, \ on Window Starting Action Mode, \ open Context Menu, \ open Options Menu, \ override Pending Transition, \ open Options Menu, \ override Pending Transition, \ open Options Menu, \ ope$ postponeEnterTransition, recreate, registerForContextMenu, releaseInstance, removeDialog, reportFullyDrawn, $request Drag And Drop Permissions, \ request Permissions, \ request Show Keyboard Short cuts, \ request Visible Behind, \ request Visible Behind,$ requestWindowFeature, runOnUiThread, setActionBar, setContentTransitionManager, setDefaultKeyMode, setEnterSharedElementCallback, setExitSharedElementCallback, setFeatureDrawable, setFeatureDrawableAlpha, $set Feature Drawable Resource, \ set Feature Drawable Uri, \ set Finish On Touch Outside, \ set Immersive, \ set Intent, \ set Media Controller, \ set Intent, \ set Media Controller, \ set Intent, \ set Intent,$ setProgress, setProgressBarIndeterminate, setProgressBarIndeterminateVisibility, setProgressBarVisibility, setRequestedOrientation, setResult, setResult, setSecondaryProgress, setTaskDescription, setTitle, setTitle, ${\tt setV} it le Color, \ {\tt setV} is ible, \ {\tt setV} olume {\tt ControlStream}, \ {\tt setVM} ode {\tt Enabled}, \ {\tt shouldShowRequestPermissionRationale}, \ {\tt setVm} ode {\tt Enabled}, \ {\tt shouldShowRequestPermissionRationale}, \ {\tt setVm} ode {\tt Enabled}, \ {\tt shouldShowRequestPermissionRationale}, \ {\tt shouldShowRequestPermissio$ shouldUpRecreateTask, showAssist, showDialog, showDialog, showLockTaskEscapeMessage, startActionMode, startActionMode, startActivities, startActivities, startActivity, startActivity, startActivityFromChild, startActivityFromChild, startActivityFromFragment, startActivityFromFragment, startActivityIfNeeded, startActivityIfNeeded, startIntentSender, $startIntent Sender, \ startIntent Sender From Child, \ startIntent Sender From Child, \ startLocal Voice Interaction, \ startLock Task, \ st$ start Managing Cursor, start Next Matching Activity, start Next Matching Activity, start Postponed Enter Transition, start Search, start Next Matching Activity, start Next Matching Act $stopLocal Voice Interaction, \ stopLock Task, \ stopManaging Cursor, \ take Key Events, \ trigger Search, \ unregister For Context Menu$

Methods inherited from class android.view.ContextThemeWrapper

 ${\it applyOverrideConfiguration, attachBaseContext, getAssets, getTheme}$

Methods inherited from class android.content.ContextWrapper

bindService, checkCallingOrSelfPermission, checkCallingOrSelfUriPermission, checkCallingPermission, checkCallingUriPermission, checkPermission, checkSelfPermission, checkUriPermission, checkUriPermission, clearWallpaper, $create Configuration Context,\ create Device Protected Storage Context,\ create Display Context,\ create Package Context,\ database List,$ deleteDatabase, deleteFile, deleteSharedPreferences, enforceCallingOrSelfPermission, enforceCallingOrSelfUriPermission, enforceCallingPermission, enforceCallingUriPermission, enforcePermission, enforceUriPermission, enforceUriPermission, fileList, getApplicationContext, getApplicationInfo, getBaseContext, getCacheDir, getClassLoader, getCodeCacheDir, getContentResolver, getDatabasePath, getDataDir, getExternalCacheDir, getExternalCacheDirs, getExternalFilesDir, getExternalFilesDirs, getExternalMediaDirs, getFilesDir, getFileStreamPath, getMainLooper, getNoBackupFilesDir, getObbDir, getObbDirs, getPackageCodePath, getPackageManager, getPackageName, getPackageResourcePath, getSharedPreferences, getSystemServiceName, getWallpaper, getWallpaperDesiredMinimumHeight, getWallpaperDesiredMinimumWidth, grantUriPermission, isDeviceProtectedStorage, isRestricted, moveDatabaseFrom, moveSharedPreferencesFrom, openFileInput, openFileOutput, openOrCreateDatabase, openOrCreateDatabase, peekWallpaper, registerReceiver, registerReceiver, removeStickyBroadcast, removeStickyBroadcastAsUser, revokeUriPermission, sendBroadcast, sendBroadcast, sendBroadcastAsUser, sendBroadcastAsUser, sendOrderedBroadcast, sendOrderedBroadcastAsUser, sendStickyBroadcast, sendStickyBroadcastAsUser, sendStickyOrderedBroadcast, sendStickyOrderedBroadcastAsUser, setWallpaper, setWallpaper, startInstrumentation, startService, stopService, unbindService, unregisterReceiver

Methods inherited from class android.content.Context

getColor, getColorStateList, getDrawable, getString, getString, getSystemService, getText, obtainStyledAttributes, obtainStyledAttributes, obtainStyledAttributes, obtainStyledAttributes, registerComponentCallbacks, unregisterComponentCallbacks

Methods inherited from class java.lang.Object

clone, equals, finalize, getClass, hashCode, notify, notifyAll, toString, wait, wait, wait

Field Detail

REQUEST_READ_CONTACTS

private static final int REQUEST_READ_CONTACTS

Id to identity READ_CONTACTS permission request.

See Also:

Constant Field Values

mAuthTask

private RegisterActivity.UserRegisterTask mAuthTask

Keep track of the login task to ensure we can cancel it if requested.

mNameView

private android.widget.AutoCompleteTextView mNameView

Contains a AutoCompleteTextView of the name of the account that is being created

mEmailView

private android.widget.AutoCompleteTextView mEmailView

Contains a AutoCompleteTextView of the email of the account that is being created

mPasswordView

private android.widget.EditText mPasswordView

Contains a EditText of the password of the account that is being created

mConfirmView

private android.widget.EditText mConfirmView

Contains a EditText of the password confirmation of the account that is being created

mProgressView

private android.view.View mProgressView

Contains a View of the progress of the account that is being created

mRegisterFormView

private android.view.View mRegisterFormView

Contains a View of the register form of the account that is being created

progressDialog

private android.app.ProgressDialog progressDialog

Contains a ProgressDialog of the account that is being created

firebaseAuth

private com.google.firebase.auth.FirebaseAuth firebaseAuth

Defining firebase auth object

Constructor Detail

RegisterActivity

public RegisterActivity()

Method Detail

onCreate

protected void onCreate(android.os.Bundle savedInstanceState)

Creates and inflates the layout of the activity.

Overrides:

onCreate in class android.support.v7.app.AppCompatActivity

populateAutoComplete

private void populateAutoComplete()

Fills in the blanks if the permission for the contacts is not granted

registerUser

Registers the user

mayRequestContacts

private boolean mayRequestContacts()

Requests the user's permission to access the contacts $% \left(-1\right) =-1$

onRequestPermissionsResult

 $\label{lem:callback} \mbox{ \sc received when a permissions request has been completed.}$

Specified by:

 $on Request Permissions Result\ in\ interface\ and roid. support. v4. app. Activity Compat. On Request Permissions Result Callback\ app. Activity Compat. On Request Permission Result Callback\ app. Activity Compat. On Result Callback\ app. Activity Callback\ app.$

Overrides

 $on Request Permissions Result \ in \ class \ and roid. support.v4.app. Fragment Activity$

attemptLogin

private void attemptLogin()

Attempts to sign in or register the account specified by the login form. If there are form errors (invalid email, missing fields, etc.), the errors are presented and no actual login attempt is made.

isEmailValid

```
private boolean isEmailValid(java.lang.String email)
```

Checks if the email is valid.

isPasswordValid

private boolean isPasswordValid(java.lang.String password)

Checks if the password is valid.

showProgress

private void showProgress(boolean show)

Shows the progress UI and hides the login form.

onCreateLoader

Creates and inflates the layout of the loader.

Specified by:

onCreateLoader in interface android.app.LoaderManager.LoaderCallbacks<android.database.Cursor>

onLoadFinished

Handles if the loader is finished.

Specified by:

onLoaderReset

public void onLoaderReset(android.content.Loader<android.database.Cursor> cursorLoader)

Handles if the loader is reset.

Specified by:

onLoaderReset in interface android.app.LoaderManager.LoaderCallbacks<android.database.Cursor>

addEmailsToAutoComplete

private void addEmailsToAutoComplete(java.util.List<java.lang.String> emailAddressCollection)

Creates adapter to tell the AutoCompleteTextView what to show in its dropdown list.