

ultramirinc.champs_mood

Class ScheduleAdder

```
java.lang.Object
  android.content.Context
    android.content.ContextWrapper
      android.view.ContextThemeWrapper
        android.app.Activity
          android.support.v4.app.SupportActivity
            android.support.v4.app.FragmentActivity
              android.support.v7.app.AppCompatActivity
                ultramirinc.champs_mood.ScheduleAdder
```

All Implemented Interfaces:

android.content.ComponentCallbacks, android.content.ComponentCallbacks2, android.support.v4.app.ActivityCompat.OnRequestPermissionsResultCallback, android.support.v4.app.ActivityCompatApi23.RequestPermissionsRequestCodeValidator, android.support.v4.app.TaskStackBuilder.SupportParentable, android.support.v7.app.ActionBarDrawerToggle.DelegateProvider, android.support.v7.app.AppCompatActivity.Callback, android.view.KeyEvent.Callback, android.view.LayoutInflater.Factory, android.view.LayoutInflater.Factory2, android.view.View.OnCreateContextMenuListener, android.view.Window.Callback, [BreakCreator.OnBreakReadyListener](#)

```
public class ScheduleAdder
  extends android.support.v7.app.AppCompatActivity
  implements BreakCreator.OnBreakReadyListener
```

Created by Etienne Berube on 2017-03-23. This class allows the user to manage existing breaks or create new ones.

Nested Class Summary

Nested classes/interfaces inherited from class android.support.v4.app.SupportActivity

android.support.v4.app.SupportActivity.ExtraData

Field Summary

Fields

Modifier and Type	Field and Description
private java.util.List< Break >	breakList

Contains a list of all the breaks of a user

`private android.content.Context`

context

Contains the context from the attached activity

`private android.support.v7.widget.RecyclerView`

recyclerView

Contains the recycler view of the visual layout

Fields inherited from class `android.app.Activity`

`DEFAULT_KEYS_DIALER`, `DEFAULT_KEYS_DISABLE`, `DEFAULT_KEYS_SEARCH_GLOBAL`, `DEFAULT_KEYS_SEARCH_LOCAL`, `DEFAULT_KEYS_SHORTCUT`, `FOCUSED_STATE_SET`, `RESULT_CANCELED`, `RESULT_FIRST_USER`, `RESULT_OK`

Fields inherited from class `android.content.Context`

`ACCESSIBILITY_SERVICE`, `ACCOUNT_SERVICE`, `ACTIVITY_SERVICE`, `ALARM_SERVICE`, `APP_OPS_SERVICE`, `APPWIDGET_SERVICE`, `AUDIO_SERVICE`, `BATTERY_SERVICE`, `BIND_ABOVE_CLIENT`, `BIND_ADJUST_WITH_ACTIVITY`, `BIND_ALLOW_OOM_MANAGEMENT`, `BIND_AUTO_CREATE`, `BIND_DEBUG_UNBIND`, `BIND_EXTERNAL_SERVICE`, `BIND_IMPORTANT`, `BIND_NOT_FOREGROUND`, `BIND_WAIVE_PRIORITY`, `BLUETOOTH_SERVICE`, `CAMERA_SERVICE`, `CAPTIONING_SERVICE`, `CARRIER_CONFIG_SERVICE`, `CLIPBOARD_SERVICE`, `CONNECTIVITY_SERVICE`, `CONSUMER_IR_SERVICE`, `CONTEXT_IGNORE_SECURITY`, `CONTEXT_INCLUDE_CODE`, `CONTEXT_RESTRICTED`, `DEVICE_POLICY_SERVICE`, `DISPLAY_SERVICE`, `DOWNLOAD_SERVICE`, `DROPBOX_SERVICE`, `FINGERPRINT_SERVICE`, `HARDWARE_PROPERTIES_SERVICE`, `INPUT_METHOD_SERVICE`, `INPUT_SERVICE`, `JOB_SCHEDULER_SERVICE`, `KEYGUARD_SERVICE`, `LAUNCHER_APPS_SERVICE`, `LAYOUT_INFLATER_SERVICE`, `LOCATION_SERVICE`, `MEDIA_PROJECTION_SERVICE`, `MEDIA_ROUTER_SERVICE`, `MEDIA_SESSION_SERVICE`, `MIDI_SERVICE`, `MODE_APPEND`, `MODE_ENABLE_WRITE_AHEAD_LOGGING`, `MODE_MULTI_PROCESS`, `MODE_NO_LOCALIZED_COLLATORS`, `MODE_PRIVATE`, `MODE_WORLD_READABLE`, `MODE_WORLD_WRITEABLE`, `NETWORK_STATS_SERVICE`, `NFC_SERVICE`, `NOTIFICATION_SERVICE`, `NSD_SERVICE`, `POWER_SERVICE`, `PRINT_SERVICE`, `RESTRICTIONS_SERVICE`, `SEARCH_SERVICE`, `SENSOR_SERVICE`, `SHORTCUT_SERVICE`, `STORAGE_SERVICE`, `SYSTEM_HEALTH_SERVICE`, `TELECOM_SERVICE`, `TELEPHONY_SERVICE`, `TELEPHONY_SUBSCRIPTION_SERVICE`, `TEXT_SERVICES_MANAGER_SERVICE`, `TV_INPUT_SERVICE`, `UI_MODE_SERVICE`, `USAGE_STATS_SERVICE`, `USB_SERVICE`, `USER_SERVICE`, `VIBRATOR_SERVICE`, `WALLPAPER_SERVICE`, `WIFI_P2P_SERVICE`, `WIFI_SERVICE`, `WINDOW_SERVICE`

Fields inherited from interface `android.content.ComponentCallbacks2`

`TRIM_MEMORY_BACKGROUND`, `TRIM_MEMORY_COMPLETE`, `TRIM_MEMORY_MODERATE`, `TRIM_MEMORY_RUNNING_CRITICAL`, `TRIM_MEMORY_RUNNING_LOW`, `TRIM_MEMORY_RUNNING_MODERATE`, `TRIM_MEMORY_UI_HIDDEN`

Constructor Summary

Constructors

Constructor and Description

[ScheduleAdder\(\)](#)

Method Summary

All Methods

Instance Methods

Concrete Methods

Modifier and Type Method and Description

void [onBreakReady](#)(java.lang.String breakString)
Handles the event when a break is ready.

protected void [onCreate](#)(android.os.Bundle savedInstanceState)
Creates and inflate the view of the activity.

void [populateList](#)()
Gets the breaks from the database and adds them in the list.

private void [saveBreakToDb](#)([Break](#) breakItem)
Saves a break to the database.

Methods inherited from class android.support.v7.app.AppCompatActivity

[addContentView](#), [dispatchKeyEvent](#), [findViewById](#), [getDelegate](#),
[getDrawerToggleDelegate](#), [getMenuInflater](#), [getResources](#), [getSupportActionBar](#),
[getSupportParentActivityIntent](#), [invalidateOptionsMenu](#), [onConfigurationChanged](#),
[onContentChanged](#), [onCreateSupportNavigateUpTaskStack](#), [onDestroy](#),
[onMenuItemSelected](#), [onMenuOpened](#), [onPanelClosed](#), [onPostCreate](#), [onPostResume](#),
[onPrepareSupportNavigateUpTaskStack](#), [onSaveInstanceState](#), [onStart](#), [onStop](#),
[onSupportActionModeFinished](#), [onSupportActionModeStarted](#), [onSupportContentChanged](#),
[onSupportNavigateUp](#), [onTitleChanged](#), [onWindowStartingSupportActionMode](#),
[setContentView](#), [setContentView](#), [setContentView](#), [setSupportActionBar](#),
[setSupportProgress](#), [setSupportProgressBarIndeterminate](#),
[setSupportProgressBarIndeterminateVisibility](#), [setSupportProgressBarVisibility](#),
[setTheme](#), [startSupportActionMode](#), [supportInvalidateOptionsMenu](#),
[supportNavigateUpTo](#), [supportRequestWindowFeature](#), [supportShouldUpRecreateTask](#)

Methods inherited from class android.support.v4.app.FragmentActivity

[dump](#), [getLastCustomNonConfigurationInstance](#), [getSupportFragmentManager](#),
[getSupportLoaderManager](#), [getSupportMediaController](#), [onActivityResult](#),
[onAttachFragment](#), [onBackPressed](#), [onCreatePanelMenu](#), [onLowMemory](#),
[onMultiWindowModeChanged](#), [onNewIntent](#), [onPause](#), [onPictureInPictureModeChanged](#),

onPrepareOptionsPanel, onPreparePanel, onRequestPermissionsResult, onResume, onResumeFragments, onRetainCustomNonConfigurationInstance, onRetainNonConfigurationInstance, onStateNotSaved, setEnterSharedElementCallback, setExitSharedElementCallback, setSupportMediaController, startActivityForResult, startActivityFromFragment, startActivityFromFragment, startIntentSenderFromFragment, supportFinishAfterTransition, supportPostponeEnterTransition, supportStartPostponedEnterTransition, validateRequestPermissionsRequestCode

Methods inherited from class android.support.v4.app.SupportActivity

getExtraData, putExtraData

Methods inherited from class android.app.Activity

closeContextMenu, closeOptionsMenu, createPendingResult, dismissDialog, dismissKeyboardShortcutsHelper, dispatchGenericMotionEvent, dispatchKeyShortcutEvent, dispatchPopulateAccessibilityEvent, dispatchTouchEvent, dispatchTrackballEvent, enterPictureInPictureMode, finish, finishActivity, finishActivityFromChild, finishAffinity, finishAfterTransition, finishAndRemoveTask, finishFromChild, getActionBar, getApplication, getCallingActivity, getCallingPackage, getChangingConfigurations, getComponentName, getContentScene, getContentTransitionManager, getCurrentFocus, getFragmentManager, getIntent, getLastNonConfigurationInstance, getLayoutInflater, getLoaderManager, getLocalClassName, getMediaController, getParent, getParentActivityIntent, getPreferences, getReferrer, getRequestedOrientation, getSearchEvent, getSystemService, getTaskId, getTitle, getTitleColor, getVoiceInteractor, getVolumeControlStream, getWindow, getWindowManager, hasWindowFocus, isChangingConfigurations, isChild, isDestroyed, isFinishing, isImmersive, isInMultiWindowMode, isInPictureInPictureMode, isLocalVoiceInteractionSupported, isTaskRoot, isVoiceInteraction, isVoiceInteractionRoot, managedQuery, moveTaskToBack, navigateUpTo, navigateUpToFromChild, onActionModeFinished, onActionModeStarted, onActivityReenter, onApplyThemeResource, onAttachedToWindow, onAttachFragment, onChildTitleChanged, onContextItemSelected, onContextMenuClosed, onCreate, onCreateContextMenu, onCreateDescription, onCreateDialog, onCreateDialog, onCreateNavigateUpTaskStack, onCreateOptionsMenu, onCreatePanelView, onCreateThumbnail, onDetachedFromWindow, onEnterAnimationComplete, onGenericMotionEvent, onKeyDown, onKeyLongPress, onKeyMultiple, onKeyShortcut, onKeyUp, onLocalVoiceInteractionStarted, onLocalVoiceInteractionStopped, onNavigateUp, onNavigateUpFromChild, onOptionsItemSelected, onOptionsMenuClosed, onPostCreate, onPrepareDialog, onPrepareDialog, onPrepareNavigateUpTaskStack, onPrepareOptionsMenu, onProvideAssistContent, onProvideAssistData, onProvideKeyboardShortcuts, onProvideReferrer, onRestart, onRestoreInstanceState, onRestoreInstanceState, onSaveInstanceState, onSearchRequested, onSearchRequested, onTouchEvent, onTrackballEvent, onTrimMemory, onUserInteraction, onUserLeaveHint, onVisibleBehindCanceled, onWindowAttributesChanged, onWindowFocusChanged, onWindowStartingActionMode, onWindowStartingActionMode, openContextMenu, openOptionsMenu, overridePendingTransition, postponeEnterTransition, recreate, registerForContextMenu, releaseInstance, removeDialog, reportFullyDrawn, requestDragAndDropPermissions, requestPermissions, requestShowKeyboardShortcuts,

requestVisibleBehind, requestWindowFeature, runOnUiThread, setActionBar, setContentTransitionManager, setDefaultKeyMode, setEnterSharedElementCallback, setExitSharedElementCallback, setFeatureDrawable, setFeatureDrawableAlpha, setFeatureDrawableResource, setFeatureDrawableUri, setFinishOnTouchOutside, setImmersive, setIntent, setMediaController, setProgress, setProgressBarIndeterminate, setProgressBarIndeterminateVisibility, setProgressBarVisibility, setRequestedOrientation, setResult, setResult, setSecondaryProgress, setTaskDescription, setTitle, setTitle, setTitleColor, setVisible, setVolumeControlStream, setVrModeEnabled, shouldShowRequestPermissionRationale, shouldUpRecreateTask, showAssist, showDialog, showDialog, showLockTaskEscapeMessage, startActionMode, startActionMode, startActivities, startActivities, startActivity, startActivity, startActivityFromChild, startActivityFromChild, startActivityFromFragment, startActivityFromFragment, startActivityIfNeeded, startActivityIfNeeded, startIntentSender, startIntentSender, startIntentSenderFromChild, startIntentSenderFromChild, startLocalVoiceInteraction, startLockTask, startManagingCursor, startNextMatchingActivity, startNextMatchingActivity, startPostponedEnterTransition, startSearch, stopLocalVoiceInteraction, stopLockTask, stopManagingCursor, takeKeyEvents, triggerSearch, unregisterForContextMenu

Methods inherited from class android.view.ContextThemeWrapper

applyOverrideConfiguration, attachBaseContext, getAssets, getTheme

Methods inherited from class android.content.ContextWrapper

bindService, checkCallingOrSelfPermission, checkCallingOrSelfUriPermission, checkCallingPermission, checkCallingUriPermission, checkPermission, checkSelfPermission, checkUriPermission, checkUriPermission, clearWallpaper, createConfigurationContext, createDeviceProtectedStorageContext, createDisplayContext, createPackageContext, databaseList, deleteDatabase, deleteFile, deleteSharedPreferences, enforceCallingOrSelfPermission, enforceCallingOrSelfUriPermission, enforceCallingPermission, enforceCallingUriPermission, enforcePermission, enforceUriPermission, enforceUriPermission, fileList, getApplicationContext, getApplicationInfo, getBaseContext, getCacheDir, getClassLoader, getCodeCacheDir, getContentResolver, getDatabasePath, getDataDir, getDir, getExternalCacheDir, getExternalCacheDirs, getExternalFilesDir, getExternalFilesDirs, getExternalMediaDirs, getFilesDir, getFilePath, getMainLooper, getNoBackupFilesDir, getObbDir, getObbDirs, getPackageCodePath, getPackageManager, getPackageName, getPackageResourcePath, getSharedPreferences, getSystemServiceName, getWallpaper, getWallpaperDesiredMinimumHeight, getWallpaperDesiredMinimumWidth, grantUriPermission, isDeviceProtectedStorage, isRestricted, moveDatabaseFrom, moveSharedPreferencesFrom, openFileInput, openFileOutput, openOrCreateDatabase, openOrCreateDatabase, peekWallpaper, registerReceiver, registerReceiver, removeStickyBroadcast, removeStickyBroadcastAsUser, revokeUriPermission, sendBroadcast, sendBroadcast, sendBroadcastAsUser, sendBroadcastAsUser, sendOrderedBroadcast, sendOrderedBroadcast, sendOrderedBroadcastAsUser, sendStickyBroadcast, sendStickyBroadcastAsUser, sendStickyOrderedBroadcast,

sendStickyOrderedBroadcastAsUser, setWallpaper, setWallpaper, startInstrumentation, startService, stopService, unbindService, unregisterReceiver

Methods inherited from class android.content.Context

getColor, getColorStateList, getDrawable, getString, getString, getSystemService, getText, obtainStyledAttributes, obtainStyledAttributes, obtainStyledAttributes, obtainStyledAttributes, registerComponentCallbacks, unregisterComponentCallbacks

Methods inherited from class java.lang.Object

clone, equals, finalize, getClass, hashCode, notify, notifyAll, toString, wait, wait, wait

Field Detail

context

```
private android.content.Context context
```

Contains the context from the attached activity

breakList

```
private java.util.List<Break> breakList
```

Contains a list of all the breaks of a user

recyclerView

```
private android.support.v7.widget.RecyclerView recyclerView
```

Contains the recycler view of the visual layout

Constructor Detail

ScheduleAdder

```
public ScheduleAdder()
```

Method Detail

onCreate

```
protected void onCreate(android.os.Bundle savedInstanceState)
```

Creates and inflate the view of the activity.

Overrides:

onCreate in class `android.support.v7.app.AppCompatActivity`

populateList

```
public void populateList()
```

Gets the breaks from the database and adds them in the list.

onBreakReady

```
public void onBreakReady(java.lang.String breakString)
```

Handles the event when a break is ready.

Specified by:

onBreakReady in interface `BreakCreator.OnBreakReadyListener`

saveBreakToDb

```
private void saveBreakToDb(Break breakItem)
```

Saves a break to the database.