Class MyViewHolderSchedule

java.lang.Object android.support.v7.widget.RecyclerView.ViewHolder ultramirinc.champs_mood.MyViewHolderSchedule

public class MyViewHolderSchedule
extends android.support.v7.widget.RecyclerView.ViewHolder

Created by William on 2017-04-13. Transforms raw Data into a visual interpretation for the user.

Field Summary

Fields

Modifier a	nd Type	Field and Description
private	android.widget.TextView	dayView Contains the TextView of the break's day
private	android.widget.Button	delete Contains the Button of the break's delete button
private	android.widget.TextView	fromTimeView Contains the TextView of the break's begin time
private	android.widget.TextView	toTimeView Contains the TextView of the break's end time

Fields inherited from class android.support.v7.widget.RecyclerView.ViewHolder

itemView

Constructor Summary

Constructor and Description

MyViewHolderSchedule(android.view.View itemView)

Method Summary

All Methods	Instance Met	thods	Concrete Methods	
Modifier and Type		Method and Description		
void	Bind	ls the brea	myBreak) ak's day, begin time and en xtView variables.	d time to their
android.widget.	•	DayView(er for day	•	
android.widget.		<pre>getDelete() Getter for delete.</pre>		
android.widget.	•	FromTime erforfro	View() mTimeView.	
android.widget.			ew() CimeView.	
void		DayView(er for day	android.widget.TextVi View.	ew dayView)
void		Delete(a er for dele	ndroid.widget.Button ete.	delete)
void			View(android.widget.T mTimeView.	extView fromTimeView)
void			ew(android.widget.Tex imeView.	tView toTimeView)

Methods inherited from class android.support.v7.widget.RecyclerView.ViewHolder

getAdapterPosition, getItemId, getItemViewType, getLayoutPosition, getOldPosition,
getPosition, isRecyclable, setIsRecyclable, toString

Methods inherited from class java.lang.Object

clone, equals, finalize, getClass, hashCode, notify, notifyAll, wait, wait, wait

Field Detail

delete

private android.widget.Button delete

Contains the Button of the break's delete button

dayView

private android.widget.TextView dayView

Contains the TextView of the break's day

fromTimeView

private android.widget.TextView fromTimeView

Contains the TextView of the break's begin time

toTimeView

private android.widget.TextView toTimeView

Contains the TextView of the break's end time

Constructor Detail

MyViewHolderSchedule

public MyViewHolderSchedule(android.view.View itemView)

Method Detail

bind

public void bind(Break myBreak)

Binds the break's day, begin time and end time to their respective TextView variables.

getDelete

public android.widget.Button getDelete()

Getter for delete.

setDelete

public void setDelete(android.widget.Button delete)

Setter for delete.

getDayView

public android.widget.TextView getDayView()

Getter for dayView.

setDayView

public void setDayView(android.widget.TextView dayView)

Setter for dayView.

getFromTimeView

public android.widget.TextView getFromTimeView()

Getter for from Time View.

setFromTimeView

public void setFromTimeView(android.widget.TextView fromTimeView)

Setter for from Time View.

getToTimeView

public android.widget.TextView getToTimeView()

Getter for toTimeView.

setToTimeView

public void setToTimeView(android.widget.TextView toTimeView)

Setter for toTimeView.