PHP Cheat Sheet

Hello World

```
<?php
echo 'Hello, World!';
```

PHP Tags

Tag	Description
`<?php`	Standard opening tag
`<?`	Short opening tag
`<?= $foo`	Short opening tag with echo
`?>`	Standard closing tag

Variables

```
$greeting = 'Hello, World!';
echo $greeting; // Hello, World!
```

Constants

```
const CONSTANT = 'value';
define('RUNTIME_CONSTANT', CONSTANT);

echo CONSTANT; // value
echo RUNTIME_CONSTANT; // value
```

Strings

```
$name = 'World';
echo 'Hello, $name!'; // Hello, $name!
echo "Hello, $name!"; // Hello, World!
echo "Hello, {$name}!"; // Hello, World!

echo <<<END
This is a multi-line string
in HEREDOC syntax (with interpolation).
END;

echo <<<'END'
This is a multi-line string
in NOWDOC syntax (without interpolation).
END;
```

Integers

Example	Value
`28`	`28`
`10_000` (PHP 7.4)	`10000`
`-28`	`-28`
`012`	`10` (octal)
`0x0A`	`10` (hexadecimal)
`0b1010`	`10` (binary)

Floats

Example	Value
`1.234`	`1.234`
`-1.2`	`-1.2`
`1.2e3`	`1200` (scientific notation)
`7E-3`	`0.007` (scientific notation)

Arrays

```
$array = [1, 2, 3];
$array[] = 4;
$array[4] = 5;
```

Functions

```
function foo(int $a, int $b = 5): int
{
    return $a + $b;
}
foo(1, 2); // 3
foo(1); // 6
```

Named Parameters (PHP 8.0)

```
function foo(int $a, int $b): int
{
    return $a + $b;
}
foo(b: 2, a: 1);
```

Anonymous Functions (Closures)

```
$y = 3;
$foo = function(int $x) use ($y): int {
    return $x + $y;
};
$foo(1); // 4
```

Arrow Functions (PHP 7.4)

```
$y = 3;
$foo = fn(int $x): int => $x + $y;
$foo(1); // 4
```

Generators

```
function generate(): iterable
{
    yield 1;
    yield 2;
}

foreach (generate() as $value) {
    echo $value;
}
```

Comments

```
// This is a one line C++ style comment
# This is a one line shell-style comment
/* This is a
   multi-line comment */

/**
 * This is a PHPDoc docblock
 * @param string[] $bar
 * @return void
 */
function foo(array $bar): void
{}
```

Attributes (PHP 8.0)

```
#[Foo(bar: 'baz')]
class Bar {}
```

Atomic / Built-in Types

Type	Description
`null`	NULL (no value)
`bool`	Boolean (`true` or `false`)
`int`	Integer
`float`	Floating point number
`string`	String
`array`	Array
`object`	Object
`resource`	Reference to an external resource
`callable`	Callback function
`void`	Function does not return a value
`never` (PHP 8.1)	Function never terminates
`false` (PHP 8.0)	`false`
`true` (PHP 8.2)	`true`

Composite Types & Type Aliases

Type	Description
`?string`	Nullable type: `string` or `null`
`string|bool` (PHP 8.0)	Union type: `string` or `bool`
`Foo&Bar` (PHP 8.1)	Intersection type: `Foo` and `Bar`
`(A&B)|null` (PHP 8.2)	Disjunctive Normal Form (DNF)
`iterable`	`array` or `Traversable`
`mixed` (PHP 8.0)	Any type

If/Else

```
if ($a > $b) {
    echo "a is greater than b";
} elseif ($a == $b) {
    echo "a is equal to b";
} else {
    echo "a is less than b";
}
```

While

```
while ($i < 10) {
    echo $i++;
}
```

Do/While

```
do {
    echo $i++;
} while ($i < 10);
```

For

```
for ($i = 0; $i < 10; $i++) {
    echo $i;
}
```

Foreach

```
foreach ($array as $value) {
    echo $value;
}

foreach ($array as $key => $value) {
    echo "$key: $value";
}
```

Switch

```
switch ($i) {
    case 0:
    case 1:
        echo "i equals 0 or 1";
        break;
    default:
        echo "i is not equal to 0 or 1";
}
```

Match (PHP 8.0)

```
$foo = match ($i) {
    0 => "i equals 0",
    1, 2 => "i equals 1 or 2",
    default => "i is not equal to 0, 1 or 2",
};
```

Enumerations (PHP 8.1)

```
enum Suit {
    case Hearts;
    case Diamonds;
    case Clubs;
    case Spades;
}

$suit = Suit::Hearts;
$suit->name; // Hearts
```

Backed Enumerations (PHP 8.1)

```
enum Suit: string {
    case Hearts = '♥';
    case Diamonds = '♦';
    case Clubs = '♣';
    case Spades = '♠';
}

$hearts = Suit::from('♥');
$hearts->value; // '♥'
```

Language Constructs

Construct	Description
`echo $string`	Output one or more strings
`print $string`	Output a string and return 1
`unset($var)`	Destroy the specified variable(s)
`isset($var)`	Determine if a variable is set
`empty($var)`	Determine if a variable is empty
`die()`	Output a message and terminate
`exit()`	Output a message and terminate
`include <file>`	Include and evaluate a file or throw a warning if it fails
`require <file>`	Include and evaluate a file or throw an error if it fails
`include_once <file>`	Include and evaluate a file once only or throw a warning if it fails
`require_once <file>`	Include and evaluate a file once only or throw an error if it fails

Object-Oriented Programming

```
interface FooInterface
{
    public function baz(): string;
}

class Foo extends Bar implements FooInterface
{
    private string $bar;

    public const string BAZ = 'Hello, ';

    public function __construct(string $bar)
    {
        $this->bar = $bar;
    }

    public function baz(): string
    {
        return self::BAZ . $this->bar;
    }
}

$foo = new Foo("World!");
echo $foo->baz(); // Hello, World!'
echo Foo::BAZ; // Hello,
```

Class Keywords

Keyword	Description
`abstract`	Class has abstract methods and cannot be instantiated
`final`	Class cannot be extended
`extends <class>`	Class extends another class
`implements <interface>`	Class implements an interface
`readonly` (PHP 8.2)	All properties are read-only

Method/Property/Constant Visibility

Keyword	Description
`public`	Accessible from anywhere
`protected`	Accessible from the class and subclasses
`private`	Accessible from the class only

Property Keywords

Keyword	Description
`static`	Can be accessed statically (e.g. `Foo::$bar`)
`readonly` (PHP 8.1)	Can only be set in the constructor

Constructor Property Promotion

```
class Foo
{
    public function __construct(private string $bar)
    {
    }
}
```

Method keywords

Keyword	Description
`static`	Can be called statically (e.g. `Foo::bar()`)
`abstract`	Must be implemented by subclasses
`final`	Cannot be overridden by subclasses

Predefined attributes

Attribute	Description
`#[Attribute]`	User-defined attribute class
`#[SensitiveParameter]`	Parameter contains sensitive data
`#[AllowDynamicProperties]`	Class allows dynamic properties
`#[Override]` (PHP 8.3)	Method overrides parent method

Calling Methods/Properties/Constants

Syntax	Calls `foo()` on...
`$this->foo()`	The current object (`$this`)
`Foo::foo()`	The class named `Foo`
`self::foo()`	The current class
`parent::foo()`	The parent (extended) class
`static::foo()`	The called class (late static binding)

Namespacing and Importing

```
namespace Foo\Bar;

use Foo\Baz as BazAlias;
use Foo\Baz\{Qux, Quux};
use function strlen;
```

Exceptions

```
try {
    throw new Exception('Something went wrong');
} catch (Exception $e) {
    // Code that runs when an exception is thrown
} finally {
    // Code that will always run
}
```

Traits

```
trait FooTrait
{
    public function baz(): string
    {}
}

class Foo
{
    use FooTrait;
}
```

Magic Methods

Method	Called when...
`__construct(...$args)`	Object is instantiated (constructor)
`__destruct()`	Object is destroyed
`__toString()`	Object is converted to a string
`__invoke(...$args)`	Object is used as a function
`__get($name)`	Undefined property is accessed
`__set($name, $value)`	Undefined property is set
`__isset($name)`	Undefined property is checked
`__unset($name)`	Undefined property is unset
`__call($name, $args)`	Undefined method is called
`__clone()`	Object is cloned (`clone $obj`)

Arithmetic Operators

Operator	Description
+	Addition
-	Subtraction
*	Multiplication
/	Division
%	Modulus
**	Exponentiation

Bitwise Operators

Operator	Description
&	And
|	Or (inclusive)
^	Xor (exclusive)
~	Not
<<	Shift left
>>	Shift right

Assignment Operators

Operator	Description
=	Assign
+=	Add and assign
-=	Subtract and assign
*=	Multiply and assign
/=	Divide and assign
%=	Modulus and assign
**=	Exponent and assign
&=	Bitwise and and assign
|=	Bitwise or and assign
^=	Bitwise xor and assign
<<=	Bitwise shift left and assign
>>=	Bitwise shift right and assign

Comparison Operators

Operator	Description
==	Equal (values are converted)
===	Identical (values and types match)
!=	Not equal
<>	Not equal
!==	Not identical
<	Less than
>	Greater than
<=	Less than or equal to
>=	Greater than or equal to
<=>	Returns -1, 0, or 1 if the first value is less than, equal to, or greater than the second value

Incrementing/Decrementing Operators

Operator	Description
++$a	Increments $a by one, then returns $a
$a++	Returns $a, then increments $a by one
--$a	Decrements $a by one, then returns $a
$a--	Returns $a, then decrements $a by one

Logical Operators

Operator	Description
and	And
or	Or
xor	Exclusive or
!	Not
&&	And
||	Or

String Operators

Operator	Description
.	Concatenate
.=	Concatenate and assign

Other Operators

Operator	Description
$a ? $b : $c	Ternary operator: return $b if $a is true, otherwise return $c
$a ?: $b	Short ternary: return $a if $a is true, otherwise return $b
$a ?? $b	Null coalescing: return $a if $a is not null, otherwise return $b
$a ??= $b	Null coalescing assignment: assign $b to $a if $a is null
$a?->b	Nullsafe: return $a->b if $a is not null, otherwise return null
$a = &$b	Assign $b by reference to $a
@	Suppress errors in the following expression
instanceof	Returns true if the left operand is an instance of the right operand

Command Line Interface (CLI)

Command	Description
php <file>	Parse and execute <file>
php -l <file>	Syntax check <file>
php -r <code>	Run PHP <code> without using script tags
php -a	Run an interactive shell
php -S <addr>:<port>	Start built-in web server
php -S <addr>:<port> -t <dir>	Start built-in web server and specify document root
php -m	Show loaded modules
php -i	Show configuration information
php -v	Show PHP version
php -h	Show help

String Functions

Function	Description
`strlen($string)`	Return length of `$string`
`str_replace($search, $replace, $subject)`	Replace `$search` with `$replace` in `$subject`
`strstr($haystack, $needle)`	Return part of `$haystack` after `$needle`
`substr($string, $start, $length)`	Return part of `$string` starting at `$start`
`strtolower($string)`	Return `$string` in lowercase
`strtoupper($string)`	Return `$string` in uppercase
`trim($string)`	Return `$string` with whitespace trimmed
`ltrim($string)`	Return `$string` with left whitespace trimmed
`rtrim($string)`	Return `$string` with right whitespace trimmed
`explode($delimiter, $string)`	Split `$string` into an array by `$delimiter`
`implode($glue, $array)`	Join `$array` into a string with `$glue`
`str_repeat($string, $multiplier)`	Repeat `$string` `$multiplier` times

Math Functions

Function	Description
`abs($num)`	Return absolute value of `$num`
`round($num)`	Round `$num` to the nearest integer
`ceil($num)`	Round `$num` up
`floor($num)`	Round `$num` down
`max($a, $b)`	Return the greater of `$a` and `$b`
`min($a, $b)`	Return the lesser of `$a` and `$b`
`pow($a, $b)`	Return `$a` raised to the power of `$b`
`rand($min, $max)`	Return a random number between `$min` and `$max`
`sqrt($num)`	Return square root of `$num`

Array Functions

Function	Description
`count($array)`	Return number of elements in `$array`
`sort($array)`	Sort `$array`
`array_merge($array1, $array2)`	Merge `$array1` and `$array2`
`array_map($callback, $array)`	Apply `$callback` to each element of `$array`
`array_filter($array, $callback)`	Return elements of `$array` for which `$callback` returns true
`array_reduce($array, $callback, $initial)`	Reduce `$array` to a single value using `$callback` starting with `$initial`
`array_slice($array, $offset, $length)`	Return part of `$array` starting at `$offset` and continuing for `$length` elements
`array_keys($array)`	Return an array of keys from `$array`
`array_values($array)`	Return an array of values from `$array`
`array_combine($keys, $values)`	Return an array of key/value pairs from `$keys` and `$values`
`array_reverse($array)`	Return a reversed copy of `$array`
`array_search($needle, $haystack)`	Return the key of `$needle` in `$haystack`
`array_unique($array)`	Return a copy of `$array` with duplicate values removed
`array_diff($array1, $array2)`	Return elements of `$array1` not in `$array2`
`array_intersect($array1, $array2)`	Return elements of `$array1` also in `$array2`

Date/Time Functions

Function	Description
`date($format)`	Return current date/time formatted according to `$format`
`time()`	Return current Unix timestamp

Filesystem Functions

Function	Description
`file_exists($filename)`	Return true if `$filename` exists
`is_dir($filename)`	Return true if `$filename` is a directory
`is_file($filename)`	Return true if `$filename` is a regular file
`is_readable($filename)`	Return true if `$filename` is readable
`is_writable($filename)`	Return true if `$filename` is writable
`mkdir($pathname)`	Create directory named `$pathname`
`rmdir($dirname)`	Remove directory named `$dirname`
`unlink($filename)`	Remove file named `$filename`
`file_get_contents($filename)`	Return contents of `$filename`
`file_put_contents($filename, $data)`	Write `$data` to `$filename`

php.ini Directives

Directive	Description
`date.timezone`	Set default timezone
`error_reporting`	Set error reporting level (e.g. `E_ALL`, `E_ERROR`)
`display_errors`	Whether to display errors (e.g. `On` or `Off`)
`error_log`	Set error log file (e.g. `/var/log/php.log`)
`xdebug.mode`	Mode (e.g. `debug`, `develop`, `profile`)
`xdebug.discover_client_host`	Enable Xdebug to discover client host automatically

Enable Xdebug Step Debugging

```
XDEBUG_MODE=debug XDEBUG_SESSION=1 php <file>
```

Or for web applications using a browser extension: Firefox Helper Chrome Helper