


DVF QA pipeline report

DIR-Lab-case7


Field	Value
Case	DIR-Lab-case7
Generated	2026-05-20 09:27:10
source	Case7Pack
fps	15.0
n_cycles	4
frames_per_cycle	30
n_phases	10
ct_shape	(136, 512, 512)
spacing_xyz_mm	(0.97, 0.97, 2.5)
detector_shape	(256, 256)
pixel_spacing_mm	(1.0, 1.0)
device	cpu

4DCT phase preview


ϕ_0




ϕ_1




ϕ_2




ϕ_3




ϕ_4




ϕ_5




ϕ_6




ϕ_7




ϕ_8



ϕ_9



Per-phase DRRs

Lat φ_0


Lat ϕ_1

Lat ϕ_2

Lat ϕ_3

Lat ϕ_4 Lat ϕ_5 Lat ϕ_6 Lat ϕ_7 Lat φ_8

Lat ϕ_9



Dynamic sequence samples

AP t=0 (0.00s)



AP t=24 (1.60s)



AP t=48 (3.20s)



AP t=72 (4.80s)




AP t=96 (6.40s)




AP t=120 (8.00s)




Lat t=0




Lat t=24




Lat t=48



Lat t=72




Lat t=96



Lat t=120




Driving phase curve
Driving phase curve (ground-truth respiratory motion)




Amsterdam Shroud — AP

AP shroud + tracked diaphragm




AP respiratory signal | $f=0.496$ Hz




Amsterdam Shroud — Lateral

Lateral shroud + tracked diaphragm




Lateral respiratory signal | $f=0.496$ Hz




Cycle pairing


AP signal (selected cycle highlighted)




Lateral signal (selected cycle highlighted)



NCC matrix (best=0.994)



Selected cycle overlay



Metrics

Metric	Value
AP dominant frequency (Hz)	0.4959
AP period (frames)	30.25
Lateral dominant frequency (Hz)	0.4959
Lateral period (frames)	30.25
Best pair NCC	0.9941
AP cycle frames	43 - 74
Lateral cycle frames	73 - 103
min_period_s	1.0000