


DVF QA pipeline report

DIR-Lab-case2 [shroud_lower]


Field	Value
Case	DIR-Lab-case2 [shroud_lower]
Generated	2026-05-20 08:02:03
source	Case2Pack
lateral_strategy	shroud_lower
fps	15.0
n_cycles	4
frames_per_cycle	30
n_phases	10
ct_shape	(112, 256, 256)
spacing_xyz_mm	(1.16, 1.16, 2.5)
detector_shape	(256, 256)
pixel_spacing_mm	(1.0, 1.0)

4DCT phase preview


ϕ_0




ϕ_1




ϕ_2




ϕ_3




ϕ_4




ϕ_5




ϕ_6




ϕ_7




ϕ_8



ϕ_9



Per-phase DRRs



Dynamic sequence samples

AP t=0 (0.00s)




AP t=24 (1.60s)



AP t=48 (3.20s)



AP t=72 (4.80s)



AP t=96 (6.40s)



AP t=120 (8.00s)



Lat t=0



Lat t=24



Lat t=48



Lat t=72




Lat t=96



Lat t=120




Driving phase curve
Driving phase curve (ground-truth respiratory motion)




Amsterdam Shroud — AP

AP shroud + tracked diaphragm




AP respiratory signal | $f=0.124$ Hz




Amsterdam Shroud — Lateral

Lateral shroud + tracked diaphragm




Lateral respiratory signal | $f=0.496$ Hz




Cycle pairing


AP signal (selected cycle highlighted)




Lateral signal (selected cycle highlighted)



NCC matrix (best=0.989)



Selected cycle overlay



Metrics

Metric	Value
AP dominant frequency (Hz)	0.1240
AP period (frames)	121.00
Lateral dominant frequency (Hz)	0.4959
Lateral period (frames)	30.25
Best pair NCC	0.9886
AP cycle frames	47 - 75
Lateral cycle frames	74 - 107