

Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Showing results for contents of text-input area

Checker Input

Show ☒ source ☐ outline ☐ image report [Options...](#)

Check by ☐ css

```
@extends('layouts.app')
@section('title', 'Group Page')

@section('content')
<article class="group-container">
  <header class="group-header">
    <a href="{{ route('home') }}" class="back-button"><i class="fas fa-
arrow-left"></i></a>
    <h2>Back</h2>
  </header>

  <section class="group-info">
    <figure class="profile-pic">
      
```

[Check](#)

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

Message Filtering

1. **Warning** Consider adding a `lang` attribute to the `html` start tag to declare the language of this document.

[From line 1, column 1; to line 1, column 23](#)

```
@extends('layouts.app')@sect
```

For further guidance, consult [Declaring the overall language of a page](#) and [Choosing language tags](#).

If the HTML checker has misidentified the language of this document, please [file an issue report](#) or [send e-mail to report the problem](#).

2. **Error** Non-space characters found without seeing a doctype first. Expected

```
<!DOCTYPE html>.
```

[From line 1, column 1; to line 1, column 23](#)

```
@extends('layouts.app')@sect
```

3. **Error** Element `head` is missing a required instance of child element `title`.
[From line 1, column 1; to line 1, column 23](#)

```
@extends('layouts.app')@sect
```


 Content model for element `head`:
 If the document is [an iframe srcdoc document](#) or if title information is available from a higher-level protocol: Zero or more elements of [metadata content](#), of which no more than one is a `title` element and no more than one is a `base` element.
 Otherwise: One or more elements of [metadata content](#), of which exactly one is a `title` element and no more than one is a `base` element.
4. **Error** Bad value `{{ route('home') }}` for attribute `href` on element `a`: Illegal character in path segment: `{` is not allowed.
[From line 7, column 9; to line 7, column 58](#)

```
><a href="{{ route('home') }}" class="back-button"><i cla
```
5. **Error** Bad value `{{ $group->profile_pic ?? 'https://via.placeholder.com/150' }}` for attribute `src` on element `img`: Illegal character in path segment: `{` is not allowed.
[From line 13, column 13; to line 13, column 106](#)

```

```
6. **Warning** Consider using the `h1` element as a top-level heading only (all `h1` elements [are treated as top-level headings by many screen readers and other tools](#)).
[From line 16, column 13; to line 16, column 16](#)

```
<h1>{{ $gr
```
7. **Error** Bad value `{{ route('groups.edit', $group->id) }}` for attribute `href` on element `a`: Illegal character in path segment: `{` is not allowed.
[From line 23, column 17; to line 23, column 88](#)

```
<a href="{{ route('groups.edit', $group->id) }}" class="btn-edit-group"><i cla
```
8. **Warning** Section lacks heading. Consider using `h2` - `h6` elements to [add identifying headings to all sections](#), or else use a `div` element instead for any cases where no heading is needed.
[From line 37, column 9; to line 37, column 73](#)

```
<section id="posts" class="posts-section tab-content active-
tab">
```

9. **Error** Bad value `{{ asset($member->profile_pic) ?? 'https://via.placeholder.com/50' }}` for attribute `src` on element `img`: Illegal character in path segment: `{` is not allowed.

[From line 53, column 25; to line 53, column 146](#)

```

```

10. **Error** Bad value `{{ route('groupUsers.destroyOther', ['group_id' => $group->id, 'user_id' => $member->id]) }}` for attribute `action` on element `form`: Illegal character in path segment: `{` is not allowed.

[From line 57, column 29; to line 57, column 177](#)

```
<form class="remove-member-form" action="{{
route('groupUsers.destroyOther', ['group_id' => $group->id, 'user_id'
=> $member->id]) }}" method="POST">
```

11. **Error** Element `div` not allowed as child of element `button` in this context. (Suppressing further errors from this subtree.)

[From line 61, column 37; to line 61, column 57](#)

```
<div class="spinner"><i cla
```

Contexts in which element `div` may be used:

Where [flow content](#) is expected.

As a child of a `dl` element.

Content model for element `button`:

[Phrasing content](#), but there must be no [interactive content](#) descendant and no descendant with the [tabindex](#) attribute specified.

12. **Warning** Article lacks heading. Consider using `h2` - `h6` elements to [add identifying headings to all articles](#).

[From line 51, column 17; to line 51, column 45](#)

```
<article class="member-item">
```

13. **Warning** Section lacks heading. Consider using `h2` - `h6` elements to [add identifying headings to all sections](#), or else use a `div` element instead for any cases where no heading is needed.

[From line 47, column 9; to line 47, column 66](#)

```
<section id="members" class="members-section tab-content">
```

14. **Error** Bad value `{{ asset($invitedProfile->profile_pic) ?? 'https://via.placeholder.com/50' }}` for attribute `src` on element `img`: Illegal character in path segment: `{` is not allowed.
From line 80, column 21; to line 80, column 150
- ```

```
15. **Error** Bad value `{{ route('groupinvitenotifications.store') }}` for attribute `action` on element `form`: Illegal character in path segment: `{` is not allowed.  
From line 83, column 25; to line 83, column 119
- ```
<form class="invite-form" action="{{ route('groupinvitenotifications.store') }}" method="POST">
```
16. **Warning** Article lacks heading. Consider using `h2` - `h6` elements to [add identifying headings to all articles](#).
From line 78, column 13; to line 78, column 41
- ```
<article class="member-item">
```
17. **Warning** Section lacks heading. Consider using `h2` - `h6` elements to [add identifying headings to all sections](#), or else use a `div` element instead for any cases where no heading is needed.  
From line 74, column 5; to line 74, column 60
- ```
r_id)> <section id="invite" class="invite-section tab-content">
```

Document checking completed.

Source

```
1. @extends('layouts.app')
2. @section('title', 'Group Page')
3.
4. @section('content')
5. <article class="group-container">
6.     <header class="group-header">
7.         <a href="{{ route('home') }}" class="back-button"><i class="fas
fa-arrow-left"></i></a>
8.         <h2>Back</h2>
9.     </header>
10.
11.     <section class="group-info">
12.         <figure class="profile-pic">
13.             
14.         </figure>
15.         <div class="user-details">
16.             <h1>{{ $group->name }}</h1>
```

```

17.         <p class="group-bio">{{ $group->description ?? 'No
description available' }}</p>↵
18.         <div class="stats">↵
19.             <span class="members-count">{{ $groupMembers->count() }}
Members</span>↵
20.             <span class="posts-count">{{ $group->posts->count() }}
Posts</span>↵
21.         </div>↵
22.         @if(Auth::check() && Auth::user()->id == $group->author_id)↵
23.             <a href="{{ route('groups.edit', $group->id) }}"
class="btn-edit-group"><i class="fas fa-edit"></i></a>↵
24.         @endif↵
25.     </div>↵
26. </section>↵
27. ↵
28.     <div class="tabs-container">↵
29.         <div class="tabs">↵
30.             <button class="tab-link active" onclick="openTab(event,
'posts')">Posts</button>↵
31.             <button class="tab-link" onclick="openTab(event,
'members')">Members</button>↵
32.             @if(Auth::check() && Auth::user()->id == $group->author_id)↵
33.                 <button class="tab-link" onclick="openTab(event,
'invite')">Invite</button>↵
34.             @endif↵
35.         </div>↵
36.     ↵
37.     <section id="posts" class="posts-section tab-content active-
tab">↵
38.         @if(Auth::check() && $group->members->contains(Auth::user()-
>id))↵
39.             @include('partials.create_post')↵
40.             @endif↵
41.             <div id="posts-section">↵
42.                 @include('partials.feed', ['items' => $posts])↵
43.             </div>↵
44.             <div id="loading" style="display:none;">Loading...</div>↵
45.         </section>↵
46.     ↵
47.     <section id="members" class="members-section tab-content">↵
48.         <input type="text" id="member-search" placeholder="Search
Members..." onkeyup="filterMembers()">↵
49.         <div id="members-list">↵
50.             @foreach($groupMembers as $member)↵
51.                 <article class="member-item">↵
52.                     <header class="member-header">↵
53.                         ↵
54.                         <div class="member-content">↵
55.                             <strong class="member-username">{{ $member-
>full_name }}</strong>↵
56.                             @if(Auth::check() && Auth::user()->id ==
$group->author_id && $member->id != Auth::user()->id)↵
57.                                 <form class="remove-member-form" action="{{
route('groupUsers.destroyOther', ['group_id' => $group->id, 'user_id' =>
$member->id]) }}" method="POST">↵
58.                                     @csrf↵
59.                                     @method('DELETE')↵
60.                                     <button type="submit" class="btn-remove-
member">↵
61.                                         <div class="spinner"><i class="fas
fa-spinner fa-spin"></i></div>↵
62.                                         <i class="fas fa-user-minus"></i>
Remove Member↵
63.                                     </button>↵
64.                                 </form>↵
65.                             @endif↵
66.                         </div>↵
67.                     </header>↵
68.                 </article>↵
69.             @endforeach↵
70.         </div>↵
71.     </section>↵
72. ↵
73.     @if(Auth::check() && Auth::user()->id == $group->author_id)↵

```

```

74.     <section id="invite" class="invite-section tab-content">
75.         <input type="text" id="invite-search" placeholder="Search
Invitees..." onkeyup="filterInvites()">
76.         <div id="invite-list">
77.             @foreach($invitableUsers as $invitedProfile)
78.                 <article class="member-item">
79.                     <header class="member-header">
80.                         
81.                         <div class="member-content">
82.                             <strong class="member-username">{{
$invitedProfile->full_name }}</strong>
83.                             <form class="invite-form" action="{{
route('groupinvitenotifications.store') }}" method="POST">
84.                                 @csrf
85.                                 <input type="hidden" name="receiver_id"
value="{{ $invitedProfile->id }}">
86.                                 <input type="hidden" name="sender_id"
value="{{ Auth::user()->id }}">
87.                                 <input type="hidden" name="created_at"
value="{{ now() }}">
88.                                 <input type="hidden" name="group_id" value="{{
{{ $group->id }}">
89.                                 <input type="hidden" name="request_status"
value="pending">
90.                                 <button type="submit" class="btn-primary">
91.                                     <span class="spinner"
style="display:none;"><i class="fas fa-spinner fa-spin"></i></span>
Invite
92.                                 </button>
93.                             </form>
94.                         </div>
95.                     </header>
96.                 </article>
97.             @endforeach
98.         </div>
99.     </section>
100. @endif
101. </div>
102. </article>
103. @endsection
104.
105. <script>
106. document.addEventListener('DOMContentLoaded', function() {
107.     let offset = 15;
108.     let loading = false;
109.     const groupId = '{{ $group->id }}';
110.     console.log("DOMContentLoaded event fired");
111.
112.     const contentWrapper = document.querySelector('.main-content-
wrap');
113.
114.     function onScroll() {
115.         if (document.querySelector('.tab-link.active').textContent ===
'Posts' && contentWrapper.scrollTop + contentWrapper.clientHeight >=
contentWrapper.scrollHeight - 500 && !loading) {
116.             console.log("Scroll condition met");
117.             loading = true;
118.             document.getElementById('loading').style.display = 'block';
119.
120.             fetch(`{{ route('groups.show', ['id' => $group->id]) }}?
offset=${offset}`, {
121.                 })
122.                 .then(response => response.text())
123.                 .then(data => {
124.                     if (data.trim() === '') {
125.                         document.getElementById('loading').innerText =
'No more posts';
126.                         contentWrapper.removeEventListener('scroll',
onScroll);
127.                     } else {
128.                         document.getElementById('posts-
section').insertAdjacentHTML('beforeend', data);
129.                         document.getElementById('loading').style.display
= 'none';

```

```

130.         offset += 15;↵
131.         console.log("Offset updated to:", offset);↵
132.         loading = false;↵
133.     }↵
134. })↵
135. .catch(error => {↵
136.     console.error('Error fetching more posts:', error);↵
137.     document.getElementById('loading').style.display =
        'none';↵
138.     loading = false;↵
139. });↵
140. })↵
141. }↵
142. ↵
143.     contentWrapper.addEventListener('scroll', onScroll);↵
144. });↵
145. ↵
146. ↵
147. function filterMembers() {↵
148.     const searchInput = document.getElementById('member-
search').value.toLowerCase();↵
149.     const groupId = '{{ $group->id }}';↵
150.     ↵
151.     fetch(`${ route('search.members') }`?
query=${searchInput}&group_id=${groupId})↵
152.     .then(response => response.json())↵
153.     .then(data => {↵
154.         const membersList = document.getElementById('members-
list');↵
155.         membersList.innerHTML = '';↵
156.         data.forEach(member => {↵
157.             const memberItem = `
158.                 <article class="member-item">↵
159.                     <header class="member-header">↵
160.                         ↵
161.                         <div class="member-content">↵
162.                             <strong class="member-
username">${member.profile_full_name}</strong>↵
163.                             @if(Auth::check() && Auth::user()->id ==
$group->author_id)↵
164.                                 <form class="remove-member-form"
action="{{ route('groupUsers.destroyOther', ['group_id' => $group->id,
'user_id' => $member->id]) }}" method="POST">↵
165.                                     @csrf↵
166.                                     @method('DELETE')↵
167.                                     <button type="submit" class="btn-
remove-member">↵
168.                                         <div class="spinner"><i
class="fas fa-spinner fa-spin"></i></div>↵
169.                                         <i class="fas fa-user-minus">
</i> Remove Member↵
170.                                     </button>↵
171.                                 </form>↵
172.                             @endif↵
173.                         </div>↵
174.                     </header>↵
175.                 </article>↵
176.             `;↵
177.             membersList.insertAdjacentHTML('beforeend',
memberItem);↵
178.         });↵
179.     });↵
180.     .catch(error => {↵
181.         console.error('Error fetching members:', error);↵
182.     });↵
183. }↵
184. ↵
185. function filterInvites() {↵
186.     console.log("Filtering invites...");↵
187.     const searchInput = document.getElementById('invite-
search').value.toLowerCase();↵
188.     const groupId = '{{ $group->id }}';↵
189.     ↵

```



```

190.     fetch(`${ route('search.invites') })?
query=${searchInput}&group_id=${groupId}`)↵
191.     .then(response => response.json())↵
192.     .then(data => {↵
193.         const inviteList = document.getElementById('invite-list');↵
194.         inviteList.innerHTML = '';↵
195.         data.forEach(invite => {↵
196.             const inviteItem = `
197.                 <article class="member-item">↵
198.                     <header class="member-header">↵
199.                         ↵
200.                             <div class="member-content">↵
201.                                 <strong class="member-
username">${invite.profile_full_name}</strong>↵
202.                                 <form class="invite-form" action="{
route('groupinvitenotifications.store') }}" method="POST">↵
203.                                     @csrf↵
204.                                     <input type="hidden"
name="receiver_id" value="${invite.id}">↵
205.                                     <input type="hidden"
name="sender_id" value="{ { Auth::user()->id } }">↵
206.                                     <input type="hidden"
name="created_at" value="{ { now() } }">↵
207.                                     <input type="hidden" name="group_id"
value="{ { $group->id } }">↵
208.                                     <input type="hidden"
name="request_status" value="pending">↵
209.                                     <button type="submit" class="btn-
primary">↵
210.                                         <span class="spinner"
style="display:none;"><i class="fas fa-spinner fa-spin"></i></span>
Invite↵
211.                                         </button>↵
212.                                     </form>↵
213.                                 </div>↵
214.                             </header>↵
215.                         </article>↵
216.                     `;↵
217.                     inviteList.insertAdjacentHTML('beforeend', inviteItem);↵
218.                 });↵
219.         }↵
220.     ).catch(error => {↵
221.         console.error('Error fetching invitees:', error);↵
222.     });↵
223. }↵
224. </script>

```

Used the HTML parser.

Total execution time 8 milliseconds.

[About this checker](#) • [Report an issue](#) • Version: 24.11.29