

Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Showing results for contents of text-input area

Checker Input

Show ☒ source ☐ outline ☐ image report Options...

Check by ☐ css

```
<button class="tab-link" onclick="openTab(event, 'liked-
posts')">Liked Posts</button>
</div>

<section id="posts" class="posts-section tab-content active-tab">
  @if($hasBlocked || $hasBeenBlocked)
    <div class="no-results">
      <h3>No posts to show yet.</h3>
    </div>
  @elseif(!$profile->is_public && !$isFriend && Auth::id() !==
$profile->id)
    <div class="no-results">
      <h3>This profile is private, only friends can see it's
contents.</h3>
    </div>
```

Check

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

Message Filtering

- Warning** This document appears to be written in English. Consider adding `lang="en"` (or variant) to the `html` start tag.
[From line 1, column 1; to line 1, column 23](#)
`@extends('layouts.app')`
 For further guidance, consult [Declaring the overall language of a page](#) and [Choosing language tags](#).
 If the HTML checker has misidentified the language of this document, please [file an issue report](#) or [send e-mail to report the problem](#).
- Error** Non-space characters found without seeing a doctype first. Expected `<!DOCTYPE html>`.
[From line 1, column 1; to line 1, column 23](#)
`@extends('layouts.app')`

3. **Error** Element `head` is missing a required instance of child element `title`.

[From line 1, column 1; to line 1, column 23](#)

```
@extends('layouts.app')@sect
```

Content model for element `head`:

If the document is [an iframe srcdoc document](#) or if title information is available from a higher-level protocol: Zero or more elements of [metadata content](#), of which no more than one is a `title` element and no more than one is a `base` element.

Otherwise: One or more elements of [metadata content](#), of which exactly one is a `title` element and no more than one is a `base` element.

4. **Error** Bad value `{{ route('publicPosts') }}` for attribute `href` on element `a`: Illegal character in path segment: `{` is not allowed.

[From line 7, column 9; to line 7, column 65](#)

```
><a href="{{ route('publicPosts') }}" class="back-button"><i  
cla
```

5. **Error** Bad value `{{ route('userblocked.destroy', ['blocked_user_id' => $profile->id]) }}` for attribute `action` on element `form`: Illegal character in path segment: `{` is not allowed.

[From line 11, column 17; to line 11, column 138](#)

```
<form class="unblock-form" action="{{  
route('userblocked.destroy', ['blocked_user_id' => $profile->id]) }}"  
method="POST">
```

6. **Error** Bad value `{{ route('userblocked.store') }}` for attribute `action` on element `form`: Illegal character in path segment: `{` is not allowed.

[From line 17, column 17; to line 17, column 97](#)

```
<form class="block-form" action="{{  
route('userblocked.store') }}" method="POST">
```

7. **Error** Bad value `{{ asset($profile->profile_pic) ?? 'https://via.placeholder.com/150' }}` for attribute `src` on element `img`: Illegal character in path segment: `{` is not allowed.

[From line 28, column 13; to line 28, column 117](#)

```

```

8. **Warning** Consider using the `h1` element as a top-level heading only (all `h1` elements [are treated as top-level headings by many screen readers and other tools](#)).

[From line 31, column 13; to line 31, column 16](#)

```
<h1>{{ $pr
```

9. **Error** Bad value `{{ asset($friend->profile_pic) }}` for attribute `src` on element `img`: Illegal character in path segment: `{` is not allowed.

[From line 54, column 41; to line 54, column 116](#)

```
full_name }}">
```

10. **Error** Bad value `{{ route('profile', $friend->id) }}` for attribute `href` on element `a`: Illegal character in path segment: `{` is not allowed.

[From line 60, column 37; to line 60, column 82](#)

```
<a href="{{ route('profile', $friend->id) }}">{{ $fr
```

11. **Error** Bad value `{{ route('notifications.destroy', $hasSentRequest->id) }}` for attribute `action` on element `form`: Illegal character in path segment: `{` is not allowed.

[From line 74, column 33; to line 74, column 147](#)

```
<form class="cancel-request-form" action="{{ route('notifications.destroy', $hasSentRequest->id) }}" method="POST">
```

12. **Error** Bad value `{{ route('friendrequestnotifications.update', $hasReceivedRequest->id) }}` for attribute `action` on element `form`: Illegal character in path segment: `{` is not allowed.

[From line 81, column 29; to line 81, column 179](#)

```
<form class="friend-request-form accept-request-form" action="{{ route('friendrequestnotifications.update', $hasReceivedRequest->id) }}" method="POST">
```

13. **Error** Bad value `{{ route('friendrequestnotifications.store') }}` for attribute `action` on element `form`: Illegal character in path segment: `{` is not allowed.

[From line 90, column 29; to line 90, column 151](#)

```
<form class="friend-request-form send-request-form" action="{{ route('friendrequestnotifications.store') }}" method="POST">
```

14. **Error** Bad value `{{ route('profile.edit', $profile->id) }}` for attribute `href` on element `a`: Illegal character in path segment: `{` is not allowed.

[From line 101, column 25; to line 101, column 104](#)

```
<a href="{{ route('profile.edit', $profile->id) }}"
class="edit-profile-button"><i cla
```

15. **Error** Bad value `{{ route('post', ['id' => $liked_post->id]) }}` for attribute `href` on element `a`: Illegal character in path segment: `{` is not allowed.

[From line 151, column 21; to line 151, column 154](#)

```
<a href="{{ route('post', ['id' => $liked_post->id]) }}"
class="{{ request()->is('post/' . ($liked_post->id + 1)) ? 'active' :
' }}">
```

Document checking completed.

Source

```
1. @extends('layouts.app')
2. @section('title', 'Profile Page')
3.
4. @section('content')
5. <article class="profile-container">
6.     <header class="profile-header">
7.         <a href="{{ route('publicPosts') }}" class="back-button"><i
class="fas fa-arrow-left"></i></a>
8.         <h2>Profile</h2>
9.         @if(Auth::check() && Auth::id() !== $profile->id)
10.             @if($hasBlocked)
11.                 <form class="unblock-form" action="{{
route('userblocked.destroy', ['blocked_user_id' => $profile->id]) }}"
method="POST">
12.                     @csrf
13.                     @method('DELETE')
14.                     <button type="submit" class="unblock-button"><i
class="fas fa-unlock"></i> Unblock</button>
15.                 </form>
16.             @else
17.                 <form class="block-form" action="{{
route('userblocked.store') }}" method="POST">
18.                     @csrf
19.                     <input type="hidden" name="blocked_user_id" value="
{{ $profile->id }}">
20.                     <button type="submit" class="block-button"><i
class="fas fa-ban"></i> Block</button>
21.                 </form>
22.             @endif
23.         @endif
24.     </header>
25.
26.     <section class="profile-info">
27.         <div class="profile-pic">
28.             
29.         </div>
30.         <div class="user-details">
31.             <h1>{{ $profile->full_name }}</h1>
```

```

32.         @if(!$hasBlocked && !$hasBeenBlocked){
33.             <p class="profile-bio">{{ $profile->bio ?? ' ' }}</p>
34.             <div class="stats">
35.                 <span class="friends-count">{{ $profile->friends-
>count() }} friends</span>
36.                 <span class="posts-count">{{ $profile->posts-
>count() }} posts</span>
37.             </div>
38.             @if(Auth::check() && Auth::id() !== $profile->id &&
$mutualFriendsCount > 0){
39.                 <div class="mutual-friends-section">
40.                     <p>
41.                         <strong>{{ $mutualFriendsCount }} mutual
friends</strong>
42.                         <a href="#" id="viewMutualFriends"
class="btn-link" onclick="toggleMutualFriendsPopup()">View</a>
43.                     </p>
44.                 </div>
45.                 <div id="mutualFriendsPopup" class="mutual-friends-
popup" style="display: none;">
46.                     <h3>Mutual Friends</h3>
47.                     <div class="mutual-friends-list">
48.                         @foreach($mutualFriends as $friend){
49.                             <div class="mutual-friend-item">
50.                                 <div class="mutual-friend-icon">
51.                                     @if($friend->profile_pic){
52.                                         full_name }}">
53.                                     @else
54.                                         <i class="fas fa-user-circle"
style="font-size: 2rem; color: #FFD700;"></i>
55.                                     @endif
56.                                 </div>
57.                                 <div class="mutual-friend-name">
58.                                     <a href="{{ route('profile',
$friend->id) }}">{{ $friend->full_name }}</a>
59.                                 </div>
60.                             </div>
61.                         @endforeach
62.                     </div>
63.                     <button class="close-popup"
onclick="toggleMutualFriendsPopup()">Close</button>
64.                 </div>
65.                 @endif
66.                 <div class="action-buttons">
67.                     @if(Auth::check() && Auth::id() !== $profile->id){
68.                         @if($isFriend){
69.                             <strong class="friend-status">Already
Friends</strong>
70.                         @elseif($hasSentRequest){
71.                             <div class="friend-status">
72.                                 <form class="cancel-request-form"
action="{{ route('notifications.destroy', $hasSentRequest->id) }}"
method="POST">
73.                                     @csrf
74.                                     @method('DELETE')
75.                                     <button type="submit" class="cancel-
friend-request-button">Cancel Friend Request</button>
76.                                 </form>
77.                             </div>
78.                         @elseif($hasReceivedRequest){
79.                             <form class="friend-request-form accept-
request-form" action="{{ route('friendrequestnotifications.update',
$hasReceivedRequest->id) }}" method="POST">
80.                                 @csrf
81.                                 @method('PATCH')
82.                                 <input type="hidden"
name="request_status" value="accepted">
83.                                 <button type="submit" class="btn">
84.                                     <span class="spinner"
style="display:none;"><i class="fas fa-spinner fa-spin"></i></span>
Accept Friend Request
85.                                 </button>
86.                             </form>
87.                         }
88.                     }

```

```

89.                                     @csrf
90.                                     <form class="friend-request-form send-
request-form" action="{{ route('friendrequestnotifications.store') }}"
method="POST">
91.                                     @csrf
92.                                     <input type="hidden" name="receiver_id"
value="{{ $profile->id }}">
93.                                     <input type="hidden"
name="request_status" value="pending">
94.                                     <button type="submit" class="btn">
95.                                     <span class="spinner"
style="display:none;"><i class="fas fa-spinner fa-spin"></i></span> Send
Friend Request
96.                                     </button>
97.                                     </form>
98.                                     @endif
99.                                     @endif
100.                                    @if(Auth::id() === $profile->id)
101.                                    <a href="{{ route('profile.edit', $profile->id)
}}" class="edit-profile-button"><i class="fas fa-edit"></i> Edit
Profile</a>
102.                                    @endif
103.                                </div>
104.                            @endif
105.                        </div>
106.                    </section>
107.
108.                    <div class="tabs-container">
109.                        <div class="tabs">
110.                            <button class="tab-link active" onclick="openTab(event,
'posts')">Posts</button>
111.                            <button class="tab-link" onclick="openTab(event, 'liked-
posts')">Liked Posts</button>
112.                        </div>
113.
114.                        <section id="posts" class="posts-section tab-content active-
tab">
115.                            @if($hasBlocked || $hasBeenBlocked)
116.                                <div class="no-results">
117.                                    <h3>No posts to show yet.</h3>
118.                                </div>
119.                            @elseif(!$profile->is_public && !$isFriend && Auth::id() !==
$profile->id)
120.                                <div class="no-results">
121.                                    <h3>This profile is private, only friends can see
it's contents.</h3>
122.                                </div>
123.                            @else
124.                                @if(isset($items) && count($items) > 0)
125.                                    @foreach($items as $item)
126.                                        @if($item->type == 'share')
127.                                            @include('partials.share', ['sharedBy' =>
$item->shareAuthor, 'post' => $item])
128.                                        @else
129.                                            @include('partials.post', ['post' =>
$item])
130.                                        @endif
131.                                    @endforeach
132.                                @else
133.                                    <div id="noItems" class="no-results">
134.                                        <h3>No posts to show yet.</h3>
135.                                    </div>
136.                                @endif
137.                            @endif
138.                        </section>
139.
140.                        <section id="liked-posts" class="liked-posts-section tab-
content">
141.                            @if($hasBlocked || $hasBeenBlocked)
142.                                <div class="no-results">
143.                                    <h3>No posts to show yet.</h3>
144.                                </div>
145.                            @elseif(!$profile->is_public && !$isFriend && Auth::id() !==
$profile->id)
146.                                <div class="no-results">

```

```
147.         <h3>This profile is private, only friends see can  
    it's contents.</h3>↵  
148.         </div>↵  
149.         @else↵  
150.             @foreach($likedPosts as $liked post)↵  
151.                 <a href="{ route('post', ['id' => $liked post->id])  
                    }" class="{ request()->is('post/' . ($liked_post->id + 1)) ? 'active'  
                    : '' }">↵  
152.                     @include('partials.post', ['post' =>  
$liked_post])↵  
153.                 </a>↵  
154.             @endforeach↵  
155.         @endif↵  
156.     </section>↵  
157. </div>↵  
158. </article>↵  
159. @endsection
```

Used the HTML parser.

Total execution time 9 milliseconds.

[About this checker](#) • [Report an issue](#) • Version: 24.11.29