

	VIDA	:
--	------	---

CRF16: Stool Culture (STL)

Web Version: 1.0; 4.00; 23Feb16

Specimen ID (SPEC\_ID):

Date of Test (STLDT) (ddMMMyyyy)

Is this specimen for VIDA or VIDA-Plus? (Select one)(STLVIDAS) VIDA VIDA-Plus

Bacteria Isolated: For each bacteria tested, check either "No" (Not isolated) or "Yes" (isolated)

Aeromonas spp. (STLAERO)	No	Yes
Campylobacter jejuni (STLCAMJE)	No	Yes
Campylobacter coli (STLCAMCO)	No	Yes
Campylobacter (Not jejuni or coli) (STLCAMJC)	No	Yes
Salmonella Typhi (STLSALTY)	No	Yes
Detected from Sellenite broth (STLSEBR1)	No	Yes
Salmonella enterica Non-Typhi serovar (STLSALEN)	No	Yes
Detected from Sellenite broth (STLSEBR2)	No	Yes
Shigella spp. (STLSHIG)	No	Yes

Shigella Serogroup (STLSHSER)	S. dysenteriae		
	S. flexneri		
	S. boydii		
	S. sonnei		
	Non-typeable		
Shigella flexneri serotype (STLSHFLS)	1a		
	1b		
	2a		
	2b		
	3a		
	*Additional Options Listed Below		
Shigella serotype (STLSHSET)	Test completed	Test not done	
Shigella dysenteriae serotype 1 (STLSHDYS)	No	Yes	Not done

Vibrio cholerae (STLVCHOL)	No	Yes	
If V. cholerae: (STLVCTYP)	O1		
	O139		
	Non O1/Non O139		
	Not tested		
If O1: (STLVCO1A)	El Tor	Classical	Not tested

(STLVCO1B)	Inaba	Ogawa	Not tested
------------	-------	-------	------------

---

Vibrio parahaemolyticus(STLVPARA)	No	Yes
Vibrio (other species)(STLVOTH)	No	Yes

---

None of the above pathogens isolated(STLPATHN)	No	Yes (means none of the above isolated)
E. coli isolated(STLECOLI)	No	Yes
No growth(STLNOGRO)	No	Yes (means no growth on plate)

---

Technician: (STLTECHN)	(STLTCNDT)
	(ddMMMyyyy)
QC/Supervisor: (STLSUPR)	Date
	Reviewed: (STLSUPDT)
	(ddMMMyyyy)

Additional Selection Options for STL

- Shigella flexneri serotype
- 3b
  - 3c
  - 4a
  - 4b
  - 5a
  - 5b
  - 6
  - 7a
  - 7b
  - X
  - Y
  - NT