IPPI: Kenya PostPartum Women Interview

[▤ Codebook ▾]

▤ Data Dictionary Codebook

25/02/2020 6:32pm

[˄ Collapse all instruments]

#	Variable / Field Name	Field Label *Field Note*	Field Attributes (Field Type, Validation, Choices, Calculations, etc.)
Instrument: **Participant Eligibility Criteria** (participant_eligibility_criteria)			[˄ Collapse]
1	record_id	Record ID	text
2	data_collector	Person who entered data in REDCap	text Field Annotation: @HIDDEN-APP @READONLY @USERNAME
3	pp1_latitude	Data collection: Latitude	text Field Annotation: @LATITUDE @READONLY-FORM @READONLY-SURVEY
4	pp1_longitude	Data Collection: Longitude	text Field Annotation: @LONGITUDE @READONLY-FORM @READONLY-SURVEY
5	record_creation_time	Time the record was created in REDCap app	text (datetime_dmy) Field Annotation: @HIDEBUTTON @TODAY @READONLY @NOW @READONLY @HIDDEN-APP
6	country	Country	text Field Annotation: @DEFAULT='Kenya' @READONLY
7	participant_number	Participant Number	text (integer), Required Field Annotation: @PLACEHOLDER='Enter participant number starting from 1' @CHARLIMIT=5

8	fac_name Show the field ONLY if: [participant_number] !='' and [participant_number]>0	Facility	dropdown, Required
			10001 Nyambene District Hospital 10002 Mutuati Sub-District Hospital 10003 Mikinduri Sub-District Hospial 10004 Muthara Sub-District Hospital 10005 Kangeta Health Centre 10006 Kawiria Maternity and Nursing Home 10007 Kiengu Maternity and Nursing Home 10008 Maua Cottage 10009 Milimani Nursing Home 10010 Jumu Pammozi Maternity and Nursing Home 10011 Phoenix Health Care 20001 Kilifi County Hospital 20002 Vipingo Rural Demonstration Health Centre 20003 Gongoni Health Centre 20004 Gede Health Centre 20005 Matsangoni Model Health Centre 20006 Tezo Community Health Care 20007 Sea side Hospital 20008 Pwani Medical Centre 20009 Khairat Medical Clinic 20010 Oasis Medical Centre 20011 Green Park Health Care
9	int_control Show the field ONLY if: [fac_name] != ''	Intervention or Control Site *1 - Intervention Site; 2 - Control Site*	calc Calculation: if([fac_name]='','NaN', if([fac_name]>=10001 and [fac_name]<=10011,1,if([fac_name]>=20001 and [fac_name]<=20011,2,'NaN')))
10	participant_id Show the field ONLY if: [fac_name] != ''	Participant ID	calc Calculation: [fac_name]*100000+[participant_number]
11	county Show the field ONLY if: [fac_name] != ''	County	radio, Required 1 Kilifi 2 Meru
12	read_script Show the field ONLY if: [county] ='1' or [county]='2'	Section Header: *RECRUITMENT SCRIPT* Please read the recruitment script to potential participant	descriptive

13	english_script Show the field ONLY if: [county] ='1' or [county]='2'	ENGLISH RECRUITMENT SCRIPT Hello. Thank you for meeting with me. I work for Jhpiego on a project in collaboration with the Government of Kenya. We are currently engaged in a research project that is being done to understand immediate postpregnancy family planning and want to talk with women in your community who will soon be giving birth so we can learn what services women need, what services women have already received and how to make services better. I believe that we may benefit from speaking with you. If you join this study, you would be asked to meet an interviewer like me three (3) times (including today, immediately after you give birth, and 6 months later) to discuss what you know about postpregnancy family planning and what your postpregnancy family planning needs are. You may also be asked to participate in a Focus Group Discussion with other women like you when your babies are between 6 and 12 months old. Outside of these observations, the details you share would remain completely confidential and your individual practices will not be shared with anyone. Anything produced using information from your discussions would not include your name or any information giving away your identity. Do you have any questions? If you would like to learn more about this study, I will ask you some questions to determine if you are eligible to take part in this study and if you would like to participate.	descriptive
14	swa_script Show the field ONLY if: [county] ='1' or [county]='2'	KISWAHILI RECRUITMENT SCRIPT Habari yako. Asante kwa mkutano na mimi. Ninafanya kazi Jhpiego katika mradi kwa kushirikiana na Serikali ya Kenya. Mradi huu kwa sasa ni kukusanya habari kuhusu utendaji wa upangaji uzazi pindi tu baada ya wanawake kujifungua na tunataka kuzungumza na wanawake katika jamii yako ambao watajifungua hivi karibuni. Ili tuweze kujifunza kile Huduma wanawake wanahitaji, ni huduma ipi wanawake wamepokea tayari na jinsi ya kupata huduma bora. Naamini kuwa tunaweza kufaidika na kuzungumza na wewe. Iwapo utachagua kujiunga katika utafiti huu, utaombwa kukutana na anayehoji kama mimi mara tatu (3),(ikiwemo leo, pindi tu baada ya kujifungua na miezi sita baadaye kujadili unayoyafahamu kuhusu utendaji wa upangaji uzazi na mahitaji yake. Unaweza pia kuulizwa kushiriki katika majadiliano ya kikundi na wanawake wengine kama wewe wakati watoto wako ni kati ya umri wa miezi 6 na 12. Nje ya uchunguzi huu, habari yoyote utakayopeana itahifadhiwa kwenye siri na utendaji wako wa kibinafsi hautashirikiwa na mtu yeyote. Taarifa yoyote itakayotumiwa, kutokana na majadiliano haya, haitakuwa na jina lako wala utambulisho wako. Je, una maswali yoyote? Kama ungependa kujifunza zaidi kuhusu utafiti huu, nitakuuliza maswali ili kujua kama wewe ni haki ya kushiriki katika utafiti huu na kama ungependa kushiriki.	descriptive
15	screening_consent Show the field ONLY if: [county] ='1' or [county]='2'	Do you agree? Unakubali?	radio, Required | 0	Does not agree - Akataa
1	Agree - Akubali	
16	interview_date Show the field ONLY if: [screening_consent] = '1'	Section Header: *INTERVIEW INFORMATION* a. Date of interview *DD-MM-YYYY*	text (date_dmy), Required
17	interviewer_name Show the field ONLY if: [screening_consent] = '1'	b. Interviewer Name	text, Required
18	record_time Show the field ONLY if: [screening_consent] = '1'	c. Record Time Interview Started	text (time), Required

19	desc_eligible Show the field ONLY if: [record_time] != ''	participant eligibility criteria	descriptive
20	stay_district Show the field ONLY if: [record_time] != ''	d. Do you plan to move away from this district within the next 12 months Je, una mpango kwa wa kuihama wilaya katika kipindi cha miezi 12 zijazo?	radio, Required 0 No - La 1 Yes - Ndio
21	age Show the field ONLY if: [stay_district] = '0'	e. How old were you during your last birthday? Ulikuwa umri gani, tarehe yako ya mwisho siku ya kuzaliwa?	text (integer), Required Field Annotation: @CHARLIMIT=2
22	deliver_health_facility Show the field ONLY if: [age]>=15 and [age]<=49	f. Are you planning to deliver your baby at a healthcare facility? Je, unampango wa kujifungulia mtoto hospitalini?	radio, Required 0 No - La 1 Yes - Ndio
23	deliver_study_facility Show the field ONLY if: [deliver_health_facility] = '1'	g. At which facility do you plan to deliver your baby? Unampango wa kujifungulia mtoto kwa hospitali gani?	dropdown, Required 1 Nyambene District Hospital 2 Mutuati Sub-District Hospital 3 Mikinduri Sub-District Hospial 4 Muthara Sub-District Hospital 5 Kangeta Health Centre 6 Kawiria Maternity and Nursing Home 7 Kiengu Maternity and Nursing Home 8 Maua Cottage 9 Milimani Nursing Home 10 Jumu Pammozi Maternity and Nursing Home 11 Phoenix Health Care 12 Kilifi County Hospital 13 Vipingo Rural Demonstration Health Centre 14 Gongoni Health Centre 15 Gede Health Centre 16 Matsangoni Model Health Centre 17 Tezo Community Health Care 18 Sea side Hospital 19 Pwani Medical Centre 20 Khairat Medical Clinic 21 Oasis Medical Centre 22 Green Park Health Care 99 None of These
24	last_menstrual Show the field ONLY if: [deliver_study_facility]<>'99' and [deliver_study_facility]<>''	h. When was the first day of your last menstrual cycle? Ni lini ilikuwa siku ya kwanza yako kuanza mzunguko wa hedhi ya mwisho ulikuwa nayo?	text (date_dmy), Required
25	ga_weeks Show the field ONLY if: [last_menstrual]<>''	LMP of client check. If client does not know her LMP, it will return 88, otherwise it will return her GA on interview date	calc Calculation: if(round((datediff([last_menstrual], [interview_date],"d","dmy",true))/7,1)>=0 and round((datediff([last_menstrual], [interview_date],"d","dmy",true))/7,1)< 1,88,if(round((datediff([last_menstrual], [interview_date],"d","dmy",true))/7,1) <0,round((datediff([last_menstrual], [interview_date],"d","dmy",true))/7,1),round((datediff([last_me [interview_date],"d","dmy",true))/7,0)))
26	future_date_check Show the field ONLY if: [ga_weeks]<0 and [ga_weeks]< >''	Interviewer: Please see the instructions below YOU HAVE ENTERED A FUTURE DATE OF [last_menstrual]. THIS IS NOT ALLOWED. PLEASE SELECT TODAY'S DATE OR A DATE BEFORE TODAY.THE PARTICIPANT CANNOT HAVE A GA OF [ga_weeks] WEEKS	descriptive

27	ga_ineligible Show the field ONLY if: [ga_weeks]>=0 and [ga_weeks]< 28 and [ga_weeks]<>''	Interviewer: Please see the instructions below THE PARTICIPANT IS NOT ELIGIBLE DUE TO THE FACT THAT HER GA IS BELOW 28 WEEKS. HER CURRENT CALCULATED GA AS OF DATE OF THIS INTERVIEW IS [ga_weeks] WEEKS	descriptive
28	dont_know_lmp Show the field ONLY if: [ga_weeks]='88'	Interviewer: Please see the instructions below THE PARTICIPANT IS NOT ELIGIBLE DUE TO THE FACT THAT SHE DOES NOT KNOW HER LMP. THE CODE FOR DON'T KNOW AS RETURNED IS [ga_weeks]	descriptive
29	improbable_ga Show the field ONLY if: [ga_weeks]>42 and [ga_weeks]< >88	Interviewer: Please see the instructions below THE PARTICIPANT IS NOT ELIGIBLE DUE TO THE FACT THAT HER GA OF [ga_weeks] WEEKS IS HIGHLY IMPROBABLE. CHECK THE DATE OF INTERVIEW AND LMP. YOU HAVE ENTERED THE FOLLOWING INFORMATION: 1.) DATE OF INTERVIEW - [interview_date] 2.) LMP - [last_menstrual]	descriptive
30	eligible_by_ga Show the field ONLY if: [last_menstrual]<>''	Check client eligibility by Gestational Age *0 - Participant Not Eligible by GA; 1 - Participant Eligible by GA*	calc Calculation: if([ga_weeks]=88,0, if([ga_weeks]>=0 and [ga_weeks]< 28, 0, if([ga_weeks]>=28 and [ga_weeks] <=42,1,'NaN')))
31	final_eligible Show the field ONLY if: [record_time] <> ''	Final Check for Client Eligibility *0 - Pariticpant Not Eligible; 1 - Participant is Eligible and can be Consented*	calc Calculation: if([record_time]='','NaN', if([age]< 15 or [age]>49 or [stay_district]='1' or [deliver_health_facility]='0' or [deliver_study_facility]='99' or [deliver_study_facility]='' or [eligible_by_ga]=0,0,if([ga_weeks]>=28 and [ga_weeks] <=42,1,'NaN')))
32	consent_info Show the field ONLY if: [final_eligible]=1	Interviewer: Please see the instructions below THE PARTICIPANT IS ELIGIBLE TO BE PART OF THIS STUDY. USE THE CONSENT SCRIPT TO CONSENT HER AND RECORD THE OUTCOME.	descriptive
33	consent Show the field ONLY if: [final_eligible]=1	Client agreed to participate?	radio, Required 0 Declined to participate 1 Agreed to participate
34	consent_date Show the field ONLY if: [consent]='1'	Date client consented	text (date_dmy), Required
35	contact_info Show the field ONLY if: [consent]='1'	Client provided contact information for the coversheet	radio, Required 0 No 1 Yes
36	participant_eligibility_criteria_co mplete	Section Header: *Form Status* Complete?	dropdown 0 Incomplete 1 Unverified 2 Complete

Instrument: **Post Partum Interview Zero** (post_partum_interview_zero)			^ Collapse
37	int_0_participantiddesc Show the field ONLY if: [consent]='1'	1. PARTICIPANT ID: [participant_id], FACILITY: [fac_name]	descriptive
38	section_a_pre_int Show the field ONLY if: [consent]='1'	Now I would like to ask you some questions about your antenatal care and your health prior to visiting this facility for your delivery.	descriptive

39	int_0_q1d Show the field ONLY if: [consent]='1'	1d. Record Time Interview Started	text (time), Required
40	int_0_q1e Show the field ONLY if: [consent]='1'	1e. How many times did you visit ANY health facility to receive antenatal care for this pregnancy before today? Ni mara ngapi umezuru kituo chochote cha Afya ili kupokea malezi ya ujauzito wa ujauzito huu kabla ya leo? *INTERVIEWER: Please remember to exclude the current visit from the woman's total count of the number of times she has visited ANY facility for this pregnancy BEFORE today.*	text (integer, Min: 0, Max: 99), Required Field Annotation: @CHARLIMIT=2
41	int_0_q1f Show the field ONLY if: [int_0_q1e]>0	1f. How many times did you visit THIS facility to receive antenatal care for this pregnancy before today? Ni mara ngapi umezuru kituo hiki cha Afya ili kupokea malezi ya ujauzito wa ujauzito huu kabla ya leo? *INTERVIEWER: Please remember to exclude the current visit from the woman's total count of the number of times she has visited THIS facility for this pregnancy BEFORE today.*	text (integer, Min: 0, Max: 99), Required Field Annotation: @CHARLIMIT=2
42	sec_a_int_0 Show the field ONLY if: [consent]='1'	Section Header: *SECTION A: PARTICIPANT INFORMATION* First I am going to ask you some questions to learn a bit about youMwanzo ninaenda kukuuliza maswali machache ili nikufahamu kidogo	descriptive
43	int_0_q2 Show the field ONLY if: [consent]='1'	2. What is the highest level of school you completed? Umehitimu kiwango kipi cha juu zaidi cha masomo? *INTERVIEWER: Record only the highest level of schooling that was COMPLETED by the respondent. If she started a level of schooling (e.g., secondary), but did not complete it, record the lower level of schooling (e.g., primary).*	radio, Required 0 No formal schooling - Sijasoma 1 Primary - Msingi 2 Secondary - Sekondari 3 Post-secondary - Masomo baada ya sekondari
44	int_0_q3 Show the field ONLY if: [consent]='1'	3. Are you currently employed?Umeajiriwa kwa sasa hivi *If respondent does not understand the question, ask "Do you generate income?"*	radio, Required 0 No - La 1 Yes - Ndio
45	int_0_q4 Show the field ONLY if: [consent]='1'	4. Are you currently married, or living together with a man as if married?Kwa sasa hivi, umeolewa, unaishi na mme kana kwamba mmeoana?	radio, Required 0 No, not in a union - La 1 Yes, currently married - NDIO, KWENYE NDOA SASA HIVI 2 Yes, currently living with a man - NDIO, NINA MWANAUMME SASA HIVI 3 In a steady relationship but not married or living together - NIKO KWENYE MAHUSIANO YA KUDUMU LAKINI HATUJAOANA WALA KUISHI PAMOJA
46	int_0_q5 Show the field ONLY if: [int_0_q4]='1' or [int_0_q4]='2' or [int_0_q4]='3'	5. Is your (husband/partner) living with you now or is he staying elsewhere?Mme/mwenza wako anaishi nawe au anaishi kwingine?	radio, Required 0 Living with me - NAISHI NAYE 1 Staying elsewhere - ANAISHI KWINGINE
47	int_0_q6 Show the field ONLY if: [int_0_q4]='1' or [int_0_q4]='2' or [int_0_q4]='3'	6. Is your husband/partner currently employed?Mme/mwenza wako ameajiriwa? *If respondent does not understand the question, ask "Does he generate income?"*	radio, Required 0 No - La 1 Yes - Ndio
48	int_0_q7 Show the field ONLY if: [consent]='1'	7. What is your religion?Dini yako ni ipi?	radio, Required 0 None - SINA 1 Muslim - MUISLAMU 2 Christian - MKRISTO 3 Catholic - MKATOLIKI 77 Other - NYINGINE
49	pp_del_q7other Show the field ONLY if: [int_0_q7]='77'	Other religion specify	text, Required

50	int_0_q8 Show the field ONLY if: [consent]='1'	8. How are you planning to pay for your antenatal care, delivery and postnatal care? Unapanga aje kuhusu kulipia malezi yako ya ujauzito, kujifungua na malezi baada ya kujifungua?	radio, Required

			0	Out of pocket - KUTOKA KWA MFUKO
			1	Government insurance - BIMA YA SERIKALI
			5	Private insurance - BIMA YA BINAFSI
			6	NHIF
			7	Free Maternity Care/Linda Mama - HUDUMA ZA BURE ZA KUJIFUNGUA
			77	Other - NYINGINE

51	pp_del_q8other Show the field ONLY if: [int_0_q8]='77'	Other specify	text, Required
52	int_0_q9 Show the field ONLY if: [consent]='1' and [contact_info]='1'	9. Including this pregnancy, how many times have you been pregnant in your lifetime, irrespective of the outcome of the pregnancy?Ikiwemo huu ujauzito, ni mara ngapi umekuwa na ujauzito maishani mwako pasipo kuzingatia matokeo ya ujauzito? *enter 99 if client refused to answer*	text (integer, Min: 1, Max: 99), Required Field Annotation: @PLACEHOLDER='The minimum number is 1' @CHARLIMIT=2
53	q9_desc Show the field ONLY if: [int_0_q9] = '0'	Interviewer: Please see the instructions below The participant cannot have zero / 0 pregnancies yet she has delivered! The minimum accepted answer for this question is one / 1 . Please check your answer to Q9. You entered: [int_0_q9]	descriptive
54	int_0_q10a Show the field ONLY if: [int_0_q9]>1	10a. How many living children that you gave birth to do you have now? Sasa una watoto wangapi ambao umewazaa mwenyewe walio hai? *enter 99 if client refused to answer*	text (integer, Min: 0, Max: 99), Required Field Annotation: @CHARLIMIT=2
55	int_0_q10b Show the field ONLY if: [int_0_q9]>'1' or [int_0_q10a]>'0'	10b. How many children that you did not give birth to but that you take care of as the main caregiver live in your home?Ni watoto wangapi ambao hukuwazaa lakini unawapa malezi kama mlezi wao mkuu wanaishi kwako? *enter 99 if client refused to answer*	text (integer), Required Field Annotation: @CHARLIMIT=2
56	int_0_q11 Show the field ONLY if: [int_0_q9]>'1' or [int_0_q10a]>'0'	11. How old is your youngest child that you gave birth to? Mtoto wako wa mwisho ambaye ulimzaa ana na umri upi? *If the participant seems confused, say: "How old was your youngest child on his or her last birthday?" If less than three years, write age in months.*	descriptive
57	int_0_q11_months Show the field ONLY if: [int_0_q9]>'1' or [int_0_q10a]>'0'	11. Months *If the participant seems confused, say: "How old was your youngest child on his or her last birthday?" If less than three years, write age in months.*	text (integer) Field Annotation: @CHARLIMIT=2
58	int_0_q11_years Show the field ONLY if: [int_0_q9]>'1' or [int_0_q10a]>'0'	11.Years *If the participant seems confused, say: "How old was your youngest child on his or her last birthday?" If less than three years, write age in months.*	text (integer) Field Annotation: @CHARLIMIT=2
59	int_0_q12 Show the field ONLY if: [consent]='1'	12. How did you get to this facility today?Ulisafiria mbinu ipi kuja kituoni leo?	radio, Required

			0	Ambulance
			1	Minibus/Matatu
			2	Own car - GARI LA BINAFSI
			3	Walked - KUTEMBEA
			5	Motorcycle - PIKIPIKI
			6	Special Hire Taxi - TEKSI MAALUM
			9	Rented/Borrowed Car - GARI YA KULIPIWA
			10	Tuk tuk
			77	Other - NYINGINE

60	int_0_q12other Show the field ONLY if: [int_0_q12]='77'	Other specify	text, Required
61	pp_del_q13desc Show the field ONLY if: [consent]='1'	13. How long did it take you to get to this health facility today?Leo, ilikuchukua muda upi kufika kwenye kituo hiki cha Afya? *This refers to when the client arrived at the facility gate - not when they started being served*	descriptive

62	pp_del_q13mins Show the field ONLY if: [consent]='1'	How long: Minutes *NTERVIEWER: This refers to when the client arrived at the facility gate-not when they started being served by the facility staff. If the participant references the time in terms of the placement of the sun or other manner, probe to get a minute or hourly estimate.*	text (integer) Field Annotation: @CHARLIMIT=2
63	pp_del_q13hours Show the field ONLY if: [consent]='1'	How long: Hours *NTERVIEWER: This refers to when the client arrived at the facility gate-not when they started being served by the facility staff. If the participant references the time in terms of the placement of the sun or other manner, probe to get a minute or hourly estimate.*	text (integer) Field Annotation: @CHARLIMIT=2
64	sect_b_desc Show the field ONLY if: [consent]='1' and [contact_info]='1'	Section Header: *SECTION B: PREGNANCY INTENTIONS* Now, I would like to ask you some questions about becoming pregnant, including if you may or may not like to become pregnant again. Please remember there is no right or wrong answerSasa, ningependa kukuuliza maswali kuhusu iwapo ungependa au haungependa kuwa na ujauzito tena. Tafadhali kumbuka kuwa hakuna jibu sahihi au lisilo sahihi	descriptive
65	int_0_q14a Show the field ONLY if: [consent]='1' and [contact_info]='1'	14a. At the time that you found out about this pregnancy, even if you changed your mind afterwards, did you want this pregnancy now, earlier, later or not at all?Wakati ulipogundua una ujauzito huu,hata kama ulibadilisha mawazo hapo mbeleni, ulitaka ujauzito huu wakati huo, mbeleni, baadaye au kamwe ?	radio, Required | 0	Now - SASA
1	Earlier - MBELENI
2	Later - BAADAYE
3	Not at all - KAMWE
88	Not sure - SINA UHAKIKA	
66	int_0_q14b Show the field ONLY if: [int_0_q14a]='2'	14b. How many months or years later would you have wanted to become pregnant?Ni miezi au miaka mingapi baadaye ulitaka kupata ujauzito? *DO NOT READ OUT ANSWER OPTIONS. RECORD ONLY THOSE MENTIONED BY THE CLIENT.*	descriptive
67	int_0_q14bmonths Show the field ONLY if: [int_0_q14a]='2'	Months Miezi	text (integer) Field Annotation: @CHARLIMIT=2
68	int_0_q14byears Show the field ONLY if: [int_0_q14a]='2'	YearsMiaka	text Field Annotation: @CHARLIMIT=2
69	int_0_q14c Show the field ONLY if: [consent]='1' and [contact_info]='1'	14c. Would you like to have another child after the delivery of this child?Ungependa kuwa na mtoto mwingine baada ya mtoto huyu? *DO NOT READ OUT ANSWER OPTIONS. RECORD ONLY THOSE MENTIONED BY THE CLIENT.*	radio, Required | 0	No - LA
1	Yes - NDIO
2	It is up to God - NI JUU YA MUNGU
88	Don't know/Don't remember - SIJUI/SIKUMBUKI	
70	int_0_q15 Show the field ONLY if: [int_0_q14c] = '1' or [int_0_q14c] = '2'	15. When would you like to become pregnant again after giving birth?Ungependa kuwa na ujauzito lini baada ya kujifungua? *If participant says "immediately," record "0" next to MONTHS and YEARS.*	radio, Required | 44	Knows month and year
0	Never - KAMWE
1	My husband will decide - MME WANGU ATAAMUA
2	Up to God - NI JUU YA MUNGU
3	My family will decide - FAMILIA ITAAMUA
88	Don't know/Don't remember - SIJUI/SIKUMBUKI	
71	pp_del_q15month Show the field ONLY if: [int_0_q15] = '44'	When to become pregnant again: Months	text (integer), Required
72	pp_del_q15year Show the field ONLY if: [int_0_q15] = '44'	When to become pregnant again: Years	text (integer), Required
73	sect_c_desc Show the field ONLY if: [consent]='1' and [contact_info]='1'	Section Header: *SECTION C: CONSULTATION WITH HEALTH CARE PROVIDER:* Now, I would like to talk about your antenatal care visit with the provider today.Sasa, naenda kukuuliza maswali machache kuhusu ziara yako ya ANC na mhudumu huyu	descriptive

74	int_0_q16 Show the field ONLY if: [consent]='1' and [contact_info]='1'	16. What kind of health care provider was the MAIN provider who attended to you today during your antenatal care consultation? Ni aina ipi ya mhudumu wa Afya ambaye alikuwa mhudumu mkuu ambaye alikuhudhuria leo wakati wa maangalizi yako ya malezi ya ujauzito? *If respondent does not understand the question, probe with "Who examined you and listened to your baby's heart and took your blood pressure?" Multiple responses may be possible. Record all mentioned. Verify this information before interview or by checking the medical registry.*	radio, Required 	1	Doctor - DAKTARI
2	Obgyn - MWANA ELIMUUZAZI
3	Nurse - NESI
4	Midwife - MKUNGA
5	Clinical Officer - DAKTARI WA KLINIKI
77	Other - MWINGINE
88	Don't know/Don't remember - SINA UHAKIKA/SIKUMBUKI	
75	int_0_q16other Show the field ONLY if: [int_0_q16]='77'	Other specify	text, Required
76	int_0_q17 Show the field ONLY if: [consent]='1' and [contact_info]='1'	17. Was your antenatal care consultation provided without you and the healthcare provider(s) being seen by other people, for example behind a screen?Ushauri wako wa ANC ulipewa bila kuonekana na watu wengine (nyuma ya kisitiri)? *INTERVIEWER: This question refers to people who are unfamiliar to the respondent. The term "other people" does not include the respondent's family/friends who attended the visit with her.*	radio, Required | 0	No - LA
1	Yes - NDIO
88	Don't know/Don't remember - SIJUI/SIKUMBUKI	
77	int_0_q18 Show the field ONLY if: [consent]='1' and [contact_info]='1'	18. Was your antenatal care consultation provided without you and the healthcare provider(s) being heard by other people?Ushauri wako wa ANC ulipewa bila kusikika na watu wengine? *INTERVIEWER: This question refers to people who are unfamiliar to the respondent. The term "other people" does not include the respondent's family/friends who attended the visit with her.*	radio, Required | 0	No - LA
1	Yes - NDIO
88	Don't know/Don't remember - SIJUI/SIKUMBUKI	
78	int_0_q19 Show the field ONLY if: [consent]='1' and [contact_info]='1'	19. Overall, on a scale of 1 to 5, with 1 being least comfortable and 5 being most comfortable, how comfortable were you with the health care provider?Kwa jumla, kwenye rafu ya 1 - 5 (1 ikiwa bila starehe na 5 ikiwa yenye starehe sana), ulikuwa starehe vipi na mhudumu wa Afya? *Show woman smiley faces scale to assist with the 1 to 5 scale rating. Note that scores of 1 are highly negative and scores of 5 are highly positive. Woman should select a number from 1 to 5.*	radio, Required | 1	1
2	2
3	3
4	4
5	5
88	Don't know/Don't remember - SIJUI/SIKUMBUKI
99	Refused to answer - HAKUJIBU	
79	int_0_q20 Show the field ONLY if: [consent]='1' and [contact_info]='1'	20. On a scale of 1 to 5, with 1 being very poorly and 5 being very well, how well did the health care provider listen to your questions and concerns?Kwenye rafu ya 1 - 5 (1 ikiwa mbaya na 5 ikiwa vyema zaidi), mhudumu wa Afya aliyasikiliza matatizo na tashwishi yako vipi? *Show woman smiley faces scale to assist with the 1 to 5 scale rating. Note that scores of 1 are highly negative and scores of 5 are highly positive. Woman should select a number from 1 to 5.*	radio, Required | 1	1
2	2
3	3
4	4
5	5
88	Don't know/Don't remember - SIJUI/SIKUMBUKI
99	Refused to answer - HAKUJIBU	
80	int_0_q21 Show the field ONLY if: [consent]='1' and [contact_info]='1'	21. Would you recommend the healthcare provider you saw today to a friend?Unaweza kumpendekeza mhudumu wa Afya uliyemuona leo kwa rafiki?	radio, Required | 0	No - LA
1	Yes - NDIO
88	Don't know/Don't remember - SIJUI/SIKUMBUKI
99	Refused to answer - HAKUJIBU	
81	int_0_q22 Show the field ONLY if: [consent]='1' and [contact_info]='1'	22. If you were to become pregnant again, would you choose the same type of antenatal care for your next pregnancy?Iwapo ungekuwa mjamzito tena, ungechagua aina ya ANC kwa ujauzito wako ujao?	radio, Required | 0	No - LA
1	Yes - NDIO
88	Don't know/Don't remember - SIJUI/SIKUMBUKI
99	Refused to answer - HAKUJIBU	
82	sect_d_desc Show the field ONLY if: [consent]='1' and [contact_info]='1'	Section Header: *SECTION D: FAMILY PLANNING COUNSELING* Now, I am going to ask you some questions about your experience with counseling you might have received at your visit today.Sasa ninaenda kukuuliza maswali kuhusu uliyoyapitia kwenye ushauri uliopokea kwenye ziara yako ya leo	descriptive

83	int_0_q23 Show the field ONLY if: [consent]='1' and [contact_info] ='1'	23.Did the healthcare provider ask if or when you wanted to have children after this pregnancy?Mhudumu wa Afya alikuuliza iwapo au ni lini ungependa kuwa na watoto zaidi baada ya ujauzito huu? *If respondent does not understand the question ask, "Did the healthcare provider ask if or when you wanted to have MORE children after this pregnancy?"*	radio, Required 0 No - LA 1 Yes - NDIO 88 Don't know/Don't remember - SIJUI/SIKUMBUKI
84	int_0_q24 Show the field ONLY if: [consent]='1' and [contact_info] ='1'	24.Did the healthcare provider counsel you on family planning at this visit?Mhudumu wa Afya alikupa mawaidha kuhusu upangaji uzazi?	radio, Required 0 No - LA 1 Yes - NDIO 88 Don't know/Don't remember - SIJUI/SIKUMBUKI
85	int_0_q25 Show the field ONLY if: [int_0_q24] = '1' or [int_0_q24] = '88'	25. During this antenatal care visit, what family planning methods did the healthcare provider or providers discuss with you?Kwenye ziara hii ya Kliniki cha ANC, ni mbinu zipi za upangji uzazi ambazo mhudumu au wahudumu walijadili nawe? *DO NOT READ OUT METHODS. RECORD ONLY THOSE MENTIONED BY THE CLIENT. Remember that if the client mentions a "28-day" pill, this refers to the COMBINED PILL, and if the client mentions a "35-day" pill, this refers to the PROGESTINE ONLY PILL.*	checkbox, Required 1 int_0_q25___1 Combined pill - TEMBE YA PAMOJA 2 int_0_q25___2 Progestine only pill - TEMBE YA PROJESTRONI PEKEE 3 int_0_q25___3 Male condom - MPIRA WA WANAUME 4 int_0_q25___4 Female condom - MPIRA WA WANAWAKE 5 int_0_q25___5 IUD 6 int_0_q25___6 Injectables - SINDANO 7 int_0_q25___7 Implant - KIPANDIKIZI 8 int_0_q25___8 Breastfeeding/LAM - KUNYONYESHA 9 int_0_q25___9 Male sterilization - KUFISHA VIDUDU KWA WANAUMME 10 int_0_q25___10 Female sterilization - KUFISHA VIDUDU KWA WANAWAKE 11 int_0_q25___11 Emergency contraception - KINGAMIMBA YA DHARURA 77 int_0_q25___77 Other - NYINGINE 88 int_0_q25___88 Don't know/Don't remember - SIJUI/SIKUMBUKI Field Annotation: @NONEOFTHEABOVE=88
86	int_0_q25other Show the field ONLY if: [int_0_q25(77)]='1'	Other specify	text, Required
87	int_0_q26 Show the field ONLY if: [int_0_q24]='0'	26. Did the healthcare provider counsel you on family planning in previous visits to this health facility?Mhudumu wa Afya alikushauri kuhusu upangaji uzazi kwenye ziara zilizopita katika kituo hiki?	radio, Required 0 No - LA 1 Yes - NDIO 88 Don't know/Don't remember - SIJUI/SIKUMBUKI
88	int_0_q27a Show the field ONLY if: [consent]='1' and [contact_info] ='1'	27a. Did the healthcare provider talk to you about the reasons for spacing or waiting to have your next pregnancy?Mhudumu wa Afya alikuzungumzia kuhusu faida ya kiafya ya kuwacha nafasi au kusubiri kuwa na ujauzito wako mwingine?	radio, Required 0 No - LA 1 Yes - NDIO 88 Don't know/Don't remember - SIJUI/SIKUMBUKI
89	int_0_q27b Show the field ONLY if: [consent]='1' and [contact_info] ='1'	27b. How long did the provider suggest you wait to become pregnant again?Mhudumu wako alipendekeza kusubiri kwa muda upi kabla ya kuwa mjamzito tena? *If provider did not suggest a period, enter 44 under years. Months should be 0*	descriptive
90	int_0_27b_months Show the field ONLY if: [consent]='1' and [contact_info] ='1'	27b1. Months Miezi *INTERVIEWER: If provider did not suggest a period, enter 44 under years. Months should be 0*	text (integer) Field Annotation: @CHARLIMIT=2
91	int_0_27b_years Show the field ONLY if: [consent]='1' and [contact_info] ='1'	27b1. Years Miaka *INTERVIEWER: If provider did not suggest a period, enter 44 under years. Months should be 0*	text (integer) Field Annotation: @CHARLIMIT=2

92	int_0_q28 Show the field ONLY if: [consent]='1' and [contact_info]='1'	28. Did the healthcare provider tell you about when you might become fertile again after you have given birth?Mhudumu wa Afya alikuambia kuhusu ni lini utakuwa na rotuba tena baada ya kujifungua?	radio, Required 0 | No - LA 1 | Yes - NDIO 88 | Don't know/Don't remember - SIJUI/SIKUMBUKI
93	int_0_q28b_desc Show the field ONLY if: [int_0_q28] = '1'	28b. How many weeks or months after you have given birth did the provider tell you might become fertile again?	descriptive
94	int_0_q28b_weeks Show the field ONLY if: [int_0_q28] = '1'	28b. Weeks *INTERVIEWER: If provider did not suggest a period, enter 44 under years. Months and Weeks should be 0*	text (integer) Field Annotation: @CHARLIMIT=2
95	int_0_q28b_months Show the field ONLY if: [int_0_q28] = '1'	28b. Months *INTERVIEWER: If provider did not suggest a period, enter 44 under years. Months and Weeks should be 0*	text (integer), Required Field Annotation: @CHARLIMIT=2
96	int_0_q28b_years Show the field ONLY if: [int_0_q28] = '1'	28b. Years *INTERVIEWER: If provider did not suggest a period, enter 44 under years. Months and Weeks should be 0*	text (integer), Required Field Annotation: @CHARLIMIT=2
97	int_0_q29 Show the field ONLY if: [consent]='1' and [contact_info]='1'	29. Did the healthcare provider ask if you planned to use a family planning method immediately after delivery?Mhudumu wa Afya alikuuliza iwapo ulipanga kutumia mbinu ya upangaji uzazi pindi tu baada ya kujifungua?	radio, Required 0 | No - LA 1 | Yes - NDIO 88 | Don't know/Don't remember - SIJUI/SIKUMBUKI
98	int_0_q30 Show the field ONLY if: [int_0_q29]='1'	30. Did the health care provider ask you which family planning method(s) you chose to use after delivery?Mhuduma wa Afya alikuuliza ni mbinu (z)ipi za upangaji uzazi ambazo ulichagua kutumia pindu tu baada ya kujifungua?	radio, Required 0 | No - LA 1 | Yes - NDIO 88 | Don't know/Don't remember - SIJUI/SIKUMBUKI
99	int_0_q31 Show the field ONLY if: [int_0_q23] = '1' or [int_0_q24] = '1' or [int_0_q26] = '1' or [int_0_q27a] = '1' or [int_0_q28] = '1' or [int_0_q29] = '1' or [int_0_q30] = '1'	31. When the health care provider talked with you about these topics, did the healthcare provider talk with you without being seen by other people, for example behind a screen?Wakati mhudumu wa Afya alizungumza nawe kuhusu mada hizi, mhudumu wa Afya alizungumza nawe bila kuonekana na watu wengine, mfano nyuma ya kisitiri?	radio, Required 0 | No - LA 1 | Yes - NDIO 88 | Don't know/Don't remember - SIJUI/SIKUMBUKI
100	int_0_q32 Show the field ONLY if: [int_0_q23] = '1' or [int_0_q24] = '1' or [int_0_q26] = '1' or [int_0_q27a] = '1' or [int_0_q28] = '1' or [int_0_q29] = '1' or [int_0_q30] = '1'	32. When the health care provider talked with you about these topics, did the healthcare provider talk with you without being heard by other people?Wakati mhudumu wa Afya alizungumza nawe kuhusu mada hizi, mhudumu wa Afya alizungumza nawe bila kusikika na watu wengine?	radio, Required 0 | No - LA 1 | Yes - NDIO 88 | Don't know/Don't remember - SIJUI/SIKUMBUKI
101	int_0_q33 Show the field ONLY if: [consent]='1' and [contact_info]='1'	33. Do you plan to initiate use of a method of family planning while you are at the facility for your childbirth visit?Je, una mpango wa kuchukua mbinu ya kupanga uzazi ukiwa hospitali wakati wa kujifungua mimba?	radio, Required 0 | No - LA 1 | Yes - NDIO 88 | Don't know/Don't remember - SIJUI/SIKUMBUKI

102	int_0_q34 Show the field ONLY if: [int_0_q33] = '1'	34a. Which family planning method do you plan to start using? Una panga kuitumia mbunu gani ya upangaji uzazi?	checkbox, Required		
			1	int_0_q34___1	Combined pill - TEMBE YA PAMOJA
			2	int_0_q34___2	Progestine only pill - TEMBE YA PROJESTRONI PEKEE
			3	int_0_q34___3	Male condom - MPIRA WA WANAUME
			4	int_0_q34___4	Female condom - MPIRA WA WANAWAKE
			5	int_0_q34___5	IUD
			6	int_0_q34___6	Injectables - SINDANO
			7	int_0_q34___7	Implant - KIPANDIKIZI
			8	int_0_q34___8	Breastfeeding/LAM - KUNYONYESHA
			9	int_0_q34___9	Male sterilization - KUFISHA VIDUDU KWA WANAUMME
			10	int_0_q34___10	Female sterilization - KUFISHA VIDUDU KWA WANAWAKE
			11	int_0_q34___11	Emergency contraception - KINGAMIMBA YA DHARURA
			12	int_0_q34___12	Avoid sex - WACHA KUJAMIANA
			77	int_0_q34___77	Other - NYINGINE
			88	int_0_q34___88	Don't know/Don't remember - SIJUI/SIKUMBUKI
			99	int_0_q34___99	Refused to Answer - HAKUJIBU
			Field Annotation: @NONEOFTHEABOVE='88,99'		
103	int_0_q34a_other Show the field ONLY if: [int_0_q34(77)]='1'	Other specify	text		
104	int_0_q34b Show the field ONLY if: [int_0_q34(8)]='1'	34b. Can you tell me what you mean when you say you will use breastfeeding? Please tell me how breastfeeding must be performed to prevent pregnancy. Unaweza kuniambia unamaanisha nini unaposema utatumia kunyonyesha? Tafadhali niambie namna kunyonyeshwa inastahili kufanywa ili kuzuia ujauzito. *Do not read out responses. Record only those mentioned by the client. Multiple responses may be possible. Record all mentioned.*	checkbox, Required		
			0	int_0_q34b___0	Breastfeeding - KUNYONYESHA
			1	int_0_q34b___1	Infant is less than 6 months old - MTOTO AKIWA CHINI YA MIEZI 6
			2	int_0_q34b___2	Menses not returned - HEDHI HAIJAREJEA
			3	int_0_q34b___3	Exclusively Breastfeeding - KUNYONYESHA KWA NAMNA YA PEKEE
			77	int_0_q34b___77	Other - NYINGINE
105	int_0_q34b_other Show the field ONLY if: [int_0_q34b(77)] = '1'	Other specify	text, Required		
106	int_0_q34c Show the field ONLY if: [int_0_q34(8)]='1'	34c. Do you plan to use any other family planning method when you are no longer able to use breastfeeding as a family planning method? Unapanga kutumia mbinu nyingine ya upangaji uzazi wakati hutakuwa na uwezo wa kutumia kunyonyesha kama mbinu ya upangaji uzazi?	radio, Required		
			0	No - LA	
			1	Yes - NDIO	
			99	Refused to answer - HAKUJIBU	

107	int_0_q34d Show the field ONLY if: [int_0_q34c]='1'	34d. What family planning method do you plan to use after using breastfeeding to prevent pregnancy? Ni mbinu ipi ya upangaji uzazi unanuia kutumia baada ya kutumia kunyonyesha kama mbinu ya upangaji uzazi? *INTERVIEWER: Do not read out methods. Record only those mentioned by the client. Multiple responses may be possible. Record all mentioned. Remember that if the client mentions a "28-day" pill, this refers to the COMBINED PILL, and if the client mentions a "35-day" pill, this refers to the PROGESTINE ONLY PILL.*	checkbox, Required		
			1	int_0_q34d___1	Combined pill - TEMBE YA PAMOJA
			2	int_0_q34d___2	Progestine only pill - TEMBE YA PROJESTRONI PEKEE
			3	int_0_q34d___3	Male condom - MPIRA WA WANAUME
			4	int_0_q34d___4	Female condom - MPIRA WA WANAWAKE
			5	int_0_q34d___5	IUD
			6	int_0_q34d___6	Injectables - SINDANO
			7	int_0_q34d___7	Implant - KIPANDIKIZI
			9	int_0_q34d___9	Male sterilization - KUFISHA VIDUDU KWA WANAUMME
			10	int_0_q34d___10	Female sterilization - KUFISHA VIDUDU KWA WANAWAKE
			11	int_0_q34d___11	Emergency contraception - KINGAMIMBA YA DHARURA
			77	int_0_q34d___77	Other - NYINGINE
			88	int_0_q34d___88	Don't know/Don't remember - SIJUI/SIKUMBUKI
			Field Annotation: @NONEOFTHEABOVE=88		
108	int_0_q34d_other Show the field ONLY if: [int_0_q34d(77)] = '1'	Other specify	text, Required		
109	int_0_q34e Show the field ONLY if: [int_0_q34c]='1'	34e. How many weeks or months after your baby is born do you plan to start using this method? Ni wiki au miezi mingapi baada ya mtoto wako kuzaliwa ambapo unapanga kutumia mbinu hii? *Do not read out methods. Record only those mentioned by the client. Multiple responses may be possible. Record all mentioned.*	descriptive		
110	int_0_q34e_months Show the field ONLY if: [int_0_q34c]='1'	Months	text (integer) Field Annotation: @CHARLIMIT=2		
111	int_0_q34e_weeks Show the field ONLY if: [int_0_q34c]='1'	Weeks	text (integer, Max: 52) Field Annotation: @CHARLIMIT=2		
112	int_0_q35a Show the field ONLY if: [int_0_q33]='1'	35a. Why do you intend to use this particular family planning method? Kwa nini/ni nini kilichangia chaguo lako la mbinu hii mahususi ya upangaji uzazi? *Do not read out response options. Multiple responses possible. Record all responses mentioned by client.*	checkbox, Required		
			1	int_0_q35a___1	Previous positive experience with the method - MAZURI NILIYOYAPITIA HAPO AWALI
			2	int_0_q35a___2	Counseling from the provider - USHAURI KUTOKA KWA MHUDUMU
			3	int_0_q35a___3	Friend recommended - RAFIKI ALIPENDEKEZA
			4	int_0_q35a___4	Husband wanted this one - MME ALITAKA HII
			5	int_0_q35a___5	Cost - BEI
			6	int_0_q35a___6	This is the easiest method - HII NDIO MBINU RAHISI
			77	int_0_q35a___77	Other - NYINGINE
113	int_0_q35aother Show the field ONLY if: [int_0_q35a(77)]='1'	Other influence yes	text, Required		

114	int_0_35b Show the field ONLY if: [int_0_q33]='0' or [int_0_q33]='88'	35b. Why do you intend not to use family planning after birth? Kwa nini unapania kutumia mbinu ya upangaji uzazi baad ya kujifungua? *Do not read out response options. Multiple responses possible. Record all responses mentioned by client.*	checkbox, Required		
			0	int_0_35b___0	Want to become pregnant - NATAKA KUWA MJAMZITO
			1	int_0_35b___1	Infrequent sex/Partner away - SIJAMIANI KWA SANA/MWENZA YUKO MBALI
			2	int_0_35b___2	Husband disapproved - MME ALIKATAA
			3	int_0_35b___3	Health concerns - TATIZO LA KIAFYA
			4	int_0_35b___4	Unable to access - SI RAHISI KUPATIKANA
			5	int_0_35b___5	Relationship dissolution - MAHUSIANO KUVUNJIKA
			6	int_0_35b___6	Side effects - ATHARI
			7	int_0_35b___7	Method to inconvenient - MBINU SIO RAHISI KUITUMIA
			8	int_0_35b___8	Cost - BEI
			77	int_0_35b___77	Other - NYINGINE
115	pp_del_q389 Show the field ONLY if: [int_0_35b(77)]='1'	Other influence no	text, Required		
116	int_0_q35c Show the field ONLY if: [int_0_q33]='0' or [int_0_q33]='1' or [int_0_q33]='88'	35c. Do you plan to do anything ELSE to avoid or delay getting pregnant again after you give birth?Unapanga kufanya kitu kingine chochote ili kuzuia kupata/kuchelewesha kupata ujauzito? *Read "ELSE" if the respondent indicated that she planned to use a family planning method after birth.*	radio, Required		
			0	No - LA	
			1	Yes - NDIO	
			88	Don't know/Don't remember - SIJUI/SIKUMBUKI	
			77	Other - NYINGINE	
117	int_0_q35cother Show the field ONLY if: [int_0_q35c] = '77'	Other avoid pregnancy after birth	text		
118	int_0_35d Show the field ONLY if: [int_0_q35c]='1' or [int_0_q35c]='77'	35d. What are you planning to do? Unapanga kufanya nini? *Do not read out responses. Record only those mentioned by the client. Multiple responses may be possible. Record all mentioned.*	checkbox, Required		
			1	int_0_35d___1	Avoid sex - WACHA KUJAMIANA
			2	int_0_35d___2	Use traditional method - TUMIA MBINU ASILIA
			3	int_0_35d___3	Breastfeeding/LAM - KUNYONYESHA
			77	int_0_35d___77	Other - NYINGINE
			88	int_0_35d___88	Don't know/Don't remember - SIJUI/SIKUMBUKI
			Field Annotation: @NONEOFTHEABOVE=88		
119	int_0_q35d_other Show the field ONLY if: [int_0_35d(77)] = '1'	Other specify	text, Required		
120	sect_e_desc Show the field ONLY if: [int_0_q33]='1'	Section Header: *SECTION E: INFORMATION PROVIDED AFTER CHOOSING A FAMILY PLANNING METHOD* Now I would like to ask you about the specific counseling you may have received about this method that you chose. Sasa ningependa kukuuliza kuhusu ushauri mahususi ambao unaweza kuwa umepokea kuhusu mbinu hii ambayo ulichagua	descriptive		
121	int_0_q36 Show the field ONLY if: [int_0_q33]='1'	36. After you chose a postpartum family planning method, did the healthcare provider explain how to use the method?Baada ya kupokea mbinu ya upangaji uzazi au kuamua mbinu utakayoitumia, mhudumu wako wa Afya alikueleza namna ya kutumia mbinu hiyo? *INTERVIEWER: If the respondent is not familiar with the term postpartum family planning, explain that this refers to the use of a family planning method after delivery.*	radio, Required		
			0	No - LA	
			1	Yes - NDIO	
			88	Don't know/Don't remember - SIJUI/SIKUMBUKI	
122	int_0_q37 Show the field ONLY if: [int_0_q33]='1' and [int_0_q34(8)]='0'	37. After you chose a postpartum family planning method, did the healthcare provider explain the common side-effects of the method? Baada ya kupokea mbinu ya upangaji uzazi au kuamua mbinu utakayoitumia, mhudumu wako wa Afya alikueleza athari za kawaida za mbinu hiyo?	radio, Required		
			0	No - LA	
			1	Yes - NDIO	
			88	Don't know/Don't remember - SIJUI/SIKUMBUKI	

123	int_0_q38 Show the field ONLY if: [int_0_q33]='1'	38. After you chose a postpartum family planning method, did the healthcare provider, ask you to repeat important instructions? Baada ya kupokea mbinu ya upangaji uzazi au kuamua mbinu utakayoitumia, mhudumu wako wa Afya alikuomba kurudia maagizo muhimu?	radio, Required
			0 | No - LA
			1 | Yes - NDIO
			88 | Don't know/Don't remember - SIJUI/SIKUMBUKI
124	int_0_q39 Show the field ONLY if: [int_0_q33]='1'	39. After you chose a postpartum family planning method, did the healthcare provider tell you what to do if you have any problems or want to stop using the method? Baada ya kupokea mbinu ya upangaji uzazi au kuamua mbinu utakayoitumia, mhudumu wako wa Afya alikueleza ya kufanya iwapo utapatwa na matatizo au utakapotaka kuacha kutumia mbinu hiyo?	radio, Required
			0 | No - LA
			1 | Yes - NDIO
			88 | Don't know/Don't remember - SIJUI/SIKUMBUKI
125	int_0_q40 Show the field ONLY if: [int_0_q34(1)] = '1' or [int_0_q34(2)] = '1' or [int_0_q34(5)] = '1' or [int_0_q34(6)] = '1' or [int_0_q34(7)] = '1' or [int_0_q34(8)] = '1' or [int_0_q34(9)] = '1' or [int_0_q34(10)] = '1' or [int_0_q34(11)] = '1' or [int_0_q34(77)] = '1' or [int_0_q34(88)] = '1' or [int_0_q34(12)] = '1'	40. After you chose a postpartum family planning method, did the healthcare provider, explain that this method does not protect against HIV/STIs Baada ya kupokea mbinu ya upangaji uzazi au kuamua mbinu utakayoitumia, mhudumu wako wa Afya alikueleza kuwa mbinu hii haizui HIV/magonjwa ya zinaa *Do not ask this question if method is ONLY condoms (if answer to Q34 is 3 or 4).*	radio, Required
			0 | No - LA
			1 | Yes - NDIO
			2 | Method is condoms - MBINU NI KONDOM
			88 | Don't know/Don't remember - SIJUI/SIKUMBUKI
126	int_0_q41 Show the field ONLY if: [int_0_q33]='1'	41. After you chose a postpartum family planning method, did the healthcare provider ask if you have any questions or anything to discuss about the family planning method you chose? Baada ya mbinu ya upangaji uzazi ya baada ya kujifungua, mhudumu wa Afya alikuuliwa iwapo ulikuwa na maswali au chochote cha kujadili kuhusu mbinu ya upngaji uzazi uliyoichagua?	radio, Required
			0 | No - LA
			1 | Yes - NDIO
			88 | Don't know/Don't remember - SIJUI/SIKUMBUKI
127	int_0_42 Show the field ONLY if: [int_0_q33]='1' or [int_0_q33]='88' or [int_0_q33]='0'	42. On a scale of 1 - 5 (1 being least helpful and 5 being most helpful), How helpful was the information your provider gave in helping you make a choice about your method? Kwenye skeli ya 1 - 5, 1 ikiwa yenye bila manufaa na 5 yenye manufaa, habari uliyopewa na mhudumu ilikuwa na manufaa vipi katika kukusaidia kkufanya maamuzi ya mbinu uliyoichagua? *Show woman smiley faces scale to assist with the 1 to 5 scale rating. Note that scores of 1 are highly negative and scores of 5 are highly positive. Woman should select a number from 1 to 5.*	radio, Required
			1 | 1
			2 | 2
			3 | 3
			4 | 4
			5 | 5
			88 | Don't know/Don't remember - SIJUI/SIKUMBUKI
			99 | Refused to answer - HAKUJIBU
128	sect_f_desc Show the field ONLY if: [int_0_q43]<>''	Section Header: *SECTION F: PAST FAMILY PLANNING METHOD CHOICE:* Now I would like you to think about past experiences you may have with family planning methodsNataka kukuuliza kuhusu uliyoyapitia na mbinu za upangaji uzazi	descriptive
129	int_0_q43 Show the field ONLY if: [consent]='1' and [contact_info]='1'	43. Have you used a family planning method or methods in the past, before this pregnancy? Umewahi kutumia mbinu za upangaji uzazi katika maisha yako?	radio, Required
			0 | No - LA
			1 | Yes - NDIO
			88 | Don't know/Don't remember - SIJUI/SIKUMBUKI
			99 | Refused to answer - HAKUJIBU

130	int_0_q44 Show the field ONLY if: [int_0_q43]='1'	44. What are all the methods you have ever used in your lifetime? Ni mbinu zipi umewahi kuzitumia maishani mwako? *Do not read out responses. Record only those mentioned by the client. Multiple responses may be possible. Record all mentioned.*	checkbox, Required		
			1	int_0_q44___1	Combined pill - TEMBE YA PAMOJA
			2	int_0_q44___2	Progestine only pill - TEMBE YA PROJESTRONI PEKEE
			3	int_0_q44___3	Male condom - MPIRA WA WANAUME
			4	int_0_q44___4	Female condom - MPIRA WA WANAWAKE
			5	int_0_q44___5	IUD
			6	int_0_q44___6	Injectables - SINDANO
			7	int_0_q44___7	Implant - KIPANDIKIZI
			8	int_0_q44___8	Breastfeeding/LAM - KUNYONYESHA
			9	int_0_q44___9	Male sterilization - KUFISHA VIDUDU KWA WANAUMME
			10	int_0_q44___10	Female sterilization - KUFISHA VIDUDU KWA WANAWAKE
			11	int_0_q44___11	Emergency contraception - KINGAMIMBA YA DHARURA
			77	int_0_q44___77	Other - NYINGINE
			88	int_0_q44___88	Don't know/Don't remember - SIJUI/SIKUMBUKI
			Field Annotation: @NONEOFTHEABOVE=88		
131	int_0_q44other Show the field ONLY if: [int_0_q44(77)]='1'	Other contraceptive method used in the past	text, Required		
132	int_0_q45 Show the field ONLY if: [int_0_q43]='1'	45. What was the very last method you used before this pregnancy, even if you had stopped using it before getting pregnant? Ni mbinu ipi ya mwisho ya upangaji uzazi uliyoitumia kabla ya ujauzito huu hata kama ulikuwa umeiwacha kabla ya kupata ujauzito huu? *INTERVIEWER: Do not read out methods. Record only those mentioned by the client. Multiple responses may be possible. Record all mentioned. Remember that if the client mentions a "28-day" pill, this refers to the COMBINED PILL, and if the client mentions a "35-day" pill, this refers to the PROGESTINE ONLY PILL.*	checkbox, Required		
			1	int_0_q45___1	Combined pill - TEMBE YA PAMOJA
			2	int_0_q45___2	Progestine only pill - TEMBE YA PROJESTRONI PEKEE
			3	int_0_q45___3	Male condom - MPIRA WA WANAUME
			4	int_0_q45___4	Female condom - MPIRA WA WANAWAKE
			5	int_0_q45___5	IUD
			6	int_0_q45___6	Injectables - SINDANO
			7	int_0_q45___7	Implant - KIPANDIKIZI
			8	int_0_q45___8	Breastfeeding/LAM - KUNYONYESHA
			9	int_0_q45___9	Male sterilization - KUFISHA VIDUDU KWA WANAUMME
			10	int_0_q45___10	Female sterilization - KUFISHA VIDUDU KWA WANAWAKE
			11	int_0_q45___11	Emergency contraception - KINGAMIMBA YA DHARURA
			77	int_0_q45___77	Other - NYINGINE
			88	int_0_q45___88	Don't know/Don't remember - SIJUI/SIKUMBUKI
			Field Annotation: @NONEOFTHEABOVE=88		
133	int_0_q45other Show the field ONLY if: [int_0_q45(77)]='1'	Other method before last pregnancy	text, Required		

134	int_0_q46a Show the field ONLY if: [int_0_q43]='1'	46a. Who made the final decision about the family planning method to use the last time you used a method? Nani alikuwa na jukumu la kufanya maamuzi ya mwisho kuhusu mbinu utakayoitumia? *Do not read out responses. Record only those mentioned by the client. Multiple responses may be possible. Record all mentioned.*	checkbox, Required

	1	int_0_q46a___1	Me - MIMI	
	2	int_0_q46a___2	My partner - MWENZA WANGU	
	3	int_0_q46a___3	My healthcare provider - MHUDUMU WANGU WA AFYA	
	4	int_0_q46a___4	My mother in-law - MAMA MKWE	
	5	int_0_q46a___5	My mother - MAMANGU	
	77	int_0_q46a___77	Other - MWINGINE	
	88	int_0_q46a___88	Don't know/Don't remember - SIJUI/SIKUMBUKI	

Field Annotation: @NONEOFTHEABOVE=88

135	int_0_q46aother Show the field ONLY if: [int_0_q46a(77)] = '1'	Other person responsible	text, Required

136	int_0_q46b Show the field ONLY if: [int_0_q43]='1'	46b. At the time you became pregnant with this pregnancy, were you still using this method? Wakati ulipata ujauzito huu, ulikuwa unatumia mbinu hiyo ya kupanga uzazi?	radio, Required

0	No - LA
1	Yes - NDIO
88	Don't know/Don't remember - SIJUI/SIKUMBUKI

137	int_0_q46c Show the field ONLY if: [int_0_q46b] = '0' or [int_0_q46b] = '88'	46c. About how many days, weeks or months before you became pregnant did you stop using this method? Ni karibu siku, wiki au miezi ngapi kabla ya kupata ujauzito uliacha kutumia mbinu hii ya	descriptive
138	int_0_q46cdays Show the field ONLY if: [int_0_q46b] = '0' or [int_0_q46b] = '88'	Days *If client doesn't know or doesn't remember enter 88 in months and 0 in weeks and days*	text (integer) Field Annotation: @CHARLIMIT=2
139	int_0_q46cweeks Show the field ONLY if: [int_0_q46b] = '0' or [int_0_q46b] = '88'	Weeks *If client doesn't know or doesn't remember enter 88 in months and 0 in weeks and days*	text (integer) Field Annotation: @CHARLIMIT=2
140	int_0_q46cmonths Show the field ONLY if: [int_0_q46b] = '0' or [int_0_q46b] = '88'	Months *If client doesn't know or doesn't remember enter 88 in months and 0 in weeks and days*	text (integer) Field Annotation: @CHARLIMIT=3

141	int_0_q46d Show the field ONLY if: [int_0_q46b] = '0' or [int_0_q46b] = '88'	46d. What are the reasons you stopped using this method? Ni sababu zipi zilikufanya uache kutumia mbinu hii? *Do not read out response options. Multiple responses possible. Record all responses mentioned by client.*	checkbox, Required		
			1	int_0_q46d___1	Want to become pregnant - NATAKA KUWA MJAMZITO
			2	int_0_q46d___2	Became pregnant - NILIKUWA MJAMZITO
			3	int_0_q46d___3	Infrequent sex/Partner away - SIJAMIANI KWA SANA/MWENZA YUKO MBALI
			4	int_0_q46d___4	Husband disapproved - MME ALIKATAA
			5	int_0_q46d___5	Wanted a more effective method - NILITAKA MBINU ILIYO NZURI ZAIDI
			6	int_0_q46d___6	Health concerns - TATIZO LA KIAFYA
			7	int_0_q46d___7	Unable to access - SI RAHISI KUPATIKANA
			8	int_0_q46d___8	Too Expensive - BEI GHALI
			9	int_0_q46d___9	Relationship dissolution - MAHUSIANO KUVUNJIKA
			10	int_0_q46d___10	Side Effects - ATHARKI ZAKE
			11	int_0_q46d___11	Method too inconvenient -
			77	int_0_q46d___77	Other - NYINGINE
			88	int_0_q46d___88	Don't know/Don't remember - SIJUI/SIKUMBUKI
			99	int_0_q46d___99	Refused to answer - ALIKATAA KUJIBU
			Field Annotation: @NONEOFTHEABOVE='88,99'		
142	int_0_46dother Show the field ONLY if: [int_0_q46d(77)]='1'	Other reason stopped method	text		
143	int_0_q46e Show the field ONLY if: [int_0_q46b] = '0' or [int_0_q46b] = '88' or [int_0_q43]='0' or [int_0_q43]='88' or [int_0_q43]='99'	46e. Who made the final decision to not use a family planning method? Nani alifanya maamuzi ya mwisho kuhusu mbinu ambayo ungeitumia *Do not read out responses. Record only those mentioned by the client. Multiple responses may be possible. Record all mentioned.*	checkbox, Required		
			1	int_0_q46e___1	Me - MIMI
			2	int_0_q46e___2	My partner - MWENZA WANGU
			3	int_0_q46e___3	My healthcare provider - MHUDUMU WANGU WA AFYA
			4	int_0_q46e___4	My mother in-law - MAMA MKWE
			5	int_0_q46e___5	My mother - MAMANGU
			77	int_0_q46e___77	Other - MWINGINE
			88	int_0_q46e___88	Don't know/Don't remember - SIJUI/SIKUMBUKI
			Field Annotation: @NONEOFTHEABOVE=88		
144	int_0_46eother Show the field ONLY if: [int_0_q46e(77)]='1'	Other final decision 2	text		
145	int_0_q47a Show the field ONLY if: [int_0_q43]<>''	47a. Were you doing anything to avoid getting pregnant at the time you became pregnant? Ulikuwa unafanya chochote wakati huo ili kuzuia kupata ujauzito wakati huo	radio, Required		
			0	No - LA	
			1	Yes - NDIO	
			88	Don't know/Don't remember - SIJUI/SIKUMBUKI	
			99	Refused to answer - HAKUJIBU	

146	int_0_q47b Show the field ONLY if: [int_0_q47a]='1'	47b. What were you doing to avoid getting pregnant at the time you became pregnant? Ni nini ulifanya ili kuzuia kupata ujauzito wakati huo ulipopata ujauzito? *INTERVIEWER: Do not read out methods. Record only those mentioned by the client. Multiple responses may be possible. Record all mentioned. Remember that if the client mentions a "28-day" pill, this refers to the COMBINED PILL, and if the client mentions a "35-day" pill, this refers to the PROGESTINE ONLY PILL.*	checkbox, Required

1	int_0_q47b___1	Combined pill - TEMBE YA PAMOJA
2	int_0_q47b___2	Progestine only pill - TEMBE YA PROJESTRONI PEKEE
3	int_0_q47b___3	Male condom - MPIRA WA WANAUME
4	int_0_q47b___4	Female condom - MPIRA WA WANAWAKE
5	int_0_q47b___5	IUD
6	int_0_q47b___6	Injectables - SINDANO
7	int_0_q47b___7	Implant - KIPANDIKIZI
8	int_0_q47b___8	Breastfeeding/LAM - KUNYONYESHA
9	int_0_q47b___9	Male sterilization - KUFISHA VIDUDU KWA WANAUMME
10	int_0_q47b___10	Female sterilization - KUFISHA VIDUDU KWA WANAWAKE
11	int_0_q47b___11	Emergency contraception - KINGAMIMBA YA DHARURA
12	int_0_q47b___12	Withdrawl - KUONDOA
13	int_0_q47b___13	Avoid Sex - KUTOJAMIANA
14	int_0_q47b___14	Use of traditional Method - KUTUMIA DAWA ZA KIASILI
77	int_0_q47b___77	Other - NYINGINE
88	int_0_q47b___88	Don't know - SIJUI

Field Annotation: @NONEOFTHEABOVE=88

147	int_0_47bother Show the field ONLY if: [int_0_q47b(77)]='1'	Other avoid pregnancy	text

148	sect_g_desc Show the field ONLY if: [int_0_q47a]<>''	Section Header: *SECTION G: SELF-EFFICACY IN CONTRACEPTIVE CHOICE* Please tell me if you would agree or disagree with the following statements.Tafadhali niambie namna unakubali zaidi, unakubali, hukubali au kamwe hukubali na mambo yafuatayo kuhusu upangaji uzazi na kingamimba.	descriptive

149	int_0_q48 Show the field ONLY if: [consent]='1' and [contact_info]='1'	48. You could start a conversation with your husband/partner about family planning. Unaweza kuanza mazungumzo na mme/baba mtoto wako kuhusu upangaji uzazi.	radio, Required

0	Disagree - SIKUBALI
1	Agree - NAKUBALI
88	Don't know/Don't remember - SIJUI/SIKUMBUKI

150	int_0_q49 Show the field ONLY if: [consent]='1' and [contact_info]='1'	49. You could convince your husband/partner that you should use a family planning method. Unaweza kumshawishi mme/baba mtoto wako kuwa unafaa kutumia mbinu ya upangaji uzazi.	radio, Required

0	Disagree - SIKUBALI
1	Agree - NAKUBALI
88	Don't know/Don't remember - SIJUI/SIKUMBUKI

151	int_0_q50 Show the field ONLY if: [consent]='1' and [contact_info]='1'	50. You could use family planning method even if your husband/partner doesn't want you to. Unaweza kutumia mbinu ya upangaji uzazi hata kama mme/baba mtoto wako hataki uitumie	radio, Required

0	Disagree - SIKUBALI
1	Agree - NAKUBALI
88	Don't know/Don't remember - SIJUI/SIKUMBUKI

152	int_0_q51 Show the field ONLY if: [consent]='1' and [contact_info]='1'	51. You could use family planning method even if none of your friends or neighbors use one. Unaweza kutumia mbinu ya upangaji uzazi hata kama hakuna rafiki au jirani yako yeyote anayetumia?	radio, Required

0	Disagree - SIKUBALI
1	Agree - NAKUBALI
88	Don't know/Don't remember - SIJUI/SIKUMBUKI

153	int_0_q52 Show the field ONLY if: [consent]='1' and [contact_info]='1'	52. You could use family planning method even if your religious leader did not think you should use one. Unaweza kutumia mbinu ya upangaji uzazi hata kama kiongozi wako wa dini anafikiria kuwa hustahili kutumia moja?.	radio, Required

0	Disagree - SIKUBALI
1	Agree - NAKUBALI
88	Don't know/Don't remember - SIJUI/SIKUMBUKI

| 154 | int_0_q53

Show the field ONLY if:
[consent]='1' and [contact_info]='1' | 53. You could use a family planning method even if your healthcare provider did not think you should use one. Unaweza kutumia mbinu ya upangaji uzazi hata kama mhudumu wako wa Afya anafikiria kuwa hustahili kutumia moja? | radio, Required

| 0 | Disagree - SIKUBALI |
| 1 | Agree - NAKUBALI |
88	Don't know/Don't remember - SIJUI/SIKUMBUKI	
155	sect_h_desc Show the field ONLY if: [consent]='1' and [contact_info]='1'	Section Header: *SECTION H: PREGNANCY HEALTH* Finally, I would like to ask you a few questions about your health.Mwisho, ningependa kukuuliza maswali zaidi kuhusu afya yako	descriptive
156	int_0_q54 Show the field ONLY if: [consent]='1' and [contact_info]='1'	54. During this pregnancy, were you told by a healthcare provider that you have any medical conditions? Wakati wa ujauzito huu, uliambiwa na mhudumu wako kuwa una matatizo ya kiafya?	radio, Required 	0	No - LA
1	Yes - NDIO
88	Don't know/Don't remember - SIJUI/SIKUMBUKI	
157	int_0_q55 Show the field ONLY if: [int_0_q54]='1'	55. What medical conditions were you told that you have? Uliambiwa ulikuwa na matatizo yepi ya kiafya? *Do not read out conditions. Record only those mentioned by the client. Multiple responses may be possible. Record all mentioned.*	checkbox, Required | 1	int_0_q55___1	Hypertension - SHINIKISHO LA DAMU
2	int_0_q55___2	Diabetes - KISUKARI
3	int_0_q55___3	Gestational Diabetes - KISUKARI KIJACHO WAKATI WA UJAUZITO
4	int_0_q55___4	Tuberculosis - KIFUA KIKUU
5	int_0_q55___5	Sickly Cell Anemia - ANEMIA YA SELIMUNDU
6	int_0_q55___6	HIV/AIDS - UKIMWI
7	int_0_q55___7	Pre-Eclampsia - EKLAMPSIA YA KABLA
77	int_0_q55___77	Other - NYINGINE
88	int_0_q55___88	Don't know/Don't remember - SIJUI/SIKUMBUKI	 Field Annotation: @NONEOFTHEABOVE=88
158	int_0_q55other Show the field ONLY if: [int_0_q55(77)]='1'	Other medical condition	text
159	int_0_q56 Show the field ONLY if: [consent]='1' and [contact_info]='1'	56. Have you ever been pregnant with more than one baby at the same time? Umewahi kuwa na ujauzito wa zaidi ya mtoto mmoja kwa wakati mmoja?	radio, Required 	0	No - LA
1	Yes - NDIO
88	Don't know/Don't remember - SIJUI/SIKUMBUKI
99	Refused to answer - HAKUJIBU	
160	int_0_q57 Show the field ONLY if: [consent]='1' and [contact_info]='1'	57. May I please look at your antenatal care card/Mother Child Booklet? Tafadhali ninaweza kutazama kadi yako ya ANC/kitabu cha mama na mtoto? *PLEASE RECORD ALL MEDICAL CONDITIONS IN THE CARD*	checkbox | 0	int_0_q57___0	No medical conditions listed
1	int_0_q57___1	Hypertension - SHINIKISHO LA DAMU
2	int_0_q57___2	Diabetes - KISUKARI
3	int_0_q57___3	Gestational Diabetes - KISUKARI KIJACHO WAKATI WA UJAUZITO
4	int_0_q57___4	Tuberculosis - KIFUA KIKUU
5	int_0_q57___5	Sickly Cell Anemia - ANEMIA YA SELIMUNDU
6	int_0_q57___6	HIV/AIDS - UKIMWI
7	int_0_q57___7	Pre-Eclampsia - EKLAMPSIA YA KABLA
77	int_0_q57___77	Other - NYINGINE	 Field Annotation: @NONEOFTHEABOVE=0
161	int_0_q57_other Show the field ONLY if: [int_0_q57(77)] = '1'	Other medical conditions listed	notes

162	int_0_end_time Show the field ONLY if: [consent]='1'	Record Time Interview Ended	text (time), Required
163	post_partum_interview_zero_complete	Section Header: *Form Status* Complete?	dropdown 0 Incomplete 1 Unverified 2 Complete

Instrument: **Post Partum Interview One Pre-Supplement** (post_partum_interview_one_presupplement)			∧ Collapse
164	int_pre_participantiddesc Show the field ONLY if: [1_enrollment_arm_1][consent]='1' and [1_enrollment_arm_1][contact_info]='1' and [1_enrollment_arm_1][int_0_end_time]<>''	1. PARTICIPANT ID: [1_enrollment_arm_1][participant_id], FACILITY: [1_enrollment_arm_1][fac_name]	descriptive
165	pp1_int_date Show the field ONLY if: [1_enrollment_arm_1][consent]='1' and [1_enrollment_arm_1][contact_info]='1' and [1_enrollment_arm_1][int_0_end_time]<>''	1a. Date of Interview	text (datetime_dmy), Required
166	delivery_date Show the field ONLY if: [1_enrollment_arm_1][consent]='1' and [1_enrollment_arm_1][contact_info]='1' and [1_enrollment_arm_1][int_0_end_time]<>''	1b. When did you deliver your baby? Ulijifungua saa ngapi? *ASK FOR DATE AND TIME*	text (datetime_dmy), Required Field Annotation: @HIDEBUTTON
167	time_diff_deli Show the field ONLY if: [1_enrollment_arm_1][consent]='1' and [1_enrollment_arm_1][contact_info]='1' and [1_enrollment_arm_1][int_0_end_time]<>''	Hours passed since delivery and interview	calc Calculation: round(datediff([delivery_date], [pp1_int_date],"h","dmy",true),2)
168	elig_time Show the field ONLY if: [1_enrollment_arm_1][consent]='1' and [1_enrollment_arm_1][contact_info]='1' and [1_enrollment_arm_1][int_0_end_time]<>''	Check client eligibility by delivery time	calc Calculation: if([time_diff_deli]>=0 and [time_diff_deli]<=48,1,if([time_diff_deli]>48,0,'NaN'))
169	inelig_time_1 Show the field ONLY if: [elig_time] = '0'	Interviewer: Please see the instructions below THE PARTICIPANT cannot be interviewed because the time between her delivery and this interview is more than 48 hours. the difference is [time_diff_deli] hours	descriptive
170	inelig_time_2 Show the field ONLY if: [time_diff_deli] < 0	Interviewer: Please see the instructions below THE PARTICIPANT cannot be interviewed because the time between her delivery and this interview is a negative number. this is not possible as you have selected a future date. See the following information and correct where necessary: 1. Date and time of Interview: [pp1_int_date] 2. Date and time of Delivery: [delivery_date] 3. Time Difference: [time_diff_deli] hours	descriptive
171	section_a_pre_int_v2 Show the field ONLY if: [elig_time] = '1'	Section Header: *SECTION A: PARTICIPANT INFORMATION SINCE BASELINE* Now I would like to ask you some questions about your antenatal care and your health prior to visiting this facility for your delivery.Sasa ningependa kukuuliza maswali kuhusu ANC na hali yako ya kiafya kabla ya ziara yako ya kuja huku kituoni ili kujifungua	descriptive

172	pre_int_q2 Show the field ONLY if: [elig_time] = '1'	2. How many times did you visit ANY health facility to receive antenatal care for this pregnancy before today? Ni mara ngapi umezuru kituo chochote cha Afya ili kupokea malezi ya ujauzito wa ujauzito huu kabla ya leo? *INTERVIEWER: Please remember to exclude the current visit from the woman's total count of the number of times she has visited ANY facility for this pregnancy BEFORE today.*	text (integer, Min: 0, Max: 99), Required Field Annotation: @CHARLIMIT=2
173	pre_int_q3 Show the field ONLY if: [elig_time] = '1'	3. How many times did you visit THIS facility to receive antenatal care for this pregnancy before today? Ni mara ngapi umezuru kituo hiki cha Afya ili kupokea malezi ya ujauzito wa ujauzito huu kabla ya leo? *INTERVIEWER: Please remember to exclude the current visit from the woman's total count of the number of times she has visited THIS facility for this pregnancy BEFORE today.*	text (integer, Min: 0, Max: 99), Required Field Annotation: @CHARLIMIT=2
174	pre_int_q4 Show the field ONLY if: [elig_time] = '1'	4. During any of those visits, were you told by your provider that you have any medical conditions? Wakati wa ziara hii, uliambiwa na mhudumu wako kuwa una matatizo ya kiafya?	radio, Required 0 | No - LA 1 | Yes - NDIO 88 | Don't know/Don't remember - SIJUI/SIKUMBUKI
175	pre_int_q5 Show the field ONLY if: [pre_int_q4]='1'	5. What medical conditions were you told that you have? Uliambiwa ulikuwa na matatizo yepi ya kiafya? *INTERVIEWER: Do not read out medical conditions. Multiple responses are possible. Record all medical conditions mentioned by respondent.*	checkbox, Required 1 | pre_int_q5___1 | Hypertension - SHINIKISHO LA DAMU 2 | pre_int_q5___2 | Diabetes - KISUKARI 3 | pre_int_q5___3 | Gestational Diabetes - KISUKARI KIJACHO WAKATI WA UJAUZITO 4 | pre_int_q5___4 | Tuberculosis - KIFUA KIKUU 5 | pre_int_q5___5 | Sickly Cell Anemia - ANEMIA YA SELIMUNDU 6 | pre_int_q5___6 | HIV/AIDS - UKIMWI 7 | pre_int_q5___7 | Pre-Eclampsia - EKLAMPSIA YA KABLA 77 | pre_int_q5___77 | Other - NYINGINE
176	pre_int_q5other Show the field ONLY if: [pre_int_q5(77)] = '1'	Other specify	text, Required
177	pre_int_q6 Show the field ONLY if: [elig_time] = '1'	6. Before coming to this facility for delivery, had you planned to use a family planning method immediately after you gave birth and before you are discharged from this healthcare facility? Kabla ya kuja kwenye kituo hiki ili kujifungua, ulikuwa umeamua kutumia upangaji uzazi pindi tu baada ya kujifungua (kabla ya kuruhusiwa kuondoka kutoka kwa kituo cha Afya)?	radio, Required 0 | No - LA 1 | Yes - NDIO 88 | Don't know/Don't remember - SIJUI/SIKUMBUKI

| 178 | pre_int_q7

Show the field ONLY if:
[pre_int_q6]='1' | 7. What method had you decided to use? Ulikuwa umechagua kutumia mbinu ipi?
INTERVIEWER: Do not read out methods. Multiple responses are possible. Record all methods mentioned by respondent. Confirm response with previous interview. Interviewer should have verified with prior questionnaire. Remember that if the client mentions a "28-day" pill, this refers to the COMBINED PILL, and if the client mentions a "35-day" pill, this refers to the PROGESTINE ONLY PILL. | checkbox, Required |||

pre_int_q7 response options:

#	Variable	Label
1	pre_int_q7___1	Combined pill - TEMBE YA PAMOJA
2	pre_int_q7___2	Progestine only pill - TEMBE YA PROJESTRONI PEKEE
3	pre_int_q7___3	Male condom - MPIRA WA WANAUME
4	pre_int_q7___4	Female condom - MPIRA WA WANAWAKE
5	pre_int_q7___5	IUD
6	pre_int_q7___6	Injectables - SINDANO
7	pre_int_q7___7	Implant - KIPANDIKIZI
8	pre_int_q7___8	Breastfeeding/LAM - KUNYONYESHA
9	pre_int_q7___9	Male sterilization - KUFISHA VIDUDU KWA WANAUMME
10	pre_int_q7___10	Female sterilization - KUFISHA VIDUDU KWA WANAWAKE
11	pre_int_q7___11	Emergency contraception - KINGAMIMBA YA DHARURA
77	pre_int_q7___77	Other - NYINGINE
88	pre_int_q7___88	Don't know/Don't remember - SIJUI/SIKUMBUKI
99	pre_int_q7___99	Refused to answer - HAKUJIBU

Field Annotation: @NONEOFTHEABOVE='88,99'

179	pre_int_q7other Show the field ONLY if: [pre_int_q7(77)] = '1'	Other specify	text, Required

| 180 | section_b_pre_int

Show the field ONLY if:
[elig_time] = '1' | Section Header: *SECTION B: PREGNANCY INTENTIONS:*
Now, I would like to ask you some questions about becoming pregnant, including if you may or may not like to become pregnant again. Please remember there is no right or wrong answerSasa, ningependa kukuuliza maswali kuhusu iwapo ungependa au haungependa kuwa na ujauzito tena. Tafadhali kumbuka kuwa hakuna jibu sahihi au lisilo sahihi | descriptive |

| 181 | pre_int_q8

Show the field ONLY if:
[elig_time] = '1' | 8. Would you like to have another child after the delivery of this child?Ungependa kuwa na mtoto mwingine baada ya mtoto huyu?
DO NOT READ OUT ANSWER OPTIONS. RECORD ONLY THOSE MENTIONED BY THE CLIENT. | radio, Required |

Code	Label
0	No - LA
1	Yes - NDIO
2	It is up to God - NI JUU YA MUNGU
88	Don't know/Don't remember - SIJUI/SIKUMBUKI

| 182 | pre_int_q9

Show the field ONLY if:
[pre_int_q8]='1' or [pre_int_q8]='2' or [pre_int_q8]='88' | 9. When would you like to become pregnant again after giving birth? Ungependa kuwa na ujauzito lini baada ya kujifungua?
If participant says "immediately," record "0" next to MONTHS and YEARS. | radio, Required |

Code	Label
44	Knows month and year
0	Never - KAMWE
1	My husband will decide - MME WANGU ATAAMUA
2	Up to God - NI JUU YA MUNGU
3	My family will decide - FAMILIA ITAAMUA
88	Don't know/Don't remember - SIJUI/SIKUMBUKI

183	pre_int_9months Show the field ONLY if: [pre_int_q9]='44'	When to become pregnant again: Months *If participant says "immediately," record "0" next to MONTHS and YEARS.*	text (integer), Required

184	pre_int_9years Show the field ONLY if: [pre_int_q9]='44'	When to become pregnant again: Years *If participant says "immediately," record "0" next to MONTHS and YEARS.*	text (integer), Required

185	pre_int_q10 Show the field ONLY if: [elig_time] = '1'	10. How did you get to this facility today?Ulisafiria mbinu ipi kuja kituoni leo?	radio, Required

			0	Ambulance
			1	Minibus/Matatu
			2	Own car - GARI LA BINAFSI
			3	Walked - KUTEMBEA
			5	Motorcycle - PIKIPIKI
			6	Special Hire Taxi - TEKSI MAALUM
			8	Rented/Borrowed car
			10	Tuk tuk
			77	Other - NYINGINE

186	pre_int_q10_other Show the field ONLY if: [pre_int_q10] = '77'	Other specify	text, Required
187	pre_int_q11_desc Show the field ONLY if: [elig_time] = '1'	11. How long did it take you to get to this health facility today?Leo, ilikuchukua muda upi kufika kwenye kituo hiki cha Afya?	descriptive
188	pre_int_q11_minutes Show the field ONLY if: [elig_time] = '1'	Minutes *INTERVIEWER: This refers to when the client arrived at the facility gate-not when they started being served by the facility staff. If the participant references the time in terms of the placement of the sun or other manner, probe to get a minute or hourly estimate.*	text (integer) Field Annotation: @CHARLIMIT=2
189	pre_int_q11_hours Show the field ONLY if: [elig_time] = '1'	Hours *INTERVIEWER: This refers to when the client arrived at the facility gate-not when they started being served by the facility staff. If the participant references the time in terms of the placement of the sun or other manner, probe to get a minute or hourly estimate.*	text (integer) Field Annotation: @CHARLIMIT=2
190	post_partum_interview_one_pre supplement_complete	Section Header: *Form Status* Complete?	dropdown

			0	Incomplete
			1	Unverified
			2	Complete

Instrument: **Post Partum Interview One** (post_partum_interview_one)			⌃ Collapse

191	int_1_q1 Show the field ONLY if: [1_enrollment_arm_1][consent] ='1' and [1_enrollment_arm_1][c ontact_info]='1' and [pre_int_q8] <>''	1. PARTICIPANT ID: [1_enrollment_arm_1][participant_id], FACILITY: [1_enrollment_arm_1][fac_name]	descriptive
192	sect_a_description_int1 Show the field ONLY if: [1_enrollment_arm_1][consent] ='1' and [1_enrollment_arm_1][c ontact_info]='1' and [pre_int_q8] <>''	Section Header: *SECTION A: DELIVERY CARE INFORMATION* Now we will talk about your experiences since giving birth at this facilitySasa tutazungumza kuhusu uliyoyapitia tangu kujifungua kwenye kituo hiki	descriptive
193	int_1_q2 Show the field ONLY if: [1_enrollment_arm_1][consent] ='1' and [1_enrollment_arm_1][c ontact_info]='1' and [pre_int_q8] <>''	2. How many weeks pregnant were you with this pregnancy before you gave birth to this baby? Ulikuwa na ujauzito wa wiki ngapi kabla ya kujifungua? *IF PARTICIPANT DOES NOT KNOW OR DOES NOT REMEMBER, ENTER 88*	text (integer), Required Field Annotation: @CHARLIMIT=2
194	int_1_q2b Show the field ONLY if: [1_enrollment_arm_1][consent] ='1' and [1_enrollment_arm_1][c ontact_info]='1' and [pre_int_q8] <>''	2b. Do you plan to breastfeed your baby? Una nia ya kumnyonyesha mtoto huyu?	radio, Required

			0	No - LA
			1	Yes - NDIO
			88	Don't know/Don't remember - SIJUI/SIKUMBUKI
			99	Refused to Answer - HAKUJIBU

195	int_1_q3 Show the field ONLY if: [1_enrollment_arm_1][consent]='1' and [1_enrollment_arm_1][contact_info]='1' and [pre_int_q8]<>''	3. Which type of healthcare provider delivered your baby? Ni aina gani ya mhudumu wa Afya alikuzalisha mtoto huyu? *INTERVIEWER: Confirm this information before interview or by checking the medical registry.*	radio, Required	
			1	Doctor - DAKTARI
			2	Obgyn - MWANA ELIMUUZAZI
			3	Nurse - NESI
			4	Midwife - MKUNGA
			5	Clinical Officer - DAKTARI WA KLINIKI
			77	Other - MWINGINE
			88	Don't know/Don't remember - SINA UHAKIKA/SIKUMBUKI
196	int_1_q3other Show the field ONLY if: [int_1_q3]='77'	Other person who delivered your baby	text	
197	int_1_q4 Show the field ONLY if: [1_enrollment_arm_1][consent]='1' and [1_enrollment_arm_1][contact_info]='1' and [pre_int_q8]<>''	4. Was your delivery care provided without you and your healthcare provider being seen by other people, for example behind a screen? Kujifungua kwako kulifanyika bila wewe au mhudumu wako kuonekana na watu wengine mfano nyuma ya kisitiri?	radio, Required	
			0	No - LA
			1	Yes - NDIO
			88	Don't know/Don't remember - SIJUI/SIKUMBUKI
198	int_1_q5 Show the field ONLY if: [1_enrollment_arm_1][consent]='1' and [1_enrollment_arm_1][contact_info]='1' and [pre_int_q8]<>''	5. Was your delivery care provided without you and your healthcare provider(s) being heard by other people Kujifungua kwako kulifanyika bila wewe au mhudumu wako kusikika na watu wengine?	radio, Required	
			0	No - LA
			1	Yes - NDIO
			88	Don't know/Don't remember - SIJUI/SIKUMBUKI
199	int_1_q6_desc Show the field ONLY if: [1_enrollment_arm_1][consent]='1' and [1_enrollment_arm_1][contact_info]='1' and [pre_int_q8]<>''	6. Did any health care provider with whom you interacted during this childbirth stay discuss the following since you arrived at this facility for your delivery? Ulipokuwa unakaa pale, mlijadiliana yafuatayo na mhudumu yeyote wa Afya ambaye mlishirikiana naye katika kujifungua ?	descriptive	
200	int_1_q6a Show the field ONLY if: [1_enrollment_arm_1][consent]='1' and [1_enrollment_arm_1][contact_info]='1' and [pre_int_q8]<>''	6a. Maternal care (hygiene, rest, nutrition etc) Malezi ya mama na mtoto (usafi, kupumzika, lishe n.k)	radio, Required	
			0	No - LA
			1	Yes - NDIO
			88	Don't know/Don't remember - SIJUI/SIKUMBUKI
201	int_1_q6b Show the field ONLY if: [1_enrollment_arm_1][consent]='1' and [1_enrollment_arm_1][contact_info]='1' and [pre_int_q8]<>''	6b. Newborn care (breastfeeding, cord care, bathing, etc) Malezi ya mtoto (kunyonyesha, utunzaji wa kitovu, kuoga, n.k)	radio, Required	
			0	No - LA
			1	Yes - NDIO
			88	Don't know/Don't remember - SIJUI/SIKUMBUKI
202	int_1_q6c Show the field ONLY if: [1_enrollment_arm_1][consent]='1' and [1_enrollment_arm_1][contact_info]='1' and [pre_int_q8]<>''	6c. Medical reasons to come back to the hospital or seek care immediately for the baby Sababu za kiafya zitakazokufanya kurudi hospitalini au tafutia mtoto usaidizi pindi tu?	radio, Required	
			0	No - LA
			1	Yes - NDIO
			88	Don't know/Don't remember - SIJUI/SIKUMBUKI
203	int_1_q6d Show the field ONLY if: [1_enrollment_arm_1][consent]='1' and [1_enrollment_arm_1][contact_info]='1' and [pre_int_q8]<>''	6d. Immunizations for your baby Chanjo kwa mtoto wako	radio, Required	
			0	No - LA
			1	Yes - NDIO
			88	Don't know/Don't remember - SIJUI/SIKUMBUKI
204	int_1_q6e Show the field ONLY if: [1_enrollment_arm_1][consent]='1' and [1_enrollment_arm_1][contact_info]='1' and [pre_int_q8]<>''	6e. Medical reasons to come back to the hospital or seek care immediately for your own health Sababu za kiafya zitakazokufanya kurudi hospitalini au kujitafutia usaidizi pindi tu?	radio, Required	
			0	No - LA
			1	Yes - NDIO
			88	Don't know/Don't remember - SIJUI/SIKUMBUKI

| 205 | int_1_q6f

Show the field ONLY if:
[1_enrollment_arm_1][consent]='1' and [1_enrollment_arm_1][contact_info]='1' and [pre_int_q8]<>'' | 6f. Postpartum Family Planning Upangaji uzazi baada ya kujifungua?
INTERVIEWER: If the respondent is not familiar with the term postpartum family planning, explain that this refers to the use of a family planning method after delivery. | radio, Required

| 0 | No - LA |
| 1 | Yes - NDIO |
88	Don't know/Don't remember - SIJUI/SIKUMBUKI	
206	sect_b_int1_desc Show the field ONLY if: [1_enrollment_arm_1][consent]='1' and [1_enrollment_arm_1][contact_info]='1' and [pre_int_q8]<>''	Section Header: *SECTION B: FAMILY PLANNING AT DELIVERY VISIT* Now I would like to discuss with you your experiences with family planning counseling and receiving family planning in the time since you came to this facility for your delivery.Sasa ningependa kujadili nawe kuhusu uliyoyapitia kwenye mashauriano ya upangaji uzazi na kupokea upangaji uzazi wakati ambapo ulikuja katika kituo hiki kwa ajili ya kujifungua.	descriptive
207	int_1_q7 Show the field ONLY if: [1_enrollment_arm_1][consent]='1' and [1_enrollment_arm_1][contact_info]='1' and [pre_int_q8]<>''	7. During this delivery visit has a health care provider talked to you about any specific family planning method Wakati wa ziara hii ya kujifungua, kuna mhudumu yeyote wa Afya ambaye amezungumza nawe kuhusu mbinu yoyote ya upangaji uzazi?	radio, Required 	0	No - LA
1	Yes - NDIO
88	Don't know/Don't remember - SIJUI/SIKUMBUKI	
208	int_1_q8 Show the field ONLY if: [int_1_q7]='1'	8. Which provider(s) have talked to you about family planning? Ni wahudumu wepi ambao wamezungumza nawe kuhusu upangaji uzazi?	checkbox, Required | 1	int_1_q8___1	Doctor - DAKTARI
2	int_1_q8___2	Obgyn - MWANA ELIMUUZAZI
3	int_1_q8___3	Nurse - NESI
4	int_1_q8___4	Midwife - MKUNGA
5	int_1_q8___5	Clinical Officer - DAKTARI WA KLINIKI
77	int_1_q8___77	Other - MWINGINE
88	int_1_q8___88	Don't know/Don't remember - SINA UHAKIKA/SIKUMBUKI
99	int_1_q8___99	Refused to Answer - HAKUJIBU	 Field Annotation: @NONEOFTHEABOVE='88,99'
209	int_1_q8other Show the field ONLY if: [int_1_q8(77)]='1'	Other providers	text, Required
210	int_1_q9 Show the field ONLY if: [int_1_q7]='1'	9. What methods have you considered with your health care provider after your delivery? Ni mbinu zipi ambazo wewe na mhudumu wako mnazifikiria baada ya kujifungua? *INTERVIEWER: Do not read out methods. Multiple responses may be possible. Record all mentioned. Remember that if the client mentions a "28-day" pill, this refers to the COMBINED PILL, and if the client mentions a "35-day" pill, this refers to the PROGESTINE ONLY PILL.*	checkbox, Required | 1	int_1_q9___1	Combined pill - TEMBE YA PAMOJA
2	int_1_q9___2	Progestine only pill - TEMBE YA PROJESTRONI PEKEE
3	int_1_q9___3	Male condom - MPIRA WA WANAUME
4	int_1_q9___4	Female condom - MPIRA WA WANAWAKE
5	int_1_q9___5	IUD
6	int_1_q9___6	Injectables - SINDANO
7	int_1_q9___7	Implant - KIPANDIKIZI
8	int_1_q9___8	Breastfeeding/LAM - KUNYONYESHA
9	int_1_q9___9	Male sterilization - KUFISHA VIDUDU KWA WANAUMME
10	int_1_q9___10	Female sterilization - KUFISHA VIDUDU KWA WANAWAKE
11	int_1_q9___11	Emergency contraception - KINGAMIMBA YA DHARURA
77	int_1_q9___77	Other - NYINGINE
88	int_1_q9___88	Don't know/Don't remember - SIJUI/SIKUMBUKI
99	int_1_q9___99	Refused to Answer - HAKUJIBU	 Field Annotation: @NONEOFTHEABOVE='88,99'

211	int_1_q9other Show the field ONLY if: [int_1_q9(77)]='1'	Other method	text	
212	sect_c_int1_desc Show the field ONLY if: [int_1_q7]='1' or [int_1_q7]='88' or [int_1_q7]='0'	Section Header: *SECTION C: EXPERIENCE WITH CONTRACEPTIVE METHOD PROVISION AT DELIVERY VISIT* Now I would like to ask you some questions about if you received a contraceptive method since arriving at this facility for your deliverySasa ningependa kukuuliza maswali kuhusu iwapo ulipokea mbinu ya kingamimba tangu kufika kwenye kituo hiki kwa ajili ya kujifungua	descriptive	
213	int_1_q10a Show the field ONLY if: [int_1_q7]='1' or [int_1_q7]='88' or [int_1_q7]='0'	10a. Have you received a Family Planning method or a referral since you gave birth to this baby? Umepokea mbinu ya upangaji uzazi au rufaa tangu ulipojifungua mtoto huyu?	radio, Required	
			0	No - LA
			1	Yes, received method - NDIO, NILIPOKEA MBINU
			2	Yes, received referral - NDIO, NILIPATA RUFAA
			3	Yes, was asked to return to this facility at a later date to receive the method - NDIO, NILIAMBIWA NIRUDI KATIKA KITUO HIKI KWENYE TAREHE YA BAADAYE ILI KUPOKEA MBINU
214	int_1_q10b Show the field ONLY if: [int_1_q10a]='2' or [int_1_q10a]='3'	10b. What method were you referred for or asked to return to this facility at a later date to receive?Ulipewa rufaa ya mbinu ipi au uliambiwa urudie kupokea kwenye kituo hiki kwenye tarehe ya baadaye? *DO NOT READ OUT METHODS. Remember that if the client mentions a "28-day" pill, this refers to the COMBINED PILL, and if the client mentions a "35-day" pill, this refers to the PROGESTINE ONLY PILL.*	radio	
			1	Combined pill - TEMBE YA PAMOJA
			2	Progestine only pill - TEMBE YA PROJESTRONI PEKEE
			3	Male condom - MPIRA WA WANAUME
			4	Female condom - MPIRA WA WANAWAKE
			5	IUD
			6	Injectables - SINDANO
			7	Implant - KIPANDIKIZI
			8	Breastfeeding/LAM - KUNYONYESHA
			9	Male sterilization - KUFISHA VIDUDU KWA WANAUMME
			10	Female sterilization - KUFISHA VIDUDU KWA WANAWAKE
			11	Emergency contraception - KINGAMIMBA YA DHARURA
			12	Avoid sex - ZUIA NGONO
			13	Use a traditional method - MBINU YA KITAMADUNI
			77	Other - NYINGINE
			88	Don't know/Don't remember - SIJUI/SIKUMBUKI
			99	Refused to Answer - HAKUJIBU
215	int_1_q10bother Show the field ONLY if: [int_1_q10b]='77'	Other methods	text, Required	
216	int_1_q11 Show the field ONLY if: [int_1_q10a]='1'	11. Who provided you with the family planning method? Nani alikupa mbinu ya upangaji uzazi? *Confirm this information before interview or by checking the medical registry.*	radio, Required	
			1	Doctor - DAKTARI
			2	Obgyn - MWANA ELIMUUZAZI
			3	Nurse - NESI
			4	Midwife - MKUNGA
			5	Clinical Officer - DAKTARI WA KLINIKI
			77	Other - MWINGINE
			88	Don't know/Don't remember - SINA UHAKIKA/SIKUMBUKI
217	int_1_q11other Show the field ONLY if: [int_1_q11]='77'	Other provider	text, Required	

218	int_1_q12	12. What method did you receive? Ulipokea mbinu ipi?	checkbox, Required
	Show the field ONLY if: [int_1_q10a]='1'	*DO NOT READ OUT METHODS. RECORD ONLY THOSE MENTIONED BY THE CLIENT. emember that if the client mentions a "28-day" pill, this refers to the COMBINED PILL, and if the client mentions a "35-day" pill, this refers to the PROGESTINE ONLY PILL.*	

1	int_1_q12___1	Combined pill - TEMBE YA PAMOJA
2	int_1_q12___2	Progestine only pill - TEMBE YA PROJESTRONI PEKEE
3	int_1_q12___3	Male condom - MPIRA WA WANAUME
4	int_1_q12___4	Female condom - MPIRA WA WANAWAKE
5	int_1_q12___5	IUD
6	int_1_q12___6	Injectables - SINDANO
7	int_1_q12___7	Implant - KIPANDIKIZI
8	int_1_q12___8	Breastfeeding/LAM - KUNYONYESHA
9	int_1_q12___9	Male sterilization - KUFISHA VIDUDU KWA WANAUMME
10	int_1_q12___10	Female sterilization - KUFISHA VIDUDU KWA WANAWAKE
11	int_1_q12___11	Emergency contraception - KINGAMIMBA YA DHARURA
77	int_1_q12___77	Other - NYINGINE
88	int_1_q12___88	Don't know/Don't remember - SIJUI/SIKUMBUKI
99	int_1_q12___99	Refused to Answer - HAKUJIBU

Field Annotation: @NONEOFTHEABOVE='88,99'

219	int_1_q12other	Other method received	text, Required
	Show the field ONLY if: [int_1_q12(77)]='1'		

220	int_1_q13	13. Can you tell me what you mean when you say you use LAM? Please tell me how LAM must be performed to prevent pregnancy. Unaweza kuniambia unamaanisha nini unaposema kuwa unatumia LAM? Tafadhali niambie namna LAM lazima ifanywe.	checkbox, Required
	Show the field ONLY if: [int_1_q12(8)]='1'	*INTERVIEWER: Do not read out methods. Multiple responses may be possible. Record all mentioned.*	

0	int_1_q13___0	Breastfeeding - KUNYONYESHA
1	int_1_q13___1	Infant is less than 6 months old - MTOTO AKIWA CHINI YA MIEZI 6
2	int_1_q13___2	Menses not returned - HEDHI HAIJAREJEA
3	int_1_q13___3	Exclusively Breastfeeding - KUNYONYESHA KWA NAMNA YA PEKEE
77	int_1_q13___77	Other - NYINGINE
99	int_1_q13___99	Refused to Answer - HAKUJIBU

Field Annotation: @NONEOFTHEABOVE=99

221	int_1_q13other	Other understanding of LAM	text, Required
	Show the field ONLY if: [int_1_q13(77)]='1'		

222	int_1_q14a	14a. Do you plan to use any other family planning method when you are no longer able to use LAM as a family planning method? Una mpango wa kutumia mbinu yoyote ya upangaji uzazi wakati hautakuwa na uwezo wa kutumia LAM kama mbinu ya kukingamimba?	radio, Required
	Show the field ONLY if: [int_1_q12(8)]='1'		0 No - LA 1 Yes - NDIO

223	int_1_q14b	14b. How many weeks or months after your baby is born do you plan to start using this method? Ni baada ya wiki au miezi mingapi baada ya mtoto wako kuzaliwa ambapo unapanga kutumia mbinu hii?	descriptive
	Show the field ONLY if: [int_1_q14a]='1'		

224	int_1_q14bweeks	WEEKS	text
	Show the field ONLY if: [int_1_q14a]='1'		

225	int_1_q14bmonths	MONTHS	text
	Show the field ONLY if: [int_1_q14a]='1'		

226	int_1_q15 Show the field ONLY if: [int_1_q14a]='1'	15. What method do you expect to use after using LAM? Unatarajia kutumia mbinu ipi baada ya kutumia LAM? *DO NOT READ OUT METHODS. RECORD ONLY THOSE MENTIONED BY THE CLIENT. Remember that if the client mentions a "28-day" pill, this refers to the COMBINED PILL, and if the client mentions a "35-day" pill, this refers to the PROGESTINE ONLY PILL.*	checkbox, Required		
			1	int_1_q15___1	Combined pill - TEMBE YA PAMOJA
			2	int_1_q15___2	Progestine only pill - TEMBE YA PROJESTRONI PEKEE
			3	int_1_q15___3	Male condom - MPIRA WA WANAUME
			4	int_1_q15___4	Female condom - MPIRA WA WANAWAKE
			5	int_1_q15___5	IUD
			6	int_1_q15___6	Injectables - SINDANO
			7	int_1_q15___7	Implant - KIPANDIKIZI
			9	int_1_q15___9	Male sterilization - KUFISHA VIDUDU KWA WANAUMME
			10	int_1_q15___10	Female sterilization - KUFISHA VIDUDU KWA WANAWAKE
			11	int_1_q15___11	Emergency contraception - KINGAMIMBA YA DHARURA
			77	int_1_q15___77	Other - NYINGINE
			88	int_1_q15___88	Don't know/Don't remember - SIJUI/SIKUMBUKI
			99	int_1_q15___99	Refused to Answer - HAKUJIBU
			Field Annotation: @NONEOFTHEABOVE='88,99'		
227	int_1_q15other Show the field ONLY if: [int_1_q15(77)]='1'	Other method	text, Required		
228	int_1_q16a Show the field ONLY if: [int_1_q10a]='1' or [int_1_q10a]='2' or [int_1_q10a]='3'	16a. Who made the final decision about which method you would use? Nani alifanya uamuzi wa mwisho kuhusu mbinu ambayo utakayoitumia? *Do not read out options. Multiple responses may be possible. Record all mentioned.*	checkbox, Required		
			1	int_1_q16a___1	Me - MIMI
			2	int_1_q16a___2	My partner - MWENZA WANGU
			3	int_1_q16a___3	My healthcare provider - MHUDUMU WANGU WA AFYA
			4	int_1_q16a___4	My mother in-law - MAMA MKWE
			77	int_1_q16a___77	Other - MWINGINE
			88	int_1_q16a___88	Don't know/Don't remember - SIJUI/SIKUMBUKI
			99	int_1_q16a___99	Refused to Answer - HAKUJIBU
			Field Annotation: @NONEOFTHEABOVE='88,99'		
229	int_1_q16other Show the field ONLY if: [int_1_q16a(77)]='1'	Other person who choses	text, Required		
230	int_1_q16b Show the field ONLY if: [int_1_q10a]='0'	16b. Who made the final decision about you not using a method? Nani alifanya uamuzi wa mwisho kuhusu wewe kutotumia mbinu yeyote? *Do not read out options. Multiple responses may be possible. Record all mentioned.*	checkbox, Required		
			1	int_1_q16b___1	Me - MIMI
			2	int_1_q16b___2	My partner - MWENZA WANGU
			3	int_1_q16b___3	My healthcare provider - MHUDUMU WANGU WA AFYA
			4	int_1_q16b___4	My mother in-law - MAMA MKWE
			77	int_1_q16b___77	Other - MWINGINE
			88	int_1_q16b___88	Don't know/Don't remember - SIJUI/SIKUMBUKI
			99	int_1_q16b___99	Refused to Answer - HAKUJIBU
			Field Annotation: @NONEOFTHEABOVE='88,99'		
231	int_1_q16bother Show the field ONLY if: [int_1_q16b(77)]='1'	Other person specify	text, Required		

| 232 | int_1_q16c

Show the field ONLY if:
[int_1_q10a]='1' or [int_1_q10a]='2' or [int_1_q10a]='3' | 16c. Do you plan to do anything ELSE to avoid or delay getting pregnant? Unapanga kufanya kitu kingine chochote ili kuchelewesha au kuzuia kupata ujauzito?
INTERVIEWER: Read "ELSE" if the respondent previously indicated that she planned to use a family planning method after birth. | radio

| 0 | No - LA |
| 1 | Yes - NDIO |
88	Don't know/Don't remember - SIJUI/SIKUMBUKI	
233	int_1_q16d Show the field ONLY if: [int_1_q16c]='1'	16d. What are you planning to do? Unapanga kufanya nini? *Do not read out methods. Multiple responses may be possible. Record all mentioned.*	checkbox | 1	int_1_q16d___1	Avoid sex - WACHA KUJAMIANA
2	int_1_q16d___2	Use traditional method - TUMIA MBINU ASILIA
77	int_1_q16d___77	Other - NYINGINE
88	int_1_q16d___88	Don't know yet - SIJUI	 Field Annotation: @NONEOFTHEABOVE=88
234	int_1_q16dother Show the field ONLY if: [int_1_q16d(77)]='1'	Other way to avoid pregnancy	text
235	q17_check Show the field ONLY if: [int_1_q10a]='1' or [int_1_q10a]='2' or [int_1_q10a]='3'	A quick check to see if Q17 should be answered.	calc Calculation: if(([1_enrollment_arm_1][int_0_q34(1)]=1 and [int_1_q12(1)]=1) or ([1_enrollment_arm_1][int_0_q34(1)]=1 and [int_1_q10b]=1),1,if(([1_enrollment_arm_1][int_0_q34(2)]=1 and [int_1_q12(2)]=1) or ([1_enrollment_arm_1][int_0_q34(2)]=1 and [int_1_q10b]=2),1,if(([1_enrollment_arm_1][int_0_q34(3)]=1 and [int_1_q12(3)]=1) or ([1_enrollment_arm_1][int_0_q34(3)]=1 and [int_1_q10b]=3),1,if(([1_enrollment_arm_1][int_0_q34(4)]=1 and [int_1_q12(4)]=1) or ([1_enrollment_arm_1][int_0_q34(4)]=1 and [int_1_q10b]=4),1,if(([1_enrollment_arm_1][int_0_q34(5)]=1 and [int_1_q12(5)]=1) or ([1_enrollment_arm_1][int_0_q34(5)]=1 and [int_1_q10b]=5),1,if(([1_enrollment_arm_1][int_0_q34(6)]=1 and [int_1_q12(6)]=1) or ([1_enrollment_arm_1][int_0_q34(6)]=1 and [int_1_q10b]=6),1,if(([1_enrollment_arm_1][int_0_q34(7)]=1 and [int_1_q12(7)]=1) or ([1_enrollment_arm_1][int_0_q34(7)]=1 and [int_1_q10b]=7),1,if(([1_enrollment_arm_1][int_0_q34(8)]=1 and [int_1_q12(8)]=1) or ([1_enrollment_arm_1][int_0_q34(8)]=1 and [int_1_q10b]=8),1,if(([1_enrollment_arm_1][int_0_q34(9)]=1 and [int_1_q12(9)]=1) or ([1_enrollment_arm_1][int_0_q34(9)]=1 and [int_1_q10b]=9),1,if(([1_enrollment_arm_1][int_0_q34(10)]=1 and [int_1_q12(10)]=1) or ([1_enrollment_arm_1][int_0_q34(10)]=1 and [int_1_q10b]=10),1,if(([1_enrollment_arm_1][int_0_q34(11)]=1 and [int_1_q12(11)]=1) or ([1_enrollment_arm_1][int_0_q34(11)]=1 and [int_1_q10b]=11),1,if(([1_enrollment_arm_1][int_0_q34(77)]=1 and [int_1_q12(77)]=1) or ([1_enrollment_arm_1][int_0_q34(77)]=1 and [int_1_q10b]=77),1,'NaN'))))))))))))

236	int_1_q17 Show the field ONLY if: [q17_check]='' and ([int_1_q10a]='1' or [int_1_q10a]='2' or [int_1_q10a]='3')	17. What are the reasons why you did not receive the method that you had chosen during your ANC visit? Ni sababu zipi zilikufanya kutopokea mbinu ambayo ulikuwa umeichagua wakati wa ziara yako ya ANC?	checkbox, Required		
			1	int_1_q17___1	Wanted to become pregnant - NILITAKA KUPATA UJAUZITO
			2	int_1_q17___2	Infrequent sex/partner away - NADRA KUJAMIANA/MWENZA YUKO MBALI
			3	int_1_q17___3	Needs to ask husband/partner - NAHITAJI KUUMULIZA MME/MWENZA
			4	int_1_q17___4	Husband/partner wanted me to choose a different method - MME/MWENZA ALIMTAKA ACHAGUE MBINU TOFAUTI
			5	int_1_q17___5	Husband/Partner does not want me to use any method - MME/MWENZA HATAKI ATUMIE MBINU YOYOTE ILE
			6	int_1_q17___6	Wanted more effective method - NILITAKA MBINU ILIYO NZURI ZAIDI
			7	int_1_q17___7	Concerns about the side effects - TASHWISHI KUHUSU ATHARI ZAKE
			8	int_1_q17___8	Method is too expensive - MBINU NI GHALI MNO
			9	int_1_q17___9	Wanted to heal first - NILITAKA KUPONA KWANZA
			10	int_1_q17___10	Method is not available from this facility today - MBINU HII HAIPATIKANI KWENYE KITUO HIKI LEO HII
			11	int_1_q17___11	No provider available to offer method today - MHUDUMU WA AFYA HAPATIKANI LEO ILI KUPEANA MBINU HII
			12	int_1_q17___12	Provider recommended against the method - MHUDUMU ALISHAURI KUTOPATA MBINU HII
			13	int_1_q17___13	Want to wait for menses to return - NANGOJA HEDHI KUREJEA
			14	int_1_q17___14	I changed my mind - NILIBADILISHA NIA YANGU
			77	int_1_q17___77	Other - NYINGINE
			88	int_1_q17___88	Don't know - SIJUI
			99	int_1_q17___99	Refused to say - SITAKI KUSEMA
			Field Annotation: @NONEOFTHEABOVE='88,99'		
237	int_1_q17other Show the field ONLY if: [int_1_q17(77)]='1'	Other reasons	text, Required		
238	int_q17_desc Show the field ONLY if: [int_1_q10a]='0' or [int_1_q10a]='2' or [int_1_q10a]='3'	Non-Acceptance or Referral for methods	descriptive		

239	int_1_q18 Show the field ONLY if: [int_1_q10a]='0'	18. Why did you not receive a family planning method? Kwa nini hukupokea mbinu ya upangaji uzazi? *Do not read out methods. Multiple responses may be possible. Record all mentioned.*	checkbox, Required		
			1	int_1_q18___1	Wanted to become pregnant - NILITAKA KUPATA UJAUZITO
			2	int_1_q18___2	Infrequent sex/partner away - NADRA KUJAMIANA/MWENZA YUKO MBALI
			3	int_1_q18___3	Needs to ask husband/partner - NAHITAJI KUUMULIZA MME/MWENZA
			4	int_1_q18___4	Husband/partner wanted me to choose a different method - MME/MWENZA ALIMTAKA ACHAGUE MBINU TOFAUTI
			5	int_1_q18___5	Husband/Partner does not want me to use any method - MME/MWENZA HATAKI ATUMIE MBINU YOYOTE ILE
			6	int_1_q18___6	Wanted more effective method - NILITAKA MBINU ILIYO NZURI ZAIDI
			7	int_1_q18___7	Concerns about the side effects - TASHWISHI KUHUSU ATHARI ZAKE
			8	int_1_q18___8	Method is too expensive - MBINU NI GHALI MNO
			9	int_1_q18___9	Wanted to heal first - NILITAKA KUPONA KWANZA
			10	int_1_q18___10	Method is not available from this facility today - MBINU HII HAIPATIKANI KWENYE KITUO HIKI LEO HII
			11	int_1_q18___11	No provider available to offer method today - MHUDUMU WA AFYA HAPATIKANI LEO ILI KUPEANA MBINU HII
			12	int_1_q18___12	Provider recommended against the method - MHUDUMU ALISHAURI KUTOPATA MBINU HII
			13	int_1_q18___13	Want to wait for menses to return - NANGOJA HEDHI KUREJEA
			14	int_1_q18___14	I changed my mind - NILIBADILISHA NIA YANGU
			77	int_1_q18___77	Other - NYINGINE
			88	int_1_q18___88	Don't know/Don't remember - SIJUI/SIKUMBUKI
			99	int_1_q18___99	Refused to Answer - HAKUJIBU
			Field Annotation: @NONEOFTHEABOVE='88,99'		
240	int_1_q18other Show the field ONLY if: [int_1_q18(77)]='1'	Other reasons for not choosing FP	text, Required		
241	int_1_q19 Show the field ONLY if: [int_1_q10a]='0'	19. Do you plan to receive a family planning method elsewhere? Unapanga kupokea mbinu ya upangaji uzazi kwingine?	radio, Required		
			0	No - LA	
			1	Yes - NDIO	
			88	Don't know/Don't remember - SIJUI/SIKUMBUKI	

242	int_1_q20 Show the field ONLY if: [int_1_q19]='1'	20. Where do you plan to or think you might receive a FP method? Unapanga au kufikiria kupata mbinu ya upangaji uzazi wapi?	radio, Required

			1	Hospital (I will go to a hospital for a FP method) - HOSPITALI (Ninapanga kuenda hospitali/hospitali nyingine kupata mbinu ya upangaji uzazi)
			2	Clinic (I will go to a clinic for a FP method) - KLINIKI(Ninapanga kuenda kwenye kliniki kupata mbinu ya upangaji uzazi
			3	Pharmacy - DUKA LA DAWA
			4	Community health worker (I will go to a CHW for a FP method) - MHUDUMU WA AFYA KWA JAMII (Ninapanga kuenda kwa mhudumu wa Afya ya jamii kupata mbinu ya upangaji uzazi)
			6	Infant welfare visits - ZIARA YA UKUAJI WA MTOTO
			7	Infant immunization visits - ZIARA YA CHANJO KWA MTOTO
			8	Postnatal care check - MAANGALIZO YA BAADA YA KUJIFUNGUA
			77	Other - NYINGINE

243	int_1_q20other Show the field ONLY if: [int_1_q20]='77'	Other place to receive FP method	text, Required

244	int_1_q21a Show the field ONLY if: [int_1_q19]='1'	21a. What family planning method do you plan to use when you visit the (INSERT NAME OF SITE/LOCATION MENTIONED)? Unapanga kupata mbinu gani ya upangaji uzazi utakapozuru	checkbox, Required

			1	int_1_q21a___1	Combined pill - TEMBE YA PAMOJA
			2	int_1_q21a___2	Progestine only pill - TEMBE YA PROJESTRONI PEKEE
			3	int_1_q21a___3	Male condom - MPIRA WA WANAUME
			4	int_1_q21a___4	Female condom - MPIRA WA WANAWAKE
			5	int_1_q21a___5	IUD
			6	int_1_q21a___6	Injectables - SINDANO
			7	int_1_q21a___7	Implant - KIPANDIKIZI
			9	int_1_q21a___9	Male sterilization - KUFISHA VIDUDU KWA WANAUMME
			10	int_1_q21a___10	Female sterilization - KUFISHA VIDUDU KWA WANAWAKE
			11	int_1_q21a___11	Emergency contraception - KINGAMIMBA YA DHARURA
			77	int_1_q21a___77	Other - NYINGINE
			88	int_1_q21a___88	Don't know/Don't remember - SIJUI/SIKUMBUKI

Field Annotation: @NONEOFTHEABOVE=88

245	int_1_q21a_other Show the field ONLY if: [int_1_q21a(77)] = '1'	Other FP method	text, Required
246	int_1_q21b Show the field ONLY if: [int_1_q19]='1'	21b. When do you plan to receive this method? In how many weeks or months? Unapanga kupokea mbinu hii lini? Ndani ya wiki auu miezi mingapi?	descriptive
247	int_1_q21bweeks Show the field ONLY if: [int_1_q19]='1'	WEEKS	text (integer)
248	int_1_q21bmonths Show the field ONLY if: [int_1_q19]='1'	MONTHS	text (integer)
249	int_1_q22 Show the field ONLY if: [int_1_q10a]='1' or [int_1_q10a]='2' or [int_1_q10a]='3'	22. At this visit after choosing a postpartum family planning method, did the health care provider explain how to use the method? Baada ya kupokea mbinu ya upangaji uzazi au kuamua mbinu utakayoitumia, mhudumu wako wa Afya alikueleza namna ya kutumia mbinu hiyo?	radio, Required

			0	No - LA
			1	Yes - NDIO
			88	Don't know/Don't remember - SIJUI/SIKUMBUKI

250	int_1_q23 Show the field ONLY if: [int_1_q10a]='1' or [int_1_q10a]='2' or [int_1_q10a]='3'	23. At this visit after choosing a postpartum family planning method, did the health care provider explain the common side-effects of the method you received? Baada ya kupokea mbinu ya upangaji uzazi au kuamua mbinu utakayoitumia, mhudumu wako wa Afya alikueleza athari za kawaida za mbinu hiyo?	radio, Required		
			0	No - LA	
			1	Yes - NDIO	
			88	Don't know/Don't remember - SIJUI/SIKUMBUKI	
251	int_1_q24 Show the field ONLY if: [int_1_q23]='1'	24. After choosing a postpartum family planning method, what side effects did your healthcare provider mention? Baada ya kuchagua mbinu ya upangaji uzazi, mhudumu wako wa Afya alitaja athari zipi? *Do not read out methods. Only record those mentioned by the client*	checkbox, Required		
			1	int_1_q24___1	Changes in menstruation - MABADILIKO KATIKA HEDHI
			2	int_1_q24___2	Pain at the insertion site - UCHUNGU MAHALA PA KUWEKWA
			3	int_1_q24___3	Infection - MAAMBUKIZI
			4	int_1_q24___4	Mood swings - MABADILIKO YA USUNUNU
			5	int_1_q24___5	Weight change - MABADILIKO KWENYE MIZANI
			6	int_1_q24___6	Headache - KICHWA KUUMA
			7	int_1_q24___7	Acne - CHUNUSI
			8	int_1_q24___8	Depressed mood - HUZUNIKA
			9	int_1_q24___9	Vaginitis - KUWASHWA UKEENI
			10	int_1_q24___10	Breast pain - UCHUNGU KWENYE MATITI
			11	int_1_q24___11	Cramping - MAUMIVU YA HEDHI
			12	int_1_q24___12	Painful periods - HEDHI ZILIZO UCHUNGU
			13	int_1_q24___13	Nausea - KICHEFUCHEFU
			14	int_1_q24___14	Dizziness - KIZUNGUZUNGU
			15	int_1_q24___15	Scarring at insertion site - KOVU MAHALI PA KUWEKWA
			16	int_1_q24___16	Loss of libido - KUPUNGUA KWA ASHIKI ZA KUJAMIANA
			17	int_1_q24___17	Interference with sexual activity - USUMBUFU KWENYE KITENDO CHA KUJAMIANA
			18	int_1_q24___18	(Implant) failed insertion - (KIPANDIKIZI) KUTOFAULU KUWEKA
			19	int_1_q24___19	(Implant) pain, irritation, swelling or bruising at the insertion site - (KIPANDIKIZI) UCHUNGU, KUWASHWA, KUVIMBA AU JERAHA MAHALI PA KUWEKWA
			20	int_1_q24___20	(Implant) broken implant - (KIPANDIKIZI)KUVUNJIKA KWA KIPANDIKIZI
			21	int_1_q24___21	(IUD) pain after insertion - (IUD) UCHUNGU BAADA YA KUWEKEWA
			22	int_1_q24___22	(IUD) heavy bleeding - (IUD) HEDHI NZITO
			23	int_1_q24___23	(IUD) expulsion - (IUD) KUTOKA
			24	int_1_q24___24	(Implant, IUD) infection - (KIPANDIKIZI, IUD) MAAMBUKIZI
			25	int_1_q24___25	(Sterilization) pain after the procedure - (KUFISHA VIDUDU)UCHUNGU BAADA YA UTARATIBU HUO
			77	int_1_q24___77	Other - NYINGINE
			88	int_1_q24___88	Don't know/Don't remember - SIJUI/SIKUMBUKI
			Field Annotation: @NONEOFTHEABOVE=88		

| 252 | int_1_q24other

Show the field ONLY if:
[int_1_q24(77)]='1' | Other side effects | text, Required |
|---|---|---|---|

| 253 | int_1_q25

Show the field ONLY if:
[int_1_q10a]='1' or [int_1_q10a]='2' or [int_1_q10a]='3' | 25. At this visit, after choosing a postpartum family planning method, did the health care provider ask you to repeat important instructions and common side effects? Baada ya kupokea mbinu ya upangaji uzazi au kuamua mbinu utakayoitumia, mhudumu wako wa Afya alikuomba kurudia maagizo maalum na kukueleza athari za kawaida za mbinu hiyo? | radio, Required

0	No - LA
1	Yes - NDIO
88	Don't know/Don't remember - SIJUI/SIKUMBUKI	

| 254 | int_1_q26

Show the field ONLY if:
[int_1_q10a]='1' or [int_1_q10a]='2' or [int_1_q10a]='3' | 26. At this visit, after choosing a postpartum family planning method, did the health care provider tell you what to do if you have any problems or want to stop using this method? Baada ya kupokea mbinu ya upangaji uzazi au kuamua mbinu utakayoitumia, mhudumu wako wa Afya alikueleza ya kufanya iwapo utapatwa na matatizo au utakapotaka kuacha kutumia mbinu hiyo? | radio, Required

0	No - LA
1	Yes - NDIO
88	Don't know/Don't remember - SIJUI/SIKUMBUKI	

| 255 | int_1_q27

Show the field ONLY if:
[int_1_q10a]='1' or [int_1_q10a]='2' or [int_1_q10a]='3' | 27. At this visit, after choosing a postpartum family planning method, did the healthcare provider explain that this method does not protect against HIV/STIs? Baada ya kupokea mbinu ya upangaji uzazi au kuamua mbinu utakayoitumia, mhudumu wako wa Afya alikueleza kuwa mbinu hii haizuii UKIMWI/Magonjwa ya zinaa
DO NOT ASK IF METHOD = CONDOMS | radio, Required

0	No - LA
1	Yes - NDIO
88	Don't know/Don't remember - SIJUI/SIKUMBUKI	

| 256 | int_1_q28

Show the field ONLY if:
[int_1_q10a]='1' or [int_1_q10a]='2' or [int_1_q10a]='3' | 28. After you received a family planning method OR decided which method you wanted to use, did your healthcare provider ask if you had any questions or had anything to discuss about the family planning method you chose? Baada ya kupokea mbinu ya upangaji uzazi AU kuamua ni mbinu ipi ulitaka kuitumia, mhudumu wako wa Afya alikuuliza iwapo ulikuwa na maswali yoyote au chochote cha kuzungumza kuhusu mbinu ya upangaji uzazi uliyoichagua? | radio

0	No - LA
1	Yes - NDIO
88	Don't know/Don't remember - SIJUI/SIKUMBUKI	

| 257 | int_1_q29

Show the field ONLY if:
[int_1_q13(1)]<>'0' | 29. On a scale of 1 to 5, 1 being not helpful and 5 being very helpful, how helpful was the information your provider gave in helping you make a choice about your method? Kwenye safu ya 1 hadi 5 , 1 ikiwa bila manufaa na 5 yenye manufaa sana, habari uliyopewa na mhudumu wako ya kukusaidia kufanya maamuzi ilikuwa ya manufaa kwa kias gani?
Show woman smiley faces scale to assist with the 1 to 5 scale rating. Note that scores of 1 are highly negative and scores of 5 are highly positive. Woman should select a number from 1 to 5. | radio, Required

1	1
2	2
3	3
4	4
5	5
88	Don't know/Don't remember - SIJUI/SIKUMBUKI
99	Refused to Answer - HAKUJIBU	

| 258 | section_d_int_1

Show the field ONLY if:
[int_1_q27]<>"" | Section Header: *SECTION D: METHOD PROVISION AND SATISFACTION*

Now let's discuss your experience with the provision of your family planning method | descriptive |

| 259 | int_1_q30

Show the field ONLY if:
[int_1_q10a]='1' and ([int_1_q12(5)]='1' or [int_1_q12(7)]='1' or [int_1_q12(10)]='1') | 30. On a scale of 1 to 5 (1 being very uncomfortable and 5 being comfortable), did you find the procedure to be very uncomfortable, somewhat uncomfortable, or not uncomfortable at all? Kwa skeli ya 1-5, 1 ikiwa yenye bila kutosheleza na 5 ikiwa yenye kutosheleza kwa kiasi kikubwa, kwa ujumla, umeridhikaje na mbinu hii ya upeanaji wa mbinu uliyoipokea?
ASK ONLY IF CLIENT RECEIVED IMPLANT, IUD, STERILIZATION. INTERVIEWER: Show woman smiley faces scale to assist with the 1 to 5 scale rating. Note that scores of 1 are highly negative and scores of 5 are highly positive. | radio, Required

1	1
2	2
3	3
4	4
5	5
88	Don't know/Don't remember - SIJUI/SIKUMBUKI
99	Refused to Answer - HAKUJIBU	

| 260 | int_1_q31

Show the field ONLY if:
[int_1_q10a]='1' and ([int_1_q12(5)]='1' or [int_1_q12(7)]='1' or [int_1_q12(10)]='1') | 31. On a scale of 1 to 5, with 1 being very dissatisfied and 5 being very satisfied, overall, how satisfied are you with the process of provision of the method you chose? Kwa jumla, umeridhikaje na utaratibu wa kupeana mbinu uliyoichagua?
ASK ONLY IF CLIENT RECEIVED IMPLANT, IUD, STERILIZATION. INTERVIEWER: Show woman smiley faces scale to assist with the 1 to 5 scale rating. Note that scores of 1 are highly negative and scores of 5 are highly positive. | radio, Required

1	1
2	2
3	3
4	4
5	5
88	Don't know/Don't remember - SIJUI/SIKUMBUKI
99	Refused to Answer - HAKUJIBU	

261	int_1_q32 Show the field ONLY if: [int_1_q31] = '1' or [int_1_q31] = '2'	32. Why were you dissatisfied with your experience receiving your family planning method? *ASK ONLY IF CLIENT REPORTED DISSATISFIED OR SOMEWHAT DISSATISFIED. Do not read out the response options. Record all mentioned*	checkbox, Required		
			1	int_1_q32___1	Discomfort during the procedure -
			2	int_1_q32___2	Lack of privacy during the procedure -
			3	int_1_q32___3	Procedure was time consuming -
			4	int_1_q32___4	I had to wait too long for the procedure -
			5	int_1_q32___5	The provider had a bad attitude -
			6	int_1_q32___6	I am unhappy with the price of the method -
			77	int_1_q32___77	Other -
			99	int_1_q32___99	Refused to Answer - HAKUJIBU
			Field Annotation: @NONEOFTHEABOVE=99		

262	int_1_q32other Show the field ONLY if: [int_1_q32(77)]='1'	Other dissatisfied with experience receiving method	text		

263	int_1_q33 Show the field ONLY if: [int_1_q10a]='1'	33. Overall, do you feel that you had sufficient privacy during the procedure? Kwa jumla, unahisi kuwa ulikuwa na ufaragha wa kutosha wakati wa utaratibu huo?	radio, Required
			0 No - LA
			1 Yes - NDIO
			88 Don't know/Don't remember - SIJUI/SIKUMBUKI

264	int_1_q34 Show the field ONLY if: [int_1_q10a]='1'	34. Were you told when to return for a follow-up visit? Uliambiwa urejee kwa maangalizi zaidi?	radio, Required
			0 No - LA
			1 Yes - NDIO
			88 Don't know/Don't remember - SIJUI/SIKUMBUKI

265	int_1_q35 Show the field ONLY if: [int_1_q10a]='1'	35. Based on your experience receiving your family planning method, would you recommend that a friend receive an immediate family planning method after childbirth? Kulingana na uliyoyapitia katika kupata mbinu ya kingamimba, unaweza kupendekeza upangaji uzazi pindi tu baada ya kujifungua kwa rafiki?	radio, Required
			0 No - LA
			1 Yes - NDIO
			88 Don't know/Don't remember - SIJUI/SIKUMBUKI

266	int_1_q36 Show the field ONLY if: [int_1_q10a]='1'	36. Based on your experience receiving your family planning method, do you feel that the healthcare provider who gave you the method was competent in providing postpartum family planning services? Kulingana na uliyoyapitia katika kupata mbinu ya kingamimba, unahisi kuwa mhudumu aliyekupa mbinu hiyo alikuwa mahiri katika kupeana mbinu ya upangaji uzazi baada ya kujifungua?	radio, Required
			0 No - LA
			1 Yes - NDIO
			88 Don't know/Don't remember - SIJUI/SIKUMBUKI

267	int_1_q37 Show the field ONLY if: [int_1_q10a]='1'	37. Based on your experience receiving your family planning method, would you recommend this facility to a friend? Kulingana na uliyoyapitia katika kupata mbinu ya kingamimba, unaweza kumpendekezea rafiki kituo hiki?	radio, Required
			0 No - LA
			1 Yes - NDIO
			88 Don't know/Don't remember - SIJUI/SIKUMBUKI

268	int_1_q38 Show the field ONLY if: [int_1_q10a]='1'	38. Based on your experience receiving your family planning method, would you return to this facility If you were pregnant again? Kulingana na uliyoyapitia katika kupata mbinu ya kukingamimba, unaweza kurudi kwenye kituo hiki wakati utakuwa mjamzito tena?	radio, Required
			0 No - LA
			1 Yes - NDIO
			88 Don't know/Don't remember - SIJUI/SIKUMBUKI

269	section_e_int_1 Show the field ONLY if: [1_enrollment_arm_1][consent] ='1' and [1_enrollment_arm_1][contact_info]='1' and [pre_int_q8] <>''	Section Header: *SECTION E: BELIEFS ABOUT FAMILY PLANNING* Please tell me if you agree or disagree with the following statements about family planning and contraceptives. Tafadhali niambie namna unakubali zaidi, unakubali, hukubali au hukubali hata kidogo na mambo yafuatayo kuhusu upangaji uzazi na kingamimba.	descriptive

270	int_1_q39 Show the field ONLY if: [1_enrollment_arm_1][consent] ='1' and [1_enrollment_arm_1][contact_info]='1' and [pre_int_q8] <>''	39. Use of family planning methods can make a woman permanently infertile. Matumizi ya mbinu za upangaji uzazi yanaweza kusababisha mwanamke kuwa tasa kabisa *Do not read out option #2 (Sterilization/Permanent Methods Only).*	radio, Required
			0 Disagree - SIKUBALI
			1 Agree - NAKUBALI
			2 Sterilization/Permanent Methods - KUFISHA VIDUDU/MBINU ZA KUDUMU
			88 Don't know/Don't remember - SIJUI/SIKUMBUKI

271	int_1_q40	40. Family planning methods harm your womb. Mbinu za upangaji uzazi zinaweza kuathiri tumbo la uzazi	radio, Required	
	Show the field ONLY if: [1_enrollment_arm_1][consent] ='1' and [1_enrollment_arm_1][contact_info]='1' and [pre_int_q8] <>''		0	Disagree - SIKUBALI
			1	Agree - NAKUBALI
			2	Some family planning methods - BAADHI YA MBINU ZA UPANGAJI UZAZI
			88	Don't know/Don't remember - SIJUI/SIKUMBUKI
272	int_1_q41	41. Family planning methods reduce women's sexual urge. Mbinu za upangaji uzazi hupunguza ashiki ya wanawake.	radio, Required	
	Show the field ONLY if: [1_enrollment_arm_1][consent] ='1' and [1_enrollment_arm_1][contact_info]='1' and [pre_int_q8] <>''		0	Disagree - SIKUBALI
			1	Agree - NAKUBALI
			2	Some family planning methods - BAADHI YA MBINU ZA UPANGAJI UZAZI
			88	Don't know/Don't remember - SIJUI/SIKUMBUKI
273	int_1_q42	42. Family planning methods can cause cancer. Mbinu za upangaji uzazi zinaweza kusababisha saratani	radio, Required	
	Show the field ONLY if: [1_enrollment_arm_1][consent] ='1' and [1_enrollment_arm_1][contact_info]='1' and [pre_int_q8] <>''		0	Disagree - SIKUBALI
			1	Agree - NAKUBALI
			2	Some family planning methods - BAADHI YA MBINU ZA UPANGAJI UZAZI
			88	Don't know/Don't remember - SIJUI/SIKUMBUKI
274	int_1_q43	43. Family planning methods can give you deformed babies. Mbinu za upangaji uzazi zitakufanya uwe na watoto ambao wana mapungufu	radio, Required	
	Show the field ONLY if: [1_enrollment_arm_1][consent] ='1' and [1_enrollment_arm_1][contact_info]='1' and [pre_int_q8] <>''		0	Disagree - SIKUBALI
			1	Agree - NAKUBALI
			2	Some family planning methods - BAADHI YA MBINU ZA UPANGAJI UZAZI
			88	Don't know/Don't remember - SIJUI/SIKUMBUKI
275	int_1_q44	44. Family planning methods are dangerous to your health Mbinu za upangaji uzazi ni hatari kwa afya yako.	radio, Required	
	Show the field ONLY if: [1_enrollment_arm_1][consent] ='1' and [1_enrollment_arm_1][contact_info]='1' and [pre_int_q8] <>''		0	Disagree - SIKUBALI
			1	Agree - NAKUBALI
			2	Some family planning methods - BAADHI YA MBINU ZA UPANGAJI UZAZI
			88	Don't know/Don't remember - SIJUI/SIKUMBUKI
276	int_1_q45	45. Family planning methods cause you to gain weight Mbinu za upangaji uzazi hukufanya kuongeza mizani.	radio, Required	
	Show the field ONLY if: [1_enrollment_arm_1][consent] ='1' and [1_enrollment_arm_1][contact_info]='1' and [pre_int_q8] <>''		0	Disagree - SIKUBALI
			1	Agree - NAKUBALI
			2	Some family planning methods - BAADHI YA MBINU ZA UPANGAJI UZAZI
			88	Don't know/Don't remember - SIJUI/SIKUMBUKI
277	int_1_q46	46. Women who use family planning methods become promiscuous Wanawake ambao hutumia mbinu za upangaji uzazi wanaweza kuwa mahawara	radio, Required	
	Show the field ONLY if: [1_enrollment_arm_1][consent] ='1' and [1_enrollment_arm_1][contact_info]='1' and [pre_int_q8] <>''		0	Disagree - SIKUBALI
			1	Agree - NAKUBALI
			88	Don't know/Don't remember - SIJUI/SIKUMBUKI
278	int_1_q47	47.The husband/partner should be the one to decide whether the couple should use a family planning method. Mme ndio anastahili kuamua iwapo familia inastahili kutumia mbinu ya upangaji uzazi	radio, Required	
	Show the field ONLY if: [1_enrollment_arm_1][consent] ='1' and [1_enrollment_arm_1][contact_info]='1' and [pre_int_q8] <>''		0	Disagree - SIKUBALI
			1	Agree - NAKUBALI
			88	Don't know/Don't remember - SIJUI/SIKUMBUKI
279	int_1_q48	48. Becoming pregnant soon after a delivery is harmful for the health of the mother and baby Kuwa mjamzito pindi tu baada ya kujifungua ni hatari kwa Afya ya mama pamoja na ile ya mtoto	radio, Required	
	Show the field ONLY if: [1_enrollment_arm_1][consent] ='1' and [1_enrollment_arm_1][contact_info]='1' and [pre_int_q8] <>''		0	Disagree - SIKUBALI
			1	Agree - NAKUBALI
			88	Don't know/Don't remember - SIJUI/SIKUMBUKI

280	int_1_q49 Show the field ONLY if: [1_enrollment_arm_1][consent]='1' and [1_enrollment_arm_1][contact_info]='1' and [pre_int_q8]<>''	49. Husbands/Partners and wives should discuss family planning together. Waumme na wake wanastahili kujadili upangaji uzazi kwa pamoja	radio, Required
			0 Disagree - SIKUBALI
			1 Agree - NAKUBALI
			88 Don't know/Don't remember - SIJUI/SIKUMBUKI
281	int_1_q50 Show the field ONLY if: [1_enrollment_arm_1][consent]='1' and [1_enrollment_arm_1][contact_info]='1' and [pre_int_q8]<>''	50. Couples who practice family planning have a better quality of life than those who do not. Wachumba ambao wanapanga uzazi wana maisha mazuri ukiwalinganisha na wale ambao hawapangi	radio, Required
			0 Disagree - SIKUBALI
			1 Agree - NAKUBALI
			88 Don't know/Don't remember - SIJUI/SIKUMBUKI
282	section_f_int_1 Show the field ONLY if: [1_enrollment_arm_1][consent]='1' and [1_enrollment_arm_1][contact_info]='1' and [pre_int_q8]<>''	Section Header: *SECTION F: BELIEFS ABOUT FAMILY PLANNING EFFICACY* Now, I am going to list a few contraceptive methods. For each of the following contraceptive methods, I would like you to tell me how effective you think it isNingependa uniambie kila mbinu ya kingamimba ifuatayo huleta matokeo tarajiwa kwa kiasi kipi.	descriptive
283	int_1_q51 Show the field ONLY if: [1_enrollment_arm_1][consent]='1' and [1_enrollment_arm_1][contact_info]='1' and [pre_int_q8]<>''	51. Do you know about the family planning method of STERILIZATION? Unafahamu mbinu ya upangaji uzazi iitwayo kufisha vidudu?	radio, Required
			0 No - LA
			1 Yes - NDIO
284	int_1_q52 Show the field ONLY if: [int_1_q51]='1'	52. Do you think that Sterilization is always/almost always effective, usually effective, or sometimes effective? Unadhani kuwa kufisha vidudu huleta matokeo tarajiwa kila wakati/sana sana, kwa kawaida, au wakati mwingine?	radio, Required
			1 Always/almost always effective - KILA WAKATI/SANA SANA
			2 Usually effective - KWA KAWAIDA
			3 Sometimes effective - WAKATI MWINGINE
			88 Don't know/Don't remember - SIJUI/SIKUMBUKI
285	int_1_q53 Show the field ONLY if: [1_enrollment_arm_1][consent]='1' and [1_enrollment_arm_1][contact_info]='1' and [pre_int_q8]<>''	53. Do you know about the family planning method of CONTRACEPTIVE IMPLANTS? Unafahamu mbinu ya upangaji uzazi iitwayo Vipandikizi vya kinga mimba?	radio, Required
			0 No - LA
			1 Yes - NDIO
286	int_1_q54 Show the field ONLY if: [int_1_q53]='1'	54. Do you think that Contraceptive Implants are always/almost always effective, usually effective, or sometimes effective? Unadhani kuwa Vipandikizi vya kinga mimba huleta matokeo tarajiwa kila wakati/sana sana, kwa kawaida, au wakati mwingine?	radio, Required
			1 Always/almost always effective - KILA WAKATI/SANA SANA
			2 Usually effective - KWA KAWAIDA
			3 Sometimes effective - WAKATI MWINGINE
			88 Don't know/Don't remember - SIJUI/SIKUMBUKI
287	int_1_q55 Show the field ONLY if: [1_enrollment_arm_1][consent]='1' and [1_enrollment_arm_1][contact_info]='1' and [pre_int_q8]<>''	55. Do you know about the family planning method of IUDs? Unafahamu mbinu ya upangaji uzazi iitwayo IUDs?	radio, Required
			0 No - LA
			1 Yes - NDIO
288	int_1_q56 Show the field ONLY if: [int_1_q55]='1'	56. Do you think that IUDs are always/almost always effective, usually effective, or sometimes effective? Unadhani kuwa IUDs huleta matokeo tarajiwa kila wakati/sana sana, kwa kawaida, au wakati mwingine?	radio, Required
			1 Always/almost always effective - KILA WAKATI/SANA SANA
			2 Usually effective - KWA KAWAIDA
			3 Sometimes effective - WAKATI MWINGINE
			88 Don't know/Don't remember - SIJUI/SIKUMBUKI
289	int_1_q57 Show the field ONLY if: [1_enrollment_arm_1][consent]='1' and [1_enrollment_arm_1][contact_info]='1' and [pre_int_q8]<>''	57. Do you know about the family planning method of CONTRACEPTIVE INJECTIONS? Unafahamu mbinu ya upangaji uzazi iitwayo Sindano?	radio, Required
			0 No - LA
			1 Yes - NDIO

290	int_1_q58 Show the field ONLY if: [int_1_q57]='1'	58. Do you think that Contraceptive Injections are always/almost always effective, usually effective, or sometimes effective? Unadhani kuwa kingamimba za sindano huleta matokeo tarajiwa kila wakati/sana sana, kwa kawaida, au wakati mwingine?	radio, Required
			1	Always/almost always effective - KILA WAKATI/SANA SANA
			2	Usually effective - KWA KAWAIDA
			3	Sometimes effective - WAKATI MWINGINE
			88	Don't know/Don't remember - SIJUI/SIKUMBUKI

291	int_1_q59 Show the field ONLY if: [1_enrollment_arm_1][consent]='1' and [1_enrollment_arm_1][contact_info]='1' and [pre_int_q8]<>''	59. Do you know about the family planning method of CONTRACEPTIVE PILLS? Unafahamu mbinu ya upangaji uzazi iitwayo tembe za kumeza?	radio, Required
			0	No - LA
			1	Yes - NDIO

292	int_1_q60 Show the field ONLY if: [int_1_q59]='1'	60. Do you think that Contraceptive Pills are always/almost always effective, usually effective, or sometimes effective? Unadhani kuwa kingamimba ya tembe za kumeza huleta matokeo tarajiwa kila wakati/sana sana, kwa kawaida, au wakati mwingine?	radio, Required
			1	Always/almost always effective - KILA WAKATI/SANA SANA
			2	Usually effective - KWA KAWAIDA
			3	Sometimes effective - WAKATI MWINGINE
			88	Don't know/Don't remember - SIJUI/SIKUMBUKI

293	int_1_q61 Show the field ONLY if: [1_enrollment_arm_1][consent]='1' and [1_enrollment_arm_1][contact_info]='1' and [pre_int_q8]<>''	61. Do you know about the family planning method of LAM (LACTATIONAL AMENORRHEA METHOD)? Unafahamu mbinu ya upangaji uzazi iitwayo LAM?	radio, Required
			0	No - LA
			1	Yes - NDIO

294	int_1_q62 Show the field ONLY if: [int_1_q61]='1'	62. Do you think that using LAM (LACTATIONAL AMENORRHEA METHOD) is always/almost always effective, usually effective, or sometimes effective? Unadhani kuwa LAM huleta matokeo tarajiwa kila wakati/sana sana, kwa kawaida, au wakati mwingine?	radio, Required
			1	Always/almost always effective - KILA WAKATI/SANA SANA
			2	Usually effective - KWA KAWAIDA
			3	Sometimes effective - WAKATI MWINGINE
			88	Don't know/Don't remember - SIJUI/SIKUMBUKI

295	section_g_int_1 Show the field ONLY if: [1_enrollment_arm_1][consent]='1' and [1_enrollment_arm_1][contact_info]='1' and [pre_int_q8]<>''	Section Header: *SECTION G: SPOUSAL COMMUNICATION* Now, I would like to ask you about your communication with husband/father of your baby about family planning. Sasa ningependa kukuuliza kuhusu mazungumzo yako ya upangaji uzazi na mme wako au baba wa mtoto wako	descriptive

296	int_1_q63 Show the field ONLY if: [1_enrollment_arm_1][consent]='1' and [1_enrollment_arm_1][contact_info]='1' and [pre_int_q8]<>''	63. Throughout your pregnancy, how often did you talk with your husband/father of your baby about the number of children you would like to have? Wakati wowote wa ujauzito wako, ni mara ngapi umezungumza na mwenza wako kuhusu idadi ya watoto ambao ungependa kuwa nao?	radio, Required
			0	Never - KAMWE
			1	Once - MARA MOJA
			2	1 - 3 times - MARA 1 - 3
			3	More than 3 times - ZAIDI YA MARA 3
			88	Don't know/Don't remember - SIJUI/SIKUMBUKI

297	int_1_q64 Show the field ONLY if: [1_enrollment_arm_1][consent]='1' and [1_enrollment_arm_1][contact_info]='1' and [pre_int_q8]<>''	64. In general, who usually starts a discussion about family planning, you or your husband/father of your baby? Nani huwa anaanzinsha mazungumzo kuhusu upangaji uzazi, wewe au mchumba/baba mtoto wako?	radio, Required
			1	Me - MIMI
			2	Husband/father of baby - MCHUMBA/BABA MTOTO
			88	Don't know/Don't remember - SIJUI/SIKUMBUKI

298	int_1_q65 Show the field ONLY if: [1_enrollment_arm_1][consent]='1' and [1_enrollment_arm_1][contact_info]='1' and [pre_int_q8]<>''	65. Could you use a family planning method even if your husband/father of your baby does not want you to? Unaweza kutumia mbinu ya upangaji uzazi hata kama mme/baba wa mtoto wako hataki utumie?	radio, Required
			0	No - LA
			1	Yes - NDIO
			88	Don't know/Don't remember - SIJUI/SIKUMBUKI

299	int_1_q66 Show the field ONLY if: [1_enrollment_arm_1][consent]='1' and [1_enrollment_arm_1][contact_info]='1' and [pre_int_q8]<>''	66. Has your husband/father of your baby accompanied you for any visit during this pregnancy? Mme/mwenza wako amekusindikiza ziarani kwenye ujauzito huu?	radio, Required
			0	No - LA
			1	Yes - NDIO
			2	Only this childbirth visit -
			99	Refused to Answer - HAKUJIBU

300	post_partum_interview_one_complete	Section Header: *Form Status* Complete?	dropdown 0 Incomplete 1 Unverified 2 Complete

Instrument: **Post Partum Interview Two** (post_partum_interview_two)   ∧ Collapse

301	int_2_q1 Show the field ONLY if: [1_enrollment_arm_1][consent] ='1' and [1_enrollment_arm_1][contact_info]='1' and [1_enrollment_arm_1][int_0_end_time]<>''	Section Header: *INTERVIEW INFORMATION* PARTICIPANT ID: [1_enrollment_arm_1][participant_id], FACILITY: [1_enrollment_arm_1][fac_name]	descriptive
302	ltf_q1 Show the field ONLY if: [1_enrollment_arm_1][consent] ='1' and [1_enrollment_arm_1][contact_info]='1' and [1_enrollment_arm_1][int_0_end_time]<>''	1. How many attempts were made by phone to reach this participant?	text (integer), Required Field Annotation: @CHARLIMIT=1
303	ltf_q2 Show the field ONLY if: [1_enrollment_arm_1][consent] ='1' and [1_enrollment_arm_1][contact_info]='1' and [1_enrollment_arm_1][int_0_end_time]<>''	2. Physically traced?	radio, Required 0 No 1 Yes
304	ltf_q2a Show the field ONLY if: [ltf_q2] = '1'	2a. Outcome of tracing	radio, Required 0 Did not locate subject 1 Located subject
305	ltf_q3 Show the field ONLY if: [1_enrollment_arm_1][consent] ='1' and [1_enrollment_arm_1][contact_info]='1' and [1_enrollment_arm_1][int_0_end_time]<>''	3. Were additional strategies used to trace this participant?	radio, Required 0 No 1 Yes
306	ltf_q3a Show the field ONLY if: [ltf_q3] = '1'	3a. Describe the additional strategies	notes
307	ltf_q4 Show the field ONLY if: [1_enrollment_arm_1][consent] ='1' and [1_enrollment_arm_1][contact_info]='1' and [1_enrollment_arm_1][int_0_end_time]<>''	4. Is this person lost to follow up?	radio, Required 0 No 1 Yes
308	ltf_q4a Show the field ONLY if: [ltf_q4] = '1'	4a. Date reported	text (date_dmy), Required
309	ltf_q4b Show the field ONLY if: [ltf_q4] = '1'	4b. Date of last contact	text (date_dmy), Required Field Annotation: @HIDEBUTTON
310	ltf_q4c Show the field ONLY if: [ltf_q4] = '1'	4c. Last contact visit type	radio, Required 1 ANC Visit 0 2 Postpartum Visit 1

311	ltf_q4d Show the field ONLY if: [ltf_q4] = '1'	4d. Reason off the study	radio, Required

				1	Study staff unable to contact participant on phone or track to home
				2	Participant withdrew during last interview
				3	Participant withdrew after completing last interview
				4	PI or study staff withdrew participant
				5	Participant died
				6	Participant moved from area
				7	Infant Death
				77	Other

312	ltf_q4d_other Show the field ONLY if: [ltf_q4d] = '77'	Other specify	text, Required
313	ltf_q4e Show the field ONLY if: [ltf_q4] = '1'	4e. Notes	notes
314	close_record Show the field ONLY if: [ltf_q4] = '1'	thank you for filling this information. you can mark the record as unverified	descriptive
315	appt_desc Show the field ONLY if: [ltf_q4] = '0'	Post partum interview 2 appointment guide	descriptive
316	pp2_appt1 Show the field ONLY if: [ltf_q4] = '0'	1. Is the infant you had just given birth to when you completed you interview with me or one of my colleagues still under your care? Ningependa kukuuliza iwapo mtoto ambaye ulikuwa umetoka kujifungua mara ya mwisho tulipozungumza bado yuko chini ya malezi yako?	radio, Required 0 | No (La) 1 | Yes (Ndio)
317	pp2_appt2 Show the field ONLY if: [pp2_appt1] = '0'	2. Is the infant being cared for by someone else? Mtoto anapewa malezi na mtu mwingine?	radio, Required 0 | No (La) 1 | Yes (Ndio)
318	pp2_appt3 Show the field ONLY if: [pp2_appt2] = '0'	3. Has the infant passed away? Mtoto aliaga?	radio, Required 0 | No (La) 1 | Yes (Ndio)
319	info_3 Show the field ONLY if: [pp2_appt3] = '1'	The interview cannot be conducted as the infant has passed away. thank the client and end the interview	descriptive
320	int_1_desc Show the field ONLY if: [pp2_appt2] = '1' or [pp2_appt3] = '0' or [pp2_appt1] = '1'	Post partum interview 2	descriptive
321	int_2_q1a Show the field ONLY if: [pp2_appt2] = '1' or [pp2_appt3] = '0' or [pp2_appt1] = '1'	1a. Date of interview	text (date_dmy)
322	int_2_q1b Show the field ONLY if: [int_2_q1a]<>''	1b. Interviewer name	text, Required
323	int_2_q1c Show the field ONLY if: [int_2_q1b]<>''	1c. Record time interview started	text (time), Required
324	int_2_q2 Show the field ONLY if: [int_2_q1c]<>''	2. When did you deliver your most recent baby? ni lini ulijifungua mtoto wako mchanga?	text (date_dmy), Required Field Annotation: @HIDEBUTTON
325	age_of_baby_in_months Show the field ONLY if: [int_2_q1c]<>''	Age of baby in months	calc Calculation: if([int_2_q1c]='','NaN',round(datediff([int_2_q2], [int_2_q1a],"M","dmy",true),1))

326	int_2_qsecta Show the field ONLY if: [int_2_q2]<>''	Section Header: *SECTION A: FAMILY PLANNING METHODS SINCE BASELINE* I would like to ask you about your experience with family planning methods since you left the heath facility 6 months ago.	descriptive		
327	int_2_q3 Show the field ONLY if: [int_2_q2]<>''	3. Are you currently using a family planning method? Kwa sasa hivi, unatumia mbinu ya upangaji uzazi?	radio, Required		
			0	No (La)	
			1	Yes (Ndio)	
			88	Don't know/Don't remember (Sijui/Sikumbuki)	
			99	Refused to answer (Alikataa kujibu)	
328	int_2_q4a Show the field ONLY if: [int_2_q3]='1'	4a. What method are you using? Unatumia mbinu ipi kwa sasa? *DO NOT READ OUT METHODS. RECORD ONLY THOSE MENTIONED BY THE CLIENT.*	checkbox, Required		
			1	int_2_q4a___1	Combined pill (Tembe ya Pamoja)
			2	int_2_q4a___2	Progestine only pill (Tembe ya Projestroni Pekee)
			3	int_2_q4a___3	Male condom (Mpira wa wanaume)
			4	int_2_q4a___4	Female condom (Mpira wa wanawake)
			5	int_2_q4a___5	IUD
			6	int_2_q4a___6	Injectables (Sindano)
			7	int_2_q4a___7	Implant (Kipandikizi)
			8	int_2_q4a___8	Breastfeeding/LAM (Kunyonyesha/LAM)
			9	int_2_q4a___9	Male sterilization (Kufisha vidudu kwa wanaumme)
			10	int_2_q4a___10	Female sterilization (Kufisha vidudu kwa wanawake)
			11	int_2_q4a___11	Emergency contraception (Kingamimba ya dharura)
			88	int_2_q4a___88	Don't know/Don't remember (Sijui/Sikumbuki)
			77	int_2_q4a___77	Other (Nyingine)
			99	int_2_q4a___99	Refused to answer Alikataa kujibu
			Field Annotation: @NONEOFTHEABOVE='99,88'		
329	int_2_q4a_other Show the field ONLY if: [int_2_q4a(77)]='1'	Other method	text, Required		
330	int_2_q4b Show the field ONLY if: [int_2_q4a(8)]='1'	4b. Can you tell me what you mean when you say you use LAM? Please tell me how LAM must be performed as a family planning method. Unaweza kuniambia unamaanisha nini unaposema unatumia lam?tafadhali niambie namna lam inavyotekelezwa kama mbinu ya upangaji uzazi *Interviewer: do not read out responses. Record only those mentioned by the client. Record all mentioned.*	checkbox, Required		
			0	int_2_q4b___0	Breastfeeding (Kunyonyesha)
			1	int_2_q4b___1	Infant is less than 6 months (Mtoto mchanga yuko chini ya umri wa miezi 6)
			2	int_2_q4b___2	Menses not returned (Hedhi haijarejea)
			3	int_2_q4b___3	Exclusively breastfeed (Kunyonyesha kama njia ya kipekee)
			77	int_2_q4b___77	Other (Nyingine)
			99	int_2_q4b___99	Refused to answer (Alikataa kujibu)
			Field Annotation: @NONEOFTHEABOVE=99		
331	int_2_q4b_other Show the field ONLY if: [int_2_q4b(77)]='1'	Other meaning of LAM	text, Required		
332	int_2_q5 Show the field ONLY if: [int_2_q3]='1'	5. Is this the method you received immediately after delivery before leaving the health facility? Hii ni mbinu uliyoipokea pindi tu baada ya kujifungua lakini kabla ya kutoka kwennye kituo cha afya?	radio, Required		
			0	No (La)	
			1	Yes (Ndio)	
			88	Don't know/Don't remember (Sijui/Sikumbuki)	
			99	Refused to answer (Alikataa kujibu)	

333	int_descriptive Show the field ONLY if: [int_2_q2]<>''	Section A1: All patients who began Postpartum Family Planning (At the facility and after discharge)	descriptive		
334	int_descriptive_2 Show the field ONLY if: [int_2_q2]<>''	Now, i would like to ask you a few questions about the family planning method you initiated while you were at the facility for your childbirth stay.	descriptive		
335	int_2_q6a Show the field ONLY if: [int_2_q2]<>''	6a. Did you initiate a method of family planning immediately after delivery, while still at the facility? Ulianzisha mbinu ya upangaji uzazi pindi tu baada ya kujifungua, ukiwa bado hospitalini?	radio, Required		
			0	No (La)	
			1	Yes (Ndio)	
			88	Don't know/Don't remember (Sijui/Sikumbuki)	
			99	Refused to answer (Alikataa kujibu)	
336	int_2_q6b Show the field ONLY if: [int_2_q6a]='1'	6b. What method did you receive immediately after delivery before leaving the health facility? Ni mbinu ipi uliyoipokea pindi tu baada ya kujifungua lakini kabla ya kuondoka kwenye kituo cha afya?	radio, Required		
			1	Combined pill (Tembe ya Pamoja)	
			2	Progestine only pill (Tembe ya Projestroni Pekee)	
			3	Male condom (Mpira wa wanaume)	
			4	Female condom (Mpira wa wanawake)	
			5	IUD	
			6	Injectables (Sindano)	
			7	Implant (Kipandikizi)	
			8	Breastfeeding/LAM (Kunyonyesha/LAM)	
			9	Male sterilization (Kufisha vidudu kwa wanaumme)	
			10	Female sterilization (Kufisha vidudu kwa wanawake)	
			11	Emergency contraception (Kingamimba ya dharura)	
			88	Don't know/Don't remember (Sijui/Sikumbuki)	
			77	Other (Nyingine)	
			99	Refused to answer Alikataa kujibu	
337	int_2_q9other Show the field ONLY if: [int_2_q6b]='77'	Other specify	text, Required		
338	int_2_q6c Show the field ONLY if: [int_2_q6b]='8'	6c. Can you tell me what you mean when you say you use LAM? Please tell me how LAM must be performed as a family planning method. Unaweza kuniambia unamaanisha nini unaposema unatumia lam?tafadhali niambie namna lam inavyotekelezwa kama mbinu ya upangaji uzazi *Interviewer: do not read out responses. Record only those mentioned by the client. Record all mentioned.*	checkbox, Required		
			0	int_2_q6c___0	Breastfeeding (Kunyonyesha)
			1	int_2_q6c___1	Infant is less than 6 months (Mtoto mchanga yuko chini ya umri wa miezi 6)
			2	int_2_q6c___2	Menses not returned (Hedhi haijarejea)
			3	int_2_q6c___3	Exclusively breastfeed (Kunyonyesha kama njia ya kipekee)
			77	int_2_q6c___77	Other (Nyingine)
			99	int_2_q6c___99	Refused to answer (Alikataa kujibu)
			Field Annotation: @NONEOFTHEABOVE=99		
339	int_2_q4b_other_2 Show the field ONLY if: [int_2_q6c(77)]='1'	Other meaning of LAM	text, Required		
340	int_2_q6d Show the field ONLY if: [int_2_q6a] = '1'	6d. Overall, on a scale of 1 to 5, where 1 is very dissatisfied and 5 is very satisfied, how satisfied are you with the family planning method you initiated? Kwa jumla, kwenye skeli ya 1 - 5, ambapo 1 ni kutoridhika kamwe na 5 kuridhika kwa kiasi kikubwa, umeridhikaje na mbinu ya upangaji uzazi uliyoanza?	radio, Required		
			1	1	
			2	2	
			3	3	
			4	4	
			5	5	
			88	Don't know/Don't remember (Sijui/Sikumbuki)	
			99	Refused to answer (Alikataa kujibu)	

341	int_2_q7 Show the field ONLY if: [int_2_q6a] = '1'	7. Have you experienced any side effects with this method? Umekumbwa na madhara yoyote yanayohusiana na mbinu hii?	radio, Required

			0	No (La)
			1	Yes (Ndio)
			88	Don't know/Don't remember (Sijui/Sikumbuki)
			99	Refused to answer (Alikataa kujibu)

342	int_2_q8 Show the field ONLY if: [int_2_q7]='1'	8. Which side effects have you experienced with your family planning method? Ni madhara yepi ya mbinu hii ya upangaji uzazi ambayo yamekukumba? *Interviewer: do not read out options. Record only those mentioned by the client. Record all side effects mentioned.*	checkbox, Required

1	int_2_q8___1	Changes in menstration (Mabadiliko katika hedhi)
2	int_2_q8___2	Pain at the insertion site (Uchungu mahala pa kuwekwa)
3	int_2_q8___3	Infection (Maambukizi)
4	int_2_q8___4	Mood swings (Mabadiliko ya usununu)
5	int_2_q8___5	Weight change (Mabadiliko kwenye mizani)
6	int_2_q8___6	Headache (Kichwa kuuma)
7	int_2_q8___7	Acne (Chunusi)
8	int_2_q8___8	Depressed mood (Huzunika)
9	int_2_q8___9	Vaginitis (Kuwashwa ukeeni)
10	int_2_q8___10	Breast pain (Uchungu kwenye matiti)
11	int_2_q8___11	Cramping (Maumivu ya hedhi)
12	int_2_q8___12	Painful periods (Hedhi zilizo uchungu)
13	int_2_q8___13	Nausea (Kichefuchefu)
14	int_2_q8___14	Dizziness (Kizunguzungu)
15	int_2_q8___15	Scarring at insetion site (Kovu mahali pa kuwekwa)
16	int_2_q8___16	Loss of libido (Kupungua kwa ashiki za kujamiana)
17	int_2_q8___17	Interference with sexual activity (Usumbufu kwenye kitendo cha kujamiana)
18	int_2_q8___18	(Implant) failed insertion (kutofaulu kuweka)
19	int_2_q8___19	(Implant) pain, irritation, swelling or bruising at the insertion site (uchungu, kuwashwa, kuvimba au jeraha mahali pa kuwekwa)
20	int_2_q8___20	(Implant) broken implant (kuvunjika kwa kipandikizi)
21	int_2_q8___21	(IUD) pain after insertion (uchungu baada ya kuwekewa)
22	int_2_q8___22	(IUD) heavy bleeding (hedhi nzito)
23	int_2_q8___23	(IUD) expulsion (kutoka)
24	int_2_q8___24	(Implant, IUD) infection (maambukizi)
25	int_2_q8___25	(Sterilization) pain after the procedure (uchungu baada ya utaratibu huo)
77	int_2_q8___77	Other (Nyingine)
88	int_2_q8___88	Don't know/Don't remember (sijui/sikumbuki)
99	int_2_q8___99	Refused to answer (Alikataa kujibu)

Field Annotation: @NONEOFTHEABOVE='88,99'

343	int_2_q8_other Show the field ONLY if: [int_2_q8(77)]='1'	Other specify	text, Required

344	int_2_q9	9. On a scale of 1 to 5 with 1 being a significant problem and 5 being no problem, have the side-effects been an issue or not? Kwenye safu ya 1 hadi 5,1 mna shida kubwa sana na 5 ikiwa hamna tatizo,athari imekuwa tatizo kubwa au la?	radio, Required
	Show the field ONLY if: [int_2_q7]='1'		1	1
			2	2
			3	3
			4	4
			5	5
			88	Don't know/Don't remember (Sijui/Sikumbuki)
			99	Refused to answer (Alikataa kujibu)

345	int_2_q10a	10a. Have you done anything to manage the side effects? Umechukua hatuayoyote kuhusu athari hiyo?	radio, Required
	Show the field ONLY if: [int_2_q7]='1'		0	No (La)
			1	Yes (Ndio)
			88	Don't know/Don't remember (Sijui/Sikumbuki)
			99	Refused to answer (Alikataa kujibu)

346	int_2_q10b	10b. What have you done to manage the side effects? Umefanya nini ili kuthibithi athari hizi	radio, Required
	Show the field ONLY if: [int_2_q10a] = '1'		2	Went back to the healthcare facility where I received it (Nilirudi kwenye kituo ambacho nilipokea mbinu hii)
			3	Went to the facility where i gave birth to this child, if different facility than where you received the method (Nilirudi kwenye kituo ambacho nilijifungulia mtoto huyu, na ambacho ni tofauti na nilipopokea mbinu)
			4	Went to a different healthcare facility (Alienda kwenye kituo kingine tofauti)
			5	Used over the counter medicine (Alitumia dawa za kununua dukani)
			77	Other (Nyingine)
			88	Don't know/Don't remember (Sijui/Sikumbuki)
			99	Refused to answer (Alikataa kujibu)

347	int_2_q10b_other	Other specify	text, Required
	Show the field ONLY if: [int_2_q10b]='77'		

348	int_2_q11	11. Do you feel your concerns were addressed adequately by your healthcare provider? Unahisi kuwa uliyotaka kufahamu yaliangaziwa vyema na mhudumu wako wa afya?	radio, Required
	Show the field ONLY if: [int_2_q10b] = '2' or [int_2_q10b] = '3' or [int_2_q10b] = '4'		0	No (La)
			1	Yes (Ndio)
			88	Don't know/Don't remember (Sijui/Sikumbuki)
			99	Refused to answer (Alikataa kujibu)

349	int_2_q12	12. Did you feel pressure to continue using this method from your healthcare provider? Ulihisi msukumo wa kuendelea kutumia mbinu hii kutoka kwa mhudumu wako wa afya?	radio, Required
	Show the field ONLY if: [int_2_q10b] = '2' or [int_2_q10b] = '3' or [int_2_q10b] = '4'		0	No (La)
			1	Yes (Ndio)
			88	Don't know/Don't remember (Sijui/Sikumbuki)
			99	Refused to answer (Alikataa kujibu)

350	int_2_q13	13. Would you recommend the family planning method you chose immediately after giving birth to a friend? Kulingana na uliyoyapitia, ungempendekezea rafiki mbinu uliyoichagua ya upangaji uzazi ya pindi tu baada ya kujifungua?	radio, Required
	Show the field ONLY if: [int_2_q6a] = '1'		0	No (La)
			1	Yes (Ndio)
			88	Don't know/Don't remember (Sijui/Sikumbuki)
			99	Refused to answer (Alikataa kujibu)

351	int_2_q14	14. Would you recommend starting a method at the time you started? Ungependekeza kuanza matumizi ya mbinu hiyo kwa wakati ambao wewe ulianza?	radio, Required
	Show the field ONLY if: [int_2_q6a] = '1'		1	Yes (Ndio)
			2	No, I recommend starting earlier (La, napendekeza kuanza mapema)
			3	No, I recommend starting later (La, napendekeza kuanza baadaye)
			88	Don't know/Don't remember (Sijui/Sikumbuki)
			99	Refused to answer (Alikataa kujibu)

352	int_2_check_q15 Show the field ONLY if: [int_2_q2]<>''	Quick check to see if Q15 should be answered	calc Calculation: if([int_2_q2]='' or ([int_2_q3]='0' or [int_2_q3]='88' or [int_2_q3]='99'),'NaN',if(([int_2_q4a(1)]='1' and [2_client_at_delive_arm_1][int_1_q12(1)]='1') ,1,if(([int_2_q4a(2)]='1' and [2_client_at_delive_arm_1][int_1_q12(2)]='1') ,1,if(([int_2_q4a(3)]='1' and [2_client_at_delive_arm_1][int_1_q12(3)]='1'),1,if(([int_2_q4a(4)]='1' and [2_client_at_delive_arm_1][int_1_q12(4)]='1'),1,if(([int_2_q4a(5)]='1' and [2_client_at_delive_arm_1][int_1_q12(5)]='1'),1,if(([int_2_q4a(6)]='1' and [2_client_at_delive_arm_1][int_1_q12(6)]='1'),1,if(([int_2_q4a(7)]='1' and [2_client_at_delive_arm_1][int_1_q12(7)]='1'),1,if(([int_2_q4a(8)]='1' and [2_client_at_delive_arm_1][int_1_q12(8)]='1'),1,if(([int_2_q4a(9)]='1' and [2_client_at_delive_arm_1][int_1_q12(9)]='1'),1,if(([int_2_q4a(10)]='1' and [2_client_at_delive_arm_1][int_1_q12(10)]='1'),1,if(([int_2_q4a(11)]='1' and [2_client_at_delive_arm_1][int_1_q12(11)]='1'),1,if(([int_2_q4a(77)]='1' and [2_client_at_delive_arm_1][int_1_q12(77)]='1'),1,0)))))))))))))
353	int_2_q15a Show the field ONLY if: [int_2_check_q15] = '0'	15a. Are you still using this method? ([2_client_at_delive_arm_1] [int_1_q12]) Bado unatumia mbinu hii?	radio, Required <table><tr><td>0</td><td>No (La)</td></tr><tr><td>1</td><td>Yes (Ndio)</td></tr><tr><td>88</td><td>Don't know/Don't remember (Sijui/Sikumbuki)</td></tr><tr><td>99</td><td>Refused to answer (Alikataa kujibu)</td></tr></table>
354	int_2_q15b Show the field ONLY if: [int_2_q15a]='0' or [int_2_q15a] ='88' or [int_2_q15a]='99'	15b. Why did you stop using this method? Kwa nini uliacha kutumia mbinu hii? *Interviewer: do not read out response options. Multiple responses possible. Record all mentioned.*	checkbox, Required <table><tr><td>1</td><td>int_2_q15b___1</td><td>Wanted to become pregnant (Nilitaka kupata ujauzito)</td></tr><tr><td>2</td><td>int_2_q15b___2</td><td>Became pregnant (Nilipata ujauzito)</td></tr><tr><td>3</td><td>int_2_q15b___3</td><td>Infrequent sex/partner away (Nadra kujamiana/mwenza yuko mbali)</td></tr><tr><td>4</td><td>int_2_q15b___4</td><td>Husband disapproved (Mme hakubaliani nayo)</td></tr><tr><td>5</td><td>int_2_q15b___5</td><td>Wanted more effective method (Alitaka mbinu yenye kufaa zaidi)</td></tr><tr><td>6</td><td>int_2_q15b___6</td><td>Health concerns (Matatizo ya kiafya)</td></tr><tr><td>7</td><td>int_2_q15b___7</td><td>Unable to access (Ngumu kuipata)</td></tr><tr><td>8</td><td>int_2_q15b___8</td><td>Too expensive (Ghali mno)</td></tr><tr><td>9</td><td>int_2_q15b___9</td><td>Relationship dissolution (Kukatika kwa mahusiano)</td></tr><tr><td>10</td><td>int_2_q15b___10</td><td>Side effects (Athari zake)</td></tr><tr><td>11</td><td>int_2_q15b___11</td><td>Using method too inconvenient (Haikuwa rahisi kutumia mbinu)</td></tr><tr><td>77</td><td>int_2_q15b___77</td><td>Other (Nyingine)</td></tr><tr><td>88</td><td>int_2_q15b___88</td><td>Don't know/Don't remember (Sijui/Sikumbuki)</td></tr><tr><td>99</td><td>int_2_q15b___99</td><td>Refused to answer (Alikataa kujibu)</td></tr></table> Field Annotation: @NONEOFTHEABOVE='88,99'
355	int_2_q15b_other Show the field ONLY if: [int_2_q15b(77)]='1'	Other specify	text, Required

356	sec_a2 Show the field ONLY if: ([int_2_q6a]='0' or [int_2_q6a]='88' or [int_2_q6a]='99') or ([int_2_q15a]='0' or [int_2_q15a]='88' or [int_2_q15a]='99')	Section A2: All patients	descriptive		
357	int_2_q16 Show the field ONLY if: ([int_2_q6a]='0' or [int_2_q6a]='88' or [int_2_q6a]='99') or ([int_2_q15a]='0' or [int_2_q15a]='88' or [int_2_q15a]='99')	16. Between the time you left the facility for your childbirth stay and now, have you initiated a family planning method? Kati ya muda uliokaa hospitali kwa ajili ya maangalizo ya mtoto baada ya kijifungua na sasa, umeanza matumizi ya upangaji uzazi?	radio, Required <table><tr><td>0</td><td>No (La)</td></tr><tr><td>1</td><td>Yes (Ndio)</td></tr><tr><td>88</td><td>Don't know/Don't remember (Sijui/Sikumbuki)</td></tr><tr><td>99</td><td>Refused to answer (Alikataa kujibu)</td></tr></table>		
358	int_2_q17 Show the field ONLY if: [int_2_q16]='0'	17. Why did you not receive a family planning method since giving birth? Kwa nini hukupokea mbinu ya upangaji uzazi tangu kujifungua?	checkbox, Required		
			1	int_2_q17___1	Wanted to become pregnant (Nilitaka kupata ujauzito)
			2	int_2_q17___2	Became pregnant (Nilipata ujauzito)
			3	int_2_q17___3	Infrequent sex/partner away (Nadra kujamiana/mwenza yuko mbali)
			4	int_2_q17___4	Husband disapproved (Mme hakubaliani nayo)
			5	int_2_q17___5	Wanted more effective method (Alitaka mbinu yenye kufaa zaidi)
			6	int_2_q17___6	Health concerns (Matatizo ya kiafya)
			7	int_2_q17___7	Unable to access (Ngumu kuipata)
			8	int_2_q17___8	Too expensive (Ghali mno)
			9	int_2_q17___9	Relationship dissolution (Kukatika kwa mahusiano)
			10	int_2_q17___10	Side effects (Athari zake)
			11	int_2_q17___11	Using method too inconvenient (Haikuwa rahisi kutumia mbinu)
			77	int_2_q17___77	Other (Nyingine)
			88	int_2_q17___88	Don't know/Don't remember (Sijui/Sikumbuki)
			99	int_2_q17___99	Refused to answer (Alikataa kujibu)
			Field Annotation: @NONEOFTHEABOVE='88,99'		
359	int_q17_other Show the field ONLY if: [int_2_q17(77)]='1'	Other specify	text, Required		

360	int_2_q18a1	18a1. What method did you start using? Ulianza kutumia mbinu ipi?	checkbox, Required			
	Show the field ONLY if: [int_2_q16]='1'			1	int_2_q18a1___1	Combined pill (Tembe ya Pamoja)
				2	int_2_q18a1___2	Progestine only pill (Tembe ya Projestroni Pekee)
				3	int_2_q18a1___3	Male condom (Mpira wa wanaume)
				4	int_2_q18a1___4	Female condom (Mpira wa wanawake)
				5	int_2_q18a1___5	IUD
				6	int_2_q18a1___6	Injectables (Sindano)
				7	int_2_q18a1___7	Implant (Kipandikizi)
				8	int_2_q18a1___8	Breastfeeding/LAM (Kunyonyesha/LAM)
				9	int_2_q18a1___9	Male sterilization (Kufisha vidudu kwa wanaumme)
				10	int_2_q18a1___10	Female sterilization (Kufisha vidudu kwa wanawake)
				11	int_2_q18a1___11	Emergency contraception (Kingamimba ya dharura)
				88	int_2_q18a1___88	Don't know/Don't remember (Sijui/Sikumbuki)
				77	int_2_q18a1___77	Other (Nyingine)
				99	int_2_q18a1___99	Refused to answer Alikataa kujibu
			Field Annotation: @NONEOFTHEABOVE='88,99'			
361	int_2_q18a1_other	Other specify	text, Required			
	Show the field ONLY if: [int_2_q18a1(77)] = '1'					
362	q18_desc	18a2. When did you start using this method? How many months or weeks ago Ulianza kutumia mbinu hii lini? Miezi au wiki ngapi zilizopita?	descriptive			
	Show the field ONLY if: ((([int_2_q18a1(1)] = '1' or [int_2_q18a1(2)] = '1' or [int_2_q18a1(3)] = '1' or [int_2_q18a1(4)] = '1' or [int_2_q18a1(5)] = '1' or [int_2_q18a1(6)] = '1' or [int_2_q18a1(7)] = '1' or [int_2_q18a1(9)] = '1' or [int_2_q18a1(10)] = '1' or [int_2_q18a1(11)] = '1' or [int_2_q18a1(77)] = '1') and [int_2_q18a1(8)] = '1') or (([int_2_q18a1(1)] = '1' or [int_2_q18a1(2)] = '1' or [int_2_q18a1(3)] = '1' or [int_2_q18a1(4)] = '1' or [int_2_q18a1(5)] = '1' or [int_2_q18a1(6)] = '1' or [int_2_q18a1(7)] = '1' or [int_2_q18a1(9)] = '1' or [int_2_q18a1(10)] = '1' or [int_2_q18a1(11)] = '1' or [int_2_q18a1(77)] = '1') and [int_2_q18a1(8)] = '0')					

363	int_2_q18a2_month Show the field ONLY if: ((([int_2_q18a1(1)] = '1' or [int_2_q18a1(2)] = '1' or [int_2_q18a1(3)] = '1' or [int_2_q18a1(4)] = '1' or [int_2_q18a1(5)] = '1' or [int_2_q18a1(6)] = '1' or [int_2_q18a1(7)] = '1' or [int_2_q18a1(9)] = '1' or [int_2_q18a1(10)] = '1' or [int_2_q18a1(11)] = '1' or [int_2_q18a1(77)] = '1') and [int_2_q18a1(8)] = '1') or (([int_2_q18a1(1)] = '1' or [int_2_q18a1(2)] = '1' or [int_2_q18a1(3)] = '1' or [int_2_q18a1(4)] = '1' or [int_2_q18a1(5)] = '1' or [int_2_q18a1(6)] = '1' or [int_2_q18a1(7)] = '1' or [int_2_q18a1(9)] = '1' or [int_2_q18a1(10)] = '1' or [int_2_q18a1(11)] = '1' or [int_2_q18a1(77)] = '1') and [int_2_q18a1(8)] = '0')	18a2. Months *ENTER 99 IF CLIENT REFUSED TO ANSWER; 88 IF CLIENT DOES NOT KNOW*	text (integer), Required Field Annotation: @CHARLIMIT=2
364	int_2_q18a2_weeks Show the field ONLY if: ((([int_2_q18a1(1)] = '1' or [int_2_q18a1(2)] = '1' or [int_2_q18a1(3)] = '1' or [int_2_q18a1(4)] = '1' or [int_2_q18a1(5)] = '1' or [int_2_q18a1(6)] = '1' or [int_2_q18a1(7)] = '1' or [int_2_q18a1(9)] = '1' or [int_2_q18a1(10)] = '1' or [int_2_q18a1(11)] = '1' or [int_2_q18a1(77)] = '1') and [int_2_q18a1(8)] = '1') or (([int_2_q18a1(1)] = '1' or [int_2_q18a1(2)] = '1' or [int_2_q18a1(3)] = '1' or [int_2_q18a1(4)] = '1' or [int_2_q18a1(5)] = '1' or [int_2_q18a1(6)] = '1' or [int_2_q18a1(7)] = '1' or [int_2_q18a1(9)] = '1' or [int_2_q18a1(10)] = '1' or [int_2_q18a1(11)] = '1' or [int_2_q18a1(77)] = '1') and [int_2_q18a1(8)] = '0')	18a2. Weeks *ENTER 99 IF CLIENT REFUSED TO ANSWER; 88 IF CLIENT DOES NOT KNOW*	text (integer), Required Field Annotation: @CHARLIMIT=2

365	int_2_q18b Show the field ONLY if: ([int_2_q18a1(1)] = '1' and [int_2_q18a1(2)] = '1') or ([int_2_q18a1(1)] = '1' and [int_2_q18a1(5)] = '1') or ([int_2_q18a1(1)] = '1' and [int_2_q18a1(6)] = '1') or ([int_2_q18a1(1)] = '1' and [int_2_q18a1(7)] = '1') or ([int_2_q18a1(1)] = '1' and [int_2_q18a1(8)] = '1') or ([int_2_q18a1(1)] = '1' and [int_2_q18a1(10)] = '1') or ([int_2_q18a1(2)] = '1' and [int_2_q18a1(5)] = '1') or ([int_2_q18a1(2)] = '1' and [int_2_q18a1(6)] = '1') or ([int_2_q18a1(2)] = '1' and [int_2_q18a1(7)] = '1') or ([int_2_q18a1(2)] = '1' and [int_2_q18a1(8)] = '1') or ([int_2_q18a1(2)] = '1' and [int_2_q18a1(10)] = '1') or ([int_2_q18a1(5)] = '1' and [int_2_q18a1(6)] = '1') or ([int_2_q18a1(5)] = '1' and [int_2_q18a1(7)] = '1') or ([int_2_q18a1(5)] = '1' and [int_2_q18a1(8)] = '1') or ([int_2_q18a1(5)] = '1' and [int_2_q18a1(10)] = '1') or ([int_2_q18a1(6)] = '1' and [int_2_q18a1(7)] = '1') or ([int_2_q18a1(6)] = '1' and [int_2_q18a1(8)] = '1') or ([int_2_q18a1(6)] = '1' and [int_2_q18a1(10)] = '1') or ([int_2_q18a1(7)] = '1' and [int_2_q18a1(8)] = '1') or ([int_2_q18a1(7)] = '1' and [int_2_q18a1(10)] = '1') or ([int_2_q18a1(8)] = '1' and [int_2_q18a1(10)] = '1')	18b. What method did you start using first? Ulianza kutumia mbinu ipi kwanza?	radio, Required

radio options for int_2_q18b:

1	Combined pill (Tembe ya Pamoja)
2	Progestine only pill (Tembe ya Projestroni Pekee)
3	Male condom (Mpira wa wanaume)
4	Female condom (Mpira wa wanawake)
5	IUD
6	Injectables (Sindano)
7	Implant (Kipandikizi)
8	Breastfeeding/LAM (Kunyonyesha/LAM)
9	Male sterilization (Kufisha vidudu kwa wanaumme)
10	Female sterilization (Kufisha vidudu kwa wanawake)
11	Emergency contraception (Kingamimba ya dharura)
88	Don't know/Don't remember (Sijui/Sikumbuki)
77	Other (Nyingine)
99	Refused to answer Alikataa kujibu

366	int_2_q18b_other Show the field ONLY if: [int_2_q18b]='77'	Other specify	text, Required

367	int_2_q18c Show the field ONLY if: [int_2_q18b] = '8'	18c. Can you tell me what you mean when you say you use lam? Please tell me how lam must be performed as a family planning method. Unaweza kuniambia unamaanisha nini unaposema unatumia lam?tafadhali niambie namna lam inavyotekelezwa kama mbinu ya upangaji uzazi	checkbox, Required

checkbox options for int_2_q18c:

0	int_2_q18c___0	Breastfeeding (Kunyonyesha)
1	int_2_q18c___1	Infant is less than 6 months (Mtoto mchanga yuko chini ya umri wa miezi 6)
2	int_2_q18c___2	Menses not returned (Hedhi haijarejea)
3	int_2_q18c___3	Exclusively breastfeed (Kunyonyesha kama njia ya kipekee)
77	int_2_q18c___77	Other (Nyingine)
99	int_2_q18c___99	Refused to answer (Alikataa kujibu)

Field Annotation: @NONEOFTHEABOVE=99

368	int_2_q18c_other Show the field ONLY if: [int_2_q18c(77)]='1'	Other specify	text, Required

369	int_2_q19a Show the field ONLY if: [int_2_q16]='1'	19a. Where did you get this method? Ulipata mbinu hii wapi?	radio, Required

1	Hospital (I went to the hospital for a FP method) (Nilienda hospitalini kupata mbinu ya upangaji uzazi)
2	Clinic (I went to the clinic for a FP method) (Nilienda kliniki kupata mbinu ya upangaji uzazi)
3	Pharmacy (Duka la dawa)
4	Community health worker (I went to the CHW for a FP method) (Nilienda kwa mhudumu wa afya ya jamii kupata mbinu ya upangaji uzazi)
6	Infant welfare visits (Ziara ya ukuaji wa watoto)
7	Infant immunization visits (Ziara ya chanjo za watoto)
8	Postnatal care check (Maangalizi ya malezi ya baada ya kujifungua)
77	Other (Nyingine)
88	Don't know/Don't remember (Sijui/Sikumbuki)
99	Refused to answer (Alikataa kujibu)

370	int_2_q19a_other Show the field ONLY if: [int_2_q19a]='77'	Other specify	text, Required

371	int_2_q19b Show the field ONLY if: [int_2_q16]='1'	19b. Was this at the same facility where you gave birth? Hiki ni kituo sawa na ulikojifungulia?	radio, Required

0	No (La)
1	Yes (Ndio)
99	Refused to answer (Alikataa kujibu)

372	int_2_q20 Show the field ONLY if: [int_2_q16]='1'	20. Are you still using this method? Bado unatumia mbinu hiyo?	radio, Required

0	No (La)
1	Yes (Ndio)
99	Refused to answer (Alikataa kujibu)

373	int_2_q21 Show the field ONLY if: [int_2_q20]='0'	21. Why did you stop using this method? Kwa nini uliacha kutumia mbinu hii?	checkbox, Required

1	int_2_q21___1	Wanted to become pregnant (Nilitaka kupata ujauzito)
2	int_2_q21___2	Became pregnant (Nilipata ujauzito)
3	int_2_q21___3	Infrequent sex/partner away (Nadra kujamiana/mwenza yuko mbali)
4	int_2_q21___4	Husband disapproved (Mme hakubaliani nayo)
5	int_2_q21___5	Wanted more effective method (Alitaka mbinu yenye kufaa zaidi)
6	int_2_q21___6	Health concerns (Matatizo ya kiafya)
7	int_2_q21___7	Unable to access (Ngumu kuipata)
8	int_2_q21___8	Too expensive (Ghali mno)
9	int_2_q21___9	Relationship dissolution (Kukatika kwa mahusiano)
10	int_2_q21___10	Side effects (Athari zake)
11	int_2_q21___11	Using method too inconvenient (Haikuwa rahisi kutumia mbinu)
77	int_2_q21___77	Other (Nyingine)
88	int_2_q21___88	Don't know/Don't remember (Sijui/Sikumbuki)
99	int_2_q21___99	Refused to answer (Alikataa kujibu)

Field Annotation: @NONEOFTHEABOVE='88,99'

374	int_2_q21_other Show the field ONLY if: [int_2_q21(77)]='1'	Other specify	text, Required		
375	int_2_q22 Show the field ONLY if: [int_2_q20]='0'	22. Did you start using a different method of family planning after stopping this second method? Ulichukua mbinu tofauti ya upangaji uzazi baada ya kuacha mbinu hii ya pili?	radio, Required 0 No (La) 1 Yes (Ndio) 99 Refused to answer (Alikataa kujibu)		
376	int_2_q23a Show the field ONLY if: [int_2_q22]='1'	23a. What method did you start using? Ulianza kutumia mbinu ipi?	checkbox, Required 1 int_2_q23a___1 Combined pill (Tembe ya Pamoja) 2 int_2_q23a___2 Progestine only pill (Tembe ya Projestroni Pekee) 3 int_2_q23a___3 Male condom (Mpira wa wanaume) 4 int_2_q23a___4 Female condom (Mpira wa wanawake) 5 int_2_q23a___5 IUD 6 int_2_q23a___6 Injectables (Sindano) 7 int_2_q23a___7 Implant (Kipandikizi) 8 int_2_q23a___8 Breastfeeding/LAM (Kunyonyesha/LAM) 9 int_2_q23a___9 Male sterilization (Kufisha vidudu kwa wanaumme) 10 int_2_q23a___10 Female sterilization (Kufisha vidudu kwa wanawake) 11 int_2_q23a___11 Emergency contraception (Kingamimba ya dharura) 77 int_2_q23a___77 Other (Nyingine) 99 int_2_q23a___99 Refused to answer Alikataa kujibu Field Annotation: @NONEOFTHEABOVE=99		
377	int_2_q23a_other Show the field ONLY if: [int_2_q23a(77)]='1'	Other specify	text, Required		
378	q23b Show the field ONLY if: ((([int_2_q23a(1)] = '1' or [int_2_q23a(2)] = '1' or [int_2_q23a(3)] = '1' or [int_2_q23a(4)] = '1' or [int_2_q23a(5)] = '1' or [int_2_q23a(6)] = '1' or [int_2_q23a(7)] = '1' or [int_2_q23a(9)] = '1' or [int_2_q23a(10)] = '1' or [int_2_q23a(11)] = '1' or [int_2_q23a(77)] = '1') and [int_2_q23a(8)] = '1') or (([int_2_q23a(1)] = '1' or [int_2_q23a(2)] = '1' or [int_2_q23a(3)] = '1' or [int_2_q23a(4)] = '1' or [int_2_q23a(5)] = '1' or [int_2_q23a(6)] = '1' or [int_2_q23a(7)] = '1' or [int_2_q23a(9)] = '1' or [int_2_q23a(10)] = '1' or [int_2_q23a(11)] = '1' or [int_2_q23a(77)] = '1') and [int_2_q23a(8)] = '0')	23b. When did you start using this method? How many months or weeks ago Ulianza kutumia mbinu hii lini? Miezi au wiki ngapi zilizopita?	descriptive		

379	int_2_q23b_months Show the field ONLY if: ((([int_2_q23a(1)] = '1' or [int_2_q23a(2)] = '1' or [int_2_q23a(3)] = '1' or [int_2_q23a(4)] = '1' or [int_2_q23a(5)] = '1' or [int_2_q23a(6)] = '1' or [int_2_q23a(7)] = '1' or [int_2_q23a(9)] = '1' or [int_2_q23a(10)] = '1' or [int_2_q23a(11)] = '1' or [int_2_q23a(77)] = '1') and [int_2_q23a(8)] = '1') or (([int_2_q23a(1)] = '1' or [int_2_q23a(2)] = '1' or [int_2_q23a(3)] = '1' or [int_2_q23a(4)] = '1' or [int_2_q23a(5)] = '1' or [int_2_q23a(6)] = '1' or [int_2_q23a(7)] = '1' or [int_2_q23a(9)] = '1' or [int_2_q23a(10)] = '1' or [int_2_q23a(11)] = '1' or [int_2_q23a(77)] = '1') and [int_2_q23a(8)] = '0')	23b. Months *ENTER 99 IF CLIENT REFUSED TO ANSWER; 88 IF CLIENT DOES NOT KNOW*	text (integer), Required Field Annotation: @CHARLIMIT=2
380	int_2_q23b_weeks Show the field ONLY if: ((([int_2_q23a(1)] = '1' or [int_2_q23a(2)] = '1' or [int_2_q23a(3)] = '1' or [int_2_q23a(4)] = '1' or [int_2_q23a(5)] = '1' or [int_2_q23a(6)] = '1' or [int_2_q23a(7)] = '1' or [int_2_q23a(9)] = '1' or [int_2_q23a(10)] = '1' or [int_2_q23a(11)] = '1' or [int_2_q23a(77)] = '1') and [int_2_q23a(8)] = '1') or (([int_2_q23a(1)] = '1' or [int_2_q23a(2)] = '1' or [int_2_q23a(3)] = '1' or [int_2_q23a(4)] = '1' or [int_2_q23a(5)] = '1' or [int_2_q23a(6)] = '1' or [int_2_q23a(7)] = '1' or [int_2_q23a(9)] = '1' or [int_2_q23a(10)] = '1' or [int_2_q23a(11)] = '1' or [int_2_q23a(77)] = '1') and [int_2_q23a(8)] = '0')	23b. Weeks *ENTER 99 IF CLIENT REFUSED TO ANSWER; 88 IF CLIENT DOES NOT KNOW*	text (integer), Required Field Annotation: @CHARLIMIT=2
381	int_2_q24a Show the field ONLY if: ((([int_2_q23a(1)] = '1' or [int_2_q23a(2)] = '1' or [int_2_q23a(3)] = '1' or [int_2_q23a(4)] = '1' or [int_2_q23a(5)] = '1' or [int_2_q23a(6)] = '1' or [int_2_q23a(7)] = '1' or [int_2_q23a(9)] = '1' or [int_2_q23a(10)] = '1' or [int_2_q23a(11)] = '1' or [int_2_q23a(77)] = '1') and [int_2_q23a(8)] = '1') or (([int_2_q23a(1)] = '1' or [int_2_q23a(2)] = '1' or [int_2_q23a(3)] = '1' or [int_2_q23a(4)] = '1' or [int_2_q23a(5)] = '1' or [int_2_q23a(6)] = '1' or [int_2_q23a(7)] = '1' or [int_2_q23a(9)] = '1' or [int_2_q23a(10)] = '1' or [int_2_q23a(11)] = '1' or [int_2_q23a(77)] = '1') and [int_2_q23a(8)] = '0')	24a. Where did you get this method? Ulipata wapi mbinu hii?	radio, Required

			1	Hospital (I went to the hospital for a FP method) (Nilienda hospitalini kupata mbinu ya upangaji uzazi)
			2	Clinic (I went to the clinic for a FP method) (Nilienda kliniki kupata mbinu ya upangaji uzazi)
			3	Pharmacy (Duka la dawa)
			4	Community health worker (I went to the CHW for a FP method) (Nilienda kwa mhudumu wa afya ya jamii kupata mbinu ya upangaji uzazi)
			6	Infant welfare visits (Ziara ya ukuaji wa watoto)
			7	Infant immunization visits (Ziara ya chanjo za watoto)
			8	Postnatal care check (Maangalizi ya malezi ya baada ya kujifungua)
			77	Other (Nyingine)
			88	Don't know/Don't remember (Sijui/Sikumbuki)
			99	Refused to answer (Alikataa kujibu)

382	int_2_q24a_other Show the field ONLY if: [int_2_q24a]='77'	Other specify	text, Required

| 383 | int_2_q24b

Show the field ONLY if:
(([int_2_q23a(1)] = '1' or [int_2_q23a(2)] = '1' or [int_2_q23a(3)] = '1' or [int_2_q23a(4)] = '1' or [int_2_q23a(5)] = '1' or [int_2_q23a(6)] = '1' or [int_2_q23a(7)] = '1' or [int_2_q23a(9)] = '1' or [int_2_q23a(10)] = '1' or [int_2_q23a(11)] = '1' or [int_2_q23a(77)] = '1') and [int_2_q23a(8)] = '1') or (([int_2_q23a(1)] = '1' or [int_2_q23a(2)] = '1' or [int_2_q23a(3)] = '1' or [int_2_q23a(4)] = '1' or [int_2_q23a(5)] = '1' or [int_2_q23a(6)] = '1' or [int_2_q23a(7)] = '1' or [int_2_q23a(9)] = '1' or [int_2_q23a(10)] = '1' or [int_2_q23a(11)] = '1' or [int_2_q23a(77)] = '1') and [int_2_q23a(8)] = '0') | 24b. Was this at the same facility where you gave birth? Hiki ni kituo sawa na kile ulichojifungulia? | radio, Required

| 0 | No (La) |
| 1 | Yes (Ndio) |
99	Refused to answer (Alikataa kujibu)	
384	sec_a3 Show the field ONLY if: [int_2_q2]<>''	Section A3: newborn feeding practices (asked to all women)	descriptive
385	int_2_q25a Show the field ONLY if: [int_2_q2]<>''	25a. Did you ever breastfeed this baby? Uliwahi kumnyonyesha huyu mtoto?	radio, Required | 0	No (La)
1	Yes (Ndio)
88	Don't know/Don't remember (Sijui/Sikumbuki)
99	Refused to answer (Alikataa kujibu)	
386	int_2_q25b Show the field ONLY if: [int_2_q25a]='1'	25b. Are you still breastfeeding this baby? Bado unamnyonyesha huyu mtoto?	radio, Required | 0	No (La)
1	Yes (Ndio)
88	Don't know/Don't remember (Sijui/Sikumbuki)
99	Refused to answer (Alikataa kujibu)	
387	q25c Show the field ONLY if: [int_2_q25b]='0'	25c. When did you stop breastfeeding this baby? How many months or weeks ago? Uliacha kumnyonyesha huyu mtoto lini?miezi au wiki ngapi zilizopita?	descriptive
388	int_2_q25c_months Show the field ONLY if: [int_2_q25b]='0'	25c. Months *ENTER 99 IF CLIENT REFUSED TO ANSWER; 88 IF CLIENT DOES NOT KNOW*	text (integer), Required Field Annotation: @CHARLIMIT=2
389	int_2_q25c_weeks Show the field ONLY if: [int_2_q25b]='0'	25c. Weeks *ENTER 99 IF CLIENT REFUSED TO ANSWER; 88 IF CLIENT DOES NOT KNOW*	text (integer), Required Field Annotation: @CHARLIMIT=2
390	int_2_q25d Show the field ONLY if: [int_2_q2]<>''	25d. Has your menses returned? Hedhi yako imerejea?	radio, Required | 0	No (La)
1	Yes (Ndio)
88	Don't know/Don't remember (Sijui/Sikumbuki)
99	Refused to answer (Alikataa kujibu)	
391	q25e Show the field ONLY if: [int_2_q25d]='1'	25e. When did your menses return? How many months or weeks ago? Hedhi yako ilirejea lini? Miezi au wiki ngapi zilizopita?	descriptive
392	int_2_q25e_months Show the field ONLY if: [int_2_q25d]='1'	25e. Months *ENTER 99 IF CLIENT REFUSED TO ANSWER; 88 IF CLIENT DOES NOT KNOW*	text (integer), Required Field Annotation: @CHARLIMIT=2
393	int_2_q25e_weeks Show the field ONLY if: [int_2_q25d]='1'	25e. Weeks *ENTER 99 IF CLIENT REFUSED TO ANSWER; 88 IF CLIENT DOES NOT KNOW*	text (integer), Required Field Annotation: @CHARLIMIT=2

394	int_2_q25f Show the field ONLY if: [int_2_q2]<>''	25f. Have you introduced your baby to any liquids or foods other than breastmilk? Umeanza kumpa mwanao vinywaji na vyakulaa vingine kando na kumnyonyesha?	radio, Required		
			0	No (La)	
			1	Yes (Ndio)	
			88	Don't know/Don't remember (Sijui/Sikumbuki)	
			99	Refused to answer (Alikataa kujibu)	
395	int_2_q24ccc Show the field ONLY if: [int_2_q25f]='1'	25g. When did you introduce your baby to other liquids? How many months or weeks ago? Ulianza kumpa mwanao vinywaji lini? Miezi au wiki ngapi zilizopita?	descriptive		
396	int_2_q25f_months Show the field ONLY if: [int_2_q25f]='1'	25g. Months *ENTER 99 IF CLIENT REFUSED TO ANSWER; 88 IF CLIENT DOES NOT KNOW*	text (integer), Required Field Annotation: @CHARLIMIT=2		
397	int_2_q25g_weeks Show the field ONLY if: [int_2_q25f]='1'	25g. Weeks *ENTER 99 IF CLIENT REFUSED TO ANSWER; 88 IF CLIENT DOES NOT KNOW*	text (integer), Required Field Annotation: @CHARLIMIT=2		
398	q34_descriptive Show the field ONLY if: [int_2_q2]<>''	Section Header: *SECTION B: PREGNANCY INTENTIONS* now I would like to ask you some questions about if you may or may not like to become pregnant again	descriptive		
399	int_2_q26 Show the field ONLY if: [int_2_q2]<>''	26. Would you like to have another child after this one? Ungependa kupata mtoto mwingine kando na huyu?	radio, Required		
			0	No (La)	
			1	Yes (Ndio)	
			2	It is up to God (Ni juu ya mungu)	
			88	Don't know/Don't remember (Sijui/Sikumbuki)	
			99	Refused to answer (Alikataa kujibu)	
400	int_2_q27 Show the field ONLY if: [int_2_q26]='1'	27. When would you like to become pregnant again? Ungependa kuwa na ujauzito lini tena?	radio, Required		
			3	Knows month and year	
			0	Never (Hata)	
			1	My husband will decide (Mme wangu ataamua)	
			2	Up to God (Ni juu ya mungu)	
			99	Refused to answer (Alikataa kujibu)	
401	int_2_q27_months Show the field ONLY if: [int_2_q27]='3'	q27. Months	text (integer), Required Field Annotation: @CHARLIMIT=3		
402	int_2_q27_years Show the field ONLY if: [int_2_q27]='3'	27. Years	text (integer), Required Field Annotation: @CHARLIMIT=2		
403	int_2_q28 Show the field ONLY if: [int_2_q2]<>''	28. Do you think you might currently be pregnant? Unadhani unaweza kuwa na ujauzito sasa hivi	radio, Required		
			0	No (La)	
			1	Yes, I am pregnant (Ndio, nina ujauzito)	
			88	Don't know/Don't remember (Sijui/Sikumbuki)	
			99	Refused to answer (Alikataa kujibu)	
404	int_2_q29 Show the field ONLY if: [int_2_q28]='1'	29. How many weeks pregnant are you? Una ujauzito wa wiki ngapi? *ENTER 99 IF CLIENT REFUSED TO ANSWER; 88 IF CLIENT DOES NOT KNOW*	text (integer), Required Field Annotation: @CHARLIMIT=2		
405	int_2_q30 Show the field ONLY if: [int_2_q28]='1'	30. At the time that you found out about this pregnancy, even if you changed your mind afterwards, did you want this pregnancy now, earlier, later or not at all? Wakati ulipata huu ujauzito wako, hata kama ulibadilisha mawazo hapo baadaye, ulitaka ujauzito huo wakati huo, , baadaye au kamwe?	radio, Required		
			1	Now (Wakati huo)	
			2	Earlier (Mbeleni)	
			3	Later (Baadaye)	
			4	Not at all (Kamwe)	
			88	Don't know/Don't remember (Sijui/Sikumbuki)	
			99	Refused to answer (Alikataa kujibu)	

406	int_2_q31 Show the field ONLY if: [int_2_q28]='1'	31. Were you using a method of family planning when you became pregnant this time? Ulikuwa unatumia mbinu ya upangaji uzazi wakati ulipata ujauzito huu?	radio, Required

			0	No (La)
			1	Yes (Ndio)
			88	Don't know/Don't remember (Sijui/Sikumbuki)
			99	Refused to answer (Alikataa kujibu)

407	int_2_q32 Show the field ONLY if: [int_2_q31]='1'	32. What method were you using? Ulikuwa unatumia mbinu ipi? *DO NOT READ OUT METHODS. RECORD ONLY THOSE MENTIONED BY THE CLIENT.*	checkbox, Required

1	int_2_q32___1	Combined pill (Tembe ya Pamoja)
2	int_2_q32___2	Progestine only pill (Tembe ya Projestroni Pekee)
3	int_2_q32___3	Male condom (Mpira wa wanaume)
4	int_2_q32___4	Female condom (Mpira wa wanawake)
5	int_2_q32___5	IUD
6	int_2_q32___6	Injectables (Sindano)
7	int_2_q32___7	Implant (Kipandikizi)
8	int_2_q32___8	Breastfeeding/LAM (Kunyonyesha/LAM)
9	int_2_q32___9	Male sterilization (Kufisha vidudu kwa wanaumme)
10	int_2_q32___10	Female sterilization (Kufisha vidudu kwa wanawake)
11	int_2_q32___11	Emergency contraception (Kingamimba ya dharura)
88	int_2_q32___88	Don't know/Don't remember (Sijui/Sikumbuki)
77	int_2_q32___77	Other (Nyingine)
99	int_2_q32___99	Refused to answer Alikataa kujibu

Field Annotation: @NONEOFTHEABOVE='88,99'

408	int_2_q32_other Show the field ONLY if: [int_2_q32(77)]='1'	Other specify	text, Required

409	q41_descriptive Show the field ONLY if: [int_2_q2]<>''	Section Header: *SECTION C: BELIEFS ABOUT CONTRACEPTION* Please tell me if you agree or disagree with the following statements about family planning and contraceptives	descriptive

410	int_2_q33 Show the field ONLY if: [int_2_q2]<>''	33. Use of family planning methods can make a woman permanently infertile. Matumizi ya mbinu za upangaji uzazi yanaweza kusababisha mwanamke kuwa tasa kabisa	radio, Required

			0	Disagree (Sikubali)
			1	Agree (Nakubali)
			88	Don't know/Don't remember (Sijui/Sikumbuki)
			99	Refused to answer (Alikataa kujibu)

411	int_2_q34 Show the field ONLY if: [int_2_q2]<>''	34. Family planning methods can harm your womb. Mbinu za upangaji uzazi zinaweza kuathiri tumbo la uzazi	radio, Required

			0	Disagree (Sikubali)
			1	Agree (Nakubali)
			88	Don't know/Don't remember (Sijui/Sikumbuki)
			99	Refused to answer (Alikataa kujibu)

412	int_2_q35 Show the field ONLY if: [int_2_q2]<>''	35. Family planning methods reduce women's sexual urge. Mbinu za upangaji uzazi hupunguza ashiki ya wanawake	radio, Required

			0	Disagree (Sikubali)
			1	Agree (Nakubali)
			88	Don't know/Don't remember (Sijui/Sikumbuki)
			99	Refused to answer (Alikataa kujibu)

413	int_2_q36 Show the field ONLY if: [int_2_q2]<>''	36. Family planning methods can cause cancer. Mbinu za upangaji uzazi zinaweza kusababisha saratani	radio, Required

			0	DIsagree (Sikubali)
			1	Agree (Nakubali)
			88	Don't know/Don't remember (Sijui/Sikumbuki)
			99	Refused to answer (Alikataa kujibu)

414	int_2_q37 Show the field ONLY if: [int_2_q2]<>''	37. Family planning methods give you deformed babies. Mbinu za upangaji uzazi zitakufanya uwe na watoto ambao wana mapungufu	radio, Required
			0	Disagree (Sikubali)
			1	Agree (Nakubali)
			88	Don't know/Don't remember (Sijui/Sikumbuki)
			99	Refused to answer (Alikataa kujibu)

415	int_2_q38 Show the field ONLY if: [int_2_q2]<>''	38. Family planning methods are dangerous to your health. Mbinu za upangaji uzazi ni hatari kwa afya yako.	radio, Required
			0	Disagree (Sikubali)
			1	Agree (Nakubali)
			88	Don't know/Don't remember (Sijui/Sikumbuki)
			99	Refused to answer (Alikataa kujibu)

416	int_2_q39 Show the field ONLY if: [int_2_q2]<>''	39. Family planning methods cause you to gain weight Mbinu za upangaji uzazi hukufanya kuongeza mizani.	radio, Required
			0	Disagree (Sikubali)
			1	Agree (Nakubali)
			88	Don't know/Don't remember (Sijui/Sikumbuki)
			99	Refused to answer (Alikataa kujibu)

417	int_2_q40 Show the field ONLY if: [int_2_q2]<>''	40. Women who use family planning methods become promiscuous Wanawake ambao hutumia mbinu za upangaji uzazi wanaweza kuwa mahawara	radio, Required
			0	Disagree (Sikubali)
			1	Agree (Nakubali)
			88	Don't know/Don't remember (Sijui/Sikumbuki)
			99	Refused to answer (Alikataa kujibu)

418	int_2_q41 Show the field ONLY if: [int_2_q2]<>''	41. The husband should be the one to decide whether the couple should use a family planning method Mme ndiye anastahili kuamua iwapo familia inastahili kutumia mbinu ya upangaji uzazi	radio, Required
			0	Disagree (Sikubali)
			1	Agree (Nakubali)
			88	Don't know/Don't remember (Sijui/Sikumbuki)
			99	Refused to answer (Alikataa kujibu)

419	int_2_q42 Show the field ONLY if: [int_2_q2]<>''	42. Becoming pregnant soon after a delivery is harmful for the health of the mother and baby Kuwa mjamzito pindi tu baada ya kujifungua ni hatari kwa afya ya mama pamoja na ile ya mtoto	radio, Required
			0	Disagree (Sikubali)
			1	Agree (Nakubali)
			88	Don't know/Don't remember (Sijui/Sikumbuki)
			99	Refused to answer (Alikataa kujibu)

420	int_2_q43 Show the field ONLY if: [int_2_q2]<>''	43. Husbands and wives should discuss family planning together. Waumme na wake wanastahili kujadili upangaji uzazi kwa pamoja.	radio, Required
			0	Disagree (Sikubali)
			1	Agree (Nakubali)
			88	Don't know/Don't remember (Sijui/Sikumbuki)
			99	Refused to answer (Alikataa kujibu)

421	int_2_q44 Show the field ONLY if: [int_2_q2]<>''	44. Couples who practice family planning have a better quality of life than those who do not Wachumba ambao wanapanga uzazi wana maisha mazuri ukiwalinganisha na wale ambao hawapangi	radio, Required
			0	Disagree (Sikubali)
			1	Agree (Nakubali)
			88	Don't know/Don't remember (Sijui/Sikumbuki)
			99	Refused to answer (Alikataa kujibu)

422	q53_descriptive Show the field ONLY if: [int_2_q2]<>''	Section Header: *SECTION D: BELIEFS ABOUT CONTRACEPTIVE EFFICACY* EFFICACY For each of the following contraceptive methods, I would like you to tell me how effective you think it is	descriptive

423	int_2_q45 Show the field ONLY if: [int_2_q2]<>''	45. Do you know about the family planning method of sterilization? Unafahamu kuhusu mbinu ya upangaji uzazi iitwayo kufisha vidudu?	radio, Required
			0	No (La)
			1	Yes (Ndio)
			99	Refused to answer (Alikataa kujibu)

424	int_2_q46 Show the field ONLY if: [int_2_q45]='1'	46. Do you think that Sterilization is always/almost always effective, usually effective, or sometimes effective? Unadhani kuwa kufisha vidudu huleta matokeo tarajiwa kila wakati/sana sana, kwa kawaida, au wakati mwingine?	radio, Required
			1	Always/almost always effective (Kila wakati/sana sana)
			2	Usually effective (Kwa kawaida)
			3	Sometimes effective (Wakati mwingine)
			88	Don't know/Don't remember (Sijui/Sikumbuki)
			99	Refused to answer (Alikataa kujibu)
425	int_2_q47 Show the field ONLY if: [int_2_q2]<>''	47. Do you know about the family planning method of contraceptive implants? Unafahamu kuhusu mbinu ya upangaji uzazi iitwayo vipandikizi vya kinga mimba ?	radio, Required
			0	No (La)
			1	Yes (Ndio)
			99	Refused to answer (Alikataa kujibu)
426	int_2_q48 Show the field ONLY if: [int_2_q47]='1'	48. Do you think that Contraceptive Implants are always/almost always effective, usually effective, or sometimes effective? unadhani kuwa vipandikizi vya kinga mimba huleta matokeo tarajiwa kila wakati/sana sana, kwa kawaida, au wakati mwingine?	radio, Required
			1	Always/almost always effective (Kila wakati/sana sana)
			2	Usually effective (Kwa kawaida)
			3	Sometimes effective (Wakati mwingine)
			88	Don't know/Don't remember (Sijui/Sikumbuki)
			99	Refused to answer (Alikataa kujibu)
427	int_2_q49 Show the field ONLY if: [int_2_q2]<>''	49. Do you know about the family planning method of IUDs? Unafahamu kuhusu mbinu ya upangaji uzazi iitwayo kitanzi au koili?	radio, Required
			0	No (La)
			1	Yes (Ndio)
			99	Refused to answer (Alikataa kujibu)
428	int_2_q50 Show the field ONLY if: [int_2_q49]='1'	50. Do you think that IUDs are always/almost always effective, usually effective, or sometimes effective? Unadhani kuwa kitanzi au koili huleta matokeo tarajiwa kila wakati/sana sana, kwa kawaida, au wakati mwingine?	radio, Required
			1	Always/almost always effective (Kila wakati/sana sana)
			2	Usually effective (Kwa kawaida)
			3	Sometimes effective (Wakati mwingine)
			88	Don't know/Don't remember (Sijui/Sikumbuki)
			99	Refused to answer (Alikataa kujibu)
429	int_2_q51 Show the field ONLY if: [int_2_q2]<>''	51. Do you know about the family planning method of contraceptive injections? Unafahamu kuhusu mbinu ya upangaji uzazi iitwayo sindano?	radio, Required
			0	No (La)
			1	Yes (Ndio)
			99	Refused to answer (Alikataa kujibu)
430	int_2_q52 Show the field ONLY if: [int_2_q51]='1'	52. Do you think that Contraceptive Injections are always/almost always effective, usually effective, or sometimes effective? unadhani kuwa kingamimba za sindano huleta matokeo tarajiwa kila wakati/sana sana, kwa kawaida, au wakati mwingine?	radio, Required
			1	Always/almost always effective (Kila wakati/sana sana)
			2	Usually effective (Kwa kawaida)
			3	Sometimes effective (Wakati mwingine)
			88	Don't know/Don't remember (Sijui/Sikumbuki)
			99	Refused to answer (Alikataa kujibu)
431	int_2_q53 Show the field ONLY if: [int_2_q2]<>''	53. Do you know about the family planning method of contraceptive pills? Unafahamu kuhusu mbinu ya upangaji uzazi iitwayo kingamimba ya tembe za kumeza?	radio, Required
			0	No (La)
			1	Yes (Ndio)
			99	Refused to answer (Alikataa kujibu)
432	int_2_q54 Show the field ONLY if: [int_2_q53]='1'	54. Do you think that Contraceptive Pills are always/almost always effective, usually effective, or sometimes effective? unadhani kuwa kingamimba ya tembe za kumeza huleta matokeo tarajiwa kila wakati/sana sana, kwa kawaida, au wakati mwingine?	radio, Required
			1	Always/almost always effective (Kila wakati/sana sana)
			2	Usually effective (Kwa kawaida)
			3	Sometimes effective (Wakati mwingine)
			88	Don't know/Don't remember (Sijui/Sikumbuki)
			99	Refused to answer (Alikataa kujibu)

433	int_2_q55 Show the field ONLY if: [int_2_q2]<>''	55. Do you know about the family planning method of lam (lactational amenorrhea method)? Unafahamu kuhusu mbinu ya upangaji uzazi iitwayo lam?	radio, Required		
			0	No (La)	
			1	Yes (Ndio)	
			99	Refused to answer (Alikataa kujibu)	
434	int_2_q56 Show the field ONLY if: [int_2_q55]='1'	56. Do you think that using lam (lactational amenorrhea method) is always/almost always effective, usually effective, or sometimes effective? Unadhani kuwa lam huleta matokeo tarajiwa kila wakati/sana sana, kwa kawaida, au wakati mwingine?	radio, Required		
			1	Always/almost always effective (Kila wakati/sana sana)	
			2	Usually effective (Kwa kawaida)	
			3	Sometimes effective (Wakati mwingine)	
			88	Don't know/Don't remember (Sijui/Sikumbuki)	
			99	Refused to answer (Alikataa kujibu)	
435	q59_descriptive Show the field ONLY if: [int_2_q2]<>''	Section Header: *SECTION J: SELF-EFFICACY IN CONTRACEPTIVE CHOICE* Please tell me how you would strongly agree, agree, disagree or strongly disagree with the following statements.	descriptive		
436	int_2_q57 Show the field ONLY if: [int_2_q2]<>''	57. You could start a conversation with your husband/partner about family planning Unaweza kuanza mazungumzo na mme/mwenza wako kuhusu upangaji uzazi.	radio, Required		
			0	Disagree (Sikubali)	
			1	Agree (Nakubali)	
			88	Don't know/Don't remember (Sijui/Sikumbuki)	
			99	Refused to answer (Alikataa kujibu)	
437	int_2_q58 Show the field ONLY if: [int_2_q2]<>''	58. You could convince your husband/partner that you should use a method of family planning. Unaweza kumshawishi mme/mwenza wako kuwa unafaa kutumia mbinu ya upangaji uzazi.	radio, Required		
			0	Disagree (Sikubali)	
			1	Agree (Nakubali)	
			88	Don't know/Don't remember (Sijui/Sikumbuki)	
			99	Refused to answer (Alikataa kujibu)	
438	int_2_q59 Show the field ONLY if: [int_2_q2]<>''	59. You could use a method of family planning even if your husband/partner doesn't want you to Unaweza kutumia mbinu ya upangaji uzazi hata kama mme/mwenza wako hataki uitumie	radio, Required		
			0	Disagree (Sikubali)	
			1	Agree (Nakubali)	
			88	Don't know/Don't remember (Sijui/Sikumbuki)	
			99	Refused to answer (Alikataa kujibu)	
439	int_2_q60 Show the field ONLY if: [int_2_q2]<>''	60. You could use a method of family planning even if none of your friends or neighbors uses one unaweza kutumia mbinu ya upangaji uzazi hata kama hakuna rafiki au jirani yako yeyote anayetumia?	radio, Required		
			0	Disagree (Sikubali)	
			1	Agree (Nakubali)	
			88	Don't know/Don't remember (Sijui/Sikumbuki)	
			99	Refused to answer (Alikataa kujibu)	
440	int_2_q61 Show the field ONLY if: [int_2_q2]<>''	61. You could use a method of family planning even if your religious leader did not think you should use one Unaweza kutumia mbinu ya upangaji uzazi hata kama kiongozi wako wa dini anafikiria kuwa hustahili kutumia moja?	radio, Required		
			0	Disagree (Sikubali)	
			1	Agree (Nakubali)	
			88	Don't know/Don't remember (Sijui/Sikumbuki)	
			99	Refused to answer (Alikataa kujibu)	
441	int_2_q62 Show the field ONLY if: [int_2_q2]<>''	62. You could use a method of family planning even if your healthcare provider did not think you should use one Unaweza kutumia mbinu ya upangaji uzazi hata kama mhudumu wako wa afya anafikiria kuwa hustahili kutumia moja?	radio, Required		
			0	Disagree (Sikubali)	
			1	Agree (Nakubali)	
			88	Don't know/Don't remember (Sijui/Sikumbuki)	
			99	Refused to answer (Alikataa kujibu)	
442	sec_k Show the field ONLY if: [int_2_q2]<>''	Section Header: *SECTION K: RESUMPTION OF SEXUAL ACTIVITY* now i am going to ask you two questions about sexual activity that might make you uncomfortable. If you are uncomfortable answering these questions, you do not have to.	descriptive		
443	int_2_q63 Show the field ONLY if: [int_2_q2]<>''	63. Have you had sexual intercourse since you gave birth? Umejamiana tangu kujifungua?	radio, Required		
			0	No (La)	
			1	Yes (Ndio)	
			88	Don't know/Don't remember (Sijui/Sikumbuki)	
			99	Refused to answer (Alikataa kujibu)	

444	int_2_q64 Show the field ONLY if: [int_2_q63] = '1'	64. How many weeks after you gave birth did you first have sexual intercourse? Ni wiki ngapi baada ya kujifungua ambapo ulijamiana? *ENTER 99 IF CLIENT REFUSED TO ANSWER; 88 IF CLIENT DOES NOT KNOW*	text (integer), Required Field Annotation: @CHARLIMIT=2
445	int_2_q65 Show the field ONLY if: [int_2_q2]<>''	65. As I told you during enrolment, some women like you will taking part in a Focus Group Discussion about their experiences with their decisions to accept or not to accept a family planning method immediately after giving birth. These will be discussions with 5 to 11 other women like you when their babies are between 6 and 12 months old. We will invite participants at random from those who have completed these interviews. Would you be willing to take part in an interview if we call you? namna nilivyokuambia, wanawake wengine kama wewe watakuwa wanajadialiana kwenye makundi ya kundi lengwa kuhusu waliyoyapitia kwenye maamuzi yao ya kuchagua au kutochagua mbinu ya upangaji uzazi pindi tu baada ya kujifungua. Majadiliano haya yatakuwa baina ya wanawake 5 hadi 11 ambao watoto wao wako kwenye umri wa miezi kati ya 6 na 12. Tutawaalika washiriki bila kuzingatia vigezo vyovyote kutoka kwa wale waliokamilisha mahojiano yao	radio, Required 0 No (La) 1 Yes or maybe (Ndio au labda)
446	int_2_q66 Show the field ONLY if: [int_2_q2]<>''	Record time interview ended	text (time), Required
447	post_partum_interview_two_complete	Section Header: *Form Status* Complete?	dropdown 0 Incomplete 1 Unverified 2 Complete

Instrument: **Section A** (section_a)			∧ Collapse
448	desc_1	Section Header: *SECTION A: PREGNANCIES, MENSTRUATION AND FAMILY PLANNING METHOD USE* When using the Postpartum Journey Map visual aid, section A corresponds to the "Pregnancy", "Bleeding/Menstruation" and Family Planning Method" rows	descriptive
449	int_3_interiewer	Interviewer name	text, Required
450	int_3_date Show the field ONLY if: [int_3_interiewer]<>''	Date of interview	text (date_dmy), Required
451	int_3_consent Show the field ONLY if: [int_3_date]<>''	Did the client consent?	yesno, Required 1 Yes 0 No
452	int_3_no_consent Show the field ONLY if: [int_3_consent] = '0'	Why was the client not consented?	radio, Required 1 Study staff unable to contact participant on phone or track to home 2 Participant withdrew 3 PI or study staff withdrew participant 4 Participant died 5 Participant moved from area 6 Child Died 77 Other
453	other_reason_no_consent Show the field ONLY if: [int_3_no_consent] = '77'	Other specify	text, Required
454	desc_1a Show the field ONLY if: [int_3_consent]='1'	To ask Question 1A: Interviewer should have looked at the participant's recorded delivery date. If the interviewer does have a recorded delivery date, the interviewer will ask Question 1A using OPTION 1 If the interviewer does not have a record of the delivery date, the interviewer will ask the question using OPTION 2	descriptive

455	int_3_q1a Show the field ONLY if: [int_3_consent]='1'	OPTION 1: Today we are talking about activities that took place in the one year period after the birth of your child about 12 to 15 months ago. To confirm, your baby was born in [insert month and year], correct? If the participant says that yes, the month and year you stated are correct, fill in the month and year in 1A , then answer "Yes....1" in 1B If the participant says that no, the month or year you stated are incorrect, fill in the month and year that she reports at this interview in 1A and then answer "No....0" in 1B OPTION 2: Today we are talking about activities that took place in the one year period after the birth of your child about 12 to 15 months ago. Can you please remind me the month and year that your child was born? Fill in the month and year in 1A and then mark "Not applicable" (999) in 1B	descriptive
456	int_3_q1a_month Show the field ONLY if: [int_3_consent]='1'	Month	dropdown | 1	January
2	February
3	March
4	April
5	May
6	June
7	July
8	August
9	September
10	October
11	November
12	December	
457	int_3_q1a_year Show the field ONLY if: [int_3_consent]='1'	Year	text (integer) Field Annotation: @CHARLIMIT=4
458	desc_2 Show the field ONLY if: [int_3_consent]='1'	Postpartum Journey Map: Using the dry-erase marker, write the correct months at the top of the Journey Map columns above the numbers 0 - 12. For example, if the baby was born in April, write "April" above the "0", "May" above the 1, and so on. Place the "childbirth" magnet on the first month of the blue "Pregnancy" row	descriptive
459	int_3_q1b Show the field ONLY if: [int_3_consent]='1'	1b. The month or year stated by interviewer were correct	radio | 1	Yes
0	No
999	Not Applicable	
460	int_3_q1c Show the field ONLY if: [int_3_consent]='1'	1c. After that birth, how many months passed before your first menstrual period started? If the participant truly does not know when her menstrual period started, fill in 888 If the participant's menstrual period has not started since her childbirth 12 to 15 months ago, fill in 999	text (integer) Field Annotation: @CHARLIMIT=3
461	desc_3 Show the field ONLY if: [int_3_consent]='1'	Postpartum Journey Map: Placing your finger on the month of her index childbirth start moving right, counting the number of months that passed before her menstrual period began (reported in question 1C). (Note: DO NOT INCLUDE THE MONTH OF HER CHILDBIRTH IN THE COUNTED MONTHS. THE FIRST MONTH COUNTED SHOULD BE THE MONTH IN COLUMN #1.) Place the "blood drop/menses" magnet on the green "Bleeding/Menstruation" row and in the month column that corresponds with the month that her bleeding began.	descriptive
462	desc_4 Show the field ONLY if: [int_3_consent]='1'	INTERVIEWER: Read the following aloud to the woman, "Now, I would like to talk with you about any pregnancies or births you may have had in the 12 months since the birth of that child"	descriptive

463	int_3_q2 Show the field ONLY if: [int_3_consent]='1'	2. After the birth of that child, have you been pregnant?	yesno 1 Yes 0 No
464	int_3_q3a Show the field ONLY if: [int_3_q2] = '1'	3a. Are you currently pregnant?	yesno 1 Yes 0 No
465	int_3_q3b Show the field ONLY if: [int_3_q3a] = '1'	3b. Have you attended the ANC clinic for this pregnancy?	yesno 1 Yes 0 No
466	int_3_q4a Show the field ONLY if: [int_3_q3a] = '1'	4a. How many months pregnant are you? *ENTER 99 FOR DON'T KNOW*	text (integer) Field Annotation: @CHARLIMIT=2
467	int_3_q4b Show the field ONLY if: [int_3_q4a]='99'	4b. How many months ago did you first feel the baby kicking? For purposes of the journey map tool, to know how many months pregnant the participant is, add 4 months to the number given here	text (integer) Field Annotation: @CHARLIMIT=2
468	int_3_q4b_preg_months Show the field ONLY if: [int_3_q4a]='99'	Number of months pregnant	calc Calculation: if([int_3_q4b]<>'',sum([int_3_q4b],4),'')
469	desc_preg Show the field ONLY if: [int_3_q4b]<>''	For the purpose of the journey map tool, the number of months pregnant the participant is [int_3_q4b_preg_months]	descriptive
470	desc_5 Show the field ONLY if: [int_3_q2] = '1'	Postpartum Journey Map: First, recall how many months postpartum the participant currently is. Is she 12 months postpartum? Is she 15 months postpartum? Starting with the current day's month, count backward the number of months that she reports she is pregnant (Question 4). Examples: If she is being interviewed at 15 months postpartum and says she is 2 months pregnant, this will not be recorded on the journey map because she would have become pregnant at 13 months postpartum. If she is being interviewed at 15 months postpartum and says she is 5 months pregnant, this will be recorded on the journey map in the column for when she was 10 months pregnant. If she is being interviewed at 12 months postpartum, any answer given in response to 4A or 4B will be recorded because it will have been within the first 12 months postpartum If this current pregnancy took place at all during the first 12 months postpartum, place the "pregnancy" magnet on the blue "Pregnancy" row and in the month column that corresponds with the month that the current pregnancy began. Using the dry-erase marker, draw an arrow from the "Pregnancy" magnet, staying within the pink "Pregnancy" row, to the right and all the way to the end of the row. This will encompass the additional months she has been pregnant and signify that she is still pregnant at the end of the journey map period.	descriptive
471	int_3_q5a Show the field ONLY if: [int_3_q2] = '1'	5a. In the 12 months after the birth of your child (12 to 15 months ago), have you had a pregnancy that miscarried, was lost, or ended in a stillbirth/born dead?	yesno 1 Yes 0 No
472	int_3_q5b Show the field ONLY if: [int_3_q5a] = '1'	5b. In what month and year did such pregnancy end?	descriptive

473	int_3_q5b_month Show the field ONLY if: [int_3_q5a] = '1'	Month	dropdown

			1	January
			2	February
			3	March
			4	April
			5	May
			6	June
			7	July
			8	August
			9	September
			10	October
			11	November
			12	December

474	int_3_q5b_year Show the field ONLY if: [int_3_q5a] = '1'	Year	text (integer) Field Annotation: @CHARLIMIT=4
475	int_3_q5c Show the field ONLY if: [int_3_q5a] = '1'	5c. How many months pregnant were you when that pregnancy ended?	text (integer) Field Annotation: @CHARLIMIT=2
476	int_3_q5d Show the field ONLY if: [int_3_q5a] = '1'	5d. After this pregnancy ended, how many months passed before your first menstrual period started? If the participant's menstrual period has not started, fill in 999	text (integer) Field Annotation: @CHARLIMIT=3
477	desc_6 Show the field ONLY if: [int_3_q5a] = '1'	Postpartum Journey Map: Starting with the month that the pregnancy ended (question 5B), place the "Terminated Pregnancy" magnet on the relevant month column along the blue "Pregnancy" row. Then count backward (to the left) the number of months that she was pregnant (question 5C). (NOTE: REMEMBER - DO NOT COUNT THE MONTH THAT THE PREGNANCY ENDED. START COUNTING WITH THE MONTH IMMEDIATELY TO THE LEFT OF THE MONTH THE PREGNANCY ENDED) Place the "Pregnancy" magnet on the month that the pregnancy began along the blue "Pregnancy" row. Using the dry-erase marker, draw an arrow from the "Pregnancy" magnet to the "Terminated Pregnancy" magnet. If the participant reported the number of months that passed before her menstrual period returned (question 5D), starting with the month of her terminated pregnancy (5B) and moving right, count the number of months that passed before her menstrual period began. Place the "blood drop" magnet in the month column that corresponds with the month that her bleeding began and along the green "Bleeding/Menstruation" row.	descriptive
478	int_3_q5e Show the field ONLY if: [int_3_q5a] = '1'	5e. In the 12 months after the birth of your child (12 to 15 months ago), have you had any other pregnancies that did not result in a live birth?	yesno 1 Yes 0 No
479	int_3_q5f Show the field ONLY if: [int_3_q5e] = '1'	5f. In what month and year did such pregnancy end?	descriptive

480	int_3_q5f_month Show the field ONLY if: [int_3_q5e] = '1'	Month	dropdown 1 January 2 February 3 March 4 April 5 May 6 June 7 July 8 August 9 September 10 October 11 November 12 December
481	int_3_q5f_year Show the field ONLY if: [int_3_q5e] = '1'	Year	text (integer) Field Annotation: @CHARLIMIT=4
482	int_3_q5g Show the field ONLY if: [int_3_q5e] = '1'	5g. How many months pregnant were you when that pregnancy ended?	text (integer) Field Annotation: @CHARLIMIT=2
483	int_3_q5h Show the field ONLY if: [int_3_q5e] = '1'	5h. After this pregnancy ended, how many months passed before your first menstrual period started? If the participant's menstrual period has not started, fill in 999	text (integer) Field Annotation: @CHARLIMIT=3
484	desc_7 Show the field ONLY if: [int_3_q5e] = '1'	Postpartum Journey Map: Starting with the month that the pregnancy ended (5F), place the "Terminated Pregnancy" magnet on the relevant month column along the blue "Pregnancy" row. Then count backward (to the left) the number of months that she was pregnant (5G). Place the "Pregnancy" magnet on the month that the pregnancy began along the blue "Pregnancy" row. Using the dry-erase marker, draw an arrow from the "Pregnancy" magnet to the "Terminated Pregnancy" magnet. If the participant reported the number of months that passed before her menstrual period returned (5H), starting with the month of her terminated pregnancy and moving right, count the number of months that passed before her menstrual period began. Place the "blood drop" magnet in the month column that corresponds with the month that her bleeding began and along the green "Bleeding/Menstruation" row.	descriptive
485	int_3_q5i Show the field ONLY if: [int_3_q5e] = '1'	5i. Within the first 12 months after the birth of your child, have you had any other pregnancies that did not result in a live birth?	yesno 1 Yes 0 No
486	int_3_q5j Show the field ONLY if: [int_3_q5i] = '1'	5j. In what month and year did such pregnancy end?	descriptive
487	int_3_q5j_month Show the field ONLY if: [int_3_q5i] = '1'	Month	dropdown 1 January 2 February 3 March 4 April 5 May 6 June 7 July 8 August 9 September 10 October 11 November 12 December

488	int_3_q5j_year Show the field ONLY if: [int_3_q5i] = '1'	Year	text (integer) Field Annotation: @CHARLIMIT=4
489	int_3_q5k Show the field ONLY if: [int_3_q5i] = '1'	5k. How many months pregnant were you when that pregnancy ended?	text (integer) Field Annotation: @CHARLIMIT=2
490	int_3_q5l Show the field ONLY if: [int_3_q5i] = '1'	5l. After this pregnancy ended, how many months passed before your first menstrual period started? If the participant's menstrual period has not started, fill in 999	text (integer) Field Annotation: @CHARLIMIT=3
491	desc_8 Show the field ONLY if: [int_3_q5i] = '1'	Postpartum Journey Map: Starting with the month that the pregnancy ended (5J), place the "Terminated Pregnancy" magnet on the relevant month column along the blue "Pregnancy" row. Then count backward (to the left) the number of months that she was pregnant (5K). Place the "Pregnancy" magnet on the month that the pregnancy began along the blue "Pregnancy" row. Using the dry-erase marker, draw an arrow from the "Pregnancy" magnet to the "Terminated Pregnancy" magnet. If the participant reported the number of months that passed before her menstrual period returned (5L), starting with the month of her terminated pregnancy and moving right, count the number of months that passed before her menstrual period began. Place the "blood drop" magnet in the month column that corresponds with the month that her bleeding began and along the green "Bleeding/Menstruation" row.	descriptive
492	int_3_q5m Show the field ONLY if: [int_3_q5i] = '1' or [int_3_q5e] = '1' or [int_3_q5a] = '1'	5m. Within the first 12 months after the birth of your child, have you had any other pregnancies that did not result in a live birth?	yesno 1 Yes 0 No
493	int_3_q6a Show the field ONLY if: [int_3_q2]='1'	6a. In the 12 months after the birth of your child (12 to 15 months ago), have you had any births?	yesno 1 Yes 0 No
494	int_3_q6b Show the field ONLY if: [int_3_q6a] = '1'	6b. When did you last give birth?	descriptive
495	int_3_q6b_month Show the field ONLY if: [int_3_q6a] = '1'	Month	dropdown 1 January 2 February 3 March 4 April 5 May 6 June 7 July 8 August 9 September 10 October 11 November 12 December
496	int_3_q6b_year Show the field ONLY if: [int_3_q6a] = '1'	Year	text (integer) Field Annotation: @CHARLIMIT=4
497	int_3_q6c Show the field ONLY if: [int_3_q6a]='1'	6c. Was the baby premature?	yesno 1 Yes 0 No
498	desc_preg2 Show the field ONLY if: [int_3_q6c]='0'	For purposes of the Journey Map tool, if the participant's new infant was not premature, the RA is to assume she was 10 months pregnant.	descriptive

499	int_3_q6d Show the field ONLY if: [int_3_q6c] = '1'	6d. How many months pregnant were you when you gave birth?	text (integer) Field Annotation: @CHARLIMIT=2
500	int_3_q6e Show the field ONLY if: [int_3_q6a] = '1'	6e. Since your most recent birth, how many months passed before your first menstrual period started? If the participant's menstrual period has not started, fill in 999	text (integer) Field Annotation: @CHARLIMIT=3
501	desc_9 Show the field ONLY if: [int_3_q6a]='1'	Postpartum Journey Map: Starting with the month that the participant gave birth (6B), place the "Birth" magnet on the relevant month column along the bluepink "Pregnancy" row. Then count backward (to the left) the number of months that she was pregnant (6D). Place the "Pregnancy" magnet on the month that the pregnancy began along the pink blue "Pregnancy" row. Using the dry-erase marker, draw an arrow from the "Pregnancy" magnet to the "Birth" magnet. If the participant reported the number of months that passed before her menstrual period returned (6E), starting with the month of her childbirth and moving right, count the number of months that passed before her menstrual period began. Place the "blood drop" magnet in the month column that corresponds with the month that her bleeding began and along the green "Bleeding/Menstruation" row.	descriptive
502	int_3_q7_desc Show the field ONLY if: [int_3_consent]='1'	INTERVIEWER: Read the following aloud to the woman, "Now, I would like to ask you some questions about the times you or your partner may have done something to avoid getting pregnant during the 12 months after the birth of your child (12 to 15 months ago)."	descriptive
503	int_3_q7a Show the field ONLY if: [int_3_consent]='1'	7a. Are you or your partner currently doing anything to prevent pregnancy?	yesno | 1	Yes
0	No	
504	int_3_q7b Show the field ONLY if: [int_3_q7a] = '1'	7b. What are you doing to prevent pregnancy? Do not read out answer options. If participant is using more than one method, record 1 (one) method for 7B-7D, then begin recording the other method(s) with 7E.) If Participant says "Implant" clarify with her whether it is the 1 rod (3 year) or 2 rod (5 year) implant.	radio | 0	No method
1	Combined pill
2	Progesterone only pill
3	Male condom
4	Female condom
5	IUD
6	Injectable
7	Implant (1-rod)
8	Implant (2-rod)
9	Breastfeeding/LAM
10	Male sterilisation
11	Female sterilisation
12	Emergency contraception
13	Avoid sex
77	Other
88	Don't know/don't remember
99	Refused to answer	 Field Annotation: @NONEOFTHEABOVE='0,88,99'
505	q7b_other Show the field ONLY if: [int_3_q7b] = '77'	Other specify	text, Required
506	int_3_q7c Show the field ONLY if: [int_3_q7a] = '1'	7c. For how many consecutive months have you been using this method? Record '95' if respondent gives the actual month she started to use the method and complete 7D. Otherwise, skip to 7E.	text (integer) Field Annotation: @CHARLIMIT=2
507	int_3_q7d Show the field ONLY if: [int_3_q7a] = '1'	7d. Record MONTH and YEAR respondent started using method.	descriptive

508	int_3_q7d_month Show the field ONLY if: [int_3_q7a] = '1'	Month	dropdown 	1	January
2	February
3	March
4	April
5	May
6	June
7	July
8	August
9	September
10	October
11	November
12	December	
509	int_3_q7d_year Show the field ONLY if: [int_3_q7a] = '1'	Year	text (integer) Field Annotation: @CHARLIMIT=4
510	desc_11 Show the field ONLY if: [int_3_consent]='1'	Postpartum Journey Map: Starting with the current month, count backward (to the left if counting on the map) the number of months that she reported having used the method consecutively (7C) OR if she answered with the month (7D), go directly to that row Place the appropriate "family planning method" magnet (from 7B) on the relevant month column along the purple "Family Planning" row Using the dry-erase marker, draw an arrow from the "family planning method" magnet to the right-side end of the row	descriptive
511	int_3_q7e Show the field ONLY if: [int_3_consent]='1'	7e. In the 12 months after the birth of your child (12 to 15 months ago), did you or your partner do anything [else] to prevent pregnancy?	yesno | 1	Yes
0	No	
512	int_3_q7f Show the field ONLY if: [int_3_q7e] = '1'	7f. If participant answered '1' to 7A, read: Other than the method you have already reported here, which method was the most recent method you used? If participant answered '0' to 7A, read: What is the most recent method you used? (do not read answer options out loud. Select only one method for this question. If participant lists more than one method, the other methods should be recorded starting with 7K and 7L) If Participant says "Implant" clarify with her whether it is the 1 rod (3 year) or 2 rod (5 year) implant.	radio | 0	No method
1	Combined pill
2	Progesterone only pill
3	Male condom
4	Female condom
5	IUD
6	Injectable
7	Implant (1-rod)
8	Implant (2-rod)
9	Breastfeeding/LAM
10	Male sterilisation
11	Female sterilisation
12	Emergency contraception
13	Avoid sex
77	Other
88	Don't know/don't remember
99	Refused to answer	
513	q7f_other Show the field ONLY if: [int_3_q7f] = '77'	Other specify	text, Required
514	int_3_q7g Show the field ONLY if: [int_3_q7e] = '1'	7g. When did you start using [int_3_q7f] in the most recent period?	descriptive

515	int_3_q7g_month Show the field ONLY if: [int_3_q7e] = '1'	Month	dropdown

			1	January
			2	February
			3	March
			4	April
			5	May
			6	June
			7	July
			8	August
			9	September
			10	October
			11	November
			12	December

516	int_3_q7g_year Show the field ONLY if: [int_3_q7e] = '1'	Year	text (integer) Field Annotation: @CHARLIMIT=4
517	int_3_q7h Show the field ONLY if: [int_3_q7e] = '1'	7h. For how many months did you use [int_3_q7f]?	text (integer) Field Annotation: @CHARLIMIT=2
518	int_3_q7i Show the field ONLY if: [int_3_q7e] = '1'	7i. Record MONTH and YEAR respondent stopped using [int_3_q7f].	descriptive

519	int_3_q7i_month Show the field ONLY if: [int_3_q7e] = '1'	Month	dropdown

			1	January
			2	February
			3	March
			4	April
			5	May
			6	June
			7	July
			8	August
			9	September
			10	October
			11	November
			12	December

520	int_3_q7i_year Show the field ONLY if: [int_3_q7e] = '1'	Year	text (integer) Field Annotation: @CHARLIMIT=4
521	desc_12 Show the field ONLY if: [int_3_q7e]='1'	Postpartum Journey Map: Starting with the month the participant reported that she began using the method (7G), place the appropriate "family planning method" magnet (from 7F) on the relevant month column along the purple "Family Planning" row Then count forward (to the right) the number of months that she reported having used the method consecutively (7H) OR if she answered with the month that she stopped using the method (7I), go directly to that row Place the "family planning use termination" magnet on the relevant month column along the blue "Family Planning" row Using the dry-erase marker, draw an arrow from the "family planning method" magnet to the "family planning use termination" magnet	descriptive

522	int_3_q7j	7j. Why did you stop using [int_3_q7f]?	checkbox

Show the field ONLY if:
[int_3_q7e]='1'

0	int_3_q7j___0	Still using the method
1	int_3_q7j___1	Wanted to become pregnant
2	int_3_q7j___2	Became pregnant
3	int_3_q7j___3	Infrequent sex/partner away
4	int_3_q7j___4	Husband disapproved
5	int_3_q7j___5	Wanted more effective method
6	int_3_q7j___6	Health concerns*
7	int_3_q7j___7	Unable to access
8	int_3_q7j___8	Too expensive
9	int_3_q7j___9	Relationship dissolution
10	int_3_q7j___10	Side effects*
11	int_3_q7j___11	Using method too inconvenient
77	int_3_q7j___77	Other
88	int_3_q7j___88	Don't know/Don't remember

Field Annotation: @NONEOFTHEABOVE='0,88'

523	q7j_other	Other specify	text, Required

Show the field ONLY if:
[int_3_q7j(77)] = '1'

524	int_3_q7k	7k. In the 12 months after the birth of your child (12 to 15 months ago), did you or your partner do anything else to prevent pregnancy?	yesno

Show the field ONLY if:
[int_3_q7e]='1'

1	Yes
0	No

525	int_3_q7l	7l. Other than the method you have already reported here, which method was the most recent method you used? If Participant says "Implant" clarify with her whether it is the 1 rod (3 year) or 2 rod (5 year) implant.	radio

Show the field ONLY if:
[int_3_q7k] = '1'

0	No method
1	Combined pill
2	Progesterone only pill
3	Male condom
4	Female condom
5	IUD
6	Injectable
7	Implant (1-rod)
8	Implant (2-rod)
9	Breastfeeding/LAM
10	Male sterilisation
11	Female sterilisation
12	Emergency contraception
13	Avoid sex
77	Other
88	Don't know/don't remember
99	Refused to answer

Field Annotation: @NONEOFTHEABOVE='0,88,99'

526	q7l_other	Other specify	text, Required

Show the field ONLY if:
[int_3_q7l] = '77'

527	int_3_q7m	7m. When did you start using [int_3_q7l] in the most recent period?	descriptive

Show the field ONLY if:
[int_3_q7k] = '1'

528	int_3_q7m_month Show the field ONLY if: [int_3_q7k] = '1'	Month	dropdown

1	January
2	February
3	March
4	April
5	May
6	June
7	July
8	August
9	September
10	October
11	November
12	December

529	int_3_q7m_year Show the field ONLY if: [int_3_q7k] = '1'	Year	text (integer) Field Annotation: @CHARLIMIT=4
530	int_3_q7n Show the field ONLY if: [int_3_q7k] = '1'	7n. For how many months did you use [int_3_q7l]?	text (integer) Field Annotation: @CHARLIMIT=2
531	int_3_q7o Show the field ONLY if: [int_3_q7k] = '1'	7o. Record MONTH and YEAR respondent stopped using [int_3_q7l].	descriptive
532	int_3_q7o_month Show the field ONLY if: [int_3_q7k] = '1'	Month	dropdown

1	January
2	February
3	March
4	April
5	May
6	June
7	July
8	August
9	September
10	October
11	November
12	December

533	int_3_q7o_year Show the field ONLY if: [int_3_q7k] = '1'	Year	text (integer) Field Annotation: @CHARLIMIT=4
534	desc_13 Show the field ONLY if: [int_3_q7k]='1'	Postpartum Journey Map: Starting with the month the participant reported that she began using the method (7M), place the appropriate "family planning method" magnet (from 7L) on the relevant month column along the purple "Family Planning" row Then count forward (to the right) the number of months that she reported having used the method consecutively (7N) OR if she answered with the month that she stopped using the method (7O), go directly to that row Place the "family planning use termination" magnet on the relevant month column along the purple "Family Planning" row Using the dry-erase marker, draw an arrow from the "family planning method" magnet to the "family planning use termination" magnet	descriptive

535	int_3_q7p	7p. Why did you stop using [int_3_q7l]?	checkbox
	Show the field ONLY if: [int_3_q7k]='1'		0 | int_3_q7p___0 | Still using the method 1 | int_3_q7p___1 | Wanted to become pregnant 2 | int_3_q7p___2 | Became pregnant 3 | int_3_q7p___3 | Infrequent sex/partner away 4 | int_3_q7p___4 | Husband disapproved 5 | int_3_q7p___5 | Wanted more effective method 6 | int_3_q7p___6 | Health concerns* 7 | int_3_q7p___7 | Unable to access 8 | int_3_q7p___8 | Too expensive 9 | int_3_q7p___9 | Relationship dissolution 10 | int_3_q7p___10 | Side effects* 11 | int_3_q7p___11 | Using method too inconvenient 77 | int_3_q7p___77 | Other 88 | int_3_q7p___88 | Don't know/Don't remember Field Annotation: @NONEOFTHEABOVE='0,88'
536	q7p_other Show the field ONLY if: [int_3_q7p(77)] = '1'	Other specify	text, Required
537	int_3_q7q Show the field ONLY if: [int_3_q7k]='1'	7q. In the 12 months after the birth of your child (12 to 15 months ago), did you or your partner do anything else to prevent pregnancy?	yesno 1 | Yes 0 | No
538	int_3_q7r Show the field ONLY if: [int_3_q7q] = '1'	7r. Other than the method you have already reported here, which method was the most recent method you used? If Participant says "Implant" clarify with her whether it is the 1 rod (3 year) or 2 rod (5 year) implant.	radio 0 | No method 1 | Combined pill 2 | Progesterone only pill 3 | Male condom 4 | Female condom 5 | IUD 6 | Injectable 7 | Implant (1-rod) 8 | Implant (2-rod) 9 | Breastfeeding/LAM 10 | Male sterilisation 11 | Female sterilisation 12 | Emergency contraception 13 | Avoid sex 77 | Other 88 | Don't know/don't remember 99 | Refused to answer Field Annotation: @NONEOFTHEABOVE='0,88,99'
539	q7r_other Show the field ONLY if: [int_3_q7r] = '77'	Other specify	text, Required
540	int_3_q7s Show the field ONLY if: [int_3_q7q] = '1'	7s. When did you start using [int_3_q7r] in the most recent period?	descriptive

541	int_3_q7s_month Show the field ONLY if: [int_3_q7q] = '1'	Month	dropdown 1 January 2 February 3 March 4 April 5 May 6 June 7 July 8 August 9 September 10 October 11 November 12 December
542	int_3_q7s_year Show the field ONLY if: [int_3_q7q] = '1'	Year	text (integer) Field Annotation: @CHARLIMIT=4
543	int_3_q7t Show the field ONLY if: [int_3_q7q] = '1'	7t. For how many months did you use [int_3_q7r]?	text (integer) Field Annotation: @CHARLIMIT=2
544	int_3_q7u Show the field ONLY if: [int_3_q7q] = '1'	7u. Record MONTH and YEAR respondent stopped using [int_3_q7r].	descriptive
545	int_3_q7u_month Show the field ONLY if: [int_3_q7q] = '1'	Month	dropdown 1 January 2 February 3 March 4 April 5 May 6 June 7 July 8 August 9 September 10 October 11 November 12 December
546	int_3_q7u_year Show the field ONLY if: [int_3_q7q] = '1'	Year	text (integer) Field Annotation: @CHARLIMIT=4
547	desc_14 Show the field ONLY if: [int_3_q7q]='1'	Postpartum Journey Map: Starting with the month the participant reported that she began using the method (7S), place the appropriate "family planning method" magnet (from 7R) on the relevant month column along the purple "Family Planning" row Then count forward (to the right) the number of months that she reported having used the method consecutively (7T) OR if she answered with the month that she stopped using the method (7U), go directly to that row Place the "family planning use termination" magnet on the relevant month column along the purple "Family Planning" row Using the dry-erase marker, draw an arrow from the "family planning method" magnet to the "family planning use termination" magnet	descriptive

548	int_3_q7v	7v. Why did you stop using [int_3_q7r]?	radio		
	Show the field ONLY if: [int_3_q7q]='1'		0	Still using the method	
			1	Wanted to become pregnant	
			2	Became pregnant	
			3	Infrequent sex/partner away	
			4	Husband disapproved	
			5	Wanted more effective method	
			6	Health concerns*	
			7	Unable to access	
			8	Too expensive	
			9	Relationship dissolution	
			10	Side effects*	
			11	Using method too inconvenient	
			77	Other	
			88	Don't know/Don't remember	
			Field Annotation: @NONEOFTHEABOVE='0,88'		
549	q7v_other	Other specify	text, Required		
	Show the field ONLY if: [int_3_q7v] = '77'				
550	desc_15	Interviewer: Ask Q8 only if participant answers 6 or 10 to Q7J, Q7P, or Q7V	descriptive		
	Show the field ONLY if: [int_3_consent]='1'				
551	int_3_q8	8. What are the side effects that you EXPERIENCED while using this method	checkbox		
	Show the field ONLY if: [int_3_q7j(6)] = '1' and [int_3_q7j (10)] = '1' and [int_3_q7p(6)] = '1' and [int_3_q7p(10)] = '1' and [int _3_q7v] = '6' and [int_3_q7v] = '1 0'		1	int_3_q8___1	Less bleeding or no bleeding
			2	int_3_q8___2	Heavier bleeding
			3	int_3_q8___3	Irregular bleeding/stopping
			4	int_3_q8___4	Uterine cramping/lower abdominal pain
			5	int_3_q8___5	Gained weight
			6	int_3_q8___6	Lost weight
			7	int_3_q8___7	Facial spotting
			8	int_3_q8___8	Headaches
			9	int_3_q8___9	Got infection
			10	int_3_q8___10	Nausea vomiting
			11	int_3_q8___11	Increased menstrual cramping
			12	int_3_q8___12	Lowered sex drive
			13	int_3_q8___13	Decreased sexual pleasure
			14	int_3_q8___14	Vaginal dryness
			15	int_3_q8___15	Delayed return to fertility
			16	int_3_q8___16	General weakness
			17	int_3_q8___17	Diarrhea
			18	int_3_q8___18	Partner feels method during sex
			19	int_3_q8___19	Pain at insertion site
			20	int_3_q8___20	Mood swings
			21	int_3_q8___21	Acne cleared away
			22	int_3_q8___22	Menstruation regulation
			77	int_3_q8___77	Other
			88	int_3_q8___88	Don't know/don't remember
			99	int_3_q8___99	Refused to respond
			Field Annotation: @NONEOFTHEABOVE='88,99'		
552	q8_other	Other specify	text, Required		
	Show the field ONLY if: [int_3_q8(77)] = '1'				

553	int_3_q9 Show the field ONLY if: [int_3_consent]='1'	9. What, if any, are the side effects that you WERE WORRIED ABOUT EXPERIENCING while using this method before you started using the method? For example, side effects that somebody else told you about that you thought might happen to you. (do not read answer options out loud select all that apply)	checkbox

1	int_3_q9___1	Less bleeding or no bleeding		
2	int_3_q9___2	Heavier bleeding		
3	int_3_q9___3	Irregular bleeding/stopping		
4	int_3_q9___4	Uterine cramping/lower abdominal pain		
5	int_3_q9___5	Gained weight		
6	int_3_q9___6	Lost weight		
7	int_3_q9___7	Facial spotting		
8	int_3_q9___8	Headaches		
9	int_3_q9___9	Got infection		
10	int_3_q9___10	Nausea vomiting		
11	int_3_q9___11	Increased menstrual cramping		
12	int_3_q9___12	Lowered sex drive		
13	int_3_q9___13	Decreased sexual pleasure		
14	int_3_q9___14	Vaginal dryness		
15	int_3_q9___15	Delayed return to fertility		
16	int_3_q9___16	General weakness		
17	int_3_q9___17	Diarrhea		
18	int_3_q9___18	Partner feels method during sex		
19	int_3_q9___19	Pain at insertion site		
20	int_3_q9___20	Mood swings		
21	int_3_q9___21	Infertility/Sterility		
22	int_3_q9___22	Method gets lost inside body		
23	int_3_q9___23	Cancer		
24	int_3_q9___24	Weakened Womb		
25	int_3_q9___25	Rusty Ovaries		
26	int_3_q9___26	Feelings of Guilt		
27	int_3_q9___27	Heating Effects		
28	int_3_q9___28	Burnt eggs		
29	int_3_q9___29	Pills accumulate in body		
30	int_3_q9___30	Increased hair growth		
31	int_3_q9___31	Deformation of babies		
77	int_3_q9___77	Other		
88	int_3_q9___88	Don't know/don't remember		
99	int_3_q9___99	Refused to respond		

Field Annotation: @NONEOFTHEABOVE='88,99'

554	q9_other Show the field ONLY if: [int_3_q9(77)] = '1'	Other specify	text, Required

555	section_a_complete	Section Header: *Form Status* Complete?	dropdown

0	Incomplete
1	Unverified
2	Complete

Instrument: **Section B** (section_b)			[^ Collapse]

556	desc_21 Show the field ONLY if: [int_3_consent]='1'	Section Header: *SECTION B: MEETINGS WITH HEALTHCARE PROVIDERS* When using the Postpartum Journey Map visual aid, section B corresponds to the "Health Visit Purpose" row	descriptive
557	int_3_q10a_desc Show the field ONLY if: [int_3_consent]='1'	10a. Within the first 12 months after the birth of your child 12 to 15 months ago, did you attend each immunization/supplementation visit? In the matrix below, tick "Yes, attended" for each immunization/supplementation visit that the participant attended. You can read out the visits to remind the participants of the time and activity.	descriptive

558	int_3_q10a1 Show the field ONLY if: [int_3_consent]='1'	**Section Header:** *Immunization and Common Supplementation Visits* 6 week visit: OPV, DPT-HepB-Hib, PCV10, Rota	radio (Matrix) | 1	Yes, Attended	
559	int_3_q10a2 Show the field ONLY if: [int_3_consent]='1'	10 week visit: OPV, DPT-HepB-Hib, PCV10, Rota	radio (Matrix) | 1	Yes, Attended	
560	int_3_q10a3 Show the field ONLY if: [int_3_consent]='1'	14 week visit: OPV, DPT-HepB-Hib, PCV10, IPV	radio (Matrix) | 1	Yes, Attended	
561	int_3_q10a4 Show the field ONLY if: [int_3_consent]='1'	6 month visit: vitamin A supplementation, weigh-in, check-up	radio (Matrix) | 1	Yes, Attended	
562	int_3_q10a5 Show the field ONLY if: [int_3_consent]='1'	9 month visit: Measles, Yellow Fever	radio (Matrix) | 1	Yes, Attended	
563	int_3_q10_desc2 Show the field ONLY if: [int_3_consent]='1'	Time postpartum Vaccine/Activity Journey Map location Birth BCG, OPV Does not need to be included on Journey Map 6 Weeks OPV, DPT-HepB-Hib, PCV10, Rota Month 1 10 Weeks OPV, DPT-HepB-Hib, PCV10, Rota Month 2 14 Weeks OPV, DPT-HepB-Hib, PCV10, IPV Month 3 6 Months Vitamin A Supplementation, Weigh-in, Check-up Month 6 9 Month Measles 1, Yellow Fever Month 9	descriptive
564	int_3_q10a_desc3 Show the field ONLY if: [int_3_consent]='1'	Postpartum Journey Map: Using the "Journey Map Location" column in the above chart, place the immunization visit magnets or check-up magnet in the appropriate months along the pink Health Visit row for each visit that she reported attending	descriptive
565	int_3_q10b Show the field ONLY if: [int_3_q10a1]='1'	10b. Where did you meet the healthcare provider for your baby's 6 week immunization visit?	radio 	1	Hospital
2	Health center
3	Private health center
4	Clinic
5	Dispensary
6	Pharmacy
7	Home (home based care)
77	Other	
566	q10b_other Show the field ONLY if: [int_3_q10b] = '77'	Other specify	text, Required
567	int_3_q10c Show the field ONLY if: [int_3_q10a1]='1'	10c. At your 6 week immunization visit, what type of healthcare provider did you meet with?	radio 	1	Doctor
2	Obgyn
3	Nurse
4	Midwife
5	Clinical Officer
6	Pharmacist
7	CHV
77	Other	
568	q10c_other Show the field ONLY if: [int_3_q10c] = '77'	Other specify	text, Required

569	int_3_q10d Show the field ONLY if: [int_3_q10a2]='1'	10d. Where did you meet the healthcare provider for your baby's 10 week immunization visit?	radio 	1	Hospital
2	Health center
3	Private health center
4	Clinic
5	Dispensary
6	Pharmacy
7	Home (home based care)
77	Other	
570	q10d_other Show the field ONLY if: [int_3_q10d] = '77'	Other specify	text, Required
571	int_3_q10e Show the field ONLY if: [int_3_q10a2]='1'	10e. At your 10 week immunization visit, what type of healthcare provider did you meet with?	radio | 1	Doctor
2	Obgyn
3	Nurse
4	Midwife
5	Clinical Officer
6	Pharmacist
7	CHV
77	Other	
572	q10e_other Show the field ONLY if: [int_3_q10e] = '77'	Other specify	text, Required
573	int_3_q10f Show the field ONLY if: [int_3_q10a3]='1'	10f. Where did you meet the healthcare provider for your baby's 14 week immunization visit?	radio | 1	Hospital
2	Health center
3	Private health center
4	Clinic
5	Dispensary
6	Pharmacy
7	Home (home based care)
77	Other	
574	q10f_other Show the field ONLY if: [int_3_q10f] = '77'	Other specify	text, Required
575	int_3_q10g Show the field ONLY if: [int_3_q10a3]='1'	10g. At your 14 week immunization visit, what type of healthcare provider did you meet with?	radio | 1	Doctor
2	Obgyn
3	Nurse
4	Midwife
5	Clinical Officer
6	Pharmacist
7	CHV
77	Other	
576	q10g_other Show the field ONLY if: [int_3_q10g] = '77'	Other specify	text, Required

577	int_3_q10h Show the field ONLY if: [int_3_q10a4]='1'	10h. Where did you meet the healthcare provider for your baby's 6 month immunization visit	radio 	1	Hospital
2	Health center
3	Private health center
4	Clinic
5	Dispensary
6	Pharmacy
7	Home (home based care)
77	Other	
578	q10h_other Show the field ONLY if: [int_3_q10h] = '77'	Other specify	text, Required
579	int_3_q10i Show the field ONLY if: [int_3_q10a4]='1'	10i. At your 6 month visit, what type of healthcare provider did you meet with?	radio | 1	Doctor
2	Obgyn
3	Nurse
4	Midwife
5	Clinical Officer
6	Pharmacist
7	CHV
77	Other	
580	q10i_other Show the field ONLY if: [int_3_q10i] = '77'	Other specify	text, Required
581	int_3_q10j Show the field ONLY if: [int_3_q10a5]='1'	10j. Where did you meet the healthcare provider for your baby's 9 month immunization visit?	radio | 1	Hospital
2	Health center
3	Private health center
4	Clinic
5	Dispensary
6	Pharmacy
7	Home (home based care)
77	Other	
582	q10j_other Show the field ONLY if: [int_3_q10j] = '77'	Other specify	text, Required
583	int_3_q10k Show the field ONLY if: [int_3_q10a5]='1'	10k. At your 9 month immunization visit, what type of healthcare provider did you meet with?	radio | 1	Doctor
2	Obgyn
3	Nurse
4	Midwife
5	Clinical Officer
6	Pharmacist
7	CHV
77	Other	
584	q10k_other Show the field ONLY if: [int_3_q10k] = '77'	Other specify	text, Required

585	int_3_q10n Show the field ONLY if: [int_3_q10a1]='1' or [int_3_q10a2]='1' or [int_3_q10a3]='1' or [int_3_q10a4]='1' or [int_3_q10a5]='1'	10n. At any of these visits, did the provider discuss family planning with you? (select all that apply)	checkbox

checkbox

0	int_3_q10n___0	no
1	int_3_q10n___1	yes at the 6 week visit
2	int_3_q10n___2	yes at the 10 week visit
3	int_3_q10n___3	yes at the 14 week visit
4	int_3_q10n___4	yes at the 6 month visit
5	int_3_q10n___5	yes at the 9 month visit

Field Annotation: @NONEOFTHEABOVE=0

586	int_3_q10o Show the field ONLY if: [int_3_q10a1]='1' or [int_3_q10a2]='1' or [int_3_q10a3]='1' or [int_3_q10a4]='1' or [int_3_q10a5]='1'	10o. At any of these visits, did you receive a method of Family Planning? (select all that apply)	checkbox

checkbox

0	int_3_q10o___0	no
1	int_3_q10o___1	yes at the 6 week visit
2	int_3_q10o___2	yes at the 10 week visit
3	int_3_q10o___3	yes at the 14 week visit
4	int_3_q10o___4	yes at the 6 month visit
5	int_3_q10o___5	yes at the 9 month visit

Field Annotation: @NONEOFTHEABOVE=0

587	int_3_10p_desc Show the field ONLY if: [int_3_q10o(1)] = '1' or [int_3_q10o(2)] = '1' or [int_3_q10o(3)] = '1' or [int_3_q10o(4)] = '1' or [int_3_q10o(5)] = '1'	10p. What family planning method(s) did you receive? If Participant says "Implant" clarify with her whether it is the 1 rod (3 year) or 2 rod (5 year) implant.	descriptive
588	q10_desc Show the field ONLY if: [int_3_q10o(1)] = '1' or [int_3_q10o(2)] = '1' or [int_3_q10o(3)] = '1' or [int_3_q10o(4)] = '1' or [int_3_q10o(5)] = '1'	Family planning methods received at infant immunisation/supplement visits	descriptive

589	int_3_q10p1 Show the field ONLY if: [int_3_q10o(1)] = '1'	6 week visit	checkbox

checkbox

0	int_3_q10p1___0	No Method
1	int_3_q10p1___1	Combined Pill
2	int_3_q10p1___2	Progesterone Only Pill
3	int_3_q10p1___3	Male Condom
4	int_3_q10p1___4	Female Condom
5	int_3_q10p1___5	IUD
6	int_3_q10p1___6	Injectable
7	int_3_q10p1___7	Implant - 1 rod
8	int_3_q10p1___8	Implant - 2 rod
9	int_3_q10p1___9	Breastfeeding/LAM
10	int_3_q10p1___10	Male Sterilization
11	int_3_q10p1___11	Female Sterilization
12	int_3_q10p1___12	Emergency Contraception
77	int_3_q10p1___77	Other

Field Annotation: @NONEOFTHEABOVE=0

590	q10p1_other Show the field ONLY if: [int_3_q10p1(77)] = '1'	Other specify	text, Required

591	int_3_q10p2 Show the field ONLY if: [int_3_q10o(2)] = '1'	10 week visit	checkbox		
			0	int_3_q10p2___0	No Method
			1	int_3_q10p2___1	Combined Pill
			2	int_3_q10p2___2	Progesterone Only Pill
			3	int_3_q10p2___3	Male Condom
			4	int_3_q10p2___4	Female Condom
			5	int_3_q10p2___5	IUD
			6	int_3_q10p2___6	Injectable
			7	int_3_q10p2___7	Implant - 1 rod
			8	int_3_q10p2___8	Implant - 2 rod
			9	int_3_q10p2___9	Breastfeeding/LAM
			10	int_3_q10p2___10	Male Sterilization
			11	int_3_q10p2___11	Female Sterilization
			12	int_3_q10p2___12	Emergency Contraception
			77	int_3_q10p2___77	Other
			Field Annotation: @NONEOFTHEABOVE=0		
592	q10p2_other Show the field ONLY if: [int_3_q10p2(77)] = '1'	Other specify	text, Required		
593	int_3_q10p3 Show the field ONLY if: [int_3_q10o(3)] = '1'	14 week visit	checkbox		
			0	int_3_q10p3___0	No Method
			1	int_3_q10p3___1	Combined Pill
			2	int_3_q10p3___2	Progesterone Only Pill
			3	int_3_q10p3___3	Male Condom
			4	int_3_q10p3___4	Female Condom
			5	int_3_q10p3___5	IUD
			6	int_3_q10p3___6	Injectable
			7	int_3_q10p3___7	Implant - 1 rod
			8	int_3_q10p3___8	Implant - 2 rod
			9	int_3_q10p3___9	Breastfeeding/LAM
			10	int_3_q10p3___10	Male Sterilization
			11	int_3_q10p3___11	Female Sterilization
			12	int_3_q10p3___12	Emergency Contraception
			77	int_3_q10p3___77	Other
			Field Annotation: @NONEOFTHEABOVE=0		
594	q10p3_other Show the field ONLY if: [int_3_q10p3(77)] = '1'	Other specify	text, Required		

595	int_3_q10p4 Show the field ONLY if: [int_3_q10o(4)] = '1'	6 month visit	checkbox

0	int_3_q10p4___0	No Method
1	int_3_q10p4___1	Combined Pill
2	int_3_q10p4___2	Progesterone Only Pill
3	int_3_q10p4___3	Male Condom
4	int_3_q10p4___4	Female Condom
5	int_3_q10p4___5	IUD
6	int_3_q10p4___6	Injectable
7	int_3_q10p4___7	Implant - 1 rod
8	int_3_q10p4___8	Implant - 2 rod
9	int_3_q10p4___9	Breastfeeding/LAM
10	int_3_q10p4___10	Male Sterilization
11	int_3_q10p4___11	Female Sterilization
12	int_3_q10p4___12	Emergency Contraception
77	int_3_q10p4___77	Other

Field Annotation: @NONEOFTHEABOVE=0

596	q10p4_other Show the field ONLY if: [int_3_q10p4(77)] = '1'	Other specify	text, Required

597	int_3_q10p5 Show the field ONLY if: [int_3_q10o(5)] = '1'	9 month visit	checkbox

0	int_3_q10p5___0	No Method
1	int_3_q10p5___1	Combined Pill
2	int_3_q10p5___2	Progesterone Only Pill
3	int_3_q10p5___3	Male Condom
4	int_3_q10p5___4	Female Condom
5	int_3_q10p5___5	IUD
6	int_3_q10p5___6	Injectable
7	int_3_q10p5___7	Implant - 1 rod
8	int_3_q10p5___8	Implant - 2 rod
9	int_3_q10p5___9	Breastfeeding/LAM
10	int_3_q10p5___10	Male Sterilization
11	int_3_q10p5___11	Female Sterilization
12	int_3_q10p5___12	Emergency Contraception
77	int_3_q10p5___77	Other

Field Annotation: @NONEOFTHEABOVE=0

598	q10p5_other Show the field ONLY if: [int_3_q10p5(77)] = '1'	Other specify	text, Required
599	desc_10_2 Show the field ONLY if: [int_3_consent]='1'	Except for these infant immunization visit that I just asked about, I would now like to ask you about any other meetings with any health care providers for yourself or your children within the first 12 months after the birth of your child 12 to 15 months ago	descriptive
600	int_3_q10q Show the field ONLY if: [int_3_consent]='1'	10q. Except for infant immunization visits that I just asked about, have you had any (other) meetings with any health care providers for yourself or your children within the first 12 months after the birth of your child 12 to 15 months ago?	yesno 1 Yes 0 No
601	int_3_q10r Show the field ONLY if: [int_3_q10q] = '1'	10r. Within that 12 months, when was the most recent meeting MONTH and YEAR of meeting with a provider?	descriptive

602	int_3_q10r_month Show the field ONLY if: [int_3_q10q] = '1'	Month	dropdown

			1	January
			2	February
			3	March
			4	April
			5	May
			6	June
			7	July
			8	August
			9	September
			10	October
			11	November
			12	December

603	int_3_q10r_year Show the field ONLY if: [int_3_q10q] = '1'	Year	text (integer) Field Annotation: @CHARLIMIT=4

604	int_3_q10s Show the field ONLY if: [int_3_q10q] = '1'	10s. For whom did you meet with the healthcare provider?	radio

1	Self
2	Baby (index baby)
3	Other Child
4	Baby and Other Child(ren)
5	Self and Baby
6	Self and Other Child(ren)
77	Other

605	q10s_other Show the field ONLY if: [int_3_q10s] = '77'	Other specify	text, Required

606	int_3_q10t Show the field ONLY if: [int_3_q10q] = '1'	10t. For what reason did you meet with the health care provider?	radio

1	Sick
2	Checkup
3	Loss of pregnancy
4	Medication pickup
5	Family planning visit
6	Immunization visit
77	Other

607	q10t_other Show the field ONLY if: [int_3_q10t] = '77'	Other specify	text, Required

608	int_3_q10u Show the field ONLY if: [int_3_q10q] = '1'	10u. Where did your meeting with the healthcare provider take place?	radio

1	Hospital
2	Health center
3	Private health center
4	Clinic
5	Dispensary
6	Pharmacy
7	Home (home based care)
77	Other

609	q10u_other Show the field ONLY if: [int_3_q10u] = '77'	Other specify	text, Required

610	int_3_q10v Show the field ONLY if: [int_3_q10q]='1'	10v. What type of health care provider did you meet with?	radio

radio

1	Doctor
2	Obgyn
3	Nurse
4	Midwife
5	Clinical Officer
6	Pharmacist
7	CHV
77	Other

611	q10v_other Show the field ONLY if: [int_3_q10i] = '77'	Other specify	text, Required

612	int_3_q10w Show the field ONLY if: [int_3_q10q]='1'	10w. Did the provider discuss family planning with you at meeting?	yesno

yesno

| 1 | Yes |
| 0 | No |

613	int_3_q10x Show the field ONLY if: [int_3_q10q]='1'	10x. Did you receive a method of Family Planning at this visit?	yesno

yesno

| 1 | Yes |
| 0 | No |

614	int_3_q10y Show the field ONLY if: [int_3_q10x]='1'	10y. What Family Planning method did you receive? If Participant says "Implant" clarify with her whether it is the 1 rod (3 year) or 2 rod (5 year) implant.	checkbox

checkbox

0	int_3_q10y___0	No Method
1	int_3_q10y___1	Combined Pill
2	int_3_q10y___2	Progesterone Only Pill
3	int_3_q10y___3	Male Condom
4	int_3_q10y___4	Female Condom
5	int_3_q10y___5	IUD
6	int_3_q10y___6	Injectable
7	int_3_q10y___7	Implant - 1 rod
8	int_3_q10y___8	Implant - 2 rod
9	int_3_q10y___9	Breastfeeding/LAM
10	int_3_q10y___10	Male Sterilization
11	int_3_q10y___11	Female Sterilization
12	int_3_q10y___12	Emergency Contraception
13	int_3_q10y___13	Avoid sex
77	int_3_q10y___77	Other
88	int_3_q10y___88	Don't know/Don't remember
99	int_3_q10y___99	Refused to Answer

Field Annotation: @NONEOFTHEABOVE='0,88,99'

615	q10y_other Show the field ONLY if: [int_3_q10y(77)] = '1'	Other specify	text, Required

616	desc_16 Show the field ONLY if: [int_3_q10q]='1'	Postpartum Journey Map:Starting with the month the participant reported that she visited the health provider (10R), place the appropriate "Health Visit Purpose" magnet (from 10T) on the relevant month column along the pink "Health Visit Purpose" row. If the participant reported that she did receive a method, at that health visit (10X and 10Y), double check that this corresponds with the methods reported in the purple "Family Planning Method" row.	descriptive

617	int_3_q10z Show the field ONLY if: [int_3_q10q]='1'	10z. Have you had any other meetings with any health care providers for yourself or your children?	yesno

yesno

| 1 | Yes |
| 0 | No |

618	int_3_q10aa Show the field ONLY if: [int_3_q10z]='1'	10aa. Before the meeting you just told me about, when was the most recent meeting MONTH and YEAR of meeting with a provider?	descriptive

619	int_3_q10aa_month Show the field ONLY if: [int_3_q10z]='1'	Month	dropdown

1	January
2	February
3	March
4	April
5	May
6	June
7	July
8	August
9	September
10	October
11	November
12	December

620	int_3_q10aa_year Show the field ONLY if: [int_3_q10z]='1'	Year	text (integer) Field Annotation: @CHARLIMIT=4

621	int_3_q10ab Show the field ONLY if: [int_3_q10z]='1'	10ab. For whom did you meet with the healthcare provider?	radio

1	Self
2	Baby (index baby)
3	Other Child
4	Baby and Other Child(ren)
5	Self and Baby
6	Self and Other Child(ren)
77	Other

622	q10ab_other Show the field ONLY if: [int_3_q10ab] = '77'	Other specify	text, Required

623	int_3_q10ac Show the field ONLY if: [int_3_q10z]='1'	10ac For what reason did you meet with the health care provider?	radio

1	Sick
2	Checkup
3	Loss of pregnancy
4	Medication pickup
5	Family planning visit
6	Immunization visit
77	Other

624	q10ac_other Show the field ONLY if: [int_3_q10ac] = '77'	Other specify	text, Required

625	int_3_q10ad Show the field ONLY if: [int_3_q10z]='1'	10ad. Where did your meeting with the healthcare provider take place?	radio

1	Hospital
2	Health center
3	Private health center
4	Clinic
5	Dispensary
6	Pharmacy
7	Home (home based care)
77	Other

626	q10ad_other Show the field ONLY if: [int_3_q10ad] = '77'	Other specify	text, Required

627	int_3_q10ae Show the field ONLY if: [int_3_q10z]='1'	10ae. What type of health care provider did you meet with?	radio <table><tr><td>1</td><td>Doctor</td></tr><tr><td>2</td><td>Obgyn</td></tr><tr><td>3</td><td>Nurse</td></tr><tr><td>4</td><td>Midwife</td></tr><tr><td>5</td><td>Clinical Officer</td></tr><tr><td>6</td><td>Pharmacist</td></tr><tr><td>7</td><td>CHV</td></tr><tr><td>77</td><td>Other</td></tr></table>
628	q10ae_other Show the field ONLY if: [int_3_q10ae] = '77'	Other specify	text, Required
629	int_3_q10af Show the field ONLY if: [int_3_q10z]='1'	10af. Did the provider discuss family planning with you at meeting?	yesno <table><tr><td>1</td><td>Yes</td></tr><tr><td>0</td><td>No</td></tr></table>
630	int_3_q10ag Show the field ONLY if: [int_3_q10z]='1'	10ag. Did you receive a method of Family Planning at this visit?	yesno <table><tr><td>1</td><td>Yes</td></tr><tr><td>0</td><td>No</td></tr></table>
631	int_3_q10ah Show the field ONLY if: [int_3_q10ag]='1'	10ah. What Family Planning method did you receive?	checkbox <table><tr><td>0</td><td>int_3_q10ah___0</td><td>No Method</td></tr><tr><td>1</td><td>int_3_q10ah___1</td><td>Combined Pill</td></tr><tr><td>2</td><td>int_3_q10ah___2</td><td>Progesterone Only Pill</td></tr><tr><td>3</td><td>int_3_q10ah___3</td><td>Male Condom</td></tr><tr><td>4</td><td>int_3_q10ah___4</td><td>Female Condom</td></tr><tr><td>5</td><td>int_3_q10ah___5</td><td>IUD</td></tr><tr><td>6</td><td>int_3_q10ah___6</td><td>Injectable</td></tr><tr><td>7</td><td>int_3_q10ah___7</td><td>Implant - 1 rod</td></tr><tr><td>8</td><td>int_3_q10ah___8</td><td>Implant - 2 rod</td></tr><tr><td>9</td><td>int_3_q10ah___9</td><td>Breastfeeding/LAM</td></tr><tr><td>10</td><td>int_3_q10ah___10</td><td>Male Sterilization</td></tr><tr><td>11</td><td>int_3_q10ah___11</td><td>Female Sterilization</td></tr><tr><td>12</td><td>int_3_q10ah___12</td><td>Emergency Contraception</td></tr><tr><td>13</td><td>int_3_q10ah___13</td><td>Avoid sex</td></tr><tr><td>77</td><td>int_3_q10ah___77</td><td>Other</td></tr><tr><td>88</td><td>int_3_q10ah___88</td><td>Don't know/Don't remember</td></tr><tr><td>99</td><td>int_3_q10ah___99</td><td>Refused to Answer</td></tr></table> Field Annotation: @NONEOFTHEABOVE='0,88,99'
632	q10ah_other Show the field ONLY if: [int_3_q10ah(77)] = '1'	Other specify	text, Required
633	desc_17 Show the field ONLY if: [int_3_q10z]='1'	Postpartum Journey Map: Starting with the month the participant reported that she visited the health provider (10AA), place the appropriate "Health Visit Purpose" magnet (from 10AC) on the relevant month column along the pink "Health Visit Purpose" row. If the participant reported that she did receive a method, at that health visit (10AG and 10AH), double check that this corresponds with the methods reported in the purple "Family Planning Method" row.	descriptive
634	int_3_q10ai Show the field ONLY if: [int_3_q10z]='1'	10ai. Have you had any other meetings with any health care providers for yourself or your children?	yesno <table><tr><td>1</td><td>Yes</td></tr><tr><td>0</td><td>No</td></tr></table>
635	int_3_q10aj Show the field ONLY if: [int_3_q10ai]='1'	10aj. Before the meeting you just told me about, when was the most recent meeting MONTH and YEAR of meeting with a provider?	descriptive

636	int_3_q10aj_month Show the field ONLY if: [int_3_q10ai]='1'	Month	dropdown

			1	January
			2	February
			3	March
			4	April
			5	May
			6	June
			7	July
			8	August
			9	September
			10	October
			11	November
			12	December

637	int_3_q10aj_year Show the field ONLY if: [int_3_q10ai]='1'	Year	text (integer) Field Annotation: @CHARLIMIT=4

638	int_3_q10ak Show the field ONLY if: [int_3_q10ai]='1'	10ak. For whom did you meet with the healthcare provider?	radio

			1	Self
			2	Baby (index baby)
			3	Other Child
			4	Baby and Other Child(ren)
			5	Self and Baby
			6	Self and Other Child(ren)
			77	Other

639	q10ak_other Show the field ONLY if: [int_3_q10ak] = '77'	Other specify	text, Required

640	int_3_q10al Show the field ONLY if: [int_3_q10ai]='1'	10al. For what reason did you meet with the health care provider?	radio

			1	Sick
			2	Checkup
			3	Loss of pregnancy
			4	Medication pickup
			5	Family planning visit
			6	Immunization visit
			77	Other

641	q10al_other Show the field ONLY if: [int_3_q10al] = '77'	Other specify	text, Required

642	int_3_q10am Show the field ONLY if: [int_3_q10ai]='1'	10am. Where did your meeting with the healthcare provider take place?	radio

			1	Hospital
			2	Health center
			3	Private health center
			4	Clinic
			5	Dispensary
			6	Pharmacy
			7	Home (home based care)
			77	Other

643	q10am_other Show the field ONLY if: [int_3_q10am] = '77'	Other specify	text, Required

644	int_3_q10an Show the field ONLY if: [int_3_q10ai]='1'	10an. What type of health care provider did you meet with?	radio 	1	Doctor
2	Obgyn
3	Nurse
4	Midwife
5	Clinical Officer
6	Pharmacist
7	CHV
77	Other	
645	q10an_other Show the field ONLY if: [int_3_q10an] = '77'	Other specify	text, Required
646	int_3_q10ao Show the field ONLY if: [int_3_q10ai]='1'	10ao. Did the provider discuss family planning with you at meeting?	yesno 	1	Yes
0	No	
647	int_3_q10ap Show the field ONLY if: [int_3_q10ai]='1'	10ap. Did you receive a method of Family Planning at this visit?	yesno 	1	Yes
0	No	
648	int_3_q10aq Show the field ONLY if: [int_3_q10ap]='1'	10aq. What Family Planning method did you receive?	checkbox | 0	int_3_q10aq___0	No Method
1	int_3_q10aq___1	Combined Pill
2	int_3_q10aq___2	Progesterone Only Pill
3	int_3_q10aq___3	Male Condom
4	int_3_q10aq___4	Female Condom
5	int_3_q10aq___5	IUD
6	int_3_q10aq___6	Injectable
7	int_3_q10aq___7	Implant - 1 rod
8	int_3_q10aq___8	Implant - 2 rod
9	int_3_q10aq___9	Breastfeeding/LAM
10	int_3_q10aq___10	Male Sterilization
11	int_3_q10aq___11	Female Sterilization
12	int_3_q10aq___12	Emergency Contraception
13	int_3_q10aq___13	Avoid sex
77	int_3_q10aq___77	Other
88	int_3_q10aq___88	Don't know/Don't remember
99	int_3_q10aq___99	Refused to Answer	 Field Annotation: @NONEOFTHEABOVE='0,88,99'
649	q10aq_other Show the field ONLY if: [int_3_q10aq(77)] = '1'	Other specify	text, Required
650	desc_18 Show the field ONLY if: [int_3_q10ai]='1'	Postpartum Journey Map: Starting with the month the participant reported that she visited the health provider (10AJ), place the appropriate "Health Visit Purpose" magnet (from 10AL) on the relevant month column along the pink "Health Visit Purpose" row. If the participant reported that she did receive a method, at that health visit (10AP and 10AQ), double check that this corresponds with the methods reported in the purple "Family Planning Method" row.	descriptive
651	int_3_q10ar Show the field ONLY if: [int_3_q10ai]='1'	10ar. Have you had any other meetings with any health care providers for yourself or your children?	yesno 	1	Yes
0	No	
652	int_3_q10as Show the field ONLY if: [int_3_q10ar]='1'	10as. Before the meeting you just told me about, when was the most recent meeting MONTH and YEAR of meeting with a provider?	descriptive

653	int_3_q10as_month Show the field ONLY if: [int_3_q10ai]='1'	Month	dropdown
			1 January
			2 February
			3 March
			4 April
			5 May
			6 June
			7 July
			8 August
			9 September
			10 October
			11 November
			12 December
654	int_3_q10as_year Show the field ONLY if: [int_3_q10ai]='1'	Year	text (integer) Field Annotation: @CHARLIMIT=4
655	int_3_q10at Show the field ONLY if: [int_3_q10ai]='1'	10at. For whom did you meet with the healthcare provider?	radio
			1 Self
			2 Baby (index baby)
			3 Other Child
			4 Baby and Other Child(ren)
			5 Self and Baby
			6 Self and Other Child(ren)
			77 Other
656	q10at_other Show the field ONLY if: [int_3_q10at] = '77'	Other specify	text, Required
657	int_3_q10au Show the field ONLY if: [int_3_q10ar]='1'	10au. For what reason did you meet with the health care provider?	radio
			1 Sick
			2 Checkup
			3 Loss of pregnancy
			4 Medication pickup
			5 Family planning visit
			6 Immunization visit
			77 Other
658	q10au_other Show the field ONLY if: [int_3_q10au] = '77'	Other specify	text, Required
659	int_3_q10av Show the field ONLY if: [int_3_q10ar]='1'	10av. Where did your meeting with the healthcare provider take place?	radio
			1 Hospital
			2 Health center
			3 Private health center
			4 Clinic
			5 Dispensary
			6 Pharmacy
			7 Home (home based care)
			77 Other
660	q10av_other Show the field ONLY if: [int_3_q10av] = '77'	Other specify	text, Required

661	int_3_q10aw Show the field ONLY if: [int_3_q10ar]='1'	10aw. What type of health care provider did you meet with?	radio <table><tr><td>1</td><td>Doctor</td></tr><tr><td>2</td><td>Obgyn</td></tr><tr><td>3</td><td>Nurse</td></tr><tr><td>4</td><td>Midwife</td></tr><tr><td>5</td><td>Clinical Officer</td></tr><tr><td>6</td><td>Pharmacist</td></tr><tr><td>7</td><td>CHV</td></tr><tr><td>77</td><td>Other</td></tr></table>
662	q10aw_other Show the field ONLY if: [int_3_q10aw] = '77'	Other specify	text, Required
663	int_3_q10ax Show the field ONLY if: [int_3_q10ar]='1'	10ax. Did the provider discuss family planning with you at meeting?	yesno <table><tr><td>1</td><td>Yes</td></tr><tr><td>0</td><td>No</td></tr></table>
664	int_3_q10ay Show the field ONLY if: [int_3_q10ar]='1'	10ay. Did you receive a method of Family Planning at this visit?	yesno <table><tr><td>1</td><td>Yes</td></tr><tr><td>0</td><td>No</td></tr></table>
665	int_3_q10az Show the field ONLY if: [int_3_q10ay]='1'	10az. What Family Planning method did you receive? If Participant says "Implant" clarify with her whether it is the 1 rod (3 year) or 2 rod (5 year) implant.	checkbox <table><tr><td>0</td><td>int_3_q10az___0</td><td>No Method</td></tr><tr><td>1</td><td>int_3_q10az___1</td><td>Combined Pill</td></tr><tr><td>2</td><td>int_3_q10az___2</td><td>Progesterone Only Pill</td></tr><tr><td>3</td><td>int_3_q10az___3</td><td>Male Condom</td></tr><tr><td>4</td><td>int_3_q10az___4</td><td>Female Condom</td></tr><tr><td>5</td><td>int_3_q10az___5</td><td>IUD</td></tr><tr><td>6</td><td>int_3_q10az___6</td><td>Injectable</td></tr><tr><td>7</td><td>int_3_q10az___7</td><td>Implant - 1 rod</td></tr><tr><td>8</td><td>int_3_q10az___8</td><td>Implant - 2 rod</td></tr><tr><td>9</td><td>int_3_q10az___9</td><td>Breastfeeding/LAM</td></tr><tr><td>10</td><td>int_3_q10az___10</td><td>Male Sterilization</td></tr><tr><td>11</td><td>int_3_q10az___11</td><td>Female Sterilization</td></tr><tr><td>12</td><td>int_3_q10az___12</td><td>Emergency Contraception</td></tr><tr><td>13</td><td>int_3_q10az___13</td><td>Avoid sex</td></tr><tr><td>77</td><td>int_3_q10az___77</td><td>Other</td></tr><tr><td>88</td><td>int_3_q10az___88</td><td>Don't know/Don't remember</td></tr><tr><td>99</td><td>int_3_q10az___99</td><td>Refused to Answer</td></tr></table> Field Annotation: @NONEOFTHEABOVE='0,88,99'
666	q10az_other Show the field ONLY if: [int_3_q10az(77)] = '1'	Other specify	text, Required
667	desc_19 Show the field ONLY if: [int_3_q10ba]='1'	Postpartum Journey Map: Starting with the month the participant reported that she visited the health provider (10AS), place the appropriate "Health Visit Purpose" magnet (from 10AU) on the relevant month column along the pink "Health Visit Purpose" row. If the participant reported that she did receive a method, at that health visit (10AY and 10AZ), double check that this corresponds with the methods reported in the purple "Family Planning Method" row.	descriptive
668	int_3_q10ba Show the field ONLY if: [int_3_q10ba]='1'	10ba. Have you had any other meetings with any health care providers for yourself or your children?	yesno <table><tr><td>1</td><td>Yes</td></tr><tr><td>0</td><td>No</td></tr></table>
669	int_3_q10bb Show the field ONLY if: [int_3_q10ba]='1'	10bb. Before the meeting you just told me about, when was the most recent meeting MONTH and YEAR of meeting with a provider?	descriptive

670	int_3_q10bb_month Show the field ONLY if: [int_3_q10ba]='1'	Month	dropdown

			1	January
			2	February
			3	March
			4	April
			5	May
			6	June
			7	July
			8	August
			9	September
			10	October
			11	November
			12	December

671	int_3_q10a_l_year Show the field ONLY if: [int_3_q10ba]='1'	Year	text (integer) Field Annotation: @CHARLIMIT=4

672	int_3_q10bc Show the field ONLY if: [int_3_q10ba]='1'	10bc. For whom did you meet with the healthcare provider?	radio

			1	Self
			2	Baby (index baby)
			3	Other Child
			4	Baby and Other Child(ren)
			5	Self and Baby
			6	Self and Other Child(ren)
			77	Other

673	q10bc_other Show the field ONLY if: [int_3_q10bc] = '77'	Other specify	text, Required

674	int_3_q10bd Show the field ONLY if: [int_3_q10ba]='1'	10bd. For what reason did you meet with the health care provider?	radio

			1	Sick
			2	Checkup
			3	Loss of pregnancy
			4	Medication pickup
			5	Family planning visit
			6	Immunization visit
			77	Other

675	q10bd_other Show the field ONLY if: [int_3_q10bd] = '77'	Other specify	text, Required

676	int_3_q10be Show the field ONLY if: [int_3_q10ba]='1'	10be. Where did your meeting with the healthcare provider take place?	radio

			1	Hospital
			2	Health center
			3	Private health center
			4	Clinic
			5	Dispensary
			6	Pharmacy
			7	Home (home based care)
			77	Other

677	q10be_other Show the field ONLY if: [int_3_q10be] = '77'	Other specify	text, Required

678	int_3_q10bf Show the field ONLY if: [int_3_q10ba]='1'	10bf. What type of health care provider did you meet with?	radio

			1	Doctor
			2	Obgyn
			3	Nurse
			4	Midwife
			5	Clinical Officer
			6	Pharmacist
			7	CHV
			77	Other

679	q10bf_other Show the field ONLY if: [int_3_q10bf] = '77'	Other specify	text, Required
680	int_3_q10bg Show the field ONLY if: [int_3_q10ba]='1'	10bg. Did the provider discuss family planning with you at meeting?	yesno 1 Yes 0 No
681	int_3_q10bh Show the field ONLY if: [int_3_q10ba]='1'	10bh. Did you receive a method of Family Planning at this visit?	yesno 1 Yes 0 No
682	int_3_q10bi Show the field ONLY if: [int_3_q10bh]='1' If Participant says "Implant" clarify with her whether it is the 1 rod (3 year) or 2 rod (5 year) implant.	10bi. What Family Planning method did you receive?	checkbox

			0	int_3_q10bi___0	No Method
			1	int_3_q10bi___1	Combined Pill
			2	int_3_q10bi___2	Progesterone Only Pill
			3	int_3_q10bi___3	Male Condom
			4	int_3_q10bi___4	Female Condom
			5	int_3_q10bi___5	IUD
			6	int_3_q10bi___6	Injectable
			7	int_3_q10bi___7	Implant - 1 rod
			8	int_3_q10bi___8	implant - 2 rod
			9	int_3_q10bi___9	Breastfeeding/LAM
			10	int_3_q10bi___10	Male Sterilization
			11	int_3_q10bi___11	Female Sterilization
			12	int_3_q10bi___12	Emergency Contraception
			13	int_3_q10bi___13	Avoid sex
			77	int_3_q10bi___77	Other
			88	int_3_q10bi___88	Don't know/Don't remember
			99	int_3_q10bi___99	Refused to Answer

Field Annotation: @NONEOFTHEABOVE='0,88,99'

683	q10bi_other Show the field ONLY if: [int_3_q10bi(77)] = '1'	Other specify	text, Required
684	int_3_q11 Show the field ONLY if: [int_3_consent]='1'	11. Within the 12 months after the delivery of this child, other than the visits you just mentioned, what other activities have you done to improve or sustain the health of you, your family member.	descriptive
685	int_3_q11a Show the field ONLY if: [int_3_consent]='1'	11a. For self, what was the activity?	notes
686	int_3_q11b Show the field ONLY if: [int_3_consent]='1'	11b. For children, what was the activity?	notes
687	int_3_q11c Show the field ONLY if: [int_3_consent]='1'	11c. For partner, what was the activity?	notes

688	int_3_q11d Show the field ONLY if: [int_3_consent]='1'	11d. For other family members, what was the activity?	notes
689	int_3_q11e Show the field ONLY if: [int_3_consent]='1'	11e. For others, whom?	notes
690	int_3_q11f Show the field ONLY if: [int_3_consent]='1'	11f. For others, what was the activity?	notes
691	int_3_q11g Show the field ONLY if: [int_3_consent]='1'	11g. No activities reported	notes
692	section_b_complete	Section Header: *Form Status* Complete?	dropdown 0 Incomplete 1 Unverified 2 Complete