

Condition	Measured		Sampled with ADC	
	Average	Standard Deviation	Average	Standard Deviation
Completely Dry	3.293333333	0.000577350269	3.3	0
Blowing on it	3.293	0.1031956071	2.389357143	0.5383107038
Half wiped down with the Wet Wipe	2.228	0.6177410461	1.6869	0.5476467738
Entire Surface Wiped	1.238	0.4229231609	0.9095	0.1999156767
Wipe on Entire Surface	0.9854	0.3873838923	0.469	0.01404753834

Condition	Sample 1 (V)	Sample 2 (V)	Sample 3 (V)
Completely Dry	3.294	3.293	3.293
Blowing on it	3.293	3.179	3.087
Half Wiped	2.75	2.388	1.546
Fully wiped	1.61	1.326	0.778
Wipe stay on surface	1.416	0.875	0.6652

Time (s)	ADC	Voltage (V)	
Dry			
1090	4095	3.3	
2190	4095	3.3	
3290	4095	3.3	
4390	4095	3.3	
5490	4095	3.3	
6590	4095	3.3	
7690	4095	3.3	
8790	4095	3.3	
9890	4095	3.3	
		3.3	Average
Blowing			
1	2089	1.683	
1090	2079	1.675	
2190	2390	1.926	
3290	2791	2.249	
4390	3511	2.829	
5490	2543	2.049	
6600	2255	2.63	
7700	2251	2.790428571	
8800	2416	2.950857143	
9910	2293	3.111285714	
		2.389357143	Average
Half Wiped			
0	2911	2.346	
1100	751	0.605	
2200	1568	1.264	
3300	1721	1.387	
4400	1828	1.473	

5500	1957	1.577	
6600	2149	1.732	
7700	2419	1.949	
8800	2685	2.164	
9900	2943	2.372	
		1.6869	Average
Full Wiped			
0	511	0.412	
1100	1011	0.815	
2200	1096	0.883	
3300	1124	0.906	
4400	1144	0.922	
5500	1165	0.939	
6600	1207	0.973	
7700	1267	1.021	
8810	1331	1.073	
9910	1428	1.151	
		0.9095	Average
Wipe on Surface			
1	614	0.495	
1100	612	0.493	
2200	588	0.474	
3300	579	0.467	
4400	576	0.464	
5500	571	0.46	
6600	570	0.459	
7700	572	0.461	
8800	571	0.46	
9900	567	0.457	

		0.469	Average

Voltage Versus Wetness of Sensor

