BATTLETECH™

BATTLEMECH RECORD SHEET

'MECH DATA

Type: Warhammer WHM-6Rk

Movement Points:		**Tonnage:**	70
Walking:	5	**Tech Base:**	Inner Sphere
Running:	8	**Rules Level:**	Standard
Jumping:	0	**Role:**	Skirmisher
Engine Type:	350 XL		

Weapons & Equipment Inventory (hexes)

Type	Loc	Ht	Dmg	Min	Sht	Med	Lng
PPC	LA	10	10 [DE]	3	6	12	18
PPC	RA	10	10 [DE]	3	6	12	18
SRM 6	RT	4	2/Msl [M,C,S]	—	3	6	9
Medium Laser	LT	3	5 [DE]	—	3	6	9
Medium Laser	RT	3	5 [DE]	—	3	6	9
Small Laser	LT	1	3 [DE]	—	1	2	3
Small Laser	RT	1	3 [DE]	—	1	2	3
Machine Gun	LT	—	2 [DB,AI]	—	1	2	3
Machine Gun	RT	—	2 [DB,AI]	—	1	2	3

Total Heat (Dissipation): 32 (30)

+1	Punch	LA	—	7	—	—	—	—
+1	Punch	RA	—	7	—	—	—	—
-2	Kick	—	—	14	—	—	—	—
Vs	Charge	—	—	7/hex	—	—	—	—
-1	Push	—	—	—	—	—	—	—

Ammo: (MG) 200, (SRM 6) 15

Quirks: Rugged (2 Point), Searchlight, Stable, Ubiquitous (Inner Sphere), Ubiquitous (Clans)

BV: 2140 (1621)

WARRIOR DATA

Name: _____

Gunnery Skill: 3 **Piloting Skill:** 4

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead

HIT LOCATION AND CLUSTER TABLE

Die Roll (2D6)	LS	F/R	RS	6
2*	LT(C)	CT(C)	RT(C)	2
3	LL	RA	RL	2
4	LA	RA	RA	3
5	LA	RL	RA	3
6	LL	RT	RL	4
7	LT	CT	RT	4
8	CT	LT	CT	4
9	RT	LL	LT	5
10	RA	LA	LA	5
11	RL	LA	LL	6
12	HD	HD	HD	6


*A result of 2 may inflict a critical hit.

PUNCH/KICK LOCATION TABLE

Die Roll	Punch			Kick		
(1D6)	LS	F/R	RS	LS	F/R	RS
1	LT	LA	RT	LL	RL	RL
2	LT	LT	RT	LL	RL	RL
3	CT	CT	CT	LL	RL	RL
4	LA	RT	RA	LL	LL	RL
5	LA	RA	RA	LL	LL	RL
6	HD	HD	HD	LL	LL	RL


ARMOR DIAGRAM

Standard Armor



INTERNAL STRUCTURE DIAGRAM

Standard Structure



Heat Scale: Overflow, 30, 29, 28, 27, 26, 25, 24, 23, 22, 21, 20, 19, 18, 17, 16, 15, 14, 13, 12, 11, 10, 9, 8, 7, 6, 5, 4, 3, 2, 1, 0

CRITICAL TABLE

Left Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. PPC
5. PPC
6. PPC

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Torso

1-3
1. XL Fusion Engine
2. XL Fusion Engine
3. XL Fusion Engine
4. Medium Laser
5. Small Laser
6. Machine Gun

4-6
1. Double Heat Sink
2. Double Heat Sink
3. Double Heat Sink
4. Roll Again
5. Roll Again
6. Roll Again

Left Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Roll Again
6. Roll Again

Head


1. Life Support
2. Sensors
3. Cockpit
4. Roll Again
5. Sensors
6. Life Support

Center Torso

1-3
1. XL Fusion Engine
2. XL Fusion Engine
3. XL Fusion Engine
4. Gyro
5. Gyro
6. Gyro

4-6
1. Gyro
2. XL Fusion Engine
3. XL Fusion Engine
4. XL Fusion Engine
5. Ammo (MG) 200
6. Roll Again

Engine Hits ○○○
Gyro Hits ○○
Sensor Hits ○○
Life Support ○



Damage Transfer Diagram

Right Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. PPC
5. PPC
6. PPC

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Torso

1-3
1. XL Fusion Engine
2. XL Fusion Engine
3. XL Fusion Engine
4. SRM 6
5. SRM 6
6. Medium Laser

4-6
1. Small Laser
2. Machine Gun
3. Ammo (SRM 6) 15
4. Roll Again
5. Roll Again
6. Roll Again

Right Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Roll Again
6. Roll Again

HEAT DATA

Double Heat Sinks: 15 (30)

Heat Level*	Effects	
30	Shutdown	
28	Ammo Exp, avoid on 8+	○○
26	Shutdown, avoid on 10+	○○
25	-5 Movement Points	○○
24	+4 Modifier to Fire	○○
23	Ammo Exp, avoid on 6+	○○
22	Shutdown, avoid on 8+	○
20	-4 Movement Points	○
19	Ammo Exp, avoid on 4+	○
18	Shutdown, avoid on 6+	○
17	+3 Modifier to Fire	○
15	-3 Movement Points	○
14	Shutdown, avoid on 4+	
13	+2 Modifier to Fire	
10	-2 Movement Points	
8	+1 Modifier to Fire	
5	-1 Movement Points	

© 2026 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved.
Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

BATTLEMECH RECORD SHEET

'MECH DATA

Type: Wolverine WVR-6K

Movement Points:		**Tonnage:**	55
Walking:	5	**Tech Base:**	Inner Sphere
Running:	8	**Rules Level:**	Introductory
Jumping:	0	**Role:**	Skirmisher
Engine Type:	275 Fusion		

Weapons & Equipment Inventory

Type	Loc	Ht	Dmg	Min	Sht (hexes)	Med (hexes)	Lng (hexes)
Large Laser	RA	8	8 [DE]	—	5	10	15
Jettison-Capable Weapon							
SRM 6	LT	4	2/Msl [M,C,S]	—	3	6	9
Medium Laser	RA	3	5 [DE]	—	3	6	9
Medium Laser	HD	3	5 [DE]	—	3	6	9
Small Laser	RA	1	3 [DE]	—	1	2	3
Total Heat (Dissipation): 19 (14)							
Punch	LA	—	6	—	—	—	—
Punch	RA	—	6	—	—	—	—
-2 Kick	—	—	11	—	—	—	—
-1 Club	—	—	11	—	—	—	—
Vs Charge	—	—	5.5/hex	—	—	—	—
-1 Push	—	—	—	—	—	—	—

Ammo: (SRM 6) 30

Quirks: Command Mech, Extended Torso Twist, Improved Communications, Protected Actuators, Ubiquitous (Inner Sphere), Ubiquitous (Clans), Cramped Cockpit

BV: 1248

WARRIOR DATA

Name: _____

Gunnery Skill: _____ **Piloting Skill:** _____

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead

HIT LOCATION AND CLUSTER TABLE

Die Roll (2D6)	LS	F/R	RS	6
2*	LT(C)	CT(C)	RT(C)	2
3	LL	RA	RL	2
4	LA	RA	RA	3
5	LA	RL	RA	3
6	LL	RT	RL	4
7	LT	CT	RT	4
8	CT	LT	CT	4
9	RT	LL	LT	5
10	RA	LA	LA	5
11	RL	LA	LL	6
12	HD	HD	HD	6


*A result of 2 may inflict a critical hit.

PUNCH/KICK LOCATION TABLE

Die Roll (1D6)	Punch LS	Punch F/R	Punch RS	Kick LS	Kick F/R	Kick RS
1	LT	LA	RT	LL	RL	RL
2	LT	LT	RT	LL	RL	RL
3	CT	CT	CT	LL	RL	RL
4	LA	RT	RA	LL	LL	RL
5	LA	RA	RA	LL	LL	RL
6	HD	HD	HD	LL	LL	RL


ARMOR DIAGRAM

Standard Armor



INTERNAL STRUCTURE DIAGRAM

Standard Structure



Heat Scale: Overflow, 30, 29, 28, 27, 26, 25, 24, 23, 22, 21, 20, 19, 18, 17, 16, 15, 14, 13, 12, 11, 10, 9, 8, 7, 6, 5, 4, 3, 2, 1, 0

CRITICAL TABLE

Left Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. Roll Again
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Torso

1-3
1. SRM 6
2. SRM 6
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Heat Sink
6. Roll Again

Head


1. Life Support
2. Sensors
3. Cockpit
4. Medium Laser
5. Sensors
6. Life Support

Center Torso

1-3
1. Fusion Engine
2. Fusion Engine
3. Fusion Engine
4. Gyro
5. Gyro
6. Gyro

4-6
1. Gyro
2. Fusion Engine
3. Fusion Engine
4. Fusion Engine
5. Heat Sink
6. Roll Again

Engine Hits ○○○
Gyro Hits ○○
Sensor Hits ○○
Life Support ○



Damage Transfer Diagram

Right Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. Large Laser
6. Large Laser

4-6
1. Medium Laser
2. Small Laser
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Torso

1-3
1. Ammo (SRM 6) 15
2. Ammo (SRM 6) 15
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Heat Sink
6. Roll Again

HEAT DATA

Heat Sinks: 14

Heat Level*	Effects	
30	Shutdown	
28	Ammo Exp, avoid on 8+	○○
26	Shutdown, avoid on 10+	○○
25	-5 Movement Points	○○
24	+4 Modifier to Fire	○○
23	Ammo Exp, avoid on 6+	○
22	Shutdown, avoid on 8+	○
20	-4 Movement Points	○
19	Ammo Exp, avoid on 4+	○
18	Shutdown, avoid on 6+	○
17	+3 Modifier to Fire	○
15	-3 Movement Points	○
14	Shutdown, avoid on 4+	
13	+2 Modifier to Fire	
10	-2 Movement Points	
8	+1 Modifier to Fire	
5	-1 Movement Points	

© 2026 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved.
Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

BATTLEMECH RECORD SHEET

'MECH DATA

Type: Kintaro KTO-19

Movement Points:
Walking: 5
Running: 8
Jumping: 0
Engine Type: 275 Fusion

Tonnage: 55
Tech Base: Inner Sphere
Rules Level: Standard
Role: Skirmisher

Weapons & Equipment Inventory (hexes)

Type	Loc	Ht	Dmg	Min	Sht	Med	Lng
LRM 5	LA	2	1/Msl [M,C,S]	6	7	14	21
SRM 6	LA	4	2/Msl [M,C,S]	—	3	6	9
SRM 6	RT	4	2/Msl [M,C,S]	—	3	6	9
Medium Laser	RA	3	5 [DE]	—	3	6	9
Medium Laser	RA	3	5 [DE]	—	3	6	9
Narc	CT	—	[M]	—	3	6	9
Total Heat (Dissipation): 16 (10)							
Punch	LA	—	6	—	—	—	—
Punch	RA	—	6	—	—	—	—
-2 Kick	—	—	11	—	—	—	—
-1 Club	—	—	11	—	—	—	—
Vs Charge	—	—	5.5/hex	—	—	—	—
-1 Push	—	—	—	—	—	—	—

Ammo: (SRM 6 Narc) 30, (Narc) 12, (LRM 5 Narc) 24

Quirks: Rugged (1 Point)

BV: 1160

WARRIOR DATA

Name: _____

Gunnery Skill: ____ **Piloting Skill:** ____

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead

HIT LOCATION AND CLUSTER TABLE

Die Roll (2D6)	LS	F/R	RS	5	6
2*	LT(C)	CT(C)	RT(C)	1	2
3	LL	RA	RL	2	2
4	LA	RA	RA	2	3
5	LA	RL	RA	3	3
6	LL	RT	RL	3	4
7	LT	CT	RT	3	4
8	CT	LT	CT	3	4
9	RT	LL	LT	4	5
10	RA	LA	LA	4	5
11	RL	LA	LL	5	6
12	HD	HD	HD	5	6


*A result of 2 may inflict a critical hit.

PUNCH/KICK LOCATION TABLE

Die Roll (1D6)	Punch LS	Punch F/R	Punch RS	Kick LS	Kick F/R	Kick RS
1	LT	LA	RT	LL	RL	RL
2	LT	LT	RT	LL	RL	RL
3	CT	CT	CT	LL	RL	RL
4	LA	RT	RA	LL	LL	RL
5	LA	RA	RA	LL	LL	RL
6	HD	HD	HD	LL	LL	RL


ARMOR DIAGRAM

Ferro-Fibrous



INTERNAL STRUCTURE DIAGRAM

Standard Structure



Heat Scale

Overflow
30
29
28
27
26
25
24
23
22
21
20
19
18
17
16
15
14
13
12
11
10
9
8
7
6
5
4
3
2
1
0

CRITICAL TABLE

Left Arm
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. LRM 5
6. SRM 6

1-3
1. SRM 6
2. Ferro-Fibrous
3. Ferro-Fibrous
4. Ferro-Fibrous
5. Roll Again
6. Roll Again

4-6

Left Torso
1. Ammo (LRM 5 Narc) 24
2. Ammo (SRM 6 Narc) 15
3. Ferro-Fibrous
4. Ferro-Fibrous
5. Roll Again
6. Roll Again

1-3
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

4-6

Left Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Ferro-Fibrous
6. Ferro-Fibrous


Head
1. Life Support
2. Sensors
3. Cockpit
4. Ferro-Fibrous
5. Sensors
6. Life Support

Center Torso
1. Fusion Engine
2. Fusion Engine
3. Fusion Engine
4. Gyro
5. Gyro
6. Gyro

1-3
1. Gyro
2. Fusion Engine
3. Fusion Engine
4. Fusion Engine
5. Narc
6. Narc

4-6

Engine Hits ○○○
Gyro Hits ○○
Sensor Hits ○○
Life Support ○



Damage Transfer Diagram

Right Arm
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. Medium Laser
6. Medium Laser

1-3
1. Ferro-Fibrous
2. Ferro-Fibrous
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

4-6

Right Torso
1. SRM 6
2. SRM 6
3. Ammo (SRM 6 Narc) 15
4. Ammo (Narc) 6
5. Ammo (Narc) 6
6. Ferro-Fibrous

1-3
1. Ferro-Fibrous
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

4-6

Right Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Ferro-Fibrous
6. Ferro-Fibrous

HEAT DATA

Heat Sinks: 10

Heat Level*	Effects	
30	Shutdown	
28	Ammo Exp, avoid on 8+	○
26	Shutdown, avoid on 10+	○
25	-5 Movement Points	○
24	+4 Modifier to Fire	○
23	Ammo Exp, avoid on 6+	○
22	Shutdown, avoid on 8+	○
20	-4 Movement Points	○
19	Ammo Exp, avoid on 4+	○
18	Shutdown, avoid on 6+	○
17	+3 Modifier to Fire	○
15	-3 Movement Points	○
14	Shutdown, avoid on 4+	
13	+2 Modifier to Fire	
10	-2 Movement Points	
8	+1 Modifier to Fire	
5	-1 Movement Points	

© 2026 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved.
Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

BATTLEMECH RECORD SHEET

'MECH DATA

Type: Dragon DRG-1N

Movement Points:
Walking: 5
Running: 8
Jumping: 0
Engine Type: 300 Fusion

Tonnage: 60
Tech Base: Inner Sphere
Rules Level: Introductory
Role: Skirmisher

Weapons & Equipment Inventory (hexes)

Type	Loc	Ht	Dmg	Min	Sht	Med	Lng
LRM 10	CT	4	1/Msl [M,C,S]	6	7	14	21
AC/5	RA	1	5 [DB,S]	3	6	12	18
Medium Laser	LA	3	5 [DE]	–	3	6	9
Medium Laser (R)	LT	3	5 [DE]	–	3	6	9

Total Heat (Dissipation): 11 (10)

Punch	LA	–	6	–	–	–	–
+1 Punch	RA	–	6	–	–	–	–
-2 Kick	–	–	12	–	–	–	–
Vs Charge	–	–	6/hex	–	–	–	–
-1 Push	–	–	–	–	–	–	–

Ammo: (AC/5) 40, (LRM 10) 24

Quirks: Narrow/Low Profile, Stable

BV: 1125

WARRIOR DATA

Name: _____

Gunnery Skill: ____ **Piloting Skill:** ____

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead

HIT LOCATION AND CLUSTER TABLE

Die Roll (2D6)	LS	F/R	RS	10
2*	LT(C)	CT(C)	RT(C)	3
3	LL	RA	RL	3
4	LA	RA	RA	4
5	LA	RL	RA	6
6	LL	RT	RL	6
7	LT	CT	RT	6
8	CT	LT	CT	6
9	RT	LL	LT	8
10	RA	LA	LA	8
11	RL	LA	LL	10
12	HD	HD	HD	10


*A result of 2 may inflict a critical hit.

PUNCH/KICK LOCATION TABLE

Die Roll (1D6)	Punch LS	Punch F/R	Punch RS	Kick LS	Kick F/R	Kick RS
1	LT	LA	RT	LL	RL	RL
2	LT	LT	RT	LL	RL	RL
3	CT	CT	CT	LL	RL	RL
4	LA	RT	RA	LL	LL	RL
5	LA	RA	RA	LL	LL	RL
6	HD	HD	HD	LL	LL	RL


ARMOR DIAGRAM

Standard Armor



INTERNAL STRUCTURE DIAGRAM

Standard Structure



Heat Scale

Overflow
30
29
28
27
26
25
24
23
22
21
20
19
18
17
16
15
14
13
12
11
10
9
8
7
6
5
4
3
2
1
0

CRITICAL TABLE

Left Arm
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. Medium Laser
6. Roll Again

4-6:
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Torso
1. Medium Laser (R)
2. Ammo (LRM 10) 12
3. Ammo (LRM 10) 12
4. Roll Again
5. Roll Again
6. Roll Again

4-6:
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again


Left Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Roll Again
6. Roll Again

Head
1. Life Support
2. Sensors
3. Cockpit
4. Roll Again
5. Sensors
6. Life Support

Center Torso
1-3:
1. Fusion Engine
2. Fusion Engine
3. Fusion Engine
4. Gyro
5. Gyro
6. Gyro

4-6:
1. Gyro
2. Fusion Engine
3. Fusion Engine
4. Fusion Engine
5. LRM 10
6. LRM 10

Engine Hits ○○○
Gyro Hits ○○
Sensor Hits ○○
Life Support ○



Damage Transfer Diagram

Right Arm
1-3:
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. AC/5
5. AC/5
6. AC/5

4-6:
1. AC/5
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Torso
1-3:
1. Ammo (AC/5) 20
2. Ammo (AC/5) 20
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

4-6:
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Roll Again
6. Roll Again

HEAT DATA

Heat Sinks: 10

Heat Level*	Effects	
30	Shutdown	
28	Ammo Exp, avoid on 8+	○
26	Shutdown, avoid on 10+	○
25	-5 Movement Points	○
24	+4 Modifier to Fire	○
23	Ammo Exp, avoid on 6+	○
22	Shutdown, avoid on 8+	○
20	-4 Movement Points	○
19	Ammo Exp, avoid on 4+	○
18	Shutdown, avoid on 6+	○
17	+3 Modifier to Fire	○
15	-3 Movement Points	○
14	Shutdown, avoid on 4+	
13	+2 Modifier to Fire	
10	-2 Movement Points	
8	+1 Modifier to Fire	
5	-1 Movement Points	

© 2026 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved.
Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

BATTLEMECH RECORD SHEET

'MECH DATA

Type: Stinger STG-3Gb

Movement Points:
Walking: 7
Running: 11
Jumping: 7
Engine Type: 140 XL

Tonnage: 20
Tech Base: Inner Sphere
Rules Level: Standard
Role: Striker

Weapons & Equipment Inventory

	Type	Loc	Ht	Dmg	(hexes) Min	Sht	Med	Lng
	Medium Laser	LA	3	5 [DE]	—	3	6	9
	Medium Laser	RA	3	5 [DE]	—	3	6	9
	Medium Laser	CT	3	5 [DE]	—	3	6	9
	Small Laser	HD	1	3 [DE]	—	1	2	3
	Total Heat (Dissipation): 10 (20)							
	Punch	LA	—	2	—	—	—	—
	Punch	RA	—	2	—	—	—	—
-2	Kick	—	—	4	—	—	—	—
-1	Club	—	—	4	—	—	—	—
Vs	Death From Above	—	—	6	—	—	—	—
Vs	Charge	—	—	2/hex	—	—	—	—
-1	Push	—	—	—	—	—	—	—

Quirks: Rugged (1 Point), Ubiquitous (Inner Sphere), Ubiquitous (Clans), Cramped Cockpit

BV: 607 (674)

WARRIOR DATA

Name: _____

Gunnery Skill: 5 **Piloting Skill:** 5

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead

HIT LOCATION AND CLUSTER TABLE

Die Roll (2D6)	LS	F/R	RS
2*	LT(C)	CT(C)	RT(C)
3	LL	RA	RL
4	LA	RA	RA
5	LA	RL	RA
6	LL	RT	RL
7	LT	CT	RT
8	CT	LT	CT
9	RT	LL	LT
10	RA	LA	LA
11	RL	LA	LL
12	HD	HD	HD


*A result of 2 may inflict a critical hit.

PUNCH/KICK LOCATION TABLE

Die Roll (1D6)	Punch LS	Punch F/R	Punch RS	Kick LS	Kick F/R	Kick RS
1	LT	LA	RT	LL	RL	RL
2	LT	LT	RT	LL	RL	RL
3	CT	CT	CT	LL	RL	RL
4	LA	RT	RA	LL	LL	RL
5	LA	RA	RA	LL	LL	RL
6	HD	HD	HD	LL	LL	RL


ARMOR DIAGRAM

Standard Armor



INTERNAL STRUCTURE DIAGRAM

Endo Steel



Heat Scale

Overflow
30
29
28
27
26
25
24
23
22
21
20
19
18
17
16
15
14
13
12
11
10
9
8
7
6
5
4
3
2
1
0

CRITICAL TABLE

Left Arm
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. Double Heat Sink
6. Double Heat Sink

1-3
1. Double Heat Sink
2. Medium Laser
3. Endo Steel
4. Endo Steel
5. Endo Steel
6. Roll Again

Left Torso
1. XL Fusion Engine
2. XL Fusion Engine
3. XL Fusion Engine
4. Double Heat Sink
5. Double Heat Sink
6. Double Heat Sink

1-3
1. Jump Jet
2. Jump Jet
3. Jump Jet
4. Endo Steel
5. Endo Steel
6. Endo Steel


Left Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Endo Steel
6. Endo Steel

Head
1. Life Support
2. Sensors
3. Cockpit
4. Small Laser
5. Sensors
6. Life Support

Center Torso
1. XL Fusion Engine
2. XL Fusion Engine
3. XL Fusion Engine
4. Gyro
5. Gyro
6. Gyro

1-3
1. Gyro
2. XL Fusion Engine
3. XL Fusion Engine
4. XL Fusion Engine
5. Jump Jet
6. Medium Laser

Engine Hits ○○○
Gyro Hits ○○
Sensor Hits ○○
Life Support ○



Damage Transfer Diagram

Right Arm
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. Double Heat Sink
6. Double Heat Sink

1-3
1. Double Heat Sink
2. Double Heat Sink
3. Double Heat Sink
4. Double Heat Sink
5. Medium Laser
6. Endo Steel

Right Torso
1. XL Fusion Engine
2. XL Fusion Engine
3. XL Fusion Engine
4. Double Heat Sink
5. Double Heat Sink
6. Double Heat Sink

1-3
1. Jump Jet
2. Jump Jet
3. Jump Jet
4. Endo Steel
5. Endo Steel
6. Endo Steel

Right Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Endo Steel
6. Endo Steel

HEAT DATA

Double Heat Sinks: 10 (20)

Heat Level*	Effects	
30	Shutdown	
28	Ammo Exp, avoid on 8+	○
26	Shutdown, avoid on 10+	○
25	-5 Movement Points	○
24	+4 Modifier to Fire	○
23	Ammo Exp, avoid on 6+	○
22	Shutdown, avoid on 8+	○
20	-4 Movement Points	○
19	Ammo Exp, avoid on 4+	○
18	Shutdown, avoid on 6+	○
17	+3 Modifier to Fire	○
15	-3 Movement Points	○
14	Shutdown, avoid on 4+	
13	+2 Modifier to Fire	
10	-2 Movement Points	
8	+1 Modifier to Fire	
5	-1 Movement Points	

© 2026 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved.
Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

BATTLEMECH RECORD SHEET

'MECH DATA

Type: Locust LCT-1Vb

Movement Points:
Walking: 8
Running: 12
Jumping: 0
Engine Type: 160 XL

Tonnage: 20
Tech Base: Inner Sphere
Rules Level: Standard
Role: Striker

Weapons & Equipment Inventory (hexes)

	Type	Loc	Ht	Dmg	Min	Sht	Med	Lng
	Medium Laser	CT	3	5 [DE]	—	3	6	9
-2	Medium Pulse Laser	LA	4	6 [P]	—	2	4	6
-2	Medium Pulse Laser	RA	4	6 [P]	—	2	4	6
-2	Small Pulse Laser	LA	2	3 [P,AI]	—	1	2	3
-2	Small Pulse Laser	RA	2	3 [P,AI]	—	1	2	3
	Total Heat (Dissipation): 15 (20)							
+3	Punch	LA	—	1	—	—	—	—
+3	Punch	RA	—	1	—	—	—	—
-2	Kick	—	—	4	—	—	—	—
Vs	Charge	—	—	2/hex	—	—	—	—
-1	Push	—	—	—	—	—	—	—

Quirks: Compact Mech, Narrow/Low Profile, Ubiquitous (Inner Sphere), Ubiquitous (Clans), Cramped Cockpit, No/Minimal Arms, Weak Legs

BV: 578 (642)

WARRIOR DATA

Name: _____

Gunnery Skill: 5 **Piloting Skill:** 5

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead

HIT LOCATION AND CLUSTER TABLE

Die Roll (2D6)	LS	F/R	RS
2*	LT(C)	CT(C)	RT(C)
3	LL	RA	RL
4	LA	RA	RA
5	LA	RL	RA
6	LL	RT	RL
7	LT	CT	RT
8	CT	LT	CT
9	RT	LL	LT
10	RA	LA	LA
11	RL	LA	LL
12	HD	HD	HD


*A result of 2 may inflict a critical hit.

PUNCH/KICK LOCATION TABLE

Die Roll (1D6)	Punch LS	Punch F/R	Punch RS	Kick LS	Kick F/R	Kick RS
1	LT	LA	RT	LL	RL	RL
2	LT	LT	RT	LL	RL	RL
3	CT	CT	CT	LL	RL	RL
4	LA	RT	RA	LL	LL	RL
5	LA	RA	RA	LL	LL	RL
6	HD	HD	HD	LL	LL	RL


ARMOR DIAGRAM

Ferro-Fibrous



INTERNAL STRUCTURE DIAGRAM

Endo Steel



Heat Scale

Overflow
30
29
28
27
26
25
24
23
22
21
20
19
18
17
16
15
14
13
12
11
10
9
8
7
6
5
4
3
2
1
0

CRITICAL TABLE

Left Arm
1-3
1. Shoulder
2. Upper Arm Actuator
3. Medium Pulse Laser
4. Small Pulse Laser
5. Endo Steel
6. Endo Steel

4-6
1. Ferro-Fibrous
2. Ferro-Fibrous
3. Ferro-Fibrous
4. Ferro-Fibrous
5. Ferro-Fibrous
6. Ferro-Fibrous

Left Torso
1-3
1. XL Fusion Engine
2. XL Fusion Engine
3. XL Fusion Engine
4. Double Heat Sink
5. Double Heat Sink
6. Double Heat Sink

4-6
1. Double Heat Sink
2. Double Heat Sink
3. Double Heat Sink
4. Endo Steel
5. Endo Steel
6. Ferro-Fibrous


Left Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Endo Steel
6. Endo Steel

Head
1. Life Support
2. Sensors
3. Cockpit
4. Endo Steel
5. Sensors
6. Life Support

Center Torso
1-3
1. XL Fusion Engine
2. XL Fusion Engine
3. XL Fusion Engine
4. Gyro
5. Gyro
6. Gyro

4-6
1. Gyro
2. XL Fusion Engine
3. XL Fusion Engine
4. XL Fusion Engine
5. Medium Laser
6. Endo Steel

Engine Hits ○○○
Gyro Hits ○○
Sensor Hits ○○
Life Support ○



Damage Transfer Diagram

Right Arm
1-3
1. Shoulder
2. Upper Arm Actuator
3. Medium Pulse Laser
4. Small Pulse Laser
5. Endo Steel
6. Endo Steel

4-6
1. Ferro-Fibrous
2. Ferro-Fibrous
3. Ferro-Fibrous
4. Ferro-Fibrous
5. Ferro-Fibrous
6. Ferro-Fibrous

Right Torso
1-3
1. XL Fusion Engine
2. XL Fusion Engine
3. XL Fusion Engine
4. Double Heat Sink
5. Double Heat Sink
6. Double Heat Sink

4-6
1. Double Heat Sink
2. Double Heat Sink
3. Double Heat Sink
4. Endo Steel
5. Endo Steel
6. Ferro-Fibrous

Right Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Endo Steel
6. Endo Steel

HEAT DATA

Double Heat Sinks: 10 (20)

Heat Level*	Effects	
30	Shutdown	
28	Ammo Exp, avoid on 8+	○
26	Shutdown, avoid on 10+	○
25	-5 Movement Points	○
24	+4 Modifier to Fire	○
23	Ammo Exp, avoid on 6+	○
22	Shutdown, avoid on 8+	○
20	-4 Movement Points	○
19	Ammo Exp, avoid on 4+	○
18	Shutdown, avoid on 6+	○
17	+3 Modifier to Fire	○
15	-3 Movement Points	○
14	Shutdown, avoid on 4+	
13	+2 Modifier to Fire	
10	-2 Movement Points	
8	+1 Modifier to Fire	
5	-1 Movement Points	

© 2026 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved.
Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

AEROSPACE FIGHTER RECORD SHEET

EXTERNAL STORES/BOMBS

Key:
HE - High Explosive
LG - Laser Guided
C - Cluster
RL - Rocket Launcher

FIGHTER DATA

Type: Trident TRN-3T

Thrust:		**Tonnage:**	20
SafeThrust:	12	**Tech Base:**	Inner Sphere
Maximum Thrust:	18	**Rules Level:**	Standard
Engine Type:	200 Fusion	**Role:**	Interceptor


Weapons & Equipment Inventory

Standard Scale				(1-6)	(7-12)	(13-20)	(21-25)
#	Type	Loc	Ht	SRV	MRV	LRV	ERV
1	Medium Laser [DE]	NOS	3	5	–	–	–
1	Medium Laser [DE]	LWG	3	5	–	–	–
1	Medium Laser [DE]	RWG	3	5	–	–	–
1	Small Laser [DE]	AFT	1	3	–	–	–

Total Heat (Dissipation): 10 (10)


Fuel Points: 240

BV: 521



ARMOR DIAGRAM

Ferro-Aluminum



Heat Scale

Overflow
30
29
28
27
26
25
24
23
22
21
20
19
18
17
16
15
14
13
12
11
10
9
8
7
6
5
4
3
2
1
0

CRITICAL DAMAGE

Avionics	+1	+2	+5	Engine	2 4 D
FCS	+2	+4	D	Landing Gear	+5
Sensors	+1	+2	+5	Life Support	+2

PILOT DATA

Name: _____

Gunnery Skill: ____ **Piloting Skill:** ____

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead
Modifier	+1	+2	+3	+4	+5	

HEAT DATA

Heat Sinks: 10

Heat Level*	Effects	
30	Shutdown	○
28	Ammo Exp avoid on 8+	○
27	Pilot damage, avoid on 9+	○
26	Shutdown, avoid on 10+	○
25	Random Movement, avoid on 10+	○
24	+4 Modifier to Fire	○
23	Ammo Exp avoid on 6+	○
22	Shutdown, avoid on 8+	○
21	Pilot damage, avoid on 6+	○
20	Random Movement, avoid on 8+	
19	Ammo Exp avoid on 4+	
18	Shutdown, avoid on 6+	
17	+3 Modifier to Fire	
15	Random Movement, avoid on 7+	
14	Shutdown, avoid on 4+	
13	+2 Modifier to Fire	
10	Random Movement, avoid on 6+	
8	+1 Modifier to Fire	
5	Random Movement, avoid on 5+	

VELOCITY RECORD

Turn #	1	2	3	4	5	6	7	8	9	10
Thrust										
Velocity										
Effective Velocity										
Altitude										

Turn #	11	12	13	14	15	16	17	18	19	20
Thrust										
Velocity										
Effective Velocity										
Altitude										

© 2026 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved.
Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

HOVER VEHICLE RECORD SHEET

VEHICLE DATA

Type: Sabaku Kaze Heavy Scout Hover Tank

Movement Points:		**Tonnage:**	50
Cruising:	9	**Tech Base:**	Inner Sphere
Flanking:	14	**Rules Level:**	Standard
Movement Type:	Hover	**Role:**	Striker
Engine Type:	215 Fusion		

Weapons & Equipment Inventory (hexes)

Type	Loc	Dmg	Min	Sht	Med	Lng
SRM 4	FR	2/Msl [M,C,S]	—	3	6	9
SRM 4	RR	2/Msl [M,C,S]	—	3	6	9
Medium Laser	TU	5 [DE]	—	3	6	9
Medium Laser	TU	5 [DE]	—	3	6	9
Medium Laser	TU	5 [DE]	—	3	6	9
Medium Laser	TU	5 [DE]	—	3	6	9
Small Laser	TU	3 [DE]	—	1	2	3
Small Laser	TU	3 [DE]	—	1	2	3
VS Charge	—	5/hex	—	—	—	—

Ammo: (SRM 4) 25

BV: 1097 (997)

CREW DATA

Crew: _____

Gunnery Skill: 4 **Driving Skill:** 4

Commander Hit [+1] — Modifier to all skill rolls

Driver Hit [+2] — Modifier to Driving skill rolls

CRITICAL DAMAGE

Turret Locked ☐ Engine Hit ☐

Sensor Hits [+1] [+2] [+3] [D]

Motive System Hits [+1] [+2] [+3]

Stabilizers

Front ☐ Left ☐ Right ☐


Rear ☐ Turret ☐

CLUSTER HITS TABLE

2D6	4
2	1
3	2
4	2
5	2
6	2
7	3
8	3
9	3
10	3
11	4
12	4

ARMOR DIAGRAM

Standard Armor



GROUND COMBAT VEHICLE HIT LOCATION

	ATTACK DIRECTION		
	FRONT	REAR	SIDES
2*	Front (critical)	Rear (critical)	Side (critical)
3	Front†	Rear†	Side†
4	Front†	Rear†	Side†
5	Right Side†	Left Side†	Front†
6	Front	Rear	Side
7	Front	Rear	Side
8	Front	Rear	Side (critical)*
9	Left Side†	Right Side†	Rear†
10	Turret	Turret	Turret
11	Turret	Turret	Turret
12*	Turret (critical)	Turret (critical)	Turret (critical)

* A result of 2 or 12 (or an 8 if the attack strikes the side) may inflict a critical hit on the vehicle. For each result of 2 or 12 (or 8 for side attacks), apply damage normally to the armor in that section. The attacking player then automatically rolls once on the Ground Combat Vehicle Critical Hits Table below (see Combat, p. 192, in *Total Warfare* for more information).
A result of 12 on the Ground Combat Vehicles Hit Location Table may inflict critical hit against the turret; if the vehicle has no turret, a 12 indicates the chance of a critical hit on the side corresponding to the attack direction.
† The vehicle may suffer motive system damage even if its armor remains intact. Apply damage normally to the armor in that section, but the attacking player also rolls once on the Motive System Damage Table at right (see Combat, p. 192, in *Total Warfare* for more information).
§ Side hits strike the side as indicated by the attack direction. For example, if an attack hits the right side, all Side results strike the right side armor. If the vehicle has no turret, a turret hit strikes the armor on the side attacked.

MOTIVE SYSTEM DAMAGE TABLE

2D6 ROLL	EFFECT*
2-5	No Effect
6-7	Minor damage; +1 modifier to all Driving Skill Rolls
8-9	Moderate damage; -1 Cruising MP, +2 modifier to all Driving Skill Rolls
10-11	Heavy damage; only half Cruising MP (round fractions up), +3 modifier to all Driving Skill Rolls
12	Major damage; no movement for the rest of the game Vehicle is immobile.

Attack Direction Modifier:	
Hit from rear	+1
Hit from the sides	+2

Vehicle Type Modifier:	
Tracked, Naval	+0
Wheeled	+2
Hovercraft, Hydrofoil	+3
WiGE	+4

*All movement and Driving Skill Roll penalties are cumulative. However, each Driving Skill Roll modifier can only be applied once. For example, if a roll of 6-7 is made for a vehicle, inflicting a +1 modifier, that is the only time that particular +1 can be applied; a subsequent roll of 6-7 has no additional effect. This means the maximum Driving Skill Roll modifier that can be inflicted from the Motive System Damage Table is +6. If a unit's Cruising MP is reduced to 0, it cannot move for the rest of the game, but is not considered an immobile target. In addition, all motive system damage takes effect at the end of the phase in which the damage occurred. For example, if two units are attacking the same Combat Vehicle during the Weapon Attack Phase and the frst unit inflicts motive system damage and rolls a 12, the -4 immobile target modifier would not apply for the second unit. However, the -4 modifier would take effect during the Physical Attack Phase. If a hover vehicle is rendered immobile while over a Depth 1 or deeper water hex, it sinks and is destroyed.

GROUND COMBAT VEHICLE CRITICALS TABLE

	LOCATION HIT			
	FRONT	SIDE	REAR	TURRET
2-5	No Critical Hit	No Critical Hit	No Critical Hit	No Critical Hit
6	Driver Hit	Cargo/Infantry Hit	Weapon Malfunction	Stabilizer
7	Weapon Malfunction	Weapon Malfunction	Cargo/Infantry Hit	Turret Jam
8	Stabilizer	Crew Stunned	Stabilizer	Weapon Malfunction
9	Sensors	Stabilizer	Weapon Destroyed	Turret Locks
10	Commander Hit	Weapon Destroyed	Engine Hit	Weapon Destroyed
11	Weapon Destroyed	Engine Hit	Ammunition**	Ammunition**
12	Crew Killed	Fuel Tank*	Fuel Tank*	Turret Blown Off

*If Combat Vehicle has ICE engine only. If Combat Vehicle has a fusion engine, treat this result as Engine Hit.
** If Combat Vehicle carries no ammunition, treat this result as Weapon Destroyed.

© 2026 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved.
Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

HOVER VEHICLE RECORD SHEET

VEHICLE DATA

Type: Sabaku Kaze Heavy Scout Hover Tank

Movement Points:		**Tonnage:**	50
Cruising:	9	**Tech Base:**	Inner Sphere
Flanking:	14	**Rules Level:**	Standard
Movement Type:	Hover	**Role:**	Striker
Engine Type:	215 Fusion		

Weapons & Equipment Inventory (hexes)

Type	Loc	Dmg	Min	Sht	Med	Lng
SRM 4	FR	2/Msl [M,C,S]	—	3	6	9
SRM 4	RR	2/Msl [M,C,S]	—	3	6	9
Medium Laser	TU	5 [DE]	—	3	6	9
Medium Laser	TU	5 [DE]	—	3	6	9
Medium Laser	TU	5 [DE]	—	3	6	9
Medium Laser	TU	5 [DE]	—	3	6	9
Small Laser	TU	3 [DE]	—	1	2	3
Small Laser	TU	3 [DE]	—	1	2	3
VS Charge	—	5/hex	—	—	—	—

Ammo: (SRM 4) 25

BV: 1097 (997)

CREW DATA

Crew: _____

Gunnery Skill: 4 **Driving Skill:** 4

Commander Hit [+1] — Modifier to all skill rolls

Driver Hit [+2] — Modifier to Driving skill rolls

CRITICAL DAMAGE

Turret Locked ☐ Engine Hit ☐

Sensor Hits [+1] [+2] [+3] [D]

Motive System Hits [+1] [+2] [+3]

Stabilizers

Front ☐ Left ☐ Right ☐


Rear ☐ Turret ☐

CLUSTER HITS TABLE

2D6	4
2	1
3	2
4	2
5	2
6	2
7	3
8	3
9	3
10	3
11	4
12	4

ARMOR DIAGRAM

Standard Armor



GROUND COMBAT VEHICLE HIT LOCATION

	ATTACK DIRECTION		
	FRONT	REAR	SIDES
2*	Front (critical)	Rear (critical)	Side (critical)
3	Front†	Rear†	Side†
4	Front†	Rear†	Side†
5	Right Side†	Left Side†	Front†
6	Front	Rear	Side
7	Front	Rear	Side
8	Front	Rear	Side (critical)*
9	Left Side†	Right Side†	Rear†
10	Turret	Turret	Turret
11	Turret	Turret	Turret
12*	Turret (critical)	Turret (critical)	Turret (critical)

* A result of 2 or 12 (or an 8 if the attack strikes the side) may inflict a critical hit on the vehicle. For each result of 2 or 12 (or 8 for side attacks), apply damage normally to the armor in that section. The attacking player then automatically rolls once on the Ground Combat Vehicle Critical Hits Table below (see Combat, p. 192, in *Total Warfare* for more information).
A result of 12 on the Ground Combat Vehicles Hit Location Table may inflict critical hit against the turret; if the vehicle has no turret, a 12 indicates the chance of a critical hit on the side corresponding to the attack direction.
† The vehicle may suffer motive system damage even if its armor remains intact. Apply damage normally to the armor in that section, but the attacking player also rolls once on the Motive System Damage Table at right (see Combat, p. 192, in *Total Warfare* for more information).
§ Side hits strike the side as indicated by the attack direction. For example, if an attack hits the right side, all Side results strike the right side armor. If the vehicle has no turret, a turret hit strikes the armor on the side attacked.

MOTIVE SYSTEM DAMAGE TABLE

2D6 ROLL	EFFECT*
2-5	No Effect
6-7	Minor damage; +1 modifier to all Driving Skill Rolls
8-9	Moderate damage; -1 Cruising MP, +2 modifier to all Driving Skill Rolls
10-11	Heavy damage; only half Cruising MP (round fractions up), +3 modifier to all Driving Skill Rolls
12	Major damage; no movement for the rest of the game Vehicle is immobile.

Attack Direction Modifier:	
Hit from rear	+1
Hit from the sides	+2

Vehicle Type Modifier:	
Tracked, Naval	+0
Wheeled	+2
Hovercraft, Hydrofoil	+3
WiGE	+4

*All movement and Driving Skill Roll penalties are cumulative. However, each Driving Skill Roll modifier can only be applied once. For example, if a roll of 6-7 is made for a vehicle, inflicting a +1 modifier, that is the only time that particular +1 can be applied; a subsequent roll of 6-7 has no additional effect. This means the maximum Driving Skill Roll modifier that can be inflicted from the Motive System Damage Table is +6. If a unit's Cruising MP is reduced to 0, it cannot move for the rest of the game, but is not considered an immobile target. In addition, all motive system damage takes effect at the end of the phase in which the damage occurred. For example, if two units are attacking the same Combat Vehicle during the Weapon Attack Phase and the frst unit inflicts motive system damage and rolls a 12, the -4 immobile target modifier would not apply for the second unit. However, the -4 modifier would take effect during the Physical Attack Phase. If a hover vehicle is rendered immobile while over a Depth 1 or deeper water hex, it sinks and is destroyed.

GROUND COMBAT VEHICLE CRITICALS TABLE

	LOCATION HIT			
	FRONT	SIDE	REAR	TURRET
2-5	No Critical Hit	No Critical Hit	No Critical Hit	No Critical Hit
6	Driver Hit	Cargo/Infantry Hit	Weapon Malfunction	Stabilizer
7	Weapon Malfunction	Weapon Malfunction	Cargo/Infantry Hit	Turret Jam
8	Stabilizer	Crew Stunned	Stabilizer	Weapon Malfunction
9	Sensors	Stabilizer	Weapon Destroyed	Turret Locks
10	Commander Hit	Weapon Destroyed	Engine Hit	Weapon Destroyed
11	Weapon Destroyed	Engine Hit	Ammunition**	Ammunition**
12	Crew Killed	Fuel Tank*	Fuel Tank*	Turret Blown Off

*If Combat Vehicle has ICE engine only. If Combat Vehicle has a fusion engine, treat this result as Engine Hit.
** If Combat Vehicle carries no ammunition, treat this result as Weapon Destroyed.

© 2026 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved.
Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

HOVER VEHICLE RECORD SHEET

VEHICLE DATA

Type: Heavy Hover APC

Movement Points:		**Tonnage:**	20
Cruising:	8	**Tech Base:**	Inner Sphere
Flanking:	12	**Rules Level:**	Introductory
Movement Type:	Hover	**Role:**	Scout
Engine Type:	75 ICE		

Weapons & Equipment Inventory (hexes)

Type	Loc	Dmg	Min	Sht	Med	Lng
Machine Gun	FR	2 [DB,AI]	—	1	2	3
Machine Gun	FR	2 [DB,AI]	—	1	2	3
VS Charge	—	2/hex	—	—	—	—

Ammo: (MG) 100

Features Infantry Compartment (6 tons)

BV: 188

CREW DATA

Crew: _____

Gunnery Skill: _____ **Driving Skill:** _____

Commander Hit [+1] — Modifier to all skill rolls

Driver Hit [+2] — Modifier to Driving skill rolls

CRITICAL DAMAGE

Engine Hit ☐

Sensor Hits [+1] [+2] [+3] [D]

Motive System Hits [+1] [+2] [+3]

Stabilizers


Front ☐ Left ☐ Right ☐

Rear ☐

NOTES

ARMOR DIAGRAM

Standard Armor



GROUND COMBAT VEHICLE HIT LOCATION

	ATTACK DIRECTION		
	FRONT	**REAR**	**SIDES**
2*	Front (critical)	Rear (critical)	Side (critical)
3	Front†	Rear†	Side†
4	Front†	Rear†	Side†
5	Right Side†	Left Side†	Front†
6	Front	Rear	Side
7	Front	Rear	Side
8	Front	Rear	Side (critical)*
9	Left Side†	Right Side†	Rear†
10	Turret	Turret	Turret
11	Turret	Turret	Turret
12*	Turret (critical)	Turret (critical)	Turret (critical)

* A result of 2 or 12 (or an 8 if the attack strikes the side) may inflict a critical hit on the vehicle. For each result of 2 or 12 (or 8 for side attacks), apply damage normally to the armor in that section. The attacking player then automatically rolls once on the Ground Combat Vehicle Critical Hits Table below (see Combat, p. 192, in *Total Warfare* for more information).
A result of 12 on the Ground Combat Vehicles Hit Location Table may inflict critical hit against the turret; if the vehicle has no turret, a 12 indicates the chance of a critical hit on the side corresponding to the attack direction.
† The vehicle may suffer motive system damage even if its armor remains intact. Apply damage normally to the armor in that section, but the attacking player also rolls once on the Motive System Damage Table at right (see Combat, p. 192, in *Total Warfare* for more information).
§ Side hits strike the side as indicated by the attack direction. For example, if an attack hits the right side, all Side results strike the right side armor. If the vehicle has no turret, a turret hit strikes the armor on the side attacked.

MOTIVE SYSTEM DAMAGE TABLE

2D6 ROLL	EFFECT*
2-5	No Effect
6-7	Minor damage; +1 modifier to all Driving Skill Rolls
8-9	Moderate damage; -1 Cruising MP, +2 modifier to all Driving Skill Rolls
10-11	Heavy damage; only half Cruising MP (round fractions up), +3 modifier to all Driving Skill Rolls
12	Major damage; no movement for the rest of the game Vehicle is immobile.

Attack Direction Modifier:		Vehicle Type Modifier:	
Hit from rear	+1	Tracked, Naval	+0
Hit from the sides	+2	Wheeled	+2
		Hovercraft, Hydrofoil	+3
		WiGE	+4

*All movement and Driving Skill Roll penalties are cumulative. However, each Driving Skill Roll modifier can only be applied once. For example, if a roll of 6-7 is made for a vehicle, inflicting a +1 modifier, that is the only time that particular +1 can be applied; a subsequent roll of 6-7 has no additional effect. This means the maximum Driving Skill Roll modifier that can be inflicted from the Motive System Damage Table is +6. If a unit's Cruising MP is reduced to 0, it cannot move for the rest of the game, but is not considered an immobile target. In addition, all motive system damage takes effect at the end of the phase in which the damage occurred. For example, if two units are attacking the same Combat Vehicle during the Weapon Attack Phase and the frst unit inflicts motive system damage and rolls a 12, the -4 immobile target modifier would not apply for the second unit. However, the -4 modifier would take effect during the Physical Attack Phase. If a hover vehicle is rendered immobile while over a Depth 1 or deeper water hex, it sinks and is destroyed.

GROUND COMBAT VEHICLE CRITICALS TABLE

	LOCATION HIT			
	FRONT	**SIDE**	**REAR**	**TURRET**
2-5	No Critical Hit	No Critical Hit	No Critical Hit	No Critical Hit
6	Driver Hit	Cargo/Infantry Hit	Weapon Malfunction	Stabilizer
7	Weapon Malfunction	Weapon Malfunction	Cargo/Infantry Hit	Turret Jam
8	Stabilizer	Crew Stunned	Stabilizer	Weapon Malfunction
9	Sensors	Stabilizer	Weapon Destroyed	Turret Locks
10	Commander Hit	Weapon Destroyed	Engine Hit	Weapon Destroyed
11	Weapon Destroyed	Engine Hit	Ammunition**	Ammunition**
12	Crew Killed	Fuel Tank*	Fuel Tank*	Turret Blown Off

*If Combat Vehicle has ICE engine only. If Combat Vehicle has a fusion engine, treat this result as Engine Hit.
** If Combat Vehicle carries no ammunition, treat this result as Weapon Destroyed.

© 2026 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved.
Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™



CONVENTIONAL INFANTRY RECORD SHEET

Foot Platoon (Anti-'Mech) (Rifle)

Armor Type: Generic Infantry Kit

Damage Divisor: 1.0

Commander: _____

Gunnery Skill: _____

Anti-'Mech Skill: _____

	30	29	28	27	26	25	24	23	22	21	20	19	18	17	16	15	14	13	12	11	10	9	8	7	6	5	4	3	2	1
Max Weapon Damage*	–	–	15	14	14	13	12	12	11	11	10	10	9	9	8	8	7	7	6	6	5	5	4	4	3	3	2	2	1	1

*Damage is always applied in 2-point Damage Value groupings

RANGE IN HEXES (TO-HIT MODIFIER)

Range:	**0**	**1**	**2**	**3**	**4**	**5**	**6**	**7**	**8**	**9**	**10**	**11**	**12**	**13**	**14**	**15**	**16**	**17**	**18**	**19**	**20**	**21**
Range Modifier:	-2	0	+2	+4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Notes:

None

BV: 90 **Transport Wt:** 3.0 tons **Movement MP:** 1 **Type:** Ground

CLUSTER HITS TABLE

2D6	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28
2	1	1	1	1	2	2	2	3	3	4	4	4	5	5	5	5	6	6	6	7	7	7	8	8	9	9	9
3	1	1	2	2	2	2	3	3	3	4	4	4	5	5	5	5	6	6	6	7	7	7	8	8	9	9	9
4	1	1	2	2	3	3	3	4	4	5	5	5	6	6	7	7	8	8	9	9	9	10	10	10	11	11	11
5	1	2	2	3	3	4	4	5	6	7	8	8	9	9	10	10	11	11	12	13	14	15	16	16	17	17	17
6	1	2	2	3	4	4	4	5	6	7	8	8	9	9	10	10	11	11	12	13	14	15	16	16	17	17	17
7	1	2	3	3	4	4	5	5	6	7	8	8	9	9	10	10	11	11	12	13	14	15	16	16	17	17	17
8	2	2	3	3	4	4	5	5	6	7	8	8	9	9	10	10	11	11	12	13	14	15	16	16	17	17	17
9	2	2	3	4	5	6	6	7	8	9	10	11	11	12	13	14	14	15	16	17	18	19	20	21	21	22	23
10	2	3	3	4	5	6	7	7	8	9	10	11	11	12	13	14	14	15	16	17	18	19	20	21	21	22	23
11	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28
12	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28

BURST-FIRE WEAPON DAMAGE VS. CONVENTIONAL INFANTRY

'MECHS, PROTOMECHS AND VEHICLES

WEAPON	DAMAGE VS. CONVENTIONAL INFANTRY
AP Gauss Rifle	2D6
Light Machine Gun	1D6
Machine Gun	2D6
Heavy Machine Gun	3D6
Small/Micro Pulse Laser	2D6
Flamer	4D6

BATTLE ARMOR

WEAPON	DAMAGE VS. CONVENTIONAL INFANTRY
Light Machine Gun	1D6/2 (round up)
Machine Gun	1D6
Heavy Machine Gun	2D6
Flamer	3D6
Light Recoilless Rifle	1D6
Medium Recoilless Rifle	2D6
Heavy Recoilless Rifle	2D6
Light Mortar	1D6
Heavy Mortar	1D6
Automatic Grenade Launcher	1D6/2 (round up)
Heavy Grenade Launcher	1D6

NON-INFANTRY WEAPON AGAINST INFANTRY

WEAPON TYPE*	NUMBER OF CONVENTIONAL TROOPERS HIT†
Direct Fire (Energy or Ballistic)	Damage Value / 10
Cluster (Ballistic)	Damage Value / 10 + 1
Pulse**	Damage Value / 10 + 2
Cluster (Missile)	Damage Value / 5
Area Effect (AE)	Damage Value / 5
Burst-Fire	See Burst-Fire Weapons Table
Heat Effect Weapons	See Heat-Effect Weapons‡

*See Combat, p. 113 in *Total Warfare* , for weapon terminology.
**Except for Small and Micro Pulse Lasers, which are treated as Burst-Fire Weapons.
†This equals the number of conventional infantry troopers hit and eliminated, regardless of armor protection. Attacks by non-infantry weapons against mechanized infantry double the number of troopers eliminated; round fractions up.
‡Each Heat-Effect Weapon has specific damage against conventional infantry, as noted on either the appropriate Weapon and Equipment Tables or in *Other Combat Weapons and Equipment* (see p. 129 in *Total Warfare*).

© 2026 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved.
Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™



CONVENTIONAL INFANTRY RECORD SHEET

Foot Platoon (Anti-'Mech) (Rifle)

Armor Type: Generic Infantry Kit

Damage Divisor: 1.0

Commander: _____

Gunnery Skill: _____

Anti-'Mech Skill: _____

	30	29	28	27	26	25	24	23	22	21	20	19	18	17	16	15	14	13	12	11	10	9	8	7	6	5	4	3	2	1
Max Weapon Damage*	–	–	15	14	14	13	12	12	11	11	10	10	9	9	8	8	7	7	6	6	5	5	4	4	3	3	2	2	1	1

*Damage is always applied in 2-point Damage Value groupings

RANGE IN HEXES (TO-HIT MODIFIER)

Range:	**0**	**1**	**2**	**3**	**4**	**5**	**6**	**7**	**8**	**9**	**10**	**11**	**12**	**13**	**14**	**15**	**16**	**17**	**18**	**19**	**20**	**21**
Range Modifier:	-2	0	+2	+4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Notes:

None

BV: 90 **Transport Wt:** 3.0 tons **Movement MP:** 1 **Type:** Ground

CLUSTER HITS TABLE

2D6	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28
2	1	1	1	1	2	2	2	3	3	4	4	4	5	5	5	5	6	6	6	7	7	7	8	8	9	9	9
3	1	1	2	2	2	2	3	3	3	4	4	4	5	5	5	5	6	6	6	7	7	7	8	8	9	9	9
4	1	1	2	2	3	3	3	4	4	5	5	5	6	6	7	7	8	8	9	9	9	10	10	10	11	11	11
5	1	2	2	3	3	4	4	5	6	7	8	8	9	9	10	10	11	11	12	13	14	15	16	16	17	17	17
6	1	2	2	3	4	4	4	5	6	7	8	8	9	9	10	10	11	11	12	13	14	15	16	16	17	17	17
7	1	2	3	3	4	4	5	5	6	7	8	8	9	9	10	10	11	11	12	13	14	15	16	16	17	17	17
8	2	2	3	3	4	4	5	5	6	7	8	8	9	9	10	10	11	11	12	13	14	15	16	16	17	17	17
9	2	2	3	4	5	6	6	7	8	9	10	11	11	12	13	14	14	15	16	17	18	19	20	21	21	22	23
10	2	3	3	4	5	6	7	7	8	9	10	11	11	12	13	14	14	15	16	17	18	19	20	21	21	22	23
11	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28
12	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28

BURST-FIRE WEAPON DAMAGE VS. CONVENTIONAL INFANTRY

'MECHS, PROTOMECHS AND VEHICLES

WEAPON	DAMAGE VS. CONVENTIONAL INFANTRY
AP Gauss Rifle	2D6
Light Machine Gun	1D6
Machine Gun	2D6
Heavy Machine Gun	3D6
Small/Micro Pulse Laser	2D6
Flamer	4D6

BATTLE ARMOR

WEAPON	DAMAGE VS. CONVENTIONAL INFANTRY
Light Machine Gun	1D6/2 (round up)
Machine Gun	1D6
Heavy Machine Gun	2D6
Flamer	3D6
Light Recoilless Rifle	1D6
Medium Recoilless Rifle	2D6
Heavy Recoilless Rifle	2D6
Light Mortar	1D6
Heavy Mortar	1D6
Automatic Grenade Launcher	1D6/2 (round up)
Heavy Grenade Launcher	1D6

NON-INFANTRY WEAPON AGAINST INFANTRY

WEAPON TYPE*	NUMBER OF CONVENTIONAL TROOPERS HIT†
Direct Fire (Energy or Ballistic)	Damage Value / 10
Cluster (Ballistic)	Damage Value / 10 + 1
Pulse**	Damage Value / 10 + 2
Cluster (Missile)	Damage Value / 5
Area Effect (AE)	Damage Value / 5
Burst-Fire	See Burst-Fire Weapons Table
Heat Effect Weapons	See Heat-Effect Weapons‡

*See Combat, p. 113 in *Total Warfare* , for weapon terminology.
**Except for Small and Micro Pulse Lasers, which are treated as Burst-Fire Weapons.
†This equals the number of conventional infantry troopers hit and eliminated, regardless of armor protection. Attacks by non-infantry weapons against mechanized infantry double the number of troopers eliminated; round fractions up.
‡Each Heat-Effect Weapon has specific damage against conventional infantry, as noted on either the appropriate Weapon and Equipment Tables or in *Other Combat Weapons and Equipment* (see p. 129 in *Total Warfare*).

© 2026 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved.
Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.