# BATTLETECH™

## OMNIMECH RECORD SHEET

### 'MECH DATA

**Type: Mad Cat (Timber Wolf) B**

| | | | |
|---|---|---|---|
| **Movement Points:** | | **Tonnage:** | 75 |
| **Walking:** | 5 | **Tech Base:** | Clan |
| **Running:** | 8 | **Rules Level:** | Standard |
| **Jumping:** | 0 | **Role:** | Sniper |
| **Engine Type:** | 375 XL | | |

**Weapons & Equipment Inventory** (hexes)

| | Type | Loc | Ht | Dmg | Min | Sht | Med | Lng |
|---|---|---|---|---|---|---|---|---|
| | Gauss Rifle | RA | 1 | 15 [DB,X] | 2 | 7 | 15 | 22 |
| | LRM 10 | LT | 4 | 1/Msl [M,C,S] | — | 7 | 14 | 21 |
| | w/Artemis IV | | | | | | | |
| -2 | Large Pulse Laser | LA | 10 | 10 [P] | — | 6 | 14 | 20 |
| | SRM 4 | RT | 3 | 2/Msl [M,C,S] | — | 3 | 6 | 9 |
| | w/Artemis IV | | | | | | | |
| -2 | Small Pulse Laser | LA | 2 | 3 [P,AI] | — | 2 | 4 | 6 |
| | Total Heat (Dissipation): 20 (30) | | | | | | | |
| +1 | Punch | LA | — | 8 | — | — | — | — |
| +3 | Punch | RA | — | 4 | — | — | — | — |
| -2 | Kick | — | — | 15 | — | — | — | — |
| Vs | Charge | — | — | 7.5/hex | — | — | — | — |
| -1 | Push | — | — | — | — | — | — | — |

Ammo: (SRM 4 Artemis) 25, (LRM 10 Artemis) 12, (Gauss) 8

*Quirks: Improved Targeting (Medium), Weak Head Armor (1)*

**BV:** 2224

### WARRIOR DATA

**Name:** _____

**Gunnery Skill:** _____ **Piloting Skill:** _____

| Hits Taken | 1 | 2 | 3 | 4 | 5 | 6 |
|---|---|---|---|---|---|---|
| Consciousness # | 3 | 5 | 7 | 10 | 11 | Dead |

### HIT LOCATION AND CLUSTER TABLE

| Die Roll (2D6) | LS | F/R | RS | 4 | 10 |
|---|---|---|---|---|---|
| 2* | LT(C) | CT(C) | RT(C) | 1 | 3 |
| 3 | LL | RA | RL | 2 | 3 |
| 4 | LA | RA | RA | 2 | 4 |
| 5 | LA | RL | RA | 2 | 6 |
| 6 | LL | RT | RL | 2 | 6 |
| 7 | LT | CT | RT | 3 | 6 |
| 8 | CT | LT | CT | 3 | 6 |
| 9 | RT | LL | LT | 3 | 8 |
| 10 | RA | LA | LA | 3 | 8 |
| 11 | RL | LA | LL | 4 | 10 |
| 12 | HD | HD | HD | 4 | 10 |


*A result of 2 may inflict a critical hit.
Artemis IV FCS: +2

### PUNCH/KICK LOCATION TABLE

| Die Roll (1D6) | Punch LS | Punch F/R | Punch RS | Kick LS | Kick F/R | Kick RS |
|---|---|---|---|---|---|---|
| 1 | LT | LA | RT | LL | RL | RL |
| 2 | LT | LT | RT | LL | RL | RL |
| 3 | CT | CT | CT | LL | RL | RL |
| 4 | LA | RT | RA | LL | LL | RL |
| 5 | LA | RA | RA | LL | LL | RL |
| 6 | HD | HD | HD | LL | LL | RL |


### ARMOR DIAGRAM

**Ferro-Fibrous**




### INTERNAL STRUCTURE DIAGRAM

**Endo Steel**




Heat Scale: Overflow, 30, 29, 28, 27, 26, 25, 24, 23, 22, 21, 20, 19, 18, 17, 16, 15, 14, 13, 12, 11, 10, 9, 8, 7, 6, 5, 4, 3, 2, 1, 0

### HEAT DATA

Double Heat Sinks: 15 (30)

| Heat Level* | Effects | |
|---|---|---|
| 30 | Shutdown | |
| 28 | Ammo Exp, avoid on 8+ | ○○ |
| 26 | Shutdown, avoid on 10+ | ○○ |
| 25 | -5 Movement Points | ○○ |
| 24 | +4 Modifier to Fire | ○○ |
| 23 | Ammo Exp, avoid on 6+ | ○○ |
| 22 | Shutdown, avoid on 8+ | ○ |
| 20 | -4 Movement Points | ○ |
| 19 | Ammo Exp, avoid on 4+ | ○ |
| 18 | Shutdown, avoid on 6+ | ○ |
| 17 | +3 Modifier to Fire | ○ |
| 15 | -3 Movement Points | ○ |
| 14 | Shutdown, avoid on 4+ | |
| 13 | +2 Modifier to Fire | |
| 10 | -2 Movement Points | |
| 8 | +1 Modifier to Fire | |
| 5 | -1 Movement Points | |

### CRITICAL TABLE

**Left Arm**
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
- 1-3: 4. Large Pulse Laser, 5. Large Pulse Laser
6. Small Pulse Laser

- 4-6: 1. Ferro-Fibrous, 2. Roll Again, 3. Roll Again, 4. Roll Again, 5. Roll Again, 6. Roll Again

**Left Torso** (CASE)
1. XL Fusion Engine
2. XL Fusion Engine
3. LRM 10
4. Artemis IV FCS
5. Ammo (LRM 10 Artemis) 12
6. Endo Steel

- 1-3: 1. Ferro-Fibrous, 2. Ferro-Fibrous, 3. Roll Again, 4. Roll Again, 5. Roll Again, 6. Roll Again


**Left Leg**
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Endo Steel
6. Endo Steel

**Head**
1. Life Support
2. Sensors
3. Cockpit
4. Ferro-Fibrous
5. Sensors
6. Life Support

**Center Torso**
1. XL Fusion Engine
2. XL Fusion Engine
3. XL Fusion Engine
4. Gyro
5. Gyro
6. Gyro

- 1-3: 1. Gyro, 2. XL Fusion Engine, 3. XL Fusion Engine, 4. XL Fusion Engine
- 4-6: 5. Endo Steel, 6. Roll Again

Engine Hits ○○○
Gyro Hits ○○
Sensor Hits ○○
Life Support ○



Damage Transfer Diagram

**Right Arm** (CASE)
1. Shoulder
2. Upper Arm Actuator
3. Gauss Rifle
4. Gauss Rifle
5. Gauss Rifle
6. Gauss Rifle

- 1-3: 1. Gauss Rifle, 2. Gauss Rifle, 3. Ammo (Gauss) 8
- 4-6: 4. Ferro-Fibrous, 5. Roll Again, 6. Roll Again

**Right Torso** (CASE)
1. XL Fusion Engine
2. XL Fusion Engine
3. SRM 4
4. Artemis IV FCS
5. Ammo (SRM 4 Artemis) 25
6. Endo Steel

- 1-3: 1. Ferro-Fibrous, 2. Ferro-Fibrous, 3. Roll Again, 4. Roll Again, 5. Roll Again, 6. Roll Again

**Right Leg**
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Endo Steel
6. Endo Steel

© 2026 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved.
Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

# BATTLETECH™

## OMNIMECH RECORD SHEET

### 'MECH DATA

**Type: Grendel (Mongrel) C**

**Movement Points:**
**Walking:** 7
**Running:** 11
**Jumping:** 7
**Engine Type:** 315 XL

**Tonnage:** 45
**Tech Base:** Clan
**Rules Level:** Standard
**Role:** Striker

**Weapons & Equipment Inventory** (hexes)

| | Type | Loc | Ht | Dmg | Min | Sht | Med | Lng |
|---|---|---|---|---|---|---|---|---|
| | LB 10-X AC | RA | 2 | 10 [DB,C/F/S] | — | 6 | 12 | 18 |
| | ER Medium Laser | LA | 5 | 7 [DE] | — | 5 | 10 | 15 |
| | Anti-Missile System | LT | 1 | [PB] | — | 1 | — | — |

Total Heat (Dissipation): 8 (20)

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| | Punch | LA | — | 5 | — | — | — | — |
| +3 | Punch | RA | — | 2 | — | — | — | — |
| -2 | Kick | — | — | 9 | — | — | — | — |
| Vs | Death From Above | — | — | 14 | — | — | — | — |
| Vs | Charge | — | — | 4.5/hex | — | — | — | — |
| -1 | Push | — | — | — | — | — | — | — |

Ammo: (LB 10-X) 10, (AMS) 24

*Quirks: Rugged (1 Point)*

**BV:** 1465

### WARRIOR DATA

**Name:** _____

**Gunnery Skill:** _____ **Piloting Skill:** _____

| Hits Taken | 1 | 2 | 3 | 4 | 5 | 6 |
|---|---|---|---|---|---|---|
| Consciousness # | 3 | 5 | 7 | 10 | 11 | Dead |

### HIT LOCATION AND CLUSTER TABLE

| Die Roll (2D6) | LS | F/R | RS | 10 |
|---|---|---|---|---|
| 2* | LT(C) | CT(C) | RT(C) | 3 |
| 3 | LL | RA | RL | 3 |
| 4 | LA | RA | RA | 4 |
| 5 | LA | RL | RA | 6 |
| 6 | LL | RT | RL | 6 |
| 7 | LT | CT | RT | 6 |
| 8 | CT | LT | CT | 6 |
| 9 | RT | LL | LT | 8 |
| 10 | RA | LA | LA | 8 |
| 11 | RL | LA | LL | 10 |
| 12 | HD | HD | HD | 10 |


*A result of 2 may inflict a critical hit.

### PUNCH/KICK LOCATION TABLE

| Die Roll (1D6) | Punch LS | Punch F/R | Punch RS | Kick LS | Kick F/R | Kick RS |
|---|---|---|---|---|---|---|
| 1 | LT | LA | RT | LL | RL | RL |
| 2 | LT | LT | RT | LL | RL | RL |
| 3 | CT | CT | CT | LL | RL | RL |
| 4 | LA | RT | RA | LL | LL | RL |
| 5 | LA | RA | RA | LL | LL | RL |
| 6 | HD | HD | HD | LL | LL | RL |


### ARMOR DIAGRAM

**Ferro-Fibrous**




### INTERNAL STRUCTURE DIAGRAM

**Endo Steel**




Heat Scale

Overflow
30
29
28
27
26
25
24
23
22
21
20
19
18
17
16
15
14
13
12
11
10
9
8
7
6
5
4
3
2
1
0

### CRITICAL TABLE

**Left Arm**
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. ER Medium Laser
6. Ferro-Fibrous

1-3

1. Ferro-Fibrous
2. Ferro-Fibrous
3. Ferro-Fibrous
4. Roll Again
5. Roll Again
6. Roll Again

4-6

**Left Torso** (CASE)
1. XL Fusion Engine
2. XL Fusion Engine
3. Jump Jet
4. Anti-Missile System
5. Ammo (AMS) 24
6. Endo Steel

1-3

1. Endo Steel
2. Endo Steel
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

4-6

**Left Leg**
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Jump Jet
6. Jump Jet

**Head**
1. Life Support
2. Sensors
3. Cockpit
4. Roll Again
5. Sensors
6. Life Support


**Center Torso**
1. XL Fusion Engine
2. XL Fusion Engine
3. XL Fusion Engine
4. Gyro
5. Gyro
6. Gyro

1-3

1. Gyro
2. XL Fusion Engine
3. XL Fusion Engine
4. XL Fusion Engine
5. Jump Jet
6. Roll Again

4-6

Engine Hits ○○○
Gyro Hits ○○
Sensor Hits ○○
Life Support ○



Damage Transfer Diagram

**Right Arm**
1. Shoulder
2. Upper Arm Actuator
3. LB 10-X AC
4. LB 10-X AC
5. LB 10-X AC
6. LB 10-X AC

1-3

1. LB 10-X AC
2. Endo Steel
3. Ferro-Fibrous
4. Ferro-Fibrous
5. Ferro-Fibrous
6. Roll Again

4-6

**Right Torso** (CASE)
1. XL Fusion Engine
2. XL Fusion Engine
3. Jump Jet
4. Ammo (LB 10-X) 10
5. Endo Steel
6. Endo Steel

1-3

1. Endo Steel
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

4-6

**Right Leg**
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Jump Jet
6. Jump Jet

### HEAT DATA

Double Heat Sinks: 10 (20)

| Heat Level* | Effects | |
|---|---|---|
| 30 | Shutdown | |
| 28 | Ammo Exp, avoid on 8+ | ○ |
| 26 | Shutdown, avoid on 10+ | ○ |
| 25 | -5 Movement Points | ○ |
| 24 | +4 Modifier to Fire | ○ |
| 23 | Ammo Exp, avoid on 6+ | ○ |
| 22 | Shutdown, avoid on 8+ | ○ |
| 20 | -4 Movement Points | ○ |
| 19 | Ammo Exp, avoid on 4+ | ○ |
| 18 | Shutdown, avoid on 6+ | ○ |
| 17 | +3 Modifier to Fire | ○ |
| 15 | -3 Movement Points | ○ |
| 14 | Shutdown, avoid on 4+ | |
| 13 | +2 Modifier to Fire | |
| 10 | -2 Movement Points | |
| 8 | +1 Modifier to Fire | |
| 5 | -1 Movement Points | |

© 2026 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved.
Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

# BATTLETECH™

## OMNIMECH RECORD SHEET

### 'MECH DATA

**Type: Black Hawk (Nova) D**

**Movement Points:**
**Walking:** 5
**Running:** 8
**Jumping:** 5
**Engine Type:** 250 XL

**Tonnage:** 50
**Tech Base:** Clan
**Rules Level:** Standard
**Role:** Missile Boat

**Weapons & Equipment Inventory** (hexes)

| Type | Loc | Ht | Dmg | Min | Sht | Med | Lng |
|---|---|---|---|---|---|---|---|
| LB 5-X AC | LA | 1 | 5 [DB,C/F/S] | 3 | 8 | 15 | 24 |
| LRM 20 | RA | 6 | 1/Msl [M,C,S] | — | 7 | 14 | 21 |

Total Heat (Dissipation): 7 (28)

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| +3 | Punch | LA | — | 2 | — | — | — | — |
| | Punch | RA | — | 5 | — | — | — | — |
| -2 | Kick | — | — | 10 | — | — | — | — |
| Vs | Death From Above | — | — | 15 | — | — | — | — |
| Vs | Charge | — | — | 5/hex | — | — | — | — |
| -1 | Push | — | — | — | — | — | — | — |

Ammo: (LRM 20) 12, (LB 5-X) 20, (LB 5-X Cluster) 20

*Quirks: Combat Computer, Narrow/Low Profile*

**BV:** 1450

### WARRIOR DATA

**Name:** _____

**Gunnery Skill:** ____ **Piloting Skill:** ____

| Hits Taken | 1 | 2 | 3 | 4 | 5 | 6 |
|---|---|---|---|---|---|---|
| Consciousness # | 3 | 5 | 7 | 10 | 11 | Dead |

### HIT LOCATION AND CLUSTER TABLE

| Die Roll (2D6) | LS | F/R | RS | 5 | 20 |
|---|---|---|---|---|---|
| 2* | LT(C) | CT(C) | RT(C) | 1 | 6 |
| 3 | LL | RA | RL | 2 | 6 |
| 4 | LA | RA | RA | 2 | 9 |
| 5 | LA | RL | RA | 3 | 12 |
| 6 | LL | RT | RL | 3 | 12 |
| 7 | LT | CT | RT | 3 | 12 |
| 8 | CT | LT | CT | 3 | 12 |
| 9 | RT | LL | LT | 4 | 16 |
| 10 | RA | LA | LA | 4 | 16 |
| 11 | RL | LA | LL | 5 | 20 |
| 12 | HD | HD | HD | 5 | 20 |


*A result of 2 may inflict a critical hit.

### PUNCH/KICK LOCATION TABLE

| Die Roll (1D6) | Punch LS | Punch F/R | Punch RS | Kick LS | Kick F/R | Kick RS |
|---|---|---|---|---|---|---|
| 1 | LT | LA | RT | LL | RL | RL |
| 2 | LT | LT | RT | LL | RL | RL |
| 3 | CT | CT | CT | LL | RL | RL |
| 4 | LA | RT | RA | LL | LL | RL |
| 5 | LA | RA | RA | LL | LL | RL |
| 6 | HD | HD | HD | LL | LL | RL |


### ARMOR DIAGRAM

**Standard Armor**




### INTERNAL STRUCTURE DIAGRAM

**Standard Structure**




Heat Scale

Overflow
30
29
28
27
26
25
24
23
22
21
20
19
18
17
16
15
14
13
12
11
10
9
8
7
6
5
4
3
2
1
0

### CRITICAL TABLE

**Left Arm** (CASE)
1. Shoulder
2. Upper Arm Actuator
3. LB 5-X AC
4. LB 5-X AC
5. LB 5-X AC
6. LB 5-X AC

1-3
1. Ammo (LB 5-X) 20
2. Ammo (LB 5-X Cluster) 20
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

4-6

**Left Torso**
1. XL Fusion Engine
2. XL Fusion Engine
3. Double Heat Sink
4. Double Heat Sink
5. Double Heat Sink
6. Double Heat Sink

1-3
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

4-6

**Left Leg**
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Jump Jet
6. Jump Jet


**Head**
1. Life Support
2. Sensors
3. Cockpit
4. Roll Again
5. Sensors
6. Life Support

**Center Torso**
1. XL Fusion Engine
2. XL Fusion Engine
3. XL Fusion Engine
4. Gyro
5. Gyro
6. Gyro

1-3
1. Gyro
2. XL Fusion Engine
3. XL Fusion Engine
4. XL Fusion Engine
5. Jump Jet
6. Roll Again

4-6

Engine Hits ○○○
Gyro Hits ○○
Sensor Hits ○○
Life Support ○



Damage Transfer Diagram

**Right Arm** (CASE)
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. LRM 20
6. LRM 20

1-3
1. LRM 20
2. LRM 20
3. Ammo (LRM 20) 6
4. Ammo (LRM 20) 6
5. Roll Again
6. Roll Again

4-6

**Right Torso**
1. XL Fusion Engine
2. XL Fusion Engine
3. Double Heat Sink
4. Double Heat Sink
5. Double Heat Sink
6. Double Heat Sink

1-3
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

4-6

**Right Leg**
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Jump Jet
6. Jump Jet

### HEAT DATA

Double Heat Sinks: 14 (28)

| Heat Level* | Effects | |
|---|---|---|
| 30 | Shutdown | |
| 28 | Ammo Exp, avoid on 8+ | ○○ |
| 26 | Shutdown, avoid on 10+ | ○○ |
| 25 | -5 Movement Points | ○○ |
| 24 | +4 Modifier to Fire | ○○ |
| 23 | Ammo Exp, avoid on 6+ | ○ |
| 22 | Shutdown, avoid on 8+ | ○ |
| 20 | -4 Movement Points | ○ |
| 19 | Ammo Exp, avoid on 4+ | ○ |
| 18 | Shutdown, avoid on 6+ | ○ |
| 17 | +3 Modifier to Fire | ○ |
| 15 | -3 Movement Points | ○ |
| 14 | Shutdown, avoid on 4+ | |
| 13 | +2 Modifier to Fire | |
| 10 | -2 Movement Points | |
| 8 | +1 Modifier to Fire | |
| 5 | -1 Movement Points | |

© 2026 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved.
Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

# BATTLETECH™

## OMNIMECH RECORD SHEET

### 'MECH DATA

**Type: Puma (Adder) E**

**Movement Points:**
**Walking:** 6
**Running:** 9
**Jumping:** 0
**Engine Type:** 210 XL

**Tonnage:** 35
**Tech Base:** Clan
**Rules Level:** Standard
**Role:** Sniper

**Weapons & Equipment Inventory**

| | Type | Loc | Ht | Dmg | (hexes) Min | Sht | Med | Lng |
|---|---|---|---|---|---|---|---|---|
| | ATM 9 | LA | 6 | [M,C,S] | | | | |
| | Standard | | | 2/Msl | 4 | 5 | 10 | 15 |
| | Extended Range | | | 1/Msl | 4 | 9 | 18 | 27 |
| | High Explosive | | | 3/Msl | — | 3 | 6 | 9 |
| | ATM 9 | RA | 6 | [M,C,S] | | | | |
| | Standard | | | 2/Msl | 4 | 5 | 10 | 15 |
| | Extended Range | | | 1/Msl | 4 | 9 | 18 | 27 |
| | High Explosive | | | 3/Msl | — | 3 | 6 | 9 |
| | Flamer | CT | 3 | 2 [DE,H,AI] | — | 1 | 2 | 3 |
| -2 | Micro Pulse Laser | LT | 1 | 3 [P,AI] | — | 1 | 2 | 3 |
| -2 | Micro Pulse Laser | LT | 1 | 3 [P,AI] | — | 1 | 2 | 3 |
| -2 | Micro Pulse Laser | RT | 1 | 3 [P,AI] | — | 1 | 2 | 3 |
| -2 | Micro Pulse Laser | RT | 1 | 3 [P,AI] | — | 1 | 2 | 3 |
| | Total Heat (Dissipation): 19 (20) | | | | | | | |
| | Punch | LA | — | 4 | — | — | — | — |
| | Punch | RA | — | 4 | — | — | — | — |
| -2 | Kick | — | — | 7 | — | — | — | — |
| -1 | Club | — | — | 7 | — | — | — | — |
| Vs | Charge | — | — | 3.5/hex | — | — | — | — |
| -1 | Push | — | — | — | — | — | — | — |

Ammo: (ATM 9) 14, (ATM 9 HE) 7, (ATM 9 ER) 7
*Quirks: Narrow/Low Profile*

**BV:** 1272

### WARRIOR DATA

**Name:** _____

**Gunnery Skill:** _____ **Piloting Skill:** _____

| Hits Taken | 1 | 2 | 3 | 4 | 5 | 6 |
|---|---|---|---|---|---|---|
| Consciousness # | 3 | 5 | 7 | 10 | 11 | Dead |

### HIT LOCATION AND CLUSTER TABLE

| Die Roll (2D6) | LS | F/R | RS | 9 |
|---|---|---|---|---|
| 2* | LT(C) | CT(C) | RT(C) | 3 |
| 3 | LL | RA | RL | 3 |
| 4 | LA | RA | RA | 4 |
| 5 | LA | RL | RA | 5 |
| 6 | LL | RT | RL | 5 |
| 7 | LT | CT | RT | 5 |
| 8 | CT | LT | CT | 5 |
| 9 | RT | LL | LT | 7 |
| 10 | RA | LA | LA | 7 |
| 11 | RL | LA | LL | 9 |
| 12 | HD | HD | HD | 9 |


*A result of 2 may inflict a critical hit.
Artemis IV FCS: +2

### PUNCH/KICK LOCATION TABLE

| Die Roll (1D6) | Punch LS | Punch F/R | Punch RS | Kick LS | Kick F/R | Kick RS |
|---|---|---|---|---|---|---|
| 1 | LT | LA | RT | LL | RL | RL |
| 2 | LT | LT | RT | LL | RL | RL |
| 3 | CT | CT | CT | LL | RL | RL |
| 4 | LA | RT | RA | LL | LL | RL |
| 5 | LA | RA | RA | LL | LL | RL |
| 6 | HD | HD | HD | LL | LL | RL |


### ARMOR DIAGRAM

**Ferro-Fibrous**




### INTERNAL STRUCTURE DIAGRAM

**Endo Steel**




Heat Scale

Overflow
30
29
28
27
26
25
24
23
22
21
20
19
18
17
16
15
14
13
12
11
10
9
8
7
6
5
4
3
2
1
0

### CRITICAL TABLE

**Left Arm** (CASE)
1-3
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. ATM 9
6. ATM 9
4-6
1. ATM 9
2. ATM 9
3. Ammo (ATM 9) 7
4. Ammo (ATM 9 ER) 7
5. Ferro-Fibrous
6. Roll Again


**Left Torso**
1-3
1. XL Fusion Engine
2. XL Fusion Engine
3. Double Heat Sink
4. Double Heat Sink
5. Micro Pulse Laser
6. Micro Pulse Laser
4-6
1. Endo Steel
2. Ferro-Fibrous
3. Ferro-Fibrous
4. Roll Again
5. Roll Again
6. Roll Again

**Left Leg**
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Endo Steel
6. Endo Steel

**Head**
1. Life Support
2. Sensors
3. Cockpit
4. Ferro-Fibrous
5. Sensors
6. Life Support

**Center Torso**
1-3
1. XL Fusion Engine
2. XL Fusion Engine
3. XL Fusion Engine
4. Gyro
5. Gyro
6. Gyro
4-6
1. Gyro
2. XL Fusion Engine
3. XL Fusion Engine
4. XL Fusion Engine
5. Flamer
6. Endo Steel

Engine Hits ○○○
Gyro Hits ○○
Sensor Hits ○○
Life Support ○



Damage Transfer Diagram

**Right Arm** (CASE)
1-3
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. ATM 9
6. ATM 9
4-6
1. ATM 9
2. ATM 9
3. Ammo (ATM 9) 7
4. Ammo (ATM 9 HE) 7
5. Ferro-Fibrous
6. Roll Again

**Right Torso**
1-3
1. XL Fusion Engine
2. XL Fusion Engine
3. Double Heat Sink
4. Double Heat Sink
5. Micro Pulse Laser
6. Micro Pulse Laser
4-6
1. Endo Steel
2. Ferro-Fibrous
3. Ferro-Fibrous
4. Roll Again
5. Roll Again
6. Roll Again

**Right Leg**
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Endo Steel
6. Endo Steel

### HEAT DATA

Double Heat Sinks: 10 (20)

| Heat Level* | Effects | |
|---|---|---|
| 30 | Shutdown | |
| 28 | Ammo Exp, avoid on 8+ | ○ |
| 26 | Shutdown, avoid on 10+ | ○ |
| 25 | -5 Movement Points | ○ |
| 24 | +4 Modifier to Fire | ○ |
| 23 | Ammo Exp, avoid on 6+ | ○ |
| 22 | Shutdown, avoid on 8+ | ○ |
| 20 | -4 Movement Points | ○ |
| 19 | Ammo Exp, avoid on 4+ | ○ |
| 18 | Shutdown, avoid on 6+ | ○ |
| 17 | +3 Modifier to Fire | ○ |
| 15 | -3 Movement Points | ○ |
| 14 | Shutdown, avoid on 4+ | |
| 13 | +2 Modifier to Fire | |
| 10 | -2 Movement Points | |
| 8 | +1 Modifier to Fire | |
| 5 | -1 Movement Points | |

© 2026 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved.
Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

# BATTLETECH™

## AEROSPACE FIGHTER RECORD SHEET

### EXTERNAL STORES/BOMBS

Key:
HE - High Explosive
LG - Laser Guided
C - Cluster
RL - Rocket Launcher

### FIGHTER DATA

**Type: Hammerhead HMR-HDb**

| | | | |
|---|---|---|---|
| **Thrust:** | | **Tonnage:** | 75 |
| **SafeThrust:** | 7 | **Tech Base:** | Inner Sphere |
| **Maximum Thrust:** | 11 | **Rules Level:** | Standard |
| **Engine Type:** | 375 Fusion | **Role:** | Fire Support |


**Weapons & Equipment Inventory**

| Standard Scale | | | | (1-6) | (7-12) | (13-20) | (21-25) |
|---|---|---|---|---|---|---|---|
| # | Type | Loc | Ht | SRV | MRV | LRV | ERV |
| 1 | Gauss Rifle [DB,X] | NOS | 1 | 15 | 15 | 15 | — |

Total Heat (Dissipation): 1 (10)


Ammo: (Gauss) 16
Fuel Points: 400

**BV:** 1338



### ARMOR DIAGRAM

Ferro-Aluminum




Heat Scale

Overflow
30
29
28
27
26
25
24
23
22
21
20
19
18
17
16
15
14
13
12
11
10
9
8
7
6
5
4
3
2
1
0

### CRITICAL DAMAGE

| | | | | | |
|---|---|---|---|---|---|
| Avionics | +1 | +2 | +5 | Engine | 2 4 D |
| FCS | +2 | +4 | D | Landing Gear | +5 |
| Sensors | +1 | +2 | +5 | Life Support | +2 |

### PILOT DATA

**Name:** _____

**Gunnery Skill:** ____ **Piloting Skill:** ____

| Hits Taken | 1 | 2 | 3 | 4 | 5 | 6 |
|---|---|---|---|---|---|---|
| Consciousness # | 3 | 5 | 7 | 10 | 11 | Dead |
| Modifier | +1 | +2 | +3 | +4 | +5 | |

### HEAT DATA

Heat Sinks: 10

| Heat Level* | Effects | |
|---|---|---|
| 30 | Shutdown | ○ |
| 28 | Ammo Exp avoid on 8+ | ○ |
| 27 | Pilot damage, avoid on 9+ | ○ |
| 26 | Shutdown, avoid on 10+ | ○ |
| 25 | Random Movement, avoid on 10+ | ○ ○ |
| 24 | +4 Modifier to Fire | ○ |
| 23 | Ammo Exp avoid on 6+ | ○ |
| 22 | Shutdown, avoid on 8+ | ○ ○ |
| 21 | Pilot damage, avoid on 6+ | |
| 20 | Random Movement, avoid on 8+ | |
| 19 | Ammo Exp avoid on 4+ | |
| 18 | Shutdown, avoid on 6+ | |
| 17 | +3 Modifier to Fire | |
| 15 | Random Movement, avoid on 7+ | |
| 14 | Shutdown, avoid on 4+ | |
| 13 | +2 Modifier to Fire | |
| 10 | Random Movement, avoid on 6+ | |
| 8 | +1 Modifier to Fire | |
| 5 | Random Movement, avoid on 5+ | |

### VELOCITY RECORD

| Turn # | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
|---|---|---|---|---|---|---|---|---|---|---|
| Thrust | | | | | | | | | | |
| Velocity | | | | | | | | | | |
| Effective Velocity | | | | | | | | | | |
| Altitude | | | | | | | | | | |

| Turn # | 11 | 12 | 13 | 14 | 15 | 16 | 17 | 18 | 19 | 20 |
|---|---|---|---|---|---|---|---|---|---|---|
| Thrust | | | | | | | | | | |
| Velocity | | | | | | | | | | |
| Effective Velocity | | | | | | | | | | |
| Altitude | | | | | | | | | | |

© 2026 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved.
Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

# BATTLETECH™

## OMNIFIGHTER RECORD SHEET

**EXTERNAL STORES/BOMBS**

**Key:**
HE - High Explosive
LG - Laser Guided
C - Cluster
RL - Rocket Launcher

### FIGHTER DATA

**Type: Vandal Prime**

**Thrust:**
**SafeThrust:** 14
**Maximum Thrust:** 21
**Engine Type:** 360 XL

**Tonnage:** 30
**Tech Base:** Clan
**Rules Level:** Standard
**Role:** Interceptor


**Weapons & Equipment Inventory**

| Standard Scale | | | | (1-6) | (7-12) | (13-20) | (21-25) |
|---|---|---|---|---|---|---|---|
| # | Type | Loc | Ht | SRV | MRV | LRV | ERV |
| 1 | ER Small Laser [DE] | NOS | 2 | 5 | – | – | – |
| 1 | ER Small Laser [DE] | NOS | 2 | 5 | – | – | – |
| 1 | Active Probe [E] | NOS | – | – | – | – | – |

Total Heat (Dissipation): 4 (20)


Fuel Points: 320

**BV:** 501



### ARMOR DIAGRAM

**Ferro-Aluminum**




**Heat Scale**

Overflow
30 29 28 27 26 25 24 23 22 21 20 19 18 17 16 15 14 13 12 11 10 9 8 7 6 5 4 3 2 1 0

### CRITICAL DAMAGE

| | | | | | |
|---|---|---|---|---|---|
| Avionics | +1 | +2 | +5 | Engine | 2 4 D |
| FCS | +2 | +4 | D | Landing Gear | +5 |
| Sensors | +1 | +2 | +5 | Life Support | +2 |

### PILOT DATA

**Name:** _____

**Gunnery Skill:** ____ **Piloting Skill:** ____

| Hits Taken | 1 | 2 | 3 | 4 | 5 | 6 |
|---|---|---|---|---|---|---|
| Consciousness # | 3 | 5 | 7 | 10 | 11 | Dead |
| Modifier | +1 | +2 | +3 | +4 | +5 | |

### HEAT DATA

Double Heat Sinks: 10 (20)

| Heat Level* | Effects | |
|---|---|---|
| 30 | Shutdown | ○ |
| 28 | Ammo Exp avoid on 8+ | ○ |
| 27 | Pilot damage, avoid on 9+ | ○ |
| 26 | Shutdown, avoid on 10+ | ○ |
| 25 | Random Movement, avoid on 10+ | ○ |
| 24 | +4 Modifier to Fire | ○ |
| 23 | Ammo Exp avoid on 6+ | ○ |
| 22 | Shutdown, avoid on 8+ | ○ |
| 21 | Pilot damage, avoid on 6+ | ○ |
| 20 | Random Movement, avoid on 8+ | |
| 19 | Ammo Exp avoid on 4+ | |
| 18 | Shutdown, avoid on 6+ | |
| 17 | +3 Modifier to Fire | |
| 15 | Random Movement, avoid on 7+ | |
| 14 | Shutdown, avoid on 4+ | |
| 13 | +2 Modifier to Fire | |
| 10 | Random Movement, avoid on 6+ | |
| 8 | +1 Modifier to Fire | |
| 5 | Random Movement, avoid on 5+ | |

### VELOCITY RECORD

| Turn # | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
|---|---|---|---|---|---|---|---|---|---|---|
| Thrust | | | | | | | | | | |
| Velocity | | | | | | | | | | |
| Effective Velocity | | | | | | | | | | |
| Altitude | | | | | | | | | | |

| Turn # | 11 | 12 | 13 | 14 | 15 | 16 | 17 | 18 | 19 | 20 |
|---|---|---|---|---|---|---|---|---|---|---|
| Thrust | | | | | | | | | | |
| Velocity | | | | | | | | | | |
| Effective Velocity | | | | | | | | | | |
| Altitude | | | | | | | | | | |

© 2026 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved.
Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

# BATTLETECH™

## BATTLE ARMOR RECORD SHEET

### BATTLE ARMOR: POINT 1

**Type:** Elemental Battle Armor [Laser](Sqd5)

**Gunnery Skill:** _____ **Anti-'Mech Skill:** _____

**Ground MP:** 1 **Jump MP:** 3

| # | Type | Dmg | Min | Sht | Med | Lng |
|---|---|---|---|---|---|---|
| 1 | SRM 2 (Body) | 2/Msl [M,C,S] | — | 3 | 6 | 9 |
| 1 | Small Laser | 3 [DE] | — | 1 | 2 | 3 |
| 1 | Battle Claw | | — | — | — | — |

Ammo: (SRM 2) 2

**Mechanized:** ☑ **Swarm:** ☑ **Leg:** ☑ **AP:** ☑

1 ○○○○○○○○○○○○

2 ○○○○○○○○○○○○

3 ○○○○○○○○○○○○

4 ○○○○○○○○○○○○

5 ○○○○○○○○○○○○

**Armor:** Standard (Basic) **Role:** Ambusher **BV:** 447

### CLUSTER HITS TABLE

| 2D6 | 2 | 3 | 4 | 5 | 6 | 8 | 10 |
|---|---|---|---|---|---|---|---|
| 2 | 1 | 1 | 1 | 1 | 2 | 2 | 3 |
| 3 | 1 | 1 | 2 | 2 | 2 | 3 | 3 |
| 4 | 1 | 1 | 2 | 2 | 3 | 3 | 4 |
| 5 | 1 | 2 | 2 | 3 | 3 | 4 | 6 |
| 6 | 1 | 2 | 2 | 3 | 4 | 4 | 6 |
| 7 | 1 | 2 | 3 | 3 | 4 | 5 | 6 |
| 8 | 2 | 2 | 3 | 3 | 4 | 5 | 6 |
| 9 | 2 | 2 | 3 | 4 | 5 | 6 | 8 |
| 10 | 2 | 3 | 3 | 4 | 5 | 7 | 8 |
| 11 | 2 | 3 | 4 | 5 | 6 | 8 | 10 |
| 12 | 2 | 3 | 4 | 5 | 6 | 8 | 10 |

### LEG ATTACKS TABLE

| BATTLE ARMOR TROOPERS ACTIVE | BASE TO-HIT MODIFIER |
|---|---|
| 4-6 | 0 |
| 3 | +2 |
| 2 | +5 |
| 1 | +7 |

### SWARM ATTACKS TABLE

| BATTLE ARMOR TROOPERS ACTIVE | BASE TO-HIT MODIFIER |
|---|---|
| 4-6 | +2 |
| 1-3 | +5 |

### SWARM ATTACK MODIFIERS TABLE

| ATTACKING ENEMY BATTLE ARMOR TROOPERS ACTIVE | FRIENDLY MECHANIZED BATTLE ARMOR TROOPERS ACTIVE | | | | | |
|---|---|---|---|---|---|---|
| | 1 | 2 | 3 | 4 | 5 | 6 |
| 6 | +0 | +0 | +0 | +0 | +1 | +2 |
| 5 | +0 | +0 | +0 | +1 | +2 | +3 |
| 4 | +0 | +0 | +1 | +2 | +3 | +4 |
| 3 | +0 | +1 | +2 | +3 | +4 | +5 |
| 2 | +1 | +2 | +3 | +4 | +5 | +6 |
| 1 | +2 | +3 | +4 | +5 | +6 | +7 |

**BATTLE ARMOR EQUIPMENT**

| | |
|---|---|
| Claws with magnets | -1 |

**SITUATION***

| | |
|---|---|
| 'Mech prone | -2 |
| 'Mech or vehicle immobile | -4 |
| Vehicle | -2 |

*Modifiers are cumulative

### SWARM ATTACKS HIT LOCATION TABLE

| 2D6 ROLL | BIPEDAL/TRIPOD LOCATION | QUAD LOCATION |
|---|---|---|
| 2 | Head | Head |
| 3 | Rear Center Torso | Front Right Torso |
| 4 | Rear Right Torso | Rear Center Torso |
| 5 | Front Right Torso | Rear Right Torso |
| 6 | Right Arm | Front Right Torso |
| 7 | Front Center Torso | Front Center Torso |
| 8 | Left Arm | Front Left Torso |
| 9 | Front Left Torso | Rear Left Torso |
| 10 | Rear Left Torso | Rear Center Torso |
| 11 | Rear Center Torso | Front Left Torso |
| 12 | Head | Head |

### TRANSPORT POSITIONS TABLE

| TROOPER NUMBER | 'MECH LOCATION | VEHICLE LOCATION |
|---|---|---|
| 1 | Right Torso | Right Side |
| 2 | Left Torso | Right Side |
| 3 | Right Torso (rear) | Left Side |
| 4 | Left Torso (rear) | Left Side |
| 5 | Center Torso (rear) | Rear |
| 6 | Center Torso | Rear |

| TROOPER NUMBER | LARGE SUPPORT VEHICLE LOCATION* |
|---|---|
| 1 | Right Side (Unit 1/Unit 2) |
| 2 | Right Side (Unit 1/Unit 2) |
| 3 | Left Side (Unit 1/Unit 2) |
| 4 | Left Side (Unit 1/Unit 2) |
| 5 | Rear (Unit 1/Unit 2) |
| 6 | Rear (Unit 1/Unit 2) |

*Unit 1 and Unit 2 represent two battle armor units.

© 2026 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved.
Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

# BATTLETECH™

## BATTLE ARMOR RECORD SHEET

### BATTLE ARMOR: POINT 1

**Type:** Elemental Battle Armor [Laser](Sqd5)

**Gunnery Skill:** _____ **Anti-'Mech Skill:** _____

**Ground MP:** 1 **Jump MP:** 3

| # | Type | Dmg | Min | Sht | Med | Lng |
|---|---|---|---|---|---|---|
| 1 | SRM 2 (Body) | 2/Msl [M,C,S] | — | 3 | 6 | 9 |
| 1 | Small Laser | 3 [DE] | — | 1 | 2 | 3 |
| 1 | Battle Claw | | — | — | — | — |

Ammo: (SRM 2) 2

**Mechanized:** ☑ **Swarm:** ☑ **Leg:** ☑ **AP:** ☑

1 ○○○○○○○○○○○○

2 ○○○○○○○○○○○○

3 ○○○○○○○○○○○○

4 ○○○○○○○○○○○○

5 ○○○○○○○○○○○○

**Armor:** Standard (Basic) **Role:** Ambusher **BV:** 447

### CLUSTER HITS TABLE

| 2D6 | 2 | 3 | 4 | 5 | 6 | 8 | 10 |
|---|---|---|---|---|---|---|---|
| 2 | 1 | 1 | 1 | 1 | 2 | 2 | 3 |
| 3 | 1 | 1 | 2 | 2 | 2 | 3 | 3 |
| 4 | 1 | 1 | 2 | 2 | 3 | 3 | 4 |
| 5 | 1 | 2 | 2 | 3 | 3 | 4 | 6 |
| 6 | 1 | 2 | 2 | 3 | 4 | 4 | 6 |
| 7 | 1 | 2 | 3 | 3 | 4 | 5 | 6 |
| 8 | 2 | 2 | 3 | 3 | 4 | 5 | 6 |
| 9 | 2 | 2 | 3 | 4 | 5 | 6 | 8 |
| 10 | 2 | 3 | 3 | 4 | 5 | 7 | 8 |
| 11 | 2 | 3 | 4 | 5 | 6 | 8 | 10 |
| 12 | 2 | 3 | 4 | 5 | 6 | 8 | 10 |

### LEG ATTACKS TABLE

| BATTLE ARMOR TROOPERS ACTIVE | BASE TO-HIT MODIFIER |
|---|---|
| 4-6 | 0 |
| 3 | +2 |
| 2 | +5 |
| 1 | +7 |

### SWARM ATTACKS TABLE

| BATTLE ARMOR TROOPERS ACTIVE | BASE TO-HIT MODIFIER |
|---|---|
| 4-6 | +2 |
| 1-3 | +5 |

### SWARM ATTACK MODIFIERS TABLE

| ATTACKING ENEMY BATTLE ARMOR TROOPERS ACTIVE | FRIENDLY MECHANIZED BATTLE ARMOR TROOPERS ACTIVE | | | | | |
|---|---|---|---|---|---|---|
| | 1 | 2 | 3 | 4 | 5 | 6 |
| 6 | +0 | +0 | +0 | +0 | +1 | +2 |
| 5 | +0 | +0 | +0 | +1 | +2 | +3 |
| 4 | +0 | +0 | +1 | +2 | +3 | +4 |
| 3 | +0 | +1 | +2 | +3 | +4 | +5 |
| 2 | +1 | +2 | +3 | +4 | +5 | +6 |
| 1 | +2 | +3 | +4 | +5 | +6 | +7 |

**BATTLE ARMOR EQUIPMENT**

| | |
|---|---|
| Claws with magnets | -1 |

**SITUATION***

| | |
|---|---|
| 'Mech prone | -2 |
| 'Mech or vehicle immobile | -4 |
| Vehicle | -2 |

*Modifiers are cumulative

### SWARM ATTACKS HIT LOCATION TABLE

| 2D6 ROLL | BIPEDAL/TRIPOD LOCATION | QUAD LOCATION |
|---|---|---|
| 2 | Head | Head |
| 3 | Rear Center Torso | Front Right Torso |
| 4 | Rear Right Torso | Rear Center Torso |
| 5 | Front Right Torso | Rear Right Torso |
| 6 | Right Arm | Front Right Torso |
| 7 | Front Center Torso | Front Center Torso |
| 8 | Left Arm | Front Left Torso |
| 9 | Front Left Torso | Rear Left Torso |
| 10 | Rear Left Torso | Rear Center Torso |
| 11 | Rear Center Torso | Front Left Torso |
| 12 | Head | Head |

### TRANSPORT POSITIONS TABLE

| TROOPER NUMBER | 'MECH LOCATION | VEHICLE LOCATION |
|---|---|---|
| 1 | Right Torso | Right Side |
| 2 | Left Torso | Right Side |
| 3 | Right Torso (rear) | Left Side |
| 4 | Left Torso (rear) | Left Side |
| 5 | Center Torso (rear) | Rear |
| 6 | Center Torso | Rear |

| TROOPER NUMBER | LARGE SUPPORT VEHICLE LOCATION* |
|---|---|
| 1 | Right Side (Unit 1/Unit 2) |
| 2 | Right Side (Unit 1/Unit 2) |
| 3 | Left Side (Unit 1/Unit 2) |
| 4 | Left Side (Unit 1/Unit 2) |
| 5 | Rear (Unit 1/Unit 2) |
| 6 | Rear (Unit 1/Unit 2) |

*Unit 1 and Unit 2 represent two battle armor units.

© 2026 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved.
Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

# BATTLETECH™



## BATTLE ARMOR RECORD SHEET

## BATTLE ARMOR: POINT 1

**Type:** Elemental Battle Armor [MG](Sqd5)

**Gunnery Skill:** _____ **Anti-'Mech Skill:** _____

**Ground MP:** 1 **Jump MP:** 3

| # | Type | Dmg | Min | Sht | Med | Lng |
|---|---|---|---|---|---|---|
| 1 | SRM 2 (Body) | 2/Msl [M,C,S] | — | 3 | 6 | 9 |
| 1 | Machine Gun (Medium) | 2 [DB,AI] | — | 1 | 2 | 3 |
| 1 | Battle Claw | | — | — | — | — |

Ammo: (SRM 2) 2

**Mechanized:** ☑ **Swarm:** ☑ **Leg:** ☑ **AP:** ☑

1 ○○○○○○○○○○

2 ○○○○○○○○○○

3 ○○○○○○○○○○

4 ○○○○○○○○○○

5 ○○○○○○○○○○

**Armor:** Standard (Basic) **Role:** Ambusher **BV:** 404

### CLUSTER HITS TABLE

| 2D6 | 2 | 3 | 4 | 5 | 6 | 8 | 10 |
|---|---|---|---|---|---|---|---|
| 2 | 1 | 1 | 1 | 1 | 2 | 2 | 3 |
| 3 | 1 | 1 | 2 | 2 | 2 | 3 | 3 |
| 4 | 1 | 1 | 2 | 2 | 3 | 3 | 4 |
| 5 | 1 | 2 | 2 | 3 | 3 | 4 | 6 |
| 6 | 1 | 2 | 2 | 3 | 4 | 4 | 6 |
| 7 | 1 | 2 | 3 | 3 | 4 | 5 | 6 |
| 8 | 2 | 2 | 3 | 3 | 4 | 5 | 6 |
| 9 | 2 | 2 | 3 | 4 | 5 | 6 | 8 |
| 10 | 2 | 3 | 3 | 4 | 5 | 7 | 8 |
| 11 | 2 | 3 | 4 | 5 | 6 | 8 | 10 |
| 12 | 2 | 3 | 4 | 5 | 6 | 8 | 10 |

### LEG ATTACKS TABLE

| BATTLE ARMOR TROOPERS ACTIVE | BASE TO-HIT MODIFIER |
|---|---|
| 4-6 | 0 |
| 3 | +2 |
| 2 | +5 |
| 1 | +7 |

### SWARM ATTACKS TABLE

| BATTLE ARMOR TROOPERS ACTIVE | BASE TO-HIT MODIFIER |
|---|---|
| 4-6 | +2 |
| 1-3 | +5 |

### SWARM ATTACK MODIFIERS TABLE

| ATTACKING ENEMY BATTLE ARMOR TROOPERS ACTIVE | FRIENDLY MECHANIZED BATTLE ARMOR TROOPERS ACTIVE | | | | | |
|---|---|---|---|---|---|---|
| | 1 | 2 | 3 | 4 | 5 | 6 |
| 6 | +0 | +0 | +0 | +0 | +1 | +2 |
| 5 | +0 | +0 | +0 | +1 | +2 | +3 |
| 4 | +0 | +0 | +1 | +2 | +3 | +4 |
| 3 | +0 | +1 | +2 | +3 | +4 | +5 |
| 2 | +1 | +2 | +3 | +4 | +5 | +6 |
| 1 | +2 | +3 | +4 | +5 | +6 | +7 |

**BATTLE ARMOR EQUIPMENT**

| | |
|---|---|
| Claws with magnets | -1 |

**SITUATION***

| | |
|---|---|
| 'Mech prone | -2 |
| 'Mech or vehicle immobile | -4 |
| Vehicle | -2 |

*Modifiers are cumulative

### SWARM ATTACKS HIT LOCATION TABLE

| 2D6 ROLL | BIPEDAL/TRIPOD LOCATION | QUAD LOCATION |
|---|---|---|
| 2 | Head | Head |
| 3 | Rear Center Torso | Front Right Torso |
| 4 | Rear Right Torso | Rear Center Torso |
| 5 | Front Right Torso | Rear Right Torso |
| 6 | Right Arm | Front Right Torso |
| 7 | Front Center Torso | Front Center Torso |
| 8 | Left Arm | Front Left Torso |
| 9 | Front Left Torso | Rear Left Torso |
| 10 | Rear Left Torso | Rear Center Torso |
| 11 | Rear Center Torso | Front Left Torso |
| 12 | Head | Head |

### TRANSPORT POSITIONS TABLE

| TROOPER NUMBER | 'MECH LOCATION | VEHICLE LOCATION |
|---|---|---|
| 1 | Right Torso | Right Side |
| 2 | Left Torso | Right Side |
| 3 | Right Torso (rear) | Left Side |
| 4 | Left Torso (rear) | Left Side |
| 5 | Center Torso (rear) | Rear |
| 6 | Center Torso | Rear |

| TROOPER NUMBER | LARGE SUPPORT VEHICLE LOCATION* |
|---|---|
| 1 | Right Side (Unit 1/Unit 2) |
| 2 | Right Side (Unit 1/Unit 2) |
| 3 | Left Side (Unit 1/Unit 2) |
| 4 | Left Side (Unit 1/Unit 2) |
| 5 | Rear (Unit 1/Unit 2) |
| 6 | Rear (Unit 1/Unit 2) |

*Unit 1 and Unit 2 represent two battle armor units.

© 2026 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved.
Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

# BATTLETECH™



## BATTLE ARMOR RECORD SHEET

## BATTLE ARMOR: POINT 1

**Type:** Elemental Battle Armor [MG](Sqd5)

**Gunnery Skill:** _____ **Anti-'Mech Skill:** _____

**Ground MP:** 1 **Jump MP:** 3

| # | Type | Dmg | Min | Sht | Med | Lng |
|---|---|---|---|---|---|---|
| 1 | SRM 2 (Body) | 2/Msl [M,C,S] | — | 3 | 6 | 9 |
| 1 | Machine Gun (Medium) | 2 [DB,AI] | — | 1 | 2 | 3 |
| 1 | Battle Claw | | — | — | — | — |

Ammo: (SRM 2) 2

**Mechanized:** ☑ **Swarm:** ☑ **Leg:** ☑ **AP:** ☑

1 ○○○○○○○○○○

2 ○○○○○○○○○○

3 ○○○○○○○○○○

4 ○○○○○○○○○○

5 ○○○○○○○○○○

**Armor:** Standard (Basic) **Role:** Ambusher **BV:** 404

### CLUSTER HITS TABLE

| 2D6 | 2 | 3 | 4 | 5 | 6 | 8 | 10 |
|---|---|---|---|---|---|---|---|
| 2 | 1 | 1 | 1 | 1 | 2 | 2 | 3 |
| 3 | 1 | 1 | 2 | 2 | 2 | 3 | 3 |
| 4 | 1 | 1 | 2 | 2 | 3 | 3 | 4 |
| 5 | 1 | 2 | 2 | 3 | 3 | 4 | 6 |
| 6 | 1 | 2 | 2 | 3 | 4 | 4 | 6 |
| 7 | 1 | 2 | 3 | 3 | 4 | 5 | 6 |
| 8 | 2 | 2 | 3 | 3 | 4 | 5 | 6 |
| 9 | 2 | 2 | 3 | 4 | 5 | 6 | 8 |
| 10 | 2 | 3 | 3 | 4 | 5 | 7 | 8 |
| 11 | 2 | 3 | 4 | 5 | 6 | 8 | 10 |
| 12 | 2 | 3 | 4 | 5 | 6 | 8 | 10 |

### LEG ATTACKS TABLE

| BATTLE ARMOR TROOPERS ACTIVE | BASE TO-HIT MODIFIER |
|---|---|
| 4-6 | 0 |
| 3 | +2 |
| 2 | +5 |
| 1 | +7 |

### SWARM ATTACKS TABLE

| BATTLE ARMOR TROOPERS ACTIVE | BASE TO-HIT MODIFIER |
|---|---|
| 4-6 | +2 |
| 1-3 | +5 |

### SWARM ATTACK MODIFIERS TABLE

| ATTACKING ENEMY BATTLE ARMOR TROOPERS ACTIVE | FRIENDLY MECHANIZED BATTLE ARMOR TROOPERS ACTIVE | | | | | |
|---|---|---|---|---|---|---|
| | 1 | 2 | 3 | 4 | 5 | 6 |
| 6 | +0 | +0 | +0 | +0 | +1 | +2 |
| 5 | +0 | +0 | +0 | +1 | +2 | +3 |
| 4 | +0 | +0 | +1 | +2 | +3 | +4 |
| 3 | +0 | +1 | +2 | +3 | +4 | +5 |
| 2 | +1 | +2 | +3 | +4 | +5 | +6 |
| 1 | +2 | +3 | +4 | +5 | +6 | +7 |

**BATTLE ARMOR EQUIPMENT**

| | |
|---|---|
| Claws with magnets | -1 |

**SITUATION***

| | |
|---|---|
| 'Mech prone | -2 |
| 'Mech or vehicle immobile | -4 |
| Vehicle | -2 |

*Modifiers are cumulative

### SWARM ATTACKS HIT LOCATION TABLE

| 2D6 ROLL | BIPEDAL/TRIPOD LOCATION | QUAD LOCATION |
|---|---|---|
| 2 | Head | Head |
| 3 | Rear Center Torso | Front Right Torso |
| 4 | Rear Right Torso | Rear Center Torso |
| 5 | Front Right Torso | Rear Right Torso |
| 6 | Right Arm | Front Right Torso |
| 7 | Front Center Torso | Front Center Torso |
| 8 | Left Arm | Front Left Torso |
| 9 | Front Left Torso | Rear Left Torso |
| 10 | Rear Left Torso | Rear Center Torso |
| 11 | Rear Center Torso | Front Left Torso |
| 12 | Head | Head |

### TRANSPORT POSITIONS TABLE

| TROOPER NUMBER | 'MECH LOCATION | VEHICLE LOCATION |
|---|---|---|
| 1 | Right Torso | Right Side |
| 2 | Left Torso | Right Side |
| 3 | Right Torso (rear) | Left Side |
| 4 | Left Torso (rear) | Left Side |
| 5 | Center Torso (rear) | Rear |
| 6 | Center Torso | Rear |

| TROOPER NUMBER | LARGE SUPPORT VEHICLE LOCATION* |
|---|---|
| 1 | Right Side (Unit 1/Unit 2) |
| 2 | Right Side (Unit 1/Unit 2) |
| 3 | Left Side (Unit 1/Unit 2) |
| 4 | Left Side (Unit 1/Unit 2) |
| 5 | Rear (Unit 1/Unit 2) |
| 6 | Rear (Unit 1/Unit 2) |

*Unit 1 and Unit 2 represent two battle armor units.

© 2026 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved.
Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.