BATTLETECH™

BATTLEMECH RECORD SHEET

'MECH DATA

Type: Rifleman IIC 2

Movement Points:
Walking: 4
Running: 6
Jumping: 3
Engine Type: 260 Fusion

Tonnage: 65
Tech Base: Clan
Rules Level: Standard
Role: Sniper

Weapons & Equipment Inventory (hexes)

Type	Loc	Ht	Dmg	Min	Sht	Med	Lng
Ultra AC/2	LA	1	2/Sht [DB,R/C]	2	9	18	27
Ultra AC/2	LA	1	2/Sht [DB,R/C]	2	9	18	27
Ultra AC/2	RA	1	2/Sht [DB,R/C]	2	9	18	27
Ultra AC/2	RA	1	2/Sht [DB,R/C]	2	9	18	27

Total Heat (Dissipation): 8 (20)

+3	Punch	LA	–	3	–	–	–	–
+3	Punch	RA	–	3	–	–	–	–
-2	Kick	–	–	13	–	–	–	–
Vs	Death From Above	–	–	20	–	–	–	–
Vs	Charge	–	–	6.5/hex	–	–	–	–
-1	Push	–	–	–	–	–	–	–

Ammo: (Ultra AC/2) 270

Quirks: Anti-Aircraft Targeting, Improved Communications

BV: 1345

WARRIOR DATA

Name: _____

Gunnery Skill: ____ **Piloting Skill:** ____

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead

HIT LOCATION AND CLUSTER TABLE

Die Roll (2D6)	LS	F/R	RS	2
2*	LT(C)	CT(C)	RT(C)	1
3	LL	RA	RL	1
4	LA	RA	RA	1
5	LA	RL	RA	1
6	LL	RT	RL	1
7	LT	CT	RT	1
8	CT	LT	CT	2
9	RT	LL	LT	2
10	RA	LA	LA	2
11	RL	LA	LL	2
12	HD	HD	HD	2


*A result of 2 may inflict a critical hit.

PUNCH/KICK LOCATION TABLE

Die Roll (1D6)	Punch LS	Punch F/R	Punch RS	Kick LS	Kick F/R	Kick RS
1	LT	LA	RT	LL	RL	RL
2	LT	LT	RT	LL	RL	RL
3	CT	CT	CT	LL	RL	RL
4	LA	RT	RA	LL	LL	RL
5	LA	RA	RA	LL	LL	RL
6	HD	HD	HD	LL	LL	RL


ARMOR DIAGRAM

Standard Armor



INTERNAL STRUCTURE DIAGRAM

Endo Steel



Heat Scale

Overflow
30
29
28
27
26
25
24
23
22
21
20
19
18
17
16
15
14
13
12
11
10
9
8
7
6
5
4
3
2
1
0

CRITICAL TABLE

Left Arm
1. Shoulder
2. Upper Arm Actuator
3. Ultra AC/2
4. Ultra AC/2
5. Ultra AC/2
6. Ultra AC/2

1-3

1. Endo Steel
2. Endo Steel
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

4-6

Left Torso (CASE)
1. Jump Jet
2. Ammo (Ultra AC/2) 45
3. Ammo (Ultra AC/2) 45
4. Ammo (Ultra AC/2) 45
5. Endo Steel
6. Endo Steel

1-3

1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

4-6

Left Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Roll Again
6. Roll Again

Head
1. Life Support
2. Sensors
3. Cockpit
4. Roll Again
5. Sensors
6. Life Support


Center Torso
1. Fusion Engine
2. Fusion Engine
3. Fusion Engine
4. Gyro
5. Gyro
6. Gyro

1-3

1. Gyro
2. Fusion Engine
3. Fusion Engine
4. Fusion Engine
5. Jump Jet
6. Roll Again

4-6

Engine Hits ○○○
Gyro Hits ○○
Sensor Hits ○○
Life Support ○



Damage Transfer Diagram

Right Arm
1. Shoulder
2. Upper Arm Actuator
3. Ultra AC/2
4. Ultra AC/2
5. Ultra AC/2
6. Ultra AC/2

1-3

1. Endo Steel
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

4-6

Right Torso (CASE)
1. Jump Jet
2. Ammo (Ultra AC/2) 45
3. Ammo (Ultra AC/2) 45
4. Ammo (Ultra AC/2) 45
5. Endo Steel
6. Endo Steel

1-3

1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

4-6

Right Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Roll Again
6. Roll Again

HEAT DATA

Double Heat Sinks: 10 (20)

Heat Level*	Effects	
30	Shutdown	
28	Ammo Exp, avoid on 8+	○
26	Shutdown, avoid on 10+	○
25	-5 Movement Points	○
24	+4 Modifier to Fire	○
23	Ammo Exp, avoid on 6+	○
22	Shutdown, avoid on 8+	○
20	-4 Movement Points	○
19	Ammo Exp, avoid on 4+	○
18	Shutdown, avoid on 6+	○
17	+3 Modifier to Fire	○
15	-3 Movement Points	○
14	Shutdown, avoid on 4+	
13	+2 Modifier to Fire	
10	-2 Movement Points	
8	+1 Modifier to Fire	
5	-1 Movement Points	

© 2026 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved.
Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

BATTLEMECH RECORD SHEET

'MECH DATA

Type: Griffin IIC 4

Movement Points:
Walking: 6
Running: 9
Jumping: 6
Engine Type: 240 Fusion

Tonnage: 40
Tech Base: Clan
Rules Level: Standard
Role: Striker

Weapons & Equipment Inventory (hexes)

Type	Loc	Ht	Dmg	Min	Sht	Med	Lng
ER Large Laser	CT	12	10 [DE]	—	8	15	25
ATM 3	LT	2	[M,C,S]				
Standard			2/Msl	4	5	10	15
Extended Range			1/Msl	4	9	18	27
High Explosive			3/Msl	—	3	6	9
ATM 3	RT	2	[M,C,S]				
Standard			2/Msl	4	5	10	15
Extended Range			1/Msl	4	9	18	27
High Explosive			3/Msl	—	3	6	9
ER Small Laser	HD	2	5 [DE]	—	2	4	6

Total Heat (Dissipation): 18 (20)

Punch	LA	—	4	—	—	—	—
Punch	RA	—	4	—	—	—	—
-2 Kick	—	—	8	—	—	—	—
-1 Club	—	—	8	—	—	—	—
Vs Death From Above	—	—	12	—	—	—	—
Vs Charge	—	—	4/hex	—	—	—	—
-1 Push	—	—	—	—	—	—	—

Ammo: (ATM 3 ER) 20, (ATM 3 HE) 20, (ATM 3) 20
Quirks: Battle Fists (LA), Battle Fists (RA)

BV: 1328 (1475)

WARRIOR DATA

Name: _____

Gunnery Skill: 5 **Piloting Skill:** 5

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead

HIT LOCATION AND CLUSTER TABLE

Die Roll (2D6)	LS	F/R	RS	3
2*	LT(C)	CT(C)	RT(C)	1
3	LL	RA	RL	1
4	LA	RA	RA	1
5	LA	RL	RA	2
6	LL	RT	RL	2
7	LT	CT	RT	2
8	CT	LT	CT	2
9	RT	LL	LT	2
10	RA	LA	LA	3
11	RL	LA	LL	3
12	HD	HD	HD	3


*A result of 2 may inflict a critical hit.
Artemis IV FCS: +2

PUNCH/KICK LOCATION TABLE

Die Roll (1D6)	Punch LS	Punch F/R	Punch RS	Kick LS	Kick F/R	Kick RS
1	LT	LA	RT	LL	RL	RL
2	LT	LT	RT	LL	RL	RL
3	CT	CT	CT	LL	RL	RL
4	LA	RT	RA	LL	LL	RL
5	LA	RA	RA	LL	LL	RL
6	HD	HD	HD	LL	LL	RL


ARMOR DIAGRAM

Ferro-Fibrous



INTERNAL STRUCTURE DIAGRAM

Endo Steel



Heat Scale

Overflow
30
29
28
27
26
25
24
23
22
21
20
19
18
17
16
15
14
13
12
11
10
9
8
7
6
5
4
3
2
1
0

CRITICAL TABLE

Left Arm
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. Double Heat Sink
6. Double Heat Sink

1-3

1. Ferro-Fibrous
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

4-6

Left Torso (CASE)
1. Jump Jet
2. Jump Jet
3. Jump Jet
4. ATM 3
5. ATM 3
6. Ammo (ATM 3) 20

1-3

1. Endo Steel
2. Ferro-Fibrous
3. Ferro-Fibrous
4. Ferro-Fibrous
5. Roll Again
6. Roll Again

4-6

Left Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Endo Steel
6. Endo Steel

Head
1. Life Support
2. Sensors
3. Cockpit
4. ER Small Laser
5. Sensors
6. Life Support


Center Torso
1. Fusion Engine
2. Fusion Engine
3. Fusion Engine
4. Gyro
5. Gyro
6. Gyro

1-3

1. Gyro
2. Fusion Engine
3. Fusion Engine
4. Fusion Engine
5. ER Large Laser
6. Roll Again

4-6

Engine Hits ○○○
Gyro Hits ○○
Sensor Hits ○○
Life Support ○



Damage Transfer Diagram

Right Arm
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. Ferro-Fibrous
6. Roll Again

1-3

1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

4-6

Right Torso (CASE)
1. Jump Jet
2. Jump Jet
3. Jump Jet
4. ATM 3
5. ATM 3
6. Ammo (ATM 3 ER) 20

1-3

1. Ammo (ATM 3 HE) 20
2. Endo Steel
3. Endo Steel
4. Ferro-Fibrous
5. Ferro-Fibrous
6. Roll Again

4-6

Right Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Endo Steel
6. Endo Steel

HEAT DATA

Double Heat Sinks: 10 (20)

Heat Level*	Effects	
30	Shutdown	
28	Ammo Exp, avoid on 8+	○
26	Shutdown, avoid on 10+	○
25	-5 Movement Points	○
24	+4 Modifier to Fire	○
23	Ammo Exp, avoid on 6+	○
22	Shutdown, avoid on 8+	○
20	-4 Movement Points	○
19	Ammo Exp, avoid on 4+	○
18	Shutdown, avoid on 6+	○
17	+3 Modifier to Fire	○
15	-3 Movement Points	○
14	Shutdown, avoid on 4+	
13	+2 Modifier to Fire	
10	-2 Movement Points	
8	+1 Modifier to Fire	
5	-1 Movement Points	

© 2026 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved.
Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

BATTLEMECH RECORD SHEET

'MECH DATA

Type: Clint IIC

Movement Points:
Walking: 6
Running: 9
Jumping: 6
Engine Type: 240 XL

Tonnage: 40
Tech Base: Clan
Rules Level: Standard
Role: Striker

Weapons & Equipment Inventory (hexes)

Type	Loc	Ht	Dmg	Min	Sht	Med	Lng
LB 10-X AC	RA	2	10 [DB,C/F/S]	—	6	12	18
ER Medium Laser	LT	5	7 [DE]	—	5	10	15
ER Medium Laser	CT	5	7 [DE]	—	5	10	15

Total Heat (Dissipation): 12 (10)

Punch	LA	—	4	—	—	—	—
+1 Punch	RA	—	4	—	—	—	—
-2 Kick	—	—	8	—	—	—	—
Vs Death From Above	—	—	12	—	—	—	—
Vs Charge	—	—	4/hex	—	—	—	—
-1 Push	—	—	—	—	—	—	—

Ammo: (LB 10-X) 20, (LB 10-X Cluster) 20

Quirks: Improved Targeting (Long), Improved Targeting (Medium)

BV: 1256 (1395)

WARRIOR DATA

Name: _____

Gunnery Skill: 5 **Piloting Skill:** 5

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead

HIT LOCATION AND CLUSTER TABLE

Die Roll (2D6)	LS	F/R	RS	10
2*	LT(C)	CT(C)	RT(C)	3
3	LL	RA	RL	3
4	LA	RA	RA	4
5	LA	RL	RA	6
6	LL	RT	RL	6
7	LT	CT	RT	6
8	CT	LT	CT	6
9	RT	LL	LT	8
10	RA	LA	LA	8
11	RL	LA	LL	10
12	HD	HD	HD	10


*A result of 2 may inflict a critical hit.

PUNCH/KICK LOCATION TABLE

Die Roll (1D6)	Punch LS	Punch F/R	Punch RS	Kick LS	Kick F/R	Kick RS
1	LT	LA	RT	LL	RL	RL
2	LT	LT	RT	LL	RL	RL
3	CT	CT	CT	LL	RL	RL
4	LA	RT	RA	LL	LL	RL
5	LA	RA	RA	LL	LL	RL
6	HD	HD	HD	LL	LL	RL


ARMOR DIAGRAM

Standard Armor



INTERNAL STRUCTURE DIAGRAM

Endo Steel



Heat Scale

Overflow
30
29
28
27
26
25
24
23
22
21
20
19
18
17
16
15
14
13
12
11
10
9
8
7
6
5
4
3
2
1
0

CRITICAL TABLE

Left Arm
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. Roll Again
6. Roll Again

1-3

1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

4-6

Left Torso
1. XL Fusion Engine
2. XL Fusion Engine
3. Jump Jet
4. ER Medium Laser
5. Endo Steel
6. Endo Steel

1-3

1. Endo Steel
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

4-6

Left Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Jump Jet
6. Jump Jet

Head
1. Life Support
2. Sensors
3. Cockpit
4. Roll Again
5. Sensors
6. Life Support

Center Torso
1. XL Fusion Engine
2. XL Fusion Engine
3. XL Fusion Engine
4. Gyro
5. Gyro
6. Gyro


1-3

1. Gyro
2. XL Fusion Engine
3. XL Fusion Engine
4. XL Fusion Engine
5. ER Medium Laser
6. Endo Steel

4-6

Engine Hits ○○○
Gyro Hits ○○
Sensor Hits ○○
Life Support ○

CATALYST game labs



Damage Transfer Diagram

Right Arm
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. LB 10-X AC
5. LB 10-X AC
6. LB 10-X AC

1-3

1. LB 10-X AC
2. LB 10-X AC
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

4-6

Right Torso (CASE)
1. XL Fusion Engine
2. XL Fusion Engine
3. Heat Sink
4. Jump Jet
5. Ammo (LB 10-X) 10
6. Ammo (LB 10-X) 10

1-3

1. Ammo (LB 10-X Cluster) 10
2. Ammo (LB 10-X Cluster) 10
3. Endo Steel
4. Endo Steel
5. Endo Steel
6. Roll Again

4-6

Right Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Jump Jet
6. Jump Jet

HEAT DATA

Heat Sinks: 10

Heat Level*	Effects	
30	Shutdown	
28	Ammo Exp, avoid on 8+	○
26	Shutdown, avoid on 10+	○
25	-5 Movement Points	○
24	+4 Modifier to Fire	○
23	Ammo Exp, avoid on 6+	○
22	Shutdown, avoid on 8+	○
20	-4 Movement Points	○
19	Ammo Exp, avoid on 4+	○
18	Shutdown, avoid on 6+	○
17	+3 Modifier to Fire	○
15	-3 Movement Points	○
14	Shutdown, avoid on 4+	
13	+2 Modifier to Fire	
10	-2 Movement Points	
8	+1 Modifier to Fire	
5	-1 Movement Points	

© 2026 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved.
Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

BATTLEMECH RECORD SHEET

'MECH DATA

Type: Locust IIC

Movement Points:		**Tonnage:**	25
Walking:	8	**Tech Base:**	Clan
Running:	12	**Rules Level:**	Standard
Jumping:	0	**Role:**	Striker
Engine Type:	200 Fusion		

Weapons & Equipment Inventory

	Type	Loc	Ht	Dmg	(hexes) Min	Sht	Med	Lng
-2	Medium Pulse Laser	CT	4	7 [P]	—	4	8	12
	ER Small Laser	LA	2	5 [DE]	—	2	4	6
	ER Small Laser	LA	2	5 [DE]	—	2	4	6
	ER Small Laser	LA	2	5 [DE]	—	2	4	6
	ER Small Laser	LA	2	5 [DE]	—	2	4	6
	ER Small Laser	RA	2	5 [DE]	—	2	4	6
	ER Small Laser	RA	2	5 [DE]	—	2	4	6
	ER Small Laser	RA	2	5 [DE]	—	2	4	6
	ER Small Laser	RA	2	5 [DE]	—	2	4	6

Total Heat (Dissipation): 20 (20)

+3	Punch	LA	—	1	—	—	—	—
+3	Punch	RA	—	1	—	—	—	—
-2	Kick	—	—	5	—	—	—	—
Vs	Charge	—	—	2.5/hex	—	—	—	—
-1	Push	—	—	—	—	—	—	—

Quirks: Easy to Maintain, Narrow/Low Profile, No/Minimal Arms, Weak Legs

BV: 990 (1100)

WARRIOR DATA

Name: _____

Gunnery Skill: 5 **Piloting Skill:** 5

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead

HIT LOCATION AND CLUSTER TABLE

Die Roll (2D6)	LS	F/R	RS
2*	LT(C)	CT(C)	RT(C)
3	LL	RA	RL
4	LA	RA	RA
5	LA	RL	RA
6	LL	RT	RL
7	LT	CT	RT
8	CT	LT	CT
9	RT	LL	LT
10	RA	LA	LA
11	RL	LA	LL
12	HD	HD	HD


*A result of 2 may inflict a critical hit.

PUNCH/KICK LOCATION TABLE

Die Roll (1D6)	Punch LS	Punch F/R	Punch RS	Kick LS	Kick F/R	Kick RS
1	LT	LA	RT	LL	RL	RL
2	LT	LT	RT	LL	RL	RL
3	CT	CT	CT	LL	RL	RL
4	LA	RT	RA	LL	LL	RL
5	LA	RA	RA	LL	LL	RL
6	HD	HD	HD	LL	LL	RL


ARMOR DIAGRAM

Ferro-Fibrous



INTERNAL STRUCTURE DIAGRAM

Endo Steel



Heat Scale

Overflow
30
29
28
27
26
25
24
23
22
21
20
19
18
17
16
15
14
13
12
11
10
9
8
7
6
5
4
3
2
1
0

CRITICAL TABLE

Left Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. ER Small Laser
4. ER Small Laser
5. ER Small Laser
6. ER Small Laser

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Torso

1-3
1. Double Heat Sink
2. Double Heat Sink
3. Endo Steel
4. Endo Steel
5. Ferro-Fibrous
6. Ferro-Fibrous

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Endo Steel
6. Ferro-Fibrous

Head


1. Life Support
2. Sensors
3. Cockpit
4. Ferro-Fibrous
5. Sensors
6. Life Support

Center Torso

1-3
1. Fusion Engine
2. Fusion Engine
3. Fusion Engine
4. Gyro
5. Gyro
6. Gyro

4-6
1. Gyro
2. Fusion Engine
3. Fusion Engine
4. Fusion Engine
5. Medium Pulse Laser
6. Endo Steel

Engine Hits ○○○
Gyro Hits ○○
Sensor Hits ○○
Life Support ○



Damage Transfer Diagram

Right Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. ER Small Laser
4. ER Small Laser
5. ER Small Laser
6. ER Small Laser

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Torso

1-3
1. Double Heat Sink
2. Double Heat Sink
3. Endo Steel
4. Endo Steel
5. Ferro-Fibrous
6. Ferro-Fibrous

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Endo Steel
6. Ferro-Fibrous

HEAT DATA

Double Heat Sinks: 10 (20)

Heat Level*	Effects	
30	Shutdown	
28	Ammo Exp, avoid on 8+	○
26	Shutdown, avoid on 10+	○
25	-5 Movement Points	○
24	+4 Modifier to Fire	○
23	Ammo Exp, avoid on 6+	○
22	Shutdown, avoid on 8+	○
20	-4 Movement Points	○
19	Ammo Exp, avoid on 4+	○
18	Shutdown, avoid on 6+	○
17	+3 Modifier to Fire	○
15	-3 Movement Points	○
14	Shutdown, avoid on 4+	
13	+2 Modifier to Fire	
10	-2 Movement Points	
8	+1 Modifier to Fire	
5	-1 Movement Points	

© 2026 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved.
Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

BATTLEMECH RECORD SHEET

'MECH DATA

Type: Locust IIC

Movement Points:		**Tonnage:**	25
Walking:	8	**Tech Base:**	Clan
Running:	12	**Rules Level:**	Standard
Jumping:	0	**Role:**	Striker
Engine Type:	200 Fusion		

Weapons & Equipment Inventory

	Type	Loc	Ht	Dmg	(hexes) Min	Sht	Med	Lng
-2	Medium Pulse Laser	CT	4	7 [P]	—	4	8	12
	ER Small Laser	LA	2	5 [DE]	—	2	4	6
	ER Small Laser	LA	2	5 [DE]	—	2	4	6
	ER Small Laser	LA	2	5 [DE]	—	2	4	6
	ER Small Laser	LA	2	5 [DE]	—	2	4	6
	ER Small Laser	RA	2	5 [DE]	—	2	4	6
	ER Small Laser	RA	2	5 [DE]	—	2	4	6
	ER Small Laser	RA	2	5 [DE]	—	2	4	6
	ER Small Laser	RA	2	5 [DE]	—	2	4	6

Total Heat (Dissipation): 20 (20)

+3	Punch	LA	—	1	—	—	—	—
+3	Punch	RA	—	1	—	—	—	—
-2	Kick	—	—	5	—	—	—	—
Vs	Charge	—	—	2.5/hex	—	—	—	—
-1	Push	—	—	—	—	—	—	—

Quirks: Easy to Maintain, Narrow/Low Profile, No/Minimal Arms, Weak Legs

BV: 990 (1100)

WARRIOR DATA

Name: _____

Gunnery Skill: 5 **Piloting Skill:** 5

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead

HIT LOCATION AND CLUSTER TABLE

Die Roll (2D6)	LS	F/R	RS
2*	LT(C)	CT(C)	RT(C)
3	LL	RA	RL
4	LA	RA	RA
5	LA	RL	RA
6	LL	RT	RL
7	LT	CT	RT
8	CT	LT	CT
9	RT	LL	LT
10	RA	LA	LA
11	RL	LA	LL
12	HD	HD	HD


*A result of 2 may inflict a critical hit.

PUNCH/KICK LOCATION TABLE

Die Roll (1D6)	Punch LS	Punch F/R	Punch RS	Kick LS	Kick F/R	Kick RS
1	LT	LA	RT	LL	RL	RL
2	LT	LT	RT	LL	RL	RL
3	CT	CT	CT	LL	RL	RL
4	LA	RT	RA	LL	LL	RL
5	LA	RA	RA	LL	LL	RL
6	HD	HD	HD	LL	LL	RL


ARMOR DIAGRAM

Ferro-Fibrous



INTERNAL STRUCTURE DIAGRAM

Endo Steel



Heat Scale

Overflow
30
29
28
27
26
25
24
23
22
21
20
19
18
17
16
15
14
13
12
11
10
9
8
7
6
5
4
3
2
1
0

CRITICAL TABLE

Left Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. ER Small Laser
4. ER Small Laser
5. ER Small Laser
6. ER Small Laser

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Torso

1-3
1. Double Heat Sink
2. Double Heat Sink
3. Endo Steel
4. Endo Steel
5. Ferro-Fibrous
6. Ferro-Fibrous

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Endo Steel
6. Ferro-Fibrous

Head


1. Life Support
2. Sensors
3. Cockpit
4. Ferro-Fibrous
5. Sensors
6. Life Support

Center Torso

1-3
1. Fusion Engine
2. Fusion Engine
3. Fusion Engine
4. Gyro
5. Gyro
6. Gyro

4-6
1. Gyro
2. Fusion Engine
3. Fusion Engine
4. Fusion Engine
5. Medium Pulse Laser
6. Endo Steel

Engine Hits ○○○
Gyro Hits ○○
Sensor Hits ○○
Life Support ○



Damage Transfer Diagram

Right Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. ER Small Laser
4. ER Small Laser
5. ER Small Laser
6. ER Small Laser

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Torso

1-3
1. Double Heat Sink
2. Double Heat Sink
3. Endo Steel
4. Endo Steel
5. Ferro-Fibrous
6. Ferro-Fibrous

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Endo Steel
6. Ferro-Fibrous

HEAT DATA

Double Heat Sinks: 10 (20)

Heat Level*	Effects	
30	Shutdown	
28	Ammo Exp, avoid on 8+	○
26	Shutdown, avoid on 10+	○
25	-5 Movement Points	○
24	+4 Modifier to Fire	○
23	Ammo Exp, avoid on 6+	○
22	Shutdown, avoid on 8+	○
20	-4 Movement Points	○
19	Ammo Exp, avoid on 4+	○
18	Shutdown, avoid on 6+	○
17	+3 Modifier to Fire	○
15	-3 Movement Points	○
14	Shutdown, avoid on 4+	
13	+2 Modifier to Fire	
10	-2 Movement Points	
8	+1 Modifier to Fire	
5	-1 Movement Points	

© 2026 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved.
Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

BATTLEMECH RECORD SHEET

'MECH DATA

Type: Jenner IIC

Movement Points:
Walking: 9
Running: 14
Jumping: 7
Engine Type: 315 XL

Tonnage: 35
Tech Base: Clan
Rules Level: Standard
Role: Striker

Weapons & Equipment Inventory (hexes)

Type	Loc	Ht	Dmg	Min	Sht	Med	Lng
Streak SRM 4	CT	3	2/Msl [M,C]	—	4	8	12
SRM 6	LA	4	2/Msl [M,C,S]	—	3	6	9
SRM 6	RA	4	2/Msl [M,C,S]	—	3	6	9

Total Heat (Dissipation): 11 (20)

+3 Punch	LA	—	2	—	—	—	—
+3 Punch	RA	—	2	—	—	—	—
-2 Kick	—	—	7	—	—	—	—
Vs Death From Above	—	—	11	—	—	—	—
Vs Charge	—	—	3.5/hex	—	—	—	—
-1 Push	—	—	—	—	—	—	—

Ammo: (Streak SRM 4) 25, (SRM 6) 30

Quirks: No/Minimal Arms

BV: 890 (1047)

WARRIOR DATA

Name: _____

Gunnery Skill: 6 **Piloting Skill:** 5

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead

HIT LOCATION AND CLUSTER TABLE

Die Roll (2D6)	LS	F/R	RS	4	6
2*	LT(C)	CT(C)	RT(C)	1	2
3	LL	RA	RL	2	2
4	LA	RA	RA	2	3
5	LA	RL	RA	2	3
6	LL	RT	RL	2	4
7	LT	CT	RT	3	4
8	CT	LT	CT	3	4
9	RT	LL	LT	3	5
10	RA	LA	LA	3	5
11	RL	LA	LL	4	6
12	HD	HD	HD	4	6


*A result of 2 may inflict a critical hit.

PUNCH/KICK LOCATION TABLE

Die Roll (1D6)	Punch LS	Punch F/R	Punch RS	Kick LS	Kick F/R	Kick RS
1	LT	LA	RT	LL	RL	RL
2	LT	LT	RT	LL	RL	RL
3	CT	CT	CT	LL	RL	RL
4	LA	RT	RA	LL	LL	RL
5	LA	RA	RA	LL	LL	RL
6	HD	HD	HD	LL	LL	RL


ARMOR DIAGRAM

Ferro-Fibrous



INTERNAL STRUCTURE DIAGRAM

Endo Steel



Heat Scale: Overflow, 30, 29, 28, 27, 26, 25, 24, 23, 22, 21, 20, 19, 18, 17, 16, 15, 14, 13, 12, 11, 10, 9, 8, 7, 6, 5, 4, 3, 2, 1, 0

CRITICAL TABLE

Left Arm

1-3	1. Shoulder 2. Upper Arm Actuator 3. SRM 6 4. Ferro-Fibrous 5. Roll Again 6. Roll Again
4-6	1. Roll Again 2. Roll Again 3. Roll Again 4. Roll Again 5. Roll Again 6. Roll Again

Left Torso (CASE)

1-3	1. XL Fusion Engine 2. XL Fusion Engine 3. Jump Jet 4. Ammo (SRM 6) 15 5. Endo Steel 6. Endo Steel
4-6	1. Endo Steel 2. Endo Steel 3. Ferro-Fibrous 4. Ferro-Fibrous 5. Roll Again 6. Roll Again

Left Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Jump Jet
6. Jump Jet


Head

1. Life Support
2. Sensors
3. Cockpit
4. Ferro-Fibrous
5. Sensors
6. Life Support

Center Torso

1-3	1. XL Fusion Engine 2. XL Fusion Engine 3. XL Fusion Engine 4. Gyro 5. Gyro 6. Gyro
4-6	1. Gyro 2. XL Fusion Engine 3. XL Fusion Engine 4. XL Fusion Engine 5. Jump Jet 6. Streak SRM 4

Engine Hits ○○○
Gyro Hits ○○
Sensor Hits ○○
Life Support ○



Damage Transfer Diagram

Right Arm

1-3	1. Shoulder 2. Upper Arm Actuator 3. SRM 6 4. Ferro-Fibrous 5. Roll Again 6. Roll Again
4-6	1. Roll Again 2. Roll Again 3. Roll Again 4. Roll Again 5. Roll Again 6. Roll Again

Right Torso (CASE)

1-3	1. XL Fusion Engine 2. XL Fusion Engine 3. Jump Jet 4. Ammo (Streak SRM 4) 25 5. Ammo (SRM 6) 15 6. Endo Steel
4-6	1. Endo Steel 2. Endo Steel 3. Ferro-Fibrous 4. Ferro-Fibrous 5. Roll Again 6. Roll Again

Right Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Jump Jet
6. Jump Jet

HEAT DATA

Double Heat Sinks: 10 (20)

Heat Level*	Effects	
30	Shutdown	
28	Ammo Exp, avoid on 8+	○
26	Shutdown, avoid on 10+	○
25	-5 Movement Points	○
24	+4 Modifier to Fire	○
23	Ammo Exp, avoid on 6+	○
22	Shutdown, avoid on 8+	○
20	-4 Movement Points	○
19	Ammo Exp, avoid on 4+	○
18	Shutdown, avoid on 6+	○
17	+3 Modifier to Fire	○
15	-3 Movement Points	○
14	Shutdown, avoid on 4+	
13	+2 Modifier to Fire	
10	-2 Movement Points	
8	+1 Modifier to Fire	
5	-1 Movement Points	

© 2026 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved.
Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

PROTOMECH RECORD SHEET

PROTOMEK 1

Type: Boggart Ultraheavy
Tons: 13 ProtoMech
Role: Striker
Movement Points:
Walk: 5
Run: 8
Jump: 5

WEAPONS INVENTORY

#	Type	Loc	Dmg	Min	Sht	Med	Lng
1	Plasma Cannon	MG	[DE,H,AI]	–	6	12	18
VS	Frenzy	–	3	–	–	–	–

Ammo: (Plasma Cannon) 10

PILOT DATA

Name: _____
Gunnery Skill: _____

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead


BV: 538 **Armor:** Standard

HIT LOCATIONS AND CRITICAL HITS

2D6	LOCATION	1st HIT	2nd HIT	3rd HIT
2	Main Gun	☐ Main Gun Destroyed		
4,5	Legs	☐ -1 Walk MP	☐ 1/2 Walk MP	☐ No Move
9,10				
6,7,8	Torso	☐ -1 Jump MP*	☐ 1/2 Jump MP*	☐ Proto Destroyed
12	Head	☐ +1 to Hit	☐ +2 to Hit No Long Range Shots	

*Torso Weapon Destroyed, Roll 1D6:
No Torso Weapons

ARMOR DIAGRAM



© 2026 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved.
Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™



PROTOMECH RECORD SHEET

PROTOMEK 1

Type: Roc
Tons: 7
Role: Brawler
Movement Points:
Walk: 5
Run: 8
Jump: 5

WEAPONS INVENTORY


#	Type	Loc	Dmg	Min	Sht	Med	Lng
1	ER Medium Laser	MG	7 [DE]	–	5	10	15
VS	Frenzy	–	2	–	–	–	–

HIT LOCATIONS AND CRITICAL HITS

2D6	LOCATION	1st HIT	2nd HIT	3rd HIT
2	Main Gun	☐ Main Gun Destroyed		
4	Right Arm	☐ +1 to Hit	☐ Right Arm Destroyed	
5,9	Legs	☐ -1 Walk MP	☐ 1/2 Walk MP	☐ No Move
6,7,8	Torso	☐ -1 Jump MP*	☐ 1/2 Jump MP*	☐ Proto Destroyed
10	Left Arm	☐ +1 to Hit	☐ Left Arm Destroyed	
12	Head	☐ +1 to Hit	☐ +2 to Hit No Long Range Shots	

*Torso Weapon Destroyed, Roll 1D6:
No Torso Weapons

ARMOR DIAGRAM



PILOT DATA

Name: _____
Gunnery Skill: _____

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead

BV: 336 **Armor:** Standard

© 2026 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved.
Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

PROTOMECH RECORD SHEET

PROTOMEK 1

Type: Minotaur Z
Tons: 9
Role: Ambusher
Movement Points:
Walk: 3
Run: 5
Jump: 5

WEAPONS INVENTORY


#	Type	Loc	Dmg	Min	Sht	Med	Lng
1	Imp. Heavy Medium Laser	T	10 [DE,X]	—	3	6	9
1	Magnetic Clamps System	T	[E]	—	—	—	—
	Frenzy	—	2	—	—	—	—

HIT LOCATIONS AND CRITICAL HITS

2D6	LOCATION	1st HIT	2nd HIT	3rd HIT
2	Main Gun	☐ Main Gun Destroyed		
4	Right Arm	☐ +1 to Hit	☐ Right Arm Destroyed	
5,9	Legs	☐ -1 Walk MP	☐ 1/2 Walk MP	☐ No Move
6,7,8	Torso	☐ -1 Jump MP*	☐ 1/2 Jump MP*	☐ Proto Destroyed
10	Left Arm	☐ +1 to Hit	☐ Left Arm Destroyed	
12	Head	☐ +1 to Hit	☐ +2 to Hit No Long Range Shots	

*Torso Weapon Destroyed, Roll 1D6:
1-2: Imp. Heavy Medium Laser
3-6: No Effect
Magnetic Clamp System destroyed on first torso critical

ARMOR DIAGRAM



PILOT DATA

Name: _____
Gunnery Skill: _____

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead

BV: 300 **Armor:** Standard

© 2026 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved.
Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™



PROTOMECH RECORD SHEET

PROTOMEK 1

Type: Hobgoblin Ultraheavy
Tons: 10 ProtoMech
Role: Ambusher
Movement Points:
Walk: 4
Run: 6
Jump: 0

WEAPONS INVENTORY

#	Type	Loc	Dmg	Min	Sht	Med	Lng
1	Fusillade Launcher	MG	[M,C,S]				
	Standard		2/Msl	4	5	10	15
	Extended Range		1/Msl	4	9	18	27
	High Explosive		3/Msl	–	3	6	9
1	AP Gauss Rifle	RA	3 [DB,AI,X]	–	3	6	9
1	Magnetic Clamps System	T	[E]	–	–	–	–
	Frenzy	–	3	–	–	–	–

Ammo: (AP Gauss) 40

PILOT DATA

Name: _____
Gunnery Skill: _____

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead


BV: 272 **Armor:** Standard

HIT LOCATIONS AND CRITICAL HITS

2D6	LOCATION	1st HIT	2nd HIT	3rd HIT
2	Main Gun	☐ Main Gun Destroyed		
4	Right Arm	☐ +1 to Hit	☐ Right Arm Destroyed	
5,9	Legs	☐ -1 Walk MP	☐ 1/2 Walk MP	☐ No Move
6,7,8	Torso	☐ -1 Jump MP*	☐ 1/2 Jump MP*	☐ Proto Destroyed
10	Left Arm	☐ +1 to Hit	☐ Left Arm Destroyed	
12	Head	☐ +1 to Hit	☐ +2 to Hit No Long Range Shots	

*Torso Weapon Destroyed, Roll 1D6:
No Torso Weapons
Magnetic Clamp System destroyed on first torso critical

ARMOR DIAGRAM



CLUSTER HITS TABLE

2D6	3
2	1
3	1
4	1
5	2
6	2
7	2
8	2
9	2
10	3
11	3
12	3

© 2026 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved.
Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

PROTOMECH RECORD SHEET

PROTOMEK 1

Type: Basilisk ProtoMech
Tons: 7 (Quad)
Role: Striker
Movement Points:
Walk: 5
Run: 8
Jump: 0

VS

WEAPONS INVENTORY

#	Type	Loc	Dmg	Min	Sht	Med	Lng
1	SRM 4	T	2/Msl [M,C,S]	–	3	6	9
1	Quad Melee System	T	[E]	–	–	–	–
	Frenzy	–	4	–	–	–	–

Ammo: (SRM 4) 10

PILOT DATA

Name: _____
Gunnery Skill: _____

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead


BV: 255 **Armor:** EDP

HIT LOCATIONS AND CRITICAL HITS

2D6	LOCATION	1st HIT	2nd HIT	3rd HIT
2	Main Gun	☐ Main Gun Destroyed		
4,5	Legs	☐ -1 Walk MP	☐ 1/2 Walk MP	☐ No Move
9,10				
6,7,8	Torso	☐ -1 Jump MP*	☐ 1/2 Jump MP*	☐ Proto Destroyed
12	Head	☐ +1 to Hit	☐ +2 to Hit No Long Range Shots	

*Torso Weapon Destroyed, Roll 1D6:
1: SRM 4 2: Quad Melee System 3-6: No Effect

ARMOR DIAGRAM



CLUSTER HITS TABLE

2D6	4
2	1
3	2
4	2
5	2
6	2
7	3
8	3
9	3
10	3
11	4
12	4

© 2026 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved.
Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™



BATTLE ARMOR RECORD SHEET

BATTLE ARMOR: UN 1



1 

2 

3 

Type: Gnome Battle Armor (Sqd3)

Gunnery Skill: _____ **Anti-'Mech Skill:** _____

Ground MP: 1 **Jump MP:** 2

#	Type	Dmg	Min	Sht	Med	Lng
1	Advanced SRM 2 (Body)	2/Msl [M,C,S]	—	4	8	12
1	ER Small Laser	5 [DE]	—	2	4	6
1	Heavy Battle Claw		—	—	—	—

Ammo: (Advanced SRM 2) 2

Mechanized: ☑ **Swarm:** ☐ **Leg:** ☐ **AP:** ☐

Armor: Standard (Basic) **Role:** Juggernaut **BV:** 299

CLUSTER HITS TABLE

2D6	2	3	4	6
2	1	1	1	2
3	1	1	2	2
4	1	1	2	3
5	1	2	2	3
6	1	2	2	4
7	1	2	3	4
8	2	2	3	4
9	2	2	3	5
10	2	3	3	5
11	2	3	4	6
12	2	3	4	6

LEG ATTACKS TABLE

BATTLE ARMOR TROOPERS ACTIVE	BASE TO-HIT MODIFIER
4-6	0
3	+2
2	+5
1	+7

SWARM ATTACKS TABLE

BATTLE ARMOR TROOPERS ACTIVE	BASE TO-HIT MODIFIER
4-6	+2
1-3	+5

SWARM ATTACK MODIFIERS TABLE

ATTACKING ENEMY BATTLE ARMOR TROOPERS ACTIVE	FRIENDLY MECHANIZED BATTLE ARMOR TROOPERS ACTIVE					
	1	2	3	4	5	6
6	+0	+0	+0	+0	+1	+2
5	+0	+0	+0	+1	+2	+3
4	+0	+0	+1	+2	+3	+4
3	+0	+1	+2	+3	+4	+5
2	+1	+2	+3	+4	+5	+6
1	+2	+3	+4	+5	+6	+7

BATTLE ARMOR EQUIPMENT

Claws with magnets	-1

SITUATION*

'Mech prone	-2
'Mech or vehicle immobile	-4
Vehicle	-2

*Modifiers are cumulative

SWARM ATTACKS HIT LOCATION TABLE

2D6 ROLL	BIPEDAL/TRIPOD LOCATION	QUAD LOCATION
2	Head	Head
3	Rear Center Torso	Front Right Torso
4	Rear Right Torso	Rear Center Torso
5	Front Right Torso	Rear Right Torso
6	Right Arm	Front Right Torso
7	Front Center Torso	Front Center Torso
8	Left Arm	Front Left Torso
9	Front Left Torso	Rear Left Torso
10	Rear Left Torso	Rear Center Torso
11	Rear Center Torso	Front Left Torso
12	Head	Head

TRANSPORT POSITIONS TABLE

TROOPER NUMBER	'MECH LOCATION	VEHICLE LOCATION
1	Right Torso	Right Side
2	Left Torso	Right Side
3	Right Torso (rear)	Left Side
4	Left Torso (rear)	Left Side
5	Center Torso (rear)	Rear
6	Center Torso	Rear

TROOPER NUMBER	LARGE SUPPORT VEHICLE LOCATION*
1	Right Side (Unit 1/Unit 2)
2	Right Side (Unit 1/Unit 2)
3	Left Side (Unit 1/Unit 2)
4	Left Side (Unit 1/Unit 2)
5	Rear (Unit 1/Unit 2)
6	Rear (Unit 1/Unit 2)

*Unit 1 and Unit 2 represent two battle armor units.

© 2026 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved.
Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™



BATTLE ARMOR RECORD SHEET

BATTLE ARMOR: UN 1



1 

2 

3 

Type: Gnome Battle Armor (Sqd3)

Gunnery Skill: _____ **Anti-'Mech Skill:** _____

Ground MP: 1 **Jump MP:** 2

#	Type	Dmg	Min	Sht	Med	Lng
1	Advanced SRM 2 (Body)	2/Msl [M,C,S]	—	4	8	12
1	ER Small Laser	5 [DE]	—	2	4	6
1	Heavy Battle Claw		—	—	—	—

Ammo: (Advanced SRM 2) 2

Mechanized: ☑ **Swarm:** ☐ **Leg:** ☐ **AP:** ☐

Armor: Standard (Basic) **Role:** Juggernaut **BV:** 299

CLUSTER HITS TABLE

2D6	2	3	4	6
2	1	1	1	2
3	1	1	2	2
4	1	1	2	3
5	1	2	2	3
6	1	2	2	4
7	1	2	3	4
8	2	2	3	4
9	2	2	3	5
10	2	3	3	5
11	2	3	4	6
12	2	3	4	6

LEG ATTACKS TABLE

BATTLE ARMOR TROOPERS ACTIVE	BASE TO-HIT MODIFIER
4-6	0
3	+2
2	+5
1	+7

SWARM ATTACKS TABLE

BATTLE ARMOR TROOPERS ACTIVE	BASE TO-HIT MODIFIER
4-6	+2
1-3	+5

SWARM ATTACK MODIFIERS TABLE

ATTACKING ENEMY BATTLE ARMOR TROOPERS ACTIVE	FRIENDLY MECHANIZED BATTLE ARMOR TROOPERS ACTIVE					
	1	2	3	4	5	6
6	+0	+0	+0	+0	+1	+2
5	+0	+0	+0	+1	+2	+3
4	+0	+0	+1	+2	+3	+4
3	+0	+1	+2	+3	+4	+5
2	+1	+2	+3	+4	+5	+6
1	+2	+3	+4	+5	+6	+7

BATTLE ARMOR EQUIPMENT

Claws with magnets	-1

SITUATION*

'Mech prone	-2
'Mech or vehicle immobile	-4
Vehicle	-2

*Modifiers are cumulative

SWARM ATTACKS HIT LOCATION TABLE

2D6 ROLL	BIPEDAL/TRIPOD LOCATION	QUAD LOCATION
2	Head	Head
3	Rear Center Torso	Front Right Torso
4	Rear Right Torso	Rear Center Torso
5	Front Right Torso	Rear Right Torso
6	Right Arm	Front Right Torso
7	Front Center Torso	Front Center Torso
8	Left Arm	Front Left Torso
9	Front Left Torso	Rear Left Torso
10	Rear Left Torso	Rear Center Torso
11	Rear Center Torso	Front Left Torso
12	Head	Head

TRANSPORT POSITIONS TABLE

TROOPER NUMBER	'MECH LOCATION	VEHICLE LOCATION
1	Right Torso	Right Side
2	Left Torso	Right Side
3	Right Torso (rear)	Left Side
4	Left Torso (rear)	Left Side
5	Center Torso (rear)	Rear
6	Center Torso	Rear

TROOPER NUMBER	LARGE SUPPORT VEHICLE LOCATION*
1	Right Side (Unit 1/Unit 2)
2	Right Side (Unit 1/Unit 2)
3	Left Side (Unit 1/Unit 2)
4	Left Side (Unit 1/Unit 2)
5	Rear (Unit 1/Unit 2)
6	Rear (Unit 1/Unit 2)

*Unit 1 and Unit 2 represent two battle armor units.

© 2026 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved.
Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

BATTLE ARMOR RECORD SHEET

BATTLE ARMOR: UN 1

Type: Elemental Battle Armor [Laser](Sqd3)

Gunnery Skill: _____ **Anti-'Mech Skill:** _____

Ground MP: 1 **Jump MP:** 3

#	Type	Dmg	Min	Sht	Med	Lng
1	SRM 2 (Body)	2/Msl [M,C,S]	—	3	6	9
1	Small Laser	3 [DE]	—	1	2	3
1	Battle Claw		—	—	—	—

1 ○○○○○○○○○○

2 ○○○○○○○○○○

3 ○○○○○○○○○○

Ammo: (SRM 2) 2

Mechanized: ☑ **Swarm:** ☑ **Leg:** ☑ **AP:** ☑

Armor: Standard (Basic) **Role:** Ambusher **BV:** 230

CLUSTER HITS TABLE

2D6	2	3	4	6
2	1	1	1	2
3	1	1	2	2
4	1	1	2	3
5	1	2	2	3
6	1	2	2	4
7	1	2	3	4
8	2	2	3	4
9	2	2	3	5
10	2	3	3	5
11	2	3	4	6
12	2	3	4	6

LEG ATTACKS TABLE

BATTLE ARMOR TROOPERS ACTIVE	BASE TO-HIT MODIFIER
4-6	0
3	+2
2	+5
1	+7

SWARM ATTACKS TABLE

BATTLE ARMOR TROOPERS ACTIVE	BASE TO-HIT MODIFIER
4-6	+2
1-3	+5

SWARM ATTACK MODIFIERS TABLE

ATTACKING ENEMY BATTLE ARMOR TROOPERS ACTIVE	FRIENDLY MECHANIZED BATTLE ARMOR TROOPERS ACTIVE					
	1	2	3	4	5	6
6	+0	+0	+0	+0	+1	+2
5	+0	+0	+0	+1	+2	+3
4	+0	+0	+1	+2	+3	+4
3	+0	+1	+2	+3	+4	+5
2	+1	+2	+3	+4	+5	+6
1	+2	+3	+4	+5	+6	+7

BATTLE ARMOR EQUIPMENT

Claws with magnets	-1

SITUATION*

'Mech prone	-2
'Mech or vehicle immobile	-4
Vehicle	-2

*Modifiers are cumulative

SWARM ATTACKS HIT LOCATION TABLE

2D6 ROLL	BIPEDAL/TRIPOD LOCATION	QUAD LOCATION
2	Head	Head
3	Rear Center Torso	Front Right Torso
4	Rear Right Torso	Rear Center Torso
5	Front Right Torso	Rear Right Torso
6	Right Arm	Front Right Torso
7	Front Center Torso	Front Center Torso
8	Left Arm	Front Left Torso
9	Front Left Torso	Rear Left Torso
10	Rear Left Torso	Rear Center Torso
11	Rear Center Torso	Front Left Torso
12	Head	Head

TRANSPORT POSITIONS TABLE

TROOPER NUMBER	'MECH LOCATION	VEHICLE LOCATION
1	Right Torso	Right Side
2	Left Torso	Right Side
3	Right Torso (rear)	Left Side
4	Left Torso (rear)	Left Side
5	Center Torso (rear)	Rear
6	Center Torso	Rear

TROOPER NUMBER	LARGE SUPPORT VEHICLE LOCATION*
1	Right Side (Unit 1/Unit 2)
2	Right Side (Unit 1/Unit 2)
3	Left Side (Unit 1/Unit 2)
4	Left Side (Unit 1/Unit 2)
5	Rear (Unit 1/Unit 2)
6	Rear (Unit 1/Unit 2)

*Unit 1 and Unit 2 represent two battle armor units.

© 2026 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved.
Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

BATTLE ARMOR RECORD SHEET

BATTLE ARMOR: UN 1

Type: Elemental Battle Armor [Laser](Sqd3)

Gunnery Skill: _____ **Anti-'Mech Skill:** _____

Ground MP: 1 **Jump MP:** 3

#	Type	Dmg	Min	Sht	Med	Lng
1	SRM 2 (Body)	2/Msl [M,C,S]	—	3	6	9
1	Small Laser	3 [DE]	—	1	2	3
1	Battle Claw		—	—	—	—

1 ○○○○○○○○○○

2 ○○○○○○○○○○

3 ○○○○○○○○○○

Ammo: (SRM 2) 2

Mechanized: ☑ **Swarm:** ☑ **Leg:** ☑ **AP:** ☑

Armor: Standard (Basic) **Role:** Ambusher **BV:** 230

CLUSTER HITS TABLE

2D6	2	3	4	6
2	1	1	1	2
3	1	1	2	2
4	1	1	2	3
5	1	2	2	3
6	1	2	2	4
7	1	2	3	4
8	2	2	3	4
9	2	2	3	5
10	2	3	3	5
11	2	3	4	6
12	2	3	4	6

LEG ATTACKS TABLE

BATTLE ARMOR TROOPERS ACTIVE	BASE TO-HIT MODIFIER
4-6	0
3	+2
2	+5
1	+7

SWARM ATTACKS TABLE

BATTLE ARMOR TROOPERS ACTIVE	BASE TO-HIT MODIFIER
4-6	+2
1-3	+5

SWARM ATTACK MODIFIERS TABLE

ATTACKING ENEMY BATTLE ARMOR TROOPERS ACTIVE	FRIENDLY MECHANIZED BATTLE ARMOR TROOPERS ACTIVE					
	1	2	3	4	5	6
6	+0	+0	+0	+0	+1	+2
5	+0	+0	+0	+1	+2	+3
4	+0	+0	+1	+2	+3	+4
3	+0	+1	+2	+3	+4	+5
2	+1	+2	+3	+4	+5	+6
1	+2	+3	+4	+5	+6	+7

BATTLE ARMOR EQUIPMENT

Claws with magnets	-1

SITUATION*

'Mech prone	-2
'Mech or vehicle immobile	-4
Vehicle	-2

*Modifiers are cumulative

SWARM ATTACKS HIT LOCATION TABLE

2D6 ROLL	BIPEDAL/TRIPOD LOCATION	QUAD LOCATION
2	Head	Head
3	Rear Center Torso	Front Right Torso
4	Rear Right Torso	Rear Center Torso
5	Front Right Torso	Rear Right Torso
6	Right Arm	Front Right Torso
7	Front Center Torso	Front Center Torso
8	Left Arm	Front Left Torso
9	Front Left Torso	Rear Left Torso
10	Rear Left Torso	Rear Center Torso
11	Rear Center Torso	Front Left Torso
12	Head	Head

TRANSPORT POSITIONS TABLE

TROOPER NUMBER	'MECH LOCATION	VEHICLE LOCATION
1	Right Torso	Right Side
2	Left Torso	Right Side
3	Right Torso (rear)	Left Side
4	Left Torso (rear)	Left Side
5	Center Torso (rear)	Rear
6	Center Torso	Rear

TROOPER NUMBER	LARGE SUPPORT VEHICLE LOCATION*
1	Right Side (Unit 1/Unit 2)
2	Right Side (Unit 1/Unit 2)
3	Left Side (Unit 1/Unit 2)
4	Left Side (Unit 1/Unit 2)
5	Rear (Unit 1/Unit 2)
6	Rear (Unit 1/Unit 2)

*Unit 1 and Unit 2 represent two battle armor units.

© 2026 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved.
Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

BATTLE ARMOR RECORD SHEET

BATTLE ARMOR: UN 1

Type: Elemental Battle Armor [Flamer](Sqd3)

Gunnery Skill: _____ **Anti-'Mech Skill:** _____

Ground MP: 1 **Jump MP:** 3

#	Type	Dmg	Min	Sht	Med	Lng
1	SRM 2 (Body)	2/Msl [M,C,S]	—	3	6	9
1	Flamer [BA]	2 [DE,H,AI]	—	1	2	3
1	Battle Claw		—	—	—	—

1 ○○○○○○○○○○

2 ○○○○○○○○○○

3 ○○○○○○○○○○

Ammo: (SRM 2) 2

Mechanized: ☑ **Swarm:** ☑ **Leg:** ☑ **AP:** ☑

Armor: Standard (Basic) **Role:** Ambusher **BV:** 208

CLUSTER HITS TABLE

2D6	2	3	4	6
2	1	1	1	2
3	1	1	2	2
4	1	1	2	3
5	1	2	2	3
6	1	2	2	4
7	1	2	3	4
8	2	2	3	4
9	2	2	3	5
10	2	3	3	5
11	2	3	4	6
12	2	3	4	6

LEG ATTACKS TABLE

BATTLE ARMOR TROOPERS ACTIVE	BASE TO-HIT MODIFIER
4-6	0
3	+2
2	+5
1	+7

SWARM ATTACKS TABLE

BATTLE ARMOR TROOPERS ACTIVE	BASE TO-HIT MODIFIER
4-6	+2
1-3	+5

SWARM ATTACK MODIFIERS TABLE

ATTACKING ENEMY BATTLE ARMOR TROOPERS ACTIVE	FRIENDLY MECHANIZED BATTLE ARMOR TROOPERS ACTIVE					
	1	2	3	4	5	6
6	+0	+0	+0	+0	+1	+2
5	+0	+0	+0	+1	+2	+3
4	+0	+0	+1	+2	+3	+4
3	+0	+1	+2	+3	+4	+5
2	+1	+2	+3	+4	+5	+6
1	+2	+3	+4	+5	+6	+7

BATTLE ARMOR EQUIPMENT

Claws with magnets	-1

SITUATION*

'Mech prone	-2
'Mech or vehicle immobile	-4
Vehicle	-2

*Modifiers are cumulative

SWARM ATTACKS HIT LOCATION TABLE

2D6 ROLL	BIPEDAL/TRIPOD LOCATION	QUAD LOCATION
2	Head	Head
3	Rear Center Torso	Front Right Torso
4	Rear Right Torso	Rear Center Torso
5	Front Right Torso	Rear Right Torso
6	Right Arm	Front Right Torso
7	Front Center Torso	Front Center Torso
8	Left Arm	Front Left Torso
9	Front Left Torso	Rear Left Torso
10	Rear Left Torso	Rear Center Torso
11	Rear Center Torso	Front Left Torso
12	Head	Head

TRANSPORT POSITIONS TABLE

TROOPER NUMBER	'MECH LOCATION	VEHICLE LOCATION
1	Right Torso	Right Side
2	Left Torso	Right Side
3	Right Torso (rear)	Left Side
4	Left Torso (rear)	Left Side
5	Center Torso (rear)	Rear
6	Center Torso	Rear

TROOPER NUMBER	LARGE SUPPORT VEHICLE LOCATION*
1	Right Side (Unit 1/Unit 2)
2	Right Side (Unit 1/Unit 2)
3	Left Side (Unit 1/Unit 2)
4	Left Side (Unit 1/Unit 2)
5	Rear (Unit 1/Unit 2)
6	Rear (Unit 1/Unit 2)

*Unit 1 and Unit 2 represent two battle armor units.

© 2026 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved.
Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

BATTLE ARMOR RECORD SHEET

BATTLE ARMOR: UN 1

Type: Elemental Battle Armor [Flamer](Sqd3)

Gunnery Skill: _____ **Anti-'Mech Skill:** _____

Ground MP: 1 **Jump MP:** 3

#	Type	Dmg	Min	Sht	Med	Lng
1	SRM 2 (Body)	2/Msl [M,C,S]	—	3	6	9
1	Flamer [BA]	2 [DE,H,AI]	—	1	2	3
1	Battle Claw		—	—	—	—

1 ○○○○○○○○○○

2 ○○○○○○○○○○

3 ○○○○○○○○○○

Ammo: (SRM 2) 2

Mechanized: ☑ **Swarm:** ☑ **Leg:** ☑ **AP:** ☑

Armor: Standard (Basic) **Role:** Ambusher **BV:** 208

CLUSTER HITS TABLE

2D6	2	3	4	6
2	1	1	1	2
3	1	1	2	2
4	1	1	2	3
5	1	2	2	3
6	1	2	2	4
7	1	2	3	4
8	2	2	3	4
9	2	2	3	5
10	2	3	3	5
11	2	3	4	6
12	2	3	4	6

LEG ATTACKS TABLE

BATTLE ARMOR TROOPERS ACTIVE	BASE TO-HIT MODIFIER
4-6	0
3	+2
2	+5
1	+7

SWARM ATTACKS TABLE

BATTLE ARMOR TROOPERS ACTIVE	BASE TO-HIT MODIFIER
4-6	+2
1-3	+5

SWARM ATTACK MODIFIERS TABLE

ATTACKING ENEMY BATTLE ARMOR TROOPERS ACTIVE	FRIENDLY MECHANIZED BATTLE ARMOR TROOPERS ACTIVE					
	1	2	3	4	5	6
6	+0	+0	+0	+0	+1	+2
5	+0	+0	+0	+1	+2	+3
4	+0	+0	+1	+2	+3	+4
3	+0	+1	+2	+3	+4	+5
2	+1	+2	+3	+4	+5	+6
1	+2	+3	+4	+5	+6	+7

BATTLE ARMOR EQUIPMENT

Claws with magnets	-1

SITUATION*

'Mech prone	-2
'Mech or vehicle immobile	-4
Vehicle	-2

*Modifiers are cumulative

SWARM ATTACKS HIT LOCATION TABLE

2D6 ROLL	BIPEDAL/TRIPOD LOCATION	QUAD LOCATION
2	Head	Head
3	Rear Center Torso	Front Right Torso
4	Rear Right Torso	Rear Center Torso
5	Front Right Torso	Rear Right Torso
6	Right Arm	Front Right Torso
7	Front Center Torso	Front Center Torso
8	Left Arm	Front Left Torso
9	Front Left Torso	Rear Left Torso
10	Rear Left Torso	Rear Center Torso
11	Rear Center Torso	Front Left Torso
12	Head	Head

TRANSPORT POSITIONS TABLE

TROOPER NUMBER	'MECH LOCATION	VEHICLE LOCATION
1	Right Torso	Right Side
2	Left Torso	Right Side
3	Right Torso (rear)	Left Side
4	Left Torso (rear)	Left Side
5	Center Torso (rear)	Rear
6	Center Torso	Rear

TROOPER NUMBER	LARGE SUPPORT VEHICLE LOCATION*
1	Right Side (Unit 1/Unit 2)
2	Right Side (Unit 1/Unit 2)
3	Left Side (Unit 1/Unit 2)
4	Left Side (Unit 1/Unit 2)
5	Rear (Unit 1/Unit 2)
6	Rear (Unit 1/Unit 2)

*Unit 1 and Unit 2 represent two battle armor units.

© 2026 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved.
Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.