BATTLETECH™

OMNIMECH RECORD SHEET

'MECH DATA

Type: Masakari (Warhawk) B

Movement Points:		**Tonnage:**	85
Walking:	4	**Tech Base:**	Clan
Running:	6	**Rules Level:**	Standard
Jumping:	0	**Role:**	Brawler
Engine Type:	340 XL		

Weapons & Equipment Inventory (hexes)

	Type	Loc	Ht	Dmg	Min	Sht	Med	Lng
-1	Gauss Rifle	LA	1	15 [DB,X]	2	7	15	22
-1	ER Medium Laser	RA	5	7 [DE]	—	5	10	15
-1	ER Medium Laser	RA	5	7 [DE]	—	5	10	15
-1	ER Medium Laser	RA	5	7 [DE]	—	5	10	15
	Narc	CT	—	[M]	—	4	8	12
	SRM 6	RT	4	2/Msl [M,C,S]	—	3	6	9
	SRM 6	RT	4	2/Msl [M,C,S]	—	3	6	9
-1	ER Small Laser	LA	2	5 [DE]	—	2	4	6
	Targeting Computer	RT	—	[E]	—	—	—	—
	Total Heat (Dissipation): 26 (40)							
+3	Punch	LA	—	4	—	—	—	—
+1	Punch	RA	—	9	—	—	—	—
-2	Kick	—	—	17	—	—	—	—
Vs	Charge	—	—	8.5/hex	—	—	—	—
-1	Push	—	—	—	—	—	—	—

Ammo: (Narc) 6, (SRM 6 Narc) 75, (Gauss) 16

Quirks: Improved Targeting (Long)

BV: 2320

WARRIOR DATA

Name: _____

Gunnery Skill: ____ **Piloting Skill:** ____

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead

HIT LOCATION AND CLUSTER TABLE

Die Roll (2D6)	LS	F/R	RS	6
2*	LT(C)	CT(C)	RT(C)	2
3	LL	RA	RL	2
4	LA	RA	RA	3
5	LA	RL	RA	3
6	LL	RT	RL	4
7	LT	CT	RT	4
8	CT	LT	CT	4
9	RT	LL	LT	5
10	RA	LA	LA	5
11	RL	LA	LL	6
12	HD	HD	HD	6


*A result of 2 may inflict a critical hit.

PUNCH/KICK LOCATION TABLE

Die Roll	Punch			Kick		
(1D6)	LS	F/R	RS	LS	F/R	RS
1	LT	LA	RT	LL	RL	RL
2	LT	LT	RT	LL	RL	RL
3	CT	CT	CT	LL	RL	RL
4	LA	RT	RA	LL	LL	RL
5	LA	RA	RA	LL	LL	RL
6	HD	HD	HD	LL	LL	RL


ARMOR DIAGRAM

Ferro-Fibrous



INTERNAL STRUCTURE DIAGRAM

Standard Structure



Heat Scale

Overflow
30
29
28
27
26
25
24
23
22
21
20
19
18
17
16
15
14
13
12
11
10
9
8
7
6
5
4
3
2
1
0

CRITICAL TABLE

Left Arm (CASE)
1. Shoulder
2. Upper Arm Actuator
3. Gauss Rifle
4. Gauss Rifle
5. Gauss Rifle
6. Gauss Rifle

1. Gauss Rifle
2. Gauss Rifle
3. ER Small Laser
4. Ammo (Gauss) 8
5. Ammo (Gauss) 8
6. Ferro-Fibrous

Left Torso
1. XL Fusion Engine
2. XL Fusion Engine
3. Double Heat Sink
4. Double Heat Sink
5. Double Heat Sink
6. Double Heat Sink

1. Double Heat Sink
2. Double Heat Sink
3. Double Heat Sink
4. Double Heat Sink
5. Ferro-Fibrous
6. Ferro-Fibrous


Left Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Double Heat Sink
6. Double Heat Sink

Head
1. Life Support
2. Sensors
3. Cockpit
4. Ferro-Fibrous
5. Sensors
6. Life Support

Center Torso (CASE)
1. XL Fusion Engine
2. XL Fusion Engine
3. XL Fusion Engine
4. Gyro
5. Gyro
6. Gyro

1. Gyro
2. XL Fusion Engine
3. XL Fusion Engine
4. XL Fusion Engine
5. Narc
6. Ammo (Narc) 6

Engine Hits ○○○
Gyro Hits ○○
Sensor Hits ○○
Life Support ○



Damage Transfer Diagram

Right Arm (CASE)
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. ER Medium Laser
5. ER Medium Laser
6. ER Medium Laser

1. Ammo (SRM 6 Narc) 15
2. Ammo (SRM 6 Narc) 15
3. Ammo (SRM 6 Narc) 15
4. Ammo (SRM 6 Narc) 15
5. Ammo (SRM 6 Narc) 15
6. Ferro-Fibrous

Right Torso
1. XL Fusion Engine
2. XL Fusion Engine
3. Double Heat Sink
4. Double Heat Sink
5. SRM 6
6. SRM 6

1. Targeting Computer
2. Targeting Computer
3. Targeting Computer
4. Targeting Computer
5. Ferro-Fibrous
6. Ferro-Fibrous

Right Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Double Heat Sink
6. Double Heat Sink

HEAT DATA

Double Heat Sinks: 20 (40)

Heat Level*	Effects	
30	Shutdown	
28	Ammo Exp, avoid on 8+	○○
26	Shutdown, avoid on 10+	○○
25	-5 Movement Points	○○
24	+4 Modifier to Fire	○○
23	Ammo Exp, avoid on 6+	○○
22	Shutdown, avoid on 8+	○○
20	-4 Movement Points	○○
19	Ammo Exp, avoid on 4+	○○
18	Shutdown, avoid on 6+	○○
17	+3 Modifier to Fire	○○
15	-3 Movement Points	○○
14	Shutdown, avoid on 4+	
13	+2 Modifier to Fire	
10	-2 Movement Points	
8	+1 Modifier to Fire	
5	-1 Movement Points	

© 2026 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved.
Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

OMNIMECH RECORD SHEET

'MECH DATA

Type: Pouncer E

Movement Points:
Walking: 6
Running: 9
Jumping: 5
Engine Type: 240 XL

Tonnage: 40
Tech Base: Clan
Rules Level: Standard
Role: Striker

Weapons & Equipment Inventory (hexes)

Type	Loc	Ht	Dmg	Min	Sht	Med	Lng
ATM 9	LA	6	[M,C,S]				
Standard			2/Msl	4	5	10	15
Extended Range			1/Msl	4	9	18	27
High Explosive			3/Msl	–	3	6	9
ATM 9	RA	6	[M,C,S]				
Standard			2/Msl	4	5	10	15
Extended Range			1/Msl	4	9	18	27
High Explosive			3/Msl	–	3	6	9
ER Medium Laser	LT	5	7 [DE]	–	5	10	15
ER Micro Laser	LT	1	2 [DE]	–	1	2	4
ER Micro Laser	RT	1	2 [DE]	–	1	2	4

Total Heat (Dissipation): 19 (24)

Punch	LA	–	4	–	–	–	–
Punch	RA	–	4	–	–	–	–
-2 Kick	–	–	8	–	–	–	–
-1 Club	–	–	8	–	–	–	–
Vs Death From Above	–	–	12	–	–	–	–
Vs Charge	–	–	4/hex	–	–	–	–
-1 Push	–	–	–	–	–	–	–

Ammo: (ATM 9) 14, (ATM 9 HE) 7, (ATM 9 ER) 7
Quirks: Weak Head Armor (2)

BV: 1632

WARRIOR DATA

Name: _____

Gunnery Skill: ____ **Piloting Skill:** ____

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead

HIT LOCATION AND CLUSTER TABLE

Die Roll (2D6)	LS	F/R	RS	9
2*	LT(C)	CT(C)	RT(C)	3
3	LL	RA	RL	3
4	LA	RA	RA	4
5	LA	RL	RA	5
6	LL	RT	RL	5
7	LT	CT	RT	5
8	CT	LT	CT	5
9	RT	LL	LT	7
10	RA	LA	LA	7
11	RL	LA	LL	9
12	HD	HD	HD	9


*A result of 2 may inflict a critical hit.
Artemis IV FCS: +2

PUNCH/KICK LOCATION TABLE

Die Roll (1D6)	Punch LS	Punch F/R	Punch RS	Kick LS	Kick F/R	Kick RS
1	LT	LA	RT	LL	RL	RL
2	LT	LT	RT	LL	RL	RL
3	CT	CT	CT	LL	RL	RL
4	LA	RT	RA	LL	LL	RL
5	LA	RA	RA	LL	LL	RL
6	HD	HD	HD	LL	LL	RL


ARMOR DIAGRAM

Ferro-Fibrous



INTERNAL STRUCTURE DIAGRAM

Endo Steel



Heat Scale: Overflow, 30, 29, 28, 27, 26, 25, 24, 23, 22, 21, 20, 19, 18, 17, 16, 15, 14, 13, 12, 11, 10, 9, 8, 7, 6, 5, 4, 3, 2, 1, 0

CRITICAL TABLE

Left Arm
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. Double Heat Sink
6. Double Heat Sink

Left Arm (4-6)
1. ATM 9
2. ATM 9
3. ATM 9
4. ATM 9
5. Ferro-Fibrous
6. Roll Again

Left Torso (CASE)
1. XL Fusion Engine
2. XL Fusion Engine
3. Jump Jet
4. Jump Jet
5. ER Medium Laser
6. ER Micro Laser

Left Torso (4-6)
1. Ammo (ATM 9) 7
2. Ammo (ATM 9 ER) 7
3. Endo Steel
4. Ferro-Fibrous
5. Ferro-Fibrous
6. Roll Again


Left Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Endo Steel
6. Endo Steel

Head
1. Life Support
2. Sensors
3. Cockpit
4. Ferro-Fibrous
5. Sensors
6. Life Support

Center Torso
1. XL Fusion Engine
2. XL Fusion Engine
3. XL Fusion Engine
4. Gyro
5. Gyro
6. Gyro

Center Torso (4-6)
1. Gyro
2. XL Fusion Engine
3. XL Fusion Engine
4. XL Fusion Engine
5. Jump Jet
6. Endo Steel

Engine Hits ○○○
Gyro Hits ○○
Sensor Hits ○○
Life Support ○



Damage Transfer Diagram

Right Arm
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. Double Heat Sink
6. Double Heat Sink

Right Arm (4-6)
1. ATM 9
2. ATM 9
3. ATM 9
4. ATM 9
5. Ferro-Fibrous
6. Roll Again

Right Torso (CASE)
1. XL Fusion Engine
2. XL Fusion Engine
3. Double Heat Sink
4. Double Heat Sink
5. Jump Jet
6. Jump Jet

Right Torso (4-6)
1. ER Micro Laser
2. Ammo (ATM 9) 7
3. Ammo (ATM 9 HE) 7
4. Endo Steel
5. Ferro-Fibrous
6. Ferro-Fibrous

Right Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Endo Steel
6. Endo Steel

HEAT DATA

Double Heat Sinks: 12 (24)

Heat Level*	Effects	
30	Shutdown	
28	Ammo Exp, avoid on 8+	○○
26	Shutdown, avoid on 10+	○○
25	-5 Movement Points	○
24	+4 Modifier to Fire	○
23	Ammo Exp, avoid on 6+	○
22	Shutdown, avoid on 8+	○
20	-4 Movement Points	○
19	Ammo Exp, avoid on 4+	○
18	Shutdown, avoid on 6+	○
17	+3 Modifier to Fire	○
15	-3 Movement Points	○
14	Shutdown, avoid on 4+	
13	+2 Modifier to Fire	
10	-2 Movement Points	
8	+1 Modifier to Fire	
5	-1 Movement Points	

© 2026 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved.
Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

OMNIMECH RECORD SHEET

'MECH DATA

Type: Black Hawk (Nova) D

Movement Points:
Walking: 5
Running: 8
Jumping: 5
Engine Type: 250 XL

Tonnage: 50
Tech Base: Clan
Rules Level: Standard
Role: Missile Boat

Weapons & Equipment Inventory (hexes)

Type	Loc	Ht	Dmg	Min	Sht	Med	Lng
LB 5-X AC	LA	1	5 [DB,C/F/S]	3	8	15	24
LRM 20	RA	6	1/Msl [M,C,S]	—	7	14	21

Total Heat (Dissipation): 7 (28)

+3	Punch	LA	—	2	—	—	—	—
	Punch	RA	—	5	—	—	—	—
-2	Kick	—	—	10	—	—	—	—
Vs	Death From Above	—	—	15	—	—	—	—
Vs	Charge	—	—	5/hex	—	—	—	—
-1	Push	—	—	—	—	—	—	—

Ammo: (LRM 20) 12, (LB 5-X) 20, (LB 5-X Cluster) 20

Quirks: Combat Computer, Narrow/Low Profile

BV: 1450

WARRIOR DATA

Name: _____

Gunnery Skill: ____ **Piloting Skill:** ____

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead

HIT LOCATION AND CLUSTER TABLE

Die Roll (2D6)	LS	F/R	RS	5	20
2*	LT(C)	CT(C)	RT(C)	1	6
3	LL	RA	RL	2	6
4	LA	RA	RA	2	9
5	LA	RL	RA	3	12
6	LL	RT	RL	3	12
7	LT	CT	RT	3	12
8	CT	LT	CT	3	12
9	RT	LL	LT	4	16
10	RA	LA	LA	4	16
11	RL	LA	LL	5	20
12	HD	HD	HD	5	20


*A result of 2 may inflict a critical hit.

PUNCH/KICK LOCATION TABLE

Die Roll (1D6)	Punch LS	Punch F/R	Punch RS	Kick LS	Kick F/R	Kick RS
1	LT	LA	RT	LL	RL	RL
2	LT	LT	RT	LL	RL	RL
3	CT	CT	CT	LL	RL	RL
4	LA	RT	RA	LL	LL	RL
5	LA	RA	RA	LL	LL	RL
6	HD	HD	HD	LL	LL	RL


ARMOR DIAGRAM

Standard Armor



INTERNAL STRUCTURE DIAGRAM

Standard Structure



Heat Scale

Overflow
30
29
28
27
26
25
24
23
22
21
20
19
18
17
16
15
14
13
12
11
10
9
8
7
6
5
4
3
2
1
0

CRITICAL TABLE

Left Arm (CASE)
1. Shoulder
2. Upper Arm Actuator
3. LB 5-X AC
4. LB 5-X AC
5. LB 5-X AC
6. LB 5-X AC

1-3
1. Ammo (LB 5-X) 20
2. Ammo (LB 5-X Cluster) 20
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

4-6

Left Torso
1. XL Fusion Engine
2. XL Fusion Engine
3. Double Heat Sink
4. Double Heat Sink
5. Double Heat Sink
6. Double Heat Sink

1-3
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

4-6

Left Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Jump Jet
6. Jump Jet


Head
1. Life Support
2. Sensors
3. Cockpit
4. Roll Again
5. Sensors
6. Life Support

Center Torso
1. XL Fusion Engine
2. XL Fusion Engine
3. XL Fusion Engine
4. Gyro
5. Gyro
6. Gyro

1-3
1. Gyro
2. XL Fusion Engine
3. XL Fusion Engine
4. XL Fusion Engine
5. Jump Jet
6. Roll Again

4-6

Engine Hits ○○○
Gyro Hits ○○
Sensor Hits ○○
Life Support ○



Damage Transfer Diagram

Right Arm (CASE)
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. LRM 20
6. LRM 20

1-3
1. LRM 20
2. LRM 20
3. Ammo (LRM 20) 6
4. Ammo (LRM 20) 6
5. Roll Again
6. Roll Again

4-6

Right Torso
1. XL Fusion Engine
2. XL Fusion Engine
3. Double Heat Sink
4. Double Heat Sink
5. Double Heat Sink
6. Double Heat Sink

1-3
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

4-6

Right Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Jump Jet
6. Jump Jet

HEAT DATA

Double Heat Sinks: 14 (28)

Heat Level*	Effects	
30	Shutdown	
28	Ammo Exp, avoid on 8+	○○
26	Shutdown, avoid on 10+	○○
25	-5 Movement Points	○○
24	+4 Modifier to Fire	○○
23	Ammo Exp, avoid on 6+	○
22	Shutdown, avoid on 8+	○
20	-4 Movement Points	○
19	Ammo Exp, avoid on 4+	○
18	Shutdown, avoid on 6+	○
17	+3 Modifier to Fire	○
15	-3 Movement Points	○
14	Shutdown, avoid on 4+	
13	+2 Modifier to Fire	
10	-2 Movement Points	
8	+1 Modifier to Fire	
5	-1 Movement Points	

© 2026 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved.
Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

OMNIMECH RECORD SHEET

'MECH DATA

Type: Dasher (Fire Moth) A

Movement Points:
Walking: 10
Running: 15 [20]
Jumping: 0
Engine Type: 200 XL

Tonnage: 20
Tech Base: Clan
Rules Level: Standard
Role: Scout

Weapons & Equipment Inventory (hexes)

	Type	Loc	Ht	Dmg	Min	Sht	Med	Lng
	TAG	RA	—	[E]	—	5	9	15
	Streak SRM 4	RT	3	2/Msl [M,C]	—	4	8	12
	Anti-Missile System	LA	1	[PB]	—	1	—	—
	Active Probe	RA	—	[E]	—	—	—	5
	Total Heat (Dissipation): 4 (20)							
	Punch	LA	—	2	—	—	—	—
	Punch	RA	—	2	—	—	—	—
-2	Kick	—	—	4	—	—	—	—
-1	Club	—	—	4	—	—	—	—
Vs	Charge	—	—	2/hex	—	—	—	—
-1	Push	—	—	—	—	—	—	—

Ammo: (Streak SRM 4) 25, (AMS) 24

Quirks: Narrow/Low Profile, Overhead Arms

BV: 639

WARRIOR DATA

Name: _____

Gunnery Skill: _____ **Piloting Skill:** _____

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead

HIT LOCATION AND CLUSTER TABLE

Die Roll (2D6)	LS	F/R	RS	4
2*	LT(C)	CT(C)	RT(C)	1
3	LL	RA	RL	2
4	LA	RA	RA	2
5	LA	RL	RA	2
6	LL	RT	RL	2
7	LT	CT	RT	3
8	CT	LT	CT	3
9	RT	LL	LT	3
10	RA	LA	LA	3
11	RL	LA	LL	4
12	HD	HD	HD	4


*A result of 2 may inflict a critical hit.

PUNCH/KICK LOCATION TABLE

Die Roll (1D6)	Punch LS	Punch F/R	Punch RS	Kick LS	Kick F/R	Kick RS
1	LT	LA	RT	LL	RL	RL
2	LT	LT	RT	LL	RL	RL
3	CT	CT	CT	LL	RL	RL
4	LA	RT	RA	LL	LL	RL
5	LA	RA	RA	LL	LL	RL
6	HD	HD	HD	LL	LL	RL


ARMOR DIAGRAM

Ferro-Fibrous



INTERNAL STRUCTURE DIAGRAM

Endo Steel



Heat Scale

Overflow
30
29
28
27
26
25
24
23
22
21
20
19
18
17
16
15
14
13
12
11
10
9
8
7
6
5
4
3
2
1
0

CRITICAL TABLE

Left Arm (CASE)
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. Anti-Missile System
6. Ammo (AMS) 24

1-3
4-6

1. Endo Steel
2. Ferro-Fibrous
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Torso
1. XL Fusion Engine
2. XL Fusion Engine
3. Double Heat Sink
4. Double Heat Sink
5. Endo Steel
6. Ferro-Fibrous

1-3

4-6

1. Ferro-Fibrous
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Endo Steel
6. Roll Again

Head
1. Life Support
2. Sensors
3. Cockpit
4. Ferro-Fibrous
5. Sensors
6. Life Support


Center Torso
1. XL Fusion Engine
2. XL Fusion Engine
3. XL Fusion Engine
4. Gyro
5. Gyro
6. Gyro

1-3

4-6

1. Gyro
2. XL Fusion Engine
3. XL Fusion Engine
4. XL Fusion Engine
5. MASC
6. Endo Steel

Engine Hits ○○○
Gyro Hits ○○
Sensor Hits ○○
Life Support ○



Damage Transfer Diagram

Right Arm
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. TAG
6. Active Probe

1-3

4-6

1. Endo Steel
2. Ferro-Fibrous
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Torso (CASE)
1. XL Fusion Engine
2. XL Fusion Engine
3. Double Heat Sink
4. Double Heat Sink
5. Streak SRM 4
6. Ammo (Streak SRM 4) 25

1-3

4-6

1. Endo Steel
2. Ferro-Fibrous
3. Ferro-Fibrous
4. Roll Again
5. Roll Again
6. Roll Again

Right Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Endo Steel
6. Roll Again

HEAT DATA

Double Heat Sinks: 10 (20)

Heat Level*	Effects	
30	Shutdown	
28	Ammo Exp, avoid on 8+	○
26	Shutdown, avoid on 10+	○
25	-5 Movement Points	○
24	+4 Modifier to Fire	○
23	Ammo Exp, avoid on 6+	○
22	Shutdown, avoid on 8+	○
20	-4 Movement Points	○
19	Ammo Exp, avoid on 4+	○
18	Shutdown, avoid on 6+	○
17	+3 Modifier to Fire	○
15	-3 Movement Points	○
14	Shutdown, avoid on 4+	
13	+2 Modifier to Fire	
10	-2 Movement Points	
8	+1 Modifier to Fire	
5	-1 Movement Points	

© 2026 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved.
Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

AEROSPACE FIGHTER RECORD SHEET

EXTERNAL STORES/BOMBS

FIGHTER DATA

Type: Gotha GTHA-500b

Thrust:		**Tonnage:**	60
SafeThrust:	5	**Tech Base:**	Inner Sphere
Maximum Thrust:	8	**Rules Level:**	Standard
Engine Type:	180 Fusion	**Role:**	Attack Fighter


Weapons & Equipment Inventory

				Standard Scale		(1-6)	(7-12)	(13-20)	(21-25)
	#	Type	Loc	Ht	SRV	MRV	LRV	ERV
	1	LRM 15 [M,C,S] w/Artemis IV	LWG	5	12	12	12	—
	1	LRM 15 [M,C,S] w/Artemis IV	RWG	5	12	12	12	—
-2	1	Large Pulse Laser [P]	NOS	10	9	9	—	—
	1	Medium Laser [DE]	NOS	3	5	—	—	—
	1	Medium Laser [DE]	NOS	3	5	—	—	—
	1	Medium Laser [DE]	AFT	3	5	—	—	—
	1	Medium Laser [DE]	AFT	3	5	—	—	—
	1	Small Laser [DE]	LWG	1	3	—	—	—
	1	Small Laser [DE]	RWG	1	3	—	—	—

Total Heat (Dissipation): 34 (24)


Ammo: (LRM 15 Artemis) 8
Fuel Points: 480

BV: 1374 (1527)



ARMOR DIAGRAM

Ferro-Aluminum



Key:
HE - High Explosive
LG - Laser Guided
C - Cluster
RL - Rocket Launcher

CRITICAL DAMAGE

Avionics	+1	+2	+5	Engine	2	4	D
FCS	+2	+4	D	Landing Gear			+5
Sensors	+1	+2	+5	Life Support			+2

PILOT DATA

Name: _____

Gunnery Skill: 5 **Piloting Skill:** 5

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead
Modifier	+1	+2	+3	+4	+5	

HEAT DATA

Double Heat Sinks: 12 (24)

Heat Level*	Effects	
30	Shutdown	○○
28	Ammo Exp avoid on 8+	○○
27	Pilot damage, avoid on 9+	○
26	Shutdown, avoid on 10+	○
25	Random Movement, avoid on 10+	○
24	+4 Modifier to Fire	○
23	Ammo Exp avoid on 6+	○
22	Shutdown, avoid on 8+	○
21	Pilot damage, avoid on 6+	○
20	Random Movement, avoid on 8+	
19	Ammo Exp avoid on 4+	
18	Shutdown, avoid on 6+	
17	+3 Modifier to Fire	
15	Random Movement, avoid on 7+	
14	Shutdown, avoid on 4+	
13	+2 Modifier to Fire	
10	Random Movement, avoid on 6+	
8	+1 Modifier to Fire	
5	Random Movement, avoid on 5+	

Heat Scale

Overflow
30 29 28 27 26 25 24 23 22 21 20 19 18 17 16 15 14 13 12 11 10 9 8 7 6 5 4 3 2 1 0

VELOCITY RECORD

Turn #	1	2	3	4	5	6	7	8	9	10
Thrust										
Velocity										
Effective Velocity										
Altitude										

Turn #	11	12	13	14	15	16	17	18	19	20
Thrust										
Velocity										
Effective Velocity										
Altitude										

© 2026 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved.
Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

OMNIFIGHTER RECORD SHEET

EXTERNAL STORES/BOMBS

Key:
HE - High Explosive
LG - Laser Guided
C - Cluster
RL - Rocket Launcher

FIGHTER DATA

Type: Bashkir A

Thrust:		**Tonnage:**	20
SafeThrust:	13	**Tech Base:**	Clan
Maximum Thrust:	20	**Rules Level:**	Standard
Engine Type:	220 XL	**Role:**	Interceptor

Weapons & Equipment Inventory


Standard Scale

#	Type	Loc	Ht	SRV (1-6)	MRV (7-12)	LRV (13-20)	ERV (21-25)
-2 1	Medium Pulse Laser [P]	NOS	4	7	7	–	–
1	SRM 6 [M,C,S]	NOS	4	8	–	–	–

Total Heat (Dissipation): 8 (22)


Ammo (CASE): (SRM 6) 15
Fuel Points: 240

BV: 763



ARMOR DIAGRAM

Ferro-Aluminum



CRITICAL DAMAGE

Avionics	+1 +2 +5	Engine	2 4 D
FCS	+2 +4 D	Landing Gear	+5
Sensors	+1 +2 +5	Life Support	+2

PILOT DATA

Name: _____

Gunnery Skill: ____ **Piloting Skill:** ____

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead
Modifier	+1	+2	+3	+4	+5	

HEAT DATA

Double Heat Sinks: 11 (22)

Heat Level*	Effects	
30	Shutdown	○○
28	Ammo Exp avoid on 8+	○
27	Pilot damage, avoid on 9+	○
26	Shutdown, avoid on 10+	○
25	Random Movement, avoid on 10+	○
24	+4 Modifier to Fire	○
23	Ammo Exp avoid on 6+	○
22	Shutdown, avoid on 8+	○
21	Pilot damage, avoid on 6+	○
20	Random Movement, avoid on 8+	
19	Ammo Exp avoid on 4+	
18	Shutdown, avoid on 6+	
17	+3 Modifier to Fire	
15	Random Movement, avoid on 7+	
14	Shutdown, avoid on 4+	
13	+2 Modifier to Fire	
10	Random Movement, avoid on 6+	
8	+1 Modifier to Fire	
5	Random Movement, avoid on 5+	

Heat Scale: Overflow, 30, 29, 28, 27, 26, 25, 24, 23, 22, 21, 20, 19, 18, 17, 16, 15, 14, 13, 12, 11, 10, 9, 8, 7, 6, 5, 4, 3, 2, 1, 0

VELOCITY RECORD

Turn #	1	2	3	4	5	6	7	8	9	10
Thrust										
Velocity										
Effective Velocity										
Altitude										

Turn #	11	12	13	14	15	16	17	18	19	20
Thrust										
Velocity										
Effective Velocity										
Altitude										

© 2026 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved.
Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

BATTLE ARMOR RECORD SHEET

BATTLE ARMOR: POINT 1

Type: Elemental Battle Armor [Laser](Sqd5)

Gunnery Skill: _____ **Anti-'Mech Skill:** _____

Ground MP: 1 **Jump MP:** 3

#	Type	Dmg	Min	Sht	Med	Lng
1	SRM 2 (Body)	2/Msl [M,C,S]	—	3	6	9
1	Small Laser	3 [DE]	—	1	2	3
1	Battle Claw		—	—	—	—

Ammo: (SRM 2) 2

Mechanized: ☑ **Swarm:** ☑ **Leg:** ☑ **AP:** ☑

1 ○○○○○○○○○○○○

2 ○○○○○○○○○○○○

3 ○○○○○○○○○○○○

4 ○○○○○○○○○○○○

5 ○○○○○○○○○○○○

Armor: Standard (Basic) **Role:** Ambusher **BV:** 447

CLUSTER HITS TABLE

2D6	2	3	4	5	6	8	10
2	1	1	1	1	2	2	3
3	1	1	2	2	2	3	3
4	1	1	2	2	3	3	4
5	1	2	2	3	3	4	6
6	1	2	2	3	4	4	6
7	1	2	3	3	4	5	6
8	2	2	3	3	4	5	6
9	2	2	3	4	5	6	8
10	2	3	3	4	5	7	8
11	2	3	4	5	6	8	10
12	2	3	4	5	6	8	10

LEG ATTACKS TABLE

BATTLE ARMOR TROOPERS ACTIVE	BASE TO-HIT MODIFIER
4-6	0
3	+2
2	+5
1	+7

SWARM ATTACKS TABLE

BATTLE ARMOR TROOPERS ACTIVE	BASE TO-HIT MODIFIER
4-6	+2
1-3	+5

SWARM ATTACK MODIFIERS TABLE

ATTACKING ENEMY BATTLE ARMOR TROOPERS ACTIVE	FRIENDLY MECHANIZED BATTLE ARMOR TROOPERS ACTIVE					
	1	2	3	4	5	6
6	+0	+0	+0	+0	+1	+2
5	+0	+0	+0	+1	+2	+3
4	+0	+0	+1	+2	+3	+4
3	+0	+1	+2	+3	+4	+5
2	+1	+2	+3	+4	+5	+6
1	+2	+3	+4	+5	+6	+7

BATTLE ARMOR EQUIPMENT

Claws with magnets	-1

SITUATION*

'Mech prone	-2
'Mech or vehicle immobile	-4
Vehicle	-2

*Modifiers are cumulative

SWARM ATTACKS HIT LOCATION TABLE

2D6 ROLL	BIPEDAL/TRIPOD LOCATION	QUAD LOCATION
2	Head	Head
3	Rear Center Torso	Front Right Torso
4	Rear Right Torso	Rear Center Torso
5	Front Right Torso	Rear Right Torso
6	Right Arm	Front Right Torso
7	Front Center Torso	Front Center Torso
8	Left Arm	Front Left Torso
9	Front Left Torso	Rear Left Torso
10	Rear Left Torso	Rear Center Torso
11	Rear Center Torso	Front Left Torso
12	Head	Head

TRANSPORT POSITIONS TABLE

TROOPER NUMBER	'MECH LOCATION	VEHICLE LOCATION
1	Right Torso	Right Side
2	Left Torso	Right Side
3	Right Torso (rear)	Left Side
4	Left Torso (rear)	Left Side
5	Center Torso (rear)	Rear
6	Center Torso	Rear

TROOPER NUMBER	LARGE SUPPORT VEHICLE LOCATION*
1	Right Side (Unit 1/Unit 2)
2	Right Side (Unit 1/Unit 2)
3	Left Side (Unit 1/Unit 2)
4	Left Side (Unit 1/Unit 2)
5	Rear (Unit 1/Unit 2)
6	Rear (Unit 1/Unit 2)

*Unit 1 and Unit 2 represent two battle armor units.

© 2026 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved.
Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

BATTLE ARMOR RECORD SHEET

BATTLE ARMOR: POINT 1

Type: Elemental Battle Armor [Laser](Sqd5)

Gunnery Skill: _____ **Anti-'Mech Skill:** _____

Ground MP: 1 **Jump MP:** 3

#	Type	Dmg	Min	Sht	Med	Lng
1	SRM 2 (Body)	2/Msl [M,C,S]	—	3	6	9
1	Small Laser	3 [DE]	—	1	2	3
1	Battle Claw		—	—	—	—

Ammo: (SRM 2) 2

Mechanized: ☑ **Swarm:** ☑ **Leg:** ☑ **AP:** ☑

1 ○○○○○○○○○○○○

2 ○○○○○○○○○○○○

3 ○○○○○○○○○○○○

4 ○○○○○○○○○○○○

5 ○○○○○○○○○○○○

Armor: Standard (Basic) **Role:** Ambusher **BV:** 447

CLUSTER HITS TABLE

2D6	2	3	4	5	6	8	10
2	1	1	1	1	2	2	3
3	1	1	2	2	2	3	3
4	1	1	2	2	3	3	4
5	1	2	2	3	3	4	6
6	1	2	2	3	4	4	6
7	1	2	3	3	4	5	6
8	2	2	3	3	4	5	6
9	2	2	3	4	5	6	8
10	2	3	3	4	5	7	8
11	2	3	4	5	6	8	10
12	2	3	4	5	6	8	10

LEG ATTACKS TABLE

BATTLE ARMOR TROOPERS ACTIVE	BASE TO-HIT MODIFIER
4-6	0
3	+2
2	+5
1	+7

SWARM ATTACKS TABLE

BATTLE ARMOR TROOPERS ACTIVE	BASE TO-HIT MODIFIER
4-6	+2
1-3	+5

SWARM ATTACK MODIFIERS TABLE

ATTACKING ENEMY BATTLE ARMOR TROOPERS ACTIVE	FRIENDLY MECHANIZED BATTLE ARMOR TROOPERS ACTIVE					
	1	2	3	4	5	6
6	+0	+0	+0	+0	+1	+2
5	+0	+0	+0	+1	+2	+3
4	+0	+0	+1	+2	+3	+4
3	+0	+1	+2	+3	+4	+5
2	+1	+2	+3	+4	+5	+6
1	+2	+3	+4	+5	+6	+7

BATTLE ARMOR EQUIPMENT

Claws with magnets	-1

SITUATION*

'Mech prone	-2
'Mech or vehicle immobile	-4
Vehicle	-2

*Modifiers are cumulative

SWARM ATTACKS HIT LOCATION TABLE

2D6 ROLL	BIPEDAL/TRIPOD LOCATION	QUAD LOCATION
2	Head	Head
3	Rear Center Torso	Front Right Torso
4	Rear Right Torso	Rear Center Torso
5	Front Right Torso	Rear Right Torso
6	Right Arm	Front Right Torso
7	Front Center Torso	Front Center Torso
8	Left Arm	Front Left Torso
9	Front Left Torso	Rear Left Torso
10	Rear Left Torso	Rear Center Torso
11	Rear Center Torso	Front Left Torso
12	Head	Head

TRANSPORT POSITIONS TABLE

TROOPER NUMBER	'MECH LOCATION	VEHICLE LOCATION
1	Right Torso	Right Side
2	Left Torso	Right Side
3	Right Torso (rear)	Left Side
4	Left Torso (rear)	Left Side
5	Center Torso (rear)	Rear
6	Center Torso	Rear

TROOPER NUMBER	LARGE SUPPORT VEHICLE LOCATION*
1	Right Side (Unit 1/Unit 2)
2	Right Side (Unit 1/Unit 2)
3	Left Side (Unit 1/Unit 2)
4	Left Side (Unit 1/Unit 2)
5	Rear (Unit 1/Unit 2)
6	Rear (Unit 1/Unit 2)

*Unit 1 and Unit 2 represent two battle armor units.

© 2026 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved.
Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™



BATTLE ARMOR RECORD SHEET

BATTLE ARMOR: POINT 1

Type: Elemental Battle Armor [MG](Sqd5)

Gunnery Skill: _____ **Anti-'Mech Skill:** _____

Ground MP: 1 **Jump MP:** 3

#	Type	Dmg	Min	Sht	Med	Lng
1	SRM 2 (Body)	2/Msl [M,C,S]	—	3	6	9
1	Machine Gun (Medium)	2 [DB,AI]	—	1	2	3
1	Battle Claw		—	—	—	—

Ammo: (SRM 2) 2

Mechanized: ☑ **Swarm:** ☑ **Leg:** ☑ **AP:** ☑

1 ○○○○○○○○○○

2 ○○○○○○○○○○

3 ○○○○○○○○○○

4 ○○○○○○○○○○

5 ○○○○○○○○○○

Armor: Standard (Basic) **Role:** Ambusher **BV:** 404

CLUSTER HITS TABLE

2D6	2	3	4	5	6	8	10
2	1	1	1	1	2	2	3
3	1	1	2	2	2	3	3
4	1	1	2	2	3	3	4
5	1	2	2	3	3	4	6
6	1	2	2	3	4	4	6
7	1	2	3	3	4	5	6
8	2	2	3	3	4	5	6
9	2	2	3	4	5	6	8
10	2	3	3	4	5	7	8
11	2	3	4	5	6	8	10
12	2	3	4	5	6	8	10

LEG ATTACKS TABLE

BATTLE ARMOR TROOPERS ACTIVE	BASE TO-HIT MODIFIER
4-6	0
3	+2
2	+5
1	+7

SWARM ATTACKS TABLE

BATTLE ARMOR TROOPERS ACTIVE	BASE TO-HIT MODIFIER
4-6	+2
1-3	+5

SWARM ATTACK MODIFIERS TABLE

ATTACKING ENEMY BATTLE ARMOR TROOPERS ACTIVE	FRIENDLY MECHANIZED BATTLE ARMOR TROOPERS ACTIVE					
	1	2	3	4	5	6
6	+0	+0	+0	+0	+1	+2
5	+0	+0	+0	+1	+2	+3
4	+0	+0	+1	+2	+3	+4
3	+0	+1	+2	+3	+4	+5
2	+1	+2	+3	+4	+5	+6
1	+2	+3	+4	+5	+6	+7

BATTLE ARMOR EQUIPMENT

Claws with magnets	-1

SITUATION*

'Mech prone	-2
'Mech or vehicle immobile	-4
Vehicle	-2

*Modifiers are cumulative

SWARM ATTACKS HIT LOCATION TABLE

2D6 ROLL	BIPEDAL/TRIPOD LOCATION	QUAD LOCATION
2	Head	Head
3	Rear Center Torso	Front Right Torso
4	Rear Right Torso	Rear Center Torso
5	Front Right Torso	Rear Right Torso
6	Right Arm	Front Right Torso
7	Front Center Torso	Front Center Torso
8	Left Arm	Front Left Torso
9	Front Left Torso	Rear Left Torso
10	Rear Left Torso	Rear Center Torso
11	Rear Center Torso	Front Left Torso
12	Head	Head

TRANSPORT POSITIONS TABLE

TROOPER NUMBER	'MECH LOCATION	VEHICLE LOCATION
1	Right Torso	Right Side
2	Left Torso	Right Side
3	Right Torso (rear)	Left Side
4	Left Torso (rear)	Left Side
5	Center Torso (rear)	Rear
6	Center Torso	Rear

TROOPER NUMBER	LARGE SUPPORT VEHICLE LOCATION*
1	Right Side (Unit 1/Unit 2)
2	Right Side (Unit 1/Unit 2)
3	Left Side (Unit 1/Unit 2)
4	Left Side (Unit 1/Unit 2)
5	Rear (Unit 1/Unit 2)
6	Rear (Unit 1/Unit 2)

*Unit 1 and Unit 2 represent two battle armor units.

© 2026 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved.
Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™



BATTLE ARMOR RECORD SHEET

BATTLE ARMOR: POINT 1

Type: Elemental Battle Armor [MG](Sqd5)

Gunnery Skill: _____ **Anti-'Mech Skill:** _____

Ground MP: 1 **Jump MP:** 3

#	Type	Dmg	Min	Sht	Med	Lng
1	SRM 2 (Body)	2/Msl [M,C,S]	—	3	6	9
1	Machine Gun (Medium)	2 [DB,AI]	—	1	2	3
1	Battle Claw		—	—	—	—

Ammo: (SRM 2) 2

Mechanized: ☑ **Swarm:** ☑ **Leg:** ☑ **AP:** ☑

1 ○○○○○○○○○○

2 ○○○○○○○○○○

3 ○○○○○○○○○○

4 ○○○○○○○○○○

5 ○○○○○○○○○○

Armor: Standard (Basic) **Role:** Ambusher **BV:** 404

CLUSTER HITS TABLE

2D6	2	3	4	5	6	8	10
2	1	1	1	1	2	2	3
3	1	1	2	2	2	3	3
4	1	1	2	2	3	3	4
5	1	2	2	3	3	4	6
6	1	2	2	3	4	4	6
7	1	2	3	3	4	5	6
8	2	2	3	3	4	5	6
9	2	2	3	4	5	6	8
10	2	3	3	4	5	7	8
11	2	3	4	5	6	8	10
12	2	3	4	5	6	8	10

LEG ATTACKS TABLE

BATTLE ARMOR TROOPERS ACTIVE	BASE TO-HIT MODIFIER
4-6	0
3	+2
2	+5
1	+7

SWARM ATTACKS TABLE

BATTLE ARMOR TROOPERS ACTIVE	BASE TO-HIT MODIFIER
4-6	+2
1-3	+5

SWARM ATTACK MODIFIERS TABLE

ATTACKING ENEMY BATTLE ARMOR TROOPERS ACTIVE	FRIENDLY MECHANIZED BATTLE ARMOR TROOPERS ACTIVE					
	1	2	3	4	5	6
6	+0	+0	+0	+0	+1	+2
5	+0	+0	+0	+1	+2	+3
4	+0	+0	+1	+2	+3	+4
3	+0	+1	+2	+3	+4	+5
2	+1	+2	+3	+4	+5	+6
1	+2	+3	+4	+5	+6	+7

BATTLE ARMOR EQUIPMENT

Claws with magnets	-1

SITUATION*

'Mech prone	-2
'Mech or vehicle immobile	-4
Vehicle	-2

*Modifiers are cumulative

SWARM ATTACKS HIT LOCATION TABLE

2D6 ROLL	BIPEDAL/TRIPOD LOCATION	QUAD LOCATION
2	Head	Head
3	Rear Center Torso	Front Right Torso
4	Rear Right Torso	Rear Center Torso
5	Front Right Torso	Rear Right Torso
6	Right Arm	Front Right Torso
7	Front Center Torso	Front Center Torso
8	Left Arm	Front Left Torso
9	Front Left Torso	Rear Left Torso
10	Rear Left Torso	Rear Center Torso
11	Rear Center Torso	Front Left Torso
12	Head	Head

TRANSPORT POSITIONS TABLE

TROOPER NUMBER	'MECH LOCATION	VEHICLE LOCATION
1	Right Torso	Right Side
2	Left Torso	Right Side
3	Right Torso (rear)	Left Side
4	Left Torso (rear)	Left Side
5	Center Torso (rear)	Rear
6	Center Torso	Rear

TROOPER NUMBER	LARGE SUPPORT VEHICLE LOCATION*
1	Right Side (Unit 1/Unit 2)
2	Right Side (Unit 1/Unit 2)
3	Left Side (Unit 1/Unit 2)
4	Left Side (Unit 1/Unit 2)
5	Rear (Unit 1/Unit 2)
6	Rear (Unit 1/Unit 2)

*Unit 1 and Unit 2 represent two battle armor units.

© 2026 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved.
Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.