BATTLETECH™

BATTLEMECH RECORD SHEET

'MECH DATA

Type: Axman AXM-3S

Movement Points:
Walking: 4
Running: 6
Jumping: 4
Engine Type: 260 Light

Tonnage: 65
Tech Base: Inner Sphere
Rules Level: Standard
Role: Skirmisher

Weapons & Equipment Inventory

	Type	Loc	Ht	Dmg	Min	Sht	Med	Lng (hexes)
	LB 20-X AC	CT/RT	6	20 [DB,C/F/S]	—	4	8	12
	ER Medium Laser	LA	5	5 [DE]	—	4	8	12
	ER Medium Laser	LA	5	5 [DE]	—	4	8	12
	ER Medium Laser	LA	5	5 [DE]	—	4	8	12
-1	Hatchet	RA	—	13	—	—	—	—
	ECM Suite (Guardian)	LT	—	[E]	—	—	—	6
	Full Head Eject System	—	—	[E]	—	—	—	—
	Total Heat (Dissipation): 21 (20)							
+1	Punch	LA	—	7	—	—	—	—
	Punch	RA	—	7	—	—	—	—
-2	Kick	—	—	13	—	—	—	—
Vs	Death From Above	—	—	20	—	—	—	—
Vs	Charge	—	—	6.5/hex	—	—	—	—
-1	Push	—	—	—	—	—	—	—

Ammo: (LB 20-X Cluster) 10, (LB 20-X) 10
Quirks: Protected Actuators

BV: 1649

WARRIOR DATA

Name: _____

Gunnery Skill: ____ **Piloting Skill:** ____

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead

HIT LOCATION AND CLUSTER TABLE

Die Roll (2D6)	LS	F/R	RS	20
2*	LT(C)	CT(C)	RT(C)	6
3	LL	RA	RL	6
4	LA	RA	RA	9
5	LA	RL	RA	12
6	LL	RT	RL	12
7	LT	CT	RT	12
8	CT	LT	CT	12
9	RT	LL	LT	16
10	RA	LA	LA	16
11	RL	LA	LL	20
12	HD	HD	HD	20


*A result of 2 may inflict a critical hit.

PUNCH/KICK LOCATION TABLE

Die Roll (1D6)	Punch LS	Punch F/R	Punch RS	Kick LS	Kick F/R	Kick RS
1	LT	LA	RT	LL	RL	RL
2	LT	LT	RT	LL	RL	RL
3	CT	CT	CT	LL	RL	RL
4	LA	RT	RA	LL	LL	RL
5	LA	RA	RA	LL	LL	RL
6	HD	HD	HD	LL	LL	RL


ARMOR DIAGRAM

Ferro-Fibrous



INTERNAL STRUCTURE DIAGRAM

Standard Structure



Heat Scale

Overflow
30
29
28
27
26
25
24
23
22
21
20
19
18
17
16
15
14
13
12
11
10
9
8
7
6
5
4
3
2
1
0

CRITICAL TABLE

Left Arm
1-3
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. ER Medium Laser
5. ER Medium Laser
6. ER Medium Laser

4-6
1. Ferro-Fibrous
2. Ferro-Fibrous
3. Ferro-Fibrous
4. Ferro-Fibrous
5. Ferro-Fibrous
6. Ferro-Fibrous

Left Torso (CASE)
1-3
1. Light Fusion Engine
2. Light Fusion Engine
3. Ammo (LB 20-X Cluster) 5
4. Ammo (LB 20-X) 5
5. Ammo (LB 20-X Cluster) 5
6. Ammo (LB 20-X) 5

4-6
1. ECM Suite (Guardian)
2. ECM Suite (Guardian)
3. CASE
4. Ferro-Fibrous
5. Ferro-Fibrous
6. Ferro-Fibrous

Left Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Jump Jet
6. Jump Jet


Head
1. Life Support
2. Sensors
3. Cockpit
4. Ferro-Fibrous
5. Sensors
6. Life Support

Center Torso
1-3
1. Light Fusion Engine
2. Light Fusion Engine
3. Light Fusion Engine
4. Gyro
5. Gyro
6. Gyro

4-6
1. Gyro
2. Light Fusion Engine
3. Light Fusion Engine
4. Light Fusion Engine
5. LB 20-X AC
6. LB 20-X AC

Engine Hits ○○○
Gyro Hits ○○
Sensor Hits ○○
Life Support ○

CATALYST game labs



Damage Transfer Diagram

Right Arm
1-3
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. Hatchet
6. Hatchet

4-6
1. Hatchet
2. Hatchet
3. Hatchet
4. Ferro-Fibrous
5. Ferro-Fibrous
6. Ferro-Fibrous

Right Torso
1-3
1. Light Fusion Engine
2. Light Fusion Engine
3. LB 20-X AC
4. LB 20-X AC
5. LB 20-X AC
6. LB 20-X AC

4-6
1. LB 20-X AC
2. LB 20-X AC
3. LB 20-X AC
4. LB 20-X AC
5. LB 20-X AC
6. Ferro-Fibrous

Right Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Jump Jet
6. Jump Jet

HEAT DATA

Double Heat Sinks: 10 (20)

Heat Level*	Effects	
30	Shutdown	
28	Ammo Exp, avoid on 8+	○
26	Shutdown, avoid on 10+	○
25	-5 Movement Points	○
24	+4 Modifier to Fire	○
23	Ammo Exp, avoid on 6+	○
22	Shutdown, avoid on 8+	○
20	-4 Movement Points	○
19	Ammo Exp, avoid on 4+	○
18	Shutdown, avoid on 6+	○
17	+3 Modifier to Fire	○
15	-3 Movement Points	○
14	Shutdown, avoid on 4+	
13	+2 Modifier to Fire	
10	-2 Movement Points	
8	+1 Modifier to Fire	
5	-1 Movement Points	

© 2026 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved.
Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

BATTLEMECH RECORD SHEET

'MECH DATA

Type: Mauler MAL-2R

Movement Points:
Walking: 3
Running: 5
Jumping: 0
Engine Type: 270 Fusion

Tonnage: 90
Tech Base: Inner Sphere
Rules Level: Standard
Role: Juggernaut

Weapons & Equipment Inventory (hexes)

Type	Loc	Ht	Dmg	Min	Sht	Med	Lng
Ultra AC/2	LT	1	2/Sht [DB,R/C]	3	8	17	25
Stabilized Weapon							
Ultra AC/2	LT	1	2/Sht [DB,R/C]	3	8	17	25
Stabilized Weapon							
Ultra AC/2	RT	1	2/Sht [DB,R/C]	3	8	17	25
Stabilized Weapon							
Ultra AC/2	RT	1	2/Sht [DB,R/C]	3	8	17	25
Stabilized Weapon							
LRM 10	LT	4	1/Msl [M,C,S]	6	7	14	21
LRM 10	RT	4	1/Msl [M,C,S]	6	7	14	21
ER Medium Laser	LA	5	5 [DE]	–	4	8	12
ER Medium Laser	LA	5	5 [DE]	–	4	8	12
ER Medium Laser	RA	5	5 [DE]	–	4	8	12
ER Medium Laser	RA	5	5 [DE]	–	4	8	12

Total Heat (Dissipation): 36 (24)

+1	Punch	LA	–	9	–	–	–	–
+1	Punch	RA	–	9	–	–	–	–
-2	Kick	–	–	18	–	–	–	–
Vs	Charge	–	–	9/hex	–	–	–	–
-1	Push	–	–	–	–	–	–	–

Ammo: (Ultra AC/2) 90, (LRM 10) 24

BV: 1586

WARRIOR DATA

Name: _____

Gunnery Skill: ____ **Piloting Skill:** ____

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead

HIT LOCATION AND CLUSTER TABLE

Die Roll (2D6)	LS	F/R	RS	2	10
2*	LT(C)	CT(C)	RT(C)	1	3
3	LL	RA	RL	1	3
4	LA	RA	RA	1	4
5	LA	RL	RA	1	6
6	LL	RT	RL	1	6
7	LT	CT	RT	1	6
8	CT	LT	CT	2	6
9	RT	LL	LT	2	8
10	RA	LA	LA	2	8
11	RL	LA	LL	2	10
12	HD	HD	HD	2	10


*A result of 2 may inflict a critical hit.

PUNCH/KICK LOCATION TABLE

Die Roll (1D6)	Punch LS	Punch F/R	Punch RS	Kick LS	Kick F/R	Kick RS
1	LT	LA	RT	LL	RL	RL
2	LT	LT	RT	LL	RL	RL
3	CT	CT	CT	LL	RL	RL
4	LA	RT	RA	LL	LL	RL
5	LA	RA	RA	LL	LL	RL
6	HD	HD	HD	LL	LL	RL


ARMOR DIAGRAM

Ferro-Fibrous



INTERNAL STRUCTURE DIAGRAM

Standard Structure



Heat Scale

Overflow
30
29
28
27
26
25
24
23
22
21
20
19
18
17
16
15
14
13
12
11
10
9
8
7
6
5
4
3
2
1
0

CRITICAL TABLE

Left Arm
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
1-3 4. Double Heat Sink
5. Double Heat Sink
6. Double Heat Sink

1. ER Medium Laser
2. ER Medium Laser
4-6 3. Ferro-Fibrous
4. Ferro-Fibrous
5. Ferro-Fibrous
6. Ferro-Fibrous

Left Torso (CASE)
1. LRM 10
2. LRM 10
1-3 3. Ultra AC/2
4. Ultra AC/2
5. Ultra AC/2
6. Ultra AC/2

1. Ultra AC/2
2. Ultra AC/2
4-6 3. Ammo (Ultra AC/2) 45
4. Ammo (LRM 10) 12
5. CASE
6. Ferro-Fibrous


Left Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Ferro-Fibrous
6. Roll Again

Head
1. Life Support
2. Sensors
3. Cockpit
4. Roll Again
5. Sensors
6. Life Support

Center Torso
1. Fusion Engine
2. Fusion Engine
1-3 3. Fusion Engine
4. Gyro
5. Gyro
6. Gyro

1. Gyro
2. Fusion Engine
4-6 3. Fusion Engine
4. Fusion Engine
5. Ferro-Fibrous
6. Ferro-Fibrous

Engine Hits ○○○
Gyro Hits ○○
Sensor Hits ○○
Life Support ○



Damage Transfer Diagram

Right Arm
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
1-3 4. Double Heat Sink
5. Double Heat Sink
6. Double Heat Sink

1. ER Medium Laser
2. ER Medium Laser
4-6 3. Ferro-Fibrous
4. Ferro-Fibrous
5. Ferro-Fibrous
6. Ferro-Fibrous

Right Torso (CASE)
1. LRM 10
2. LRM 10
1-3 3. Ultra AC/2
4. Ultra AC/2
5. Ultra AC/2
6. Ultra AC/2

1. Ultra AC/2
2. Ultra AC/2
4-6 3. Ammo (Ultra AC/2) 45
4. Ammo (LRM 10) 12
5. CASE
6. Ferro-Fibrous

Right Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Ferro-Fibrous
6. Roll Again

HEAT DATA

Double Heat Sinks: 12 (24)

Heat Level*	Effects	
30	Shutdown	
28	Ammo Exp, avoid on 8+	○○
26	Shutdown, avoid on 10+	○○
25	-5 Movement Points	○
24	+4 Modifier to Fire	○
23	Ammo Exp, avoid on 6+	○
22	Shutdown, avoid on 8+	○
20	-4 Movement Points	○
19	Ammo Exp, avoid on 4+	○
18	Shutdown, avoid on 6+	○
17	+3 Modifier to Fire	○
15	-3 Movement Points	○
14	Shutdown, avoid on 4+	
13	+2 Modifier to Fire	
10	-2 Movement Points	
8	+1 Modifier to Fire	
5	-1 Movement Points	

© 2026 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved.
Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

BATTLEMECH RECORD SHEET

'MECH DATA

Type: Bushwacker BSW-X2

Movement Points:
Walking: 5
Running: 8
Jumping: 0
Engine Type: 275 XL

Tonnage: 55
Tech Base: Inner Sphere
Rules Level: Standard
Role: Skirmisher

Weapons & Equipment Inventory (hexes)

	Type	Loc	Ht	Dmg	Min	Sht	Med	Lng
	LRM 5	LA	2	1/Msl [M,C,S]	6	7	14	21
	LRM 5	LT	2	1/Msl [M,C,S]	6	7	14	21
	LRM 5	LT	2	1/Msl [M,C,S]	6	7	14	21
	AC/10	RA	3	10 [DB,S]	—	5	10	15
-2	Medium Pulse Laser	CT	4	6 [P]	—	2	4	6
-2	Medium Pulse Laser	CT	4	6 [P]	—	2	4	6
	Machine Gun	LT	—	2 [DB,AI]	—	1	2	3
	Machine Gun	RT	—	2 [DB,AI]	—	1	2	3

Total Heat (Dissipation): 17 (20)

+1	Punch	LA	—	6	—	—	—	—
	Punch	RA	—	6	—	—	—	—
-2	Kick	—	—	11	—	—	—	—
Vs	Charge	—	—	5.5/hex	—	—	—	—
-1	Push	—	—	—	—	—	—	—

Ammo: (MG) 100, (AC/10) 10, (LRM 5) 24
Quirks: Narrow/Low Profile

BV: 1193

WARRIOR DATA

Name: _____

Gunnery Skill: _____ **Piloting Skill:** _____

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead

HIT LOCATION AND CLUSTER TABLE

Die Roll (2D6)	LS	F/R	RS	5
2*	LT(C)	CT(C)	RT(C)	1
3	LL	RA	RL	2
4	LA	RA	RA	2
5	LA	RL	RA	3
6	LL	RT	RL	3
7	LT	CT	RT	3
8	CT	LT	CT	3
9	RT	LL	LT	4
10	RA	LA	LA	4
11	RL	LA	LL	5
12	HD	HD	HD	5


*A result of 2 may inflict a critical hit.

PUNCH/KICK LOCATION TABLE

Die Roll (1D6)	Punch LS	Punch F/R	Punch RS	Kick LS	Kick F/R	Kick RS
1	LT	LA	RT	LL	RL	RL
2	LT	LT	RT	LL	RL	RL
3	CT	CT	CT	LL	RL	RL
4	LA	RT	RA	LL	LL	RL
5	LA	RA	RA	LL	LL	RL
6	HD	HD	HD	LL	LL	RL


ARMOR DIAGRAM

Ferro-Fibrous



INTERNAL STRUCTURE DIAGRAM

Standard Structure



Heat Scale

Overflow
30
29
28
27
26
25
24
23
22
21
20
19
18
17
16
15
14
13
12
11
10
9
8
7
6
5
4
3
2
1
0

CRITICAL TABLE

Left Arm
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. LRM 5
5. Ferro-Fibrous
6. Ferro-Fibrous

1-3

1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

4-6

Left Torso (CASE)
1. XL Fusion Engine
2. XL Fusion Engine
3. XL Fusion Engine
4. LRM 5
5. LRM 5
6. Machine Gun

1-3

1. Ammo (LRM 5) 24
2. CASE
3. Ferro-Fibrous
4. Ferro-Fibrous
5. Ferro-Fibrous
6. Ferro-Fibrous

4-6

Left Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Ferro-Fibrous
6. Roll Again

Head
1. Life Support
2. Sensors
3. Cockpit
4. Roll Again
5. Sensors
6. Life Support

Center Torso
1. XL Fusion Engine
2. XL Fusion Engine
3. XL Fusion Engine
4. Gyro
5. Gyro
6. Gyro


1-3

1. Gyro
2. XL Fusion Engine
3. XL Fusion Engine
4. XL Fusion Engine
5. Medium Pulse Laser
6. Medium Pulse Laser

4-6

Engine Hits ○○○
Gyro Hits ○○
Sensor Hits ○○
Life Support ○

CATALYST game labs



Damage Transfer Diagram

Right Arm
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. AC/10
6. AC/10

1-3

1. AC/10
2. AC/10
3. AC/10
4. AC/10
5. AC/10
6. Ferro-Fibrous

4-6

Right Torso (CASE)
1. XL Fusion Engine
2. XL Fusion Engine
3. XL Fusion Engine
4. Machine Gun
5. Ammo (MG) 100
6. Ammo (AC/10) 10

1-3

1. CASE
2. Ferro-Fibrous
3. Ferro-Fibrous
4. Ferro-Fibrous
5. Ferro-Fibrous
6. Ferro-Fibrous

4-6

Right Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Ferro-Fibrous
6. Roll Again

HEAT DATA

Double Heat Sinks: 10 (20)

Heat Level*	Effects	
30	Shutdown	
28	Ammo Exp, avoid on 8+	○
26	Shutdown, avoid on 10+	○
25	-5 Movement Points	○
24	+4 Modifier to Fire	○
23	Ammo Exp, avoid on 6+	○
22	Shutdown, avoid on 8+	○
20	-4 Movement Points	○
19	Ammo Exp, avoid on 4+	○
18	Shutdown, avoid on 6+	○
17	+3 Modifier to Fire	○
15	-3 Movement Points	○
14	Shutdown, avoid on 4+	
13	+2 Modifier to Fire	
10	-2 Movement Points	
8	+1 Modifier to Fire	
5	-1 Movement Points	

© 2026 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved.
Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

BATTLEMECH RECORD SHEET

'MECH DATA

Type: Wolfhound WLF-1

Movement Points:
Walking: 6
Running: 9
Jumping: 0
Engine Type: 210 Fusion

Tonnage: 35
Tech Base: Inner Sphere
Rules Level: Standard
Role: Striker

Weapons & Equipment Inventory (hexes)

Type	Loc	Ht	Dmg	Min	Sht	Med	Lng
Large Laser	RA	8	8 [DE]	—	5	10	15
Medium Laser	LT	3	5 [DE]	—	3	6	9
Medium Laser	RT	3	5 [DE]	—	3	6	9
Medium Laser	CT	3	5 [DE]	—	3	6	9
Medium Laser (R)	CT	3	5 [DE]	—	3	6	9
Full Head Eject System	—	—	[E]	—	—	—	—
Total Heat (Dissipation): 20 (10)							
Punch	LA	—	4	—	—	—	—
+1 Punch	RA	—	4	—	—	—	—
-2 Kick	—	—	7	—	—	—	—
Vs Charge	—	—	3.5/hex	—	—	—	—
-1 Push	—	—	—	—	—	—	—

Quirks: Easy to Maintain, Good Reputation (1)

BV: 949

WARRIOR DATA

Name: _____

Gunnery Skill: _____ **Piloting Skill:** _____

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead

HIT LOCATION AND CLUSTER TABLE

Die Roll (2D6)	LS	F/R	RS
2*	LT(C)	CT(C)	RT(C)
3	LL	RA	RL
4	LA	RA	RA
5	LA	RL	RA
6	LL	RT	RL
7	LT	CT	RT
8	CT	LT	CT
9	RT	LL	LT
10	RA	LA	LA
11	RL	LA	LL
12	HD	HD	HD


*A result of 2 may inflict a critical hit.

PUNCH/KICK LOCATION TABLE

Die Roll (1D6)	Punch LS	Punch F/R	Punch RS	Kick LS	Kick F/R	Kick RS
1	LT	LA	RT	LL	RL	RL
2	LT	LT	RT	LL	RL	RL
3	CT	CT	CT	LL	RL	RL
4	LA	RT	RA	LL	LL	RL
5	LA	RA	RA	LL	LL	RL
6	HD	HD	HD	LL	LL	RL


ARMOR DIAGRAM

Standard Armor



INTERNAL STRUCTURE DIAGRAM

Standard Structure



Heat Scale

Overflow
30
29
28
27
26
25
24
23
22
21
20
19
18
17
16
15
14
13
12
11
10
9
8
7
6
5
4
3
2
1
0

CRITICAL TABLE

Left Arm
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. Roll Again
6. Roll Again

1-3

1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

4-6

Left Torso
1. Medium Laser
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

1-3

1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

4-6

Left Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Heat Sink
6. Roll Again

Head
1. Life Support
2. Sensors
3. Cockpit
4. Roll Again
5. Sensors
6. Life Support


Center Torso
1. Fusion Engine
2. Fusion Engine
3. Fusion Engine
4. Gyro
5. Gyro
6. Gyro

1-3

1. Gyro
2. Fusion Engine
3. Fusion Engine
4. Fusion Engine
5. Medium Laser
6. Medium Laser (R)

4-6

Engine Hits ○○○
Gyro Hits ○○
Sensor Hits ○○
Life Support ○



Damage Transfer Diagram

Right Arm
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Large Laser
5. Large Laser
6. Roll Again

1-3

1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

4-6

Right Torso
1. Medium Laser
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

1-3

1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

4-6

Right Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Heat Sink
6. Roll Again

HEAT DATA

Heat Sinks: 10

Heat Level*	Effects	
30	Shutdown	
28	Ammo Exp, avoid on 8+	○
26	Shutdown, avoid on 10+	○
25	-5 Movement Points	○
24	+4 Modifier to Fire	○
23	Ammo Exp, avoid on 6+	○
22	Shutdown, avoid on 8+	○
20	-4 Movement Points	○
19	Ammo Exp, avoid on 4+	○
18	Shutdown, avoid on 6+	○
17	+3 Modifier to Fire	○
15	-3 Movement Points	○
14	Shutdown, avoid on 4+	
13	+2 Modifier to Fire	
10	-2 Movement Points	
8	+1 Modifier to Fire	
5	-1 Movement Points	

© 2026 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved.
Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

BATTLEMECH RECORD SHEET

'MECH DATA

Type: Hatamoto-Chi HTM-27T

Movement Points:		**Tonnage:**	80
Walking:	4	**Tech Base:**	Inner Sphere
Running:	6	**Rules Level:**	Standard
Jumping:	0	**Role:**	Brawler
Engine Type:	320 Fusion		

Weapons & Equipment Inventory (hexes)

	Type	Loc	Ht	Dmg	Min	Sht	Med	Lng
	PPC	LA	10	10 [DE]	3	6	12	18
	PPC	RA	10	10 [DE]	3	6	12	18
	SRM 6	LT	4	2/Msl [M,C,S]	–	3	6	9
	Modular Weapon							
	SRM 6	RT	4	2/Msl [M,C,S]	–	3	6	9
	Modular Weapon							
	Total Heat (Dissipation): 28 (18)							
+1	Punch	LA	–	8	–	–	–	–
	Punch	RA	–	8	–	–	–	–
-2	Kick	–	–	16	–	–	–	–
Vs	Charge	–	–	8/hex	–	–	–	–
-1	Push	–	–	–	–	–	–	–

Ammo: (SRM 6) 30

Quirks: Barrel Fists (LA), Easy to Maintain

BV: 1607

WARRIOR DATA

Name: _____

Gunnery Skill: ____ **Piloting Skill:** ____

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead

HIT LOCATION AND CLUSTER TABLE

Die Roll (2D6)	LS	F/R	RS	6
2*	LT(C)	CT(C)	RT(C)	2
3	LL	RA	RL	2
4	LA	RA	RA	3
5	LA	RL	RA	3
6	LL	RT	RL	4
7	LT	CT	RT	4
8	CT	LT	CT	4
9	RT	LL	LT	5
10	RA	LA	LA	5
11	RL	LA	LL	6
12	HD	HD	HD	6


*A result of 2 may inflict a critical hit.

PUNCH/KICK LOCATION TABLE

Die Roll (1D6)	Punch LS	Punch F/R	Punch RS	Kick LS	Kick F/R	Kick RS
1	LT	LA	RT	LL	RL	RL
2	LT	LT	RT	LL	RL	RL
3	CT	CT	CT	LL	RL	RL
4	LA	RT	RA	LL	LL	RL
5	LA	RA	RA	LL	LL	RL
6	HD	HD	HD	LL	LL	RL


ARMOR DIAGRAM

Standard Armor



INTERNAL STRUCTURE DIAGRAM

Endo Steel



Heat Scale

Overflow

30 29 28 27 26 25 24 23 22 21 20 19 18 17 16 15 14 13 12 11 10 9 8 7 6 5 4 3 2 1 0

CRITICAL TABLE

Left Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. PPC
5. PPC
6. PPC

4-6
1. Endo Steel
2. Endo Steel
3. Endo Steel
4. Endo Steel
5. Endo Steel
6. Endo Steel

Left Torso (CASE)

1-3
1. Heat Sink
2. SRM 6
3. SRM 6
4. Ammo (SRM 6) 15
5. CASE
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Left Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Heat Sink
6. Heat Sink

Head


1. Life Support
2. Sensors
3. Cockpit
4. Endo Steel
5. Sensors
6. Life Support

Center Torso

1-3
1. Fusion Engine
2. Fusion Engine
3. Fusion Engine
4. Gyro
5. Gyro
6. Gyro

4-6
1. Gyro
2. Fusion Engine
3. Fusion Engine
4. Fusion Engine
5. Endo Steel
6. Endo Steel

Engine Hits ○○○
Gyro Hits ○○
Sensor Hits ○○
Life Support ○



Damage Transfer Diagram

Right Arm

1-3
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. PPC
6. PPC

4-6
1. PPC
2. Endo Steel
3. Endo Steel
4. Endo Steel
5. Endo Steel
6. Endo Steel

Right Torso (CASE)

1-3
1. Heat Sink
2. SRM 6
3. SRM 6
4. Ammo (SRM 6) 15
5. CASE
6. Roll Again

4-6
1. Roll Again
2. Roll Again
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Leg

1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Heat Sink
6. Heat Sink

HEAT DATA

Heat Sinks: 18

Heat Level*	Effects	
30	Shutdown	
28	Ammo Exp, avoid on 8+	○○
26	Shutdown, avoid on 10+	○○
25	-5 Movement Points	○○
24	+4 Modifier to Fire	○○
23	Ammo Exp, avoid on 6+	○○
22	Shutdown, avoid on 8+	○○
20	-4 Movement Points	○○
19	Ammo Exp, avoid on 4+	○○
18	Shutdown, avoid on 6+	○○
17	+3 Modifier to Fire	○
15	-3 Movement Points	○
14	Shutdown, avoid on 4+	
13	+2 Modifier to Fire	
10	-2 Movement Points	
8	+1 Modifier to Fire	
5	-1 Movement Points	

© 2026 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved.
Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

AEROSPACE FIGHTER RECORD SHEET

EXTERNAL STORES/BOMBS

Key:
HE - High Explosive
LG - Laser Guided
C - Cluster
RL - Rocket Launcher

FIGHTER DATA

Type: Corsair CSR-V14

Thrust:
SafeThrust: 6
Maximum Thrust: 9
Engine Type: 200 Fusion

Tonnage: 50
Tech Base: Inner Sphere
Rules Level: Standard
Role: Dogfighter


Weapons & Equipment Inventory

Standard Scale				(1-6)	(7-12)	(13-20)	(21-25)
#	Type	Loc	Ht	SRV	MRV	LRV	ERV
1	ER Large Laser [DE]	NOS	12	8	8	8	—
1	ER Large Laser [DE]	NOS	12	8	8	8	—
1	Medium Laser [DE]	LWG	3	5	—	—	—
1	Medium Laser [DE]	RWG	3	5	—	—	—
1	Small Laser [DE]	NOS	1	3	—	—	—
1	Small Laser [DE]	NOS	1	3	—	—	—
1	Small Laser [DE]	AFT	1	3	—	—	—
1	Small Laser [DE]	AFT	1	3	—	—	—

Total Heat (Dissipation): 34 (32)


Fuel Points: 400

BV: 1330



ARMOR DIAGRAM

Standard Armor



Heat Scale

Overflow
30
29
28
27
26
25
24
23
22
21
20
19
18
17
16
15
14
13
12
11
10
9
8
7
6
5
4
3
2
1
0

CRITICAL DAMAGE

Avionics	+1	+2	+5	Engine	2 4 D
FCS	+2	+4	D	Landing Gear	+5
Sensors	+1	+2	+5	Life Support	+2

PILOT DATA

Name: _____

Gunnery Skill: ____ **Piloting Skill:** ____

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead
Modifier	+1	+2	+3	+4	+5	

HEAT DATA

Double Heat Sinks: 16 (32)

Heat Level*	Effects	
30	Shutdown	○○
28	Ammo Exp avoid on 8+	○○
27	Pilot damage, avoid on 9+	○○
26	Shutdown, avoid on 10+	○○
25	Random Movement, avoid on 10+	○○
24	+4 Modifier to Fire	○
23	Ammo Exp avoid on 6+	○
22	Shutdown, avoid on 8+	○
21	Pilot damage, avoid on 6+	○
20	Random Movement, avoid on 8+	
19	Ammo Exp avoid on 4+	
18	Shutdown, avoid on 6+	
17	+3 Modifier to Fire	
15	Random Movement, avoid on 7+	
14	Shutdown, avoid on 4+	
13	+2 Modifier to Fire	
10	Random Movement, avoid on 6+	
8	+1 Modifier to Fire	
5	Random Movement, avoid on 5+	

VELOCITY RECORD

Turn #	1	2	3	4	5	6	7	8	9	10
Thrust										
Velocity										
Effective Velocity										
Altitude										

Turn #	11	12	13	14	15	16	17	18	19	20
Thrust										
Velocity										
Effective Velocity										
Altitude										

© 2026 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved.
Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

VTOL RECORD SHEET

VEHICLE DATA

Type: Karnov UR Transport (3055 Upgrade)

Movement Points:		**Tonnage:**	30
Cruising:	10	**Tech Base:**	Inner Sphere
Flanking:	15	**Rules Level:**	Standard
Movement Type:	VTOL	**Role:**	None
Engine Type:	160 ICE		

Weapons & Equipment Inventory (hexes)

Type	Loc	Dmg	Min	Sht	Med	Lng
Machine Gun	RS	2 [DB,AI]	—	1	2	3
Machine Gun	LS	2 [DB,AI]	—	1	2	3

Ammo: (MG) 200

Features Infantry Compartment (7 tons)

Quirks: VTOL Rotor Arrangement (Dual Rotors)

BV: 152

CREW DATA

Crew: _____

Gunnery Skill: _____ **Driving Skill:** _____

Co-Pilot Hit +1 — Modifier to all skill rolls

Pilot Hit +2 — Modifier to Driving skill rolls

CRITICAL DAMAGE

Flight Stabilizer* +3 Engine Hit ☐

Sensor Hits +1 +2 +3 D

Stabilizers

Front ☐ Left ☐ Right ☐


Rear ☐

*Move at Cruising speed only

NOTES

ARMOR DIAGRAM

Ferro-Fibrous



VTOL COMBAT VEHICLE HIT LOCATION

	ATTACK DIRECTION FRONT	REAR	SIDES
2*	Front (critical)	Rear (critical)	Side (critical)
3	Rotors†	Rotors†	Rotors†
4	Turret‡	Turret‡	Turret‡
5	Right Side†	Left Side†	Front†
6	Front	Rear	Side
7	Front	Rear	Side
8	Front	Rear	Side (critical)*
9	Left Side	Right Side	Rear
10	Rotors†	Rotors†	Rotors†
11	Rotors†	Rotors†	Rotors†
12*	Rotors (critical)*†	Rotors (critical)*†	Rotors (critical)*†

* A result of 2 or 12 (or an 8 if the attack strikes the side) may inflict a critical hit on the VTOL. For each such attack, apply damage normally to the armor in that section. The attacking player then immediately rolls once on the VTOL Combat Vehicle Critical Hits Table, below.

† Damage Value / 10 (round up); see Rotor Hits, p. 197, *Total Warfare*. Additionally, damage to rotors slows down the VTOL. Each hit reduces the VTOL's Cruising MP by 1, meaning that the controlling player must also recalculate Flank MP; multiply the new Cruising MP by 1.5 and round up. As with all damage, such movement penalties do not apply until the end of the phase in which the damage occurred.

‡ If the VTOL has no turret, a turret strike hits Rotors†

VTOL ELEVATION TRACK

Turn	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
Elevation															

Turn	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30
Elevation															

PHYSICAL ATTACKS AGAINST VTOLS TABLE

DIFFERENCE IN LEVELS	TYPES OF PHYSICAL ATTACKS ALLOWED
-1 or lower	None
0	All except Punch
1-2	All except Kick
3	Club and Physical Weapons Only
4+	None

VTOL COMBAT VEHICLE CRITICAL HITS TABLE

	LOCATION HIT FRONT	SIDE	REAR	ROTORS	TURRET
2-5	No Critical Hit	No Critical Hit	No Critical Hit	No Critical Hit	No Critical Hit
6	Copilot Hit	Weapon Malfunction	Cargo/Infantry Hit	Rotor Damage	Stabilizer
7	Weapon Malfunction	Cargo/Infantry Hit	Weapon Malfunction	Rotor Damage	Turret Jam
8	Stabilizer	Stabilizer	Stabilizer	Rotor Damage	Weapon Malfunction
9	Sensors	Weapon Destroyed	Weapon Destroyed	Flight Stabilizer Hit	Turret Locks
10	Pilot Hit	Engine Hit	Sensors	Flight Stabilizer Hit	Weapon Destroyed
11	Weapon Destroyed	RotorsDestroyed	Ammunition**	Engine Hit	Ammunition**
12	Crew Killed	Fuel Tank*	Fuel Tank*	RotorsDestroyed	Turret Blown Off

*Only if the VTOL has an ICE engine. For VTOLs with fusion engines, treat this result as Engine Hit.
** If the VTOL carries no ammunition, treat this result as Weapon Destroyed.

© 2026 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved.
Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

VTOL RECORD SHEET

VEHICLE DATA

Type: Karnov UR Transport (3055 Upgrade)

Movement Points:		**Tonnage:**	30
Cruising:	10	**Tech Base:**	Inner Sphere
Flanking:	15	**Rules Level:**	Standard
Movement Type:	VTOL	**Role:**	None
Engine Type:	160 ICE		

Weapons & Equipment Inventory (hexes)

Type	Loc	Dmg	Min	Sht	Med	Lng
Machine Gun	RS	2 [DB,AI]	—	1	2	3
Machine Gun	LS	2 [DB,AI]	—	1	2	3

Ammo: (MG) 200

Features Infantry Compartment (7 tons)

Quirks: VTOL Rotor Arrangement (Dual Rotors)

BV: 152

CREW DATA

Crew: _____

Gunnery Skill: _____ **Driving Skill:** _____

Co-Pilot Hit +1 — Modifier to all skill rolls

Pilot Hit +2 — Modifier to Driving skill rolls

CRITICAL DAMAGE

Flight Stabilizer* +3 Engine Hit ☐

Sensor Hits +1 +2 +3 D

Stabilizers

Front ☐ Left ☐ Right ☐


Rear ☐

*Move at Cruising speed only

NOTES

ARMOR DIAGRAM

Ferro-Fibrous



VTOL COMBAT VEHICLE HIT LOCATION

	ATTACK DIRECTION FRONT	REAR	SIDES
2*	Front (critical)	Rear (critical)	Side (critical)
3	Rotors†	Rotors†	Rotors†
4	Turret‡	Turret‡	Turret‡
5	Right Side†	Left Side†	Front†
6	Front	Rear	Side
7	Front	Rear	Side
8	Front	Rear	Side (critical)*
9	Left Side	Right Side	Rear
10	Rotors†	Rotors†	Rotors†
11	Rotors†	Rotors†	Rotors†
12*	Rotors (critical)*†	Rotors (critical)*†	Rotors (critical)*†

* A result of 2 or 12 (or an 8 if the attack strikes the side) may inflict a critical hit on the VTOL. For each such attack, apply damage normally to the armor in that section. The attacking player then immediately rolls once on the VTOL Combat Vehicle Critical Hits Table, below.

† Damage Value / 10 (round up); see Rotor Hits, p. 197, *Total Warfare*. Additionally, damage to rotors slows down the VTOL. Each hit reduces the VTOL's Cruising MP by 1, meaning that the controlling player must also recalculate Flank MP; multiply the new Cruising MP by 1.5 and round up. As with all damage, such movement penalties do not apply until the end of the phase in which the damage occurred.

‡ If the VTOL has no turret, a turret strike hits Rotors†

VTOL ELEVATION TRACK

Turn	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
Elevation															

Turn	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30
Elevation															

PHYSICAL ATTACKS AGAINST VTOLS TABLE

DIFFERENCE IN LEVELS	TYPES OF PHYSICAL ATTACKS ALLOWED
-1 or lower	None
0	All except Punch
1-2	All except Kick
3	Club and Physical Weapons Only
4+	None

VTOL COMBAT VEHICLE CRITICAL HITS TABLE

	LOCATION HIT FRONT	SIDE	REAR	ROTORS	TURRET
2-5	No Critical Hit	No Critical Hit	No Critical Hit	No Critical Hit	No Critical Hit
6	Copilot Hit	Weapon Malfunction	Cargo/Infantry Hit	Rotor Damage	Stabilizer
7	Weapon Malfunction	Cargo/Infantry Hit	Weapon Malfunction	Rotor Damage	Turret Jam
8	Stabilizer	Stabilizer	Stabilizer	Rotor Damage	Weapon Malfunction
9	Sensors	Weapon Destroyed	Weapon Destroyed	Flight Stabilizer Hit	Turret Locks
10	Pilot Hit	Engine Hit	Sensors	Flight Stabilizer Hit	Weapon Destroyed
11	Weapon Destroyed	RotorsDestroyed	Ammunition**	Engine Hit	Ammunition**
12	Crew Killed	Fuel Tank*	Fuel Tank*	RotorsDestroyed	Turret Blown Off

*Only if the VTOL has an ICE engine. For VTOLs with fusion engines, treat this result as Engine Hit.
** If the VTOL carries no ammunition, treat this result as Weapon Destroyed.

© 2026 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved.
Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

VTOL RECORD SHEET

VEHICLE DATA

Type: Karnov UR Transport (3055 Upgrade)

Movement Points:		**Tonnage:**	30
Cruising:	10	**Tech Base:**	Inner Sphere
Flanking:	15	**Rules Level:**	Standard
Movement Type:	VTOL	**Role:**	None
Engine Type:	160 ICE		

Weapons & Equipment Inventory (hexes)

Type	Loc	Dmg	Min	Sht	Med	Lng
Machine Gun	RS	2 [DB,AI]	—	1	2	3
Machine Gun	LS	2 [DB,AI]	—	1	2	3

Ammo: (MG) 200

Features Infantry Compartment (7 tons)

Quirks: VTOL Rotor Arrangement (Dual Rotors)

BV: 152

CREW DATA

Crew: _____

Gunnery Skill: _____ **Driving Skill:** _____

Co-Pilot Hit +1 — Modifier to all skill rolls

Pilot Hit +2 — Modifier to Driving skill rolls

CRITICAL DAMAGE

Flight Stabilizer* +3 Engine Hit ☐

Sensor Hits +1 +2 +3 D

Stabilizers

Front ☐ Left ☐ Right ☐


Rear ☐

*Move at Cruising speed only

NOTES

ARMOR DIAGRAM

Ferro-Fibrous



VTOL COMBAT VEHICLE HIT LOCATION

	ATTACK DIRECTION FRONT	REAR	SIDES
2*	Front (critical)	Rear (critical)	Side (critical)
3	Rotors†	Rotors†	Rotors†
4	Turret‡	Turret‡	Turret‡
5	Right Side†	Left Side†	Front†
6	Front	Rear	Side
7	Front	Rear	Side
8	Front	Rear	Side (critical)*
9	Left Side	Right Side	Rear
10	Rotors†	Rotors†	Rotors†
11	Rotors†	Rotors†	Rotors†
12*	Rotors (critical)*†	Rotors (critical)*†	Rotors (critical)*†

* A result of 2 or 12 (or an 8 if the attack strikes the side) may inflict a critical hit on the VTOL. For each such attack, apply damage normally to the armor in that section. The attacking player then immediately rolls once on the VTOL Combat Vehicle Critical Hits Table, below.

† Damage Value / 10 (round up); see Rotor Hits, p. 197, *Total Warfare*. Additionally, damage to rotors slows down the VTOL. Each hit reduces the VTOL's Cruising MP by 1, meaning that the controlling player must also recalculate Flank MP; multiply the new Cruising MP by 1.5 and round up. As with all damage, such movement penalties do not apply until the end of the phase in which the damage occurred.

‡ If the VTOL has no turret, a turret strike hits Rotors†

VTOL ELEVATION TRACK

Turn	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
Elevation															

Turn	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30
Elevation															

PHYSICAL ATTACKS AGAINST VTOLS TABLE

DIFFERENCE IN LEVELS	TYPES OF PHYSICAL ATTACKS ALLOWED
-1 or lower	None
0	All except Punch
1-2	All except Kick
3	Club and Physical Weapons Only
4+	None

VTOL COMBAT VEHICLE CRITICAL HITS TABLE

	LOCATION HIT FRONT	SIDE	REAR	ROTORS	TURRET
2-5	No Critical Hit	No Critical Hit	No Critical Hit	No Critical Hit	No Critical Hit
6	Copilot Hit	Weapon Malfunction	Cargo/Infantry Hit	Rotor Damage	Stabilizer
7	Weapon Malfunction	Cargo/Infantry Hit	Weapon Malfunction	Rotor Damage	Turret Jam
8	Stabilizer	Stabilizer	Stabilizer	Rotor Damage	Weapon Malfunction
9	Sensors	Weapon Destroyed	Weapon Destroyed	Flight Stabilizer Hit	Turret Locks
10	Pilot Hit	Engine Hit	Sensors	Flight Stabilizer Hit	Weapon Destroyed
11	Weapon Destroyed	RotorsDestroyed	Ammunition**	Engine Hit	Ammunition**
12	Crew Killed	Fuel Tank*	Fuel Tank*	RotorsDestroyed	Turret Blown Off

*Only if the VTOL has an ICE engine. For VTOLs with fusion engines, treat this result as Engine Hit.
** If the VTOL carries no ammunition, treat this result as Weapon Destroyed.

© 2026 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved.
Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

VTOL RECORD SHEET

VEHICLE DATA

Type: Karnov UR Transport (3055 Upgrade)

Movement Points:		**Tonnage:**	30
Cruising:	10	**Tech Base:**	Inner Sphere
Flanking:	15	**Rules Level:**	Standard
Movement Type:	VTOL	**Role:**	None
Engine Type:	160 ICE		

Weapons & Equipment Inventory (hexes)

Type	Loc	Dmg	Min	Sht	Med	Lng
Machine Gun	RS	2 [DB,AI]	—	1	2	3
Machine Gun	LS	2 [DB,AI]	—	1	2	3

Ammo: (MG) 200

Features Infantry Compartment (7 tons)

Quirks: VTOL Rotor Arrangement (Dual Rotors)

BV: 152

CREW DATA

Crew: _____

Gunnery Skill: _____ **Driving Skill:** _____

Co-Pilot Hit +1 — Modifier to all skill rolls

Pilot Hit +2 — Modifier to Driving skill rolls

CRITICAL DAMAGE

Flight Stabilizer* +3 Engine Hit ☐

Sensor Hits +1 +2 +3 D

Stabilizers

Front ☐ Left ☐ Right ☐


Rear ☐

*Move at Cruising speed only

NOTES

ARMOR DIAGRAM

Ferro-Fibrous



VTOL COMBAT VEHICLE HIT LOCATION

	ATTACK DIRECTION FRONT	REAR	SIDES
2*	Front (critical)	Rear (critical)	Side (critical)
3	Rotors†	Rotors†	Rotors†
4	Turret‡	Turret‡	Turret‡
5	Right Side†	Left Side†	Front†
6	Front	Rear	Side
7	Front	Rear	Side
8	Front	Rear	Side (critical)*
9	Left Side	Right Side	Rear
10	Rotors†	Rotors†	Rotors†
11	Rotors†	Rotors†	Rotors†
12*	Rotors (critical)*†	Rotors (critical)*†	Rotors (critical)*†

* A result of 2 or 12 (or an 8 if the attack strikes the side) may inflict a critical hit on the VTOL. For each such attack, apply damage normally to the armor in that section. The attacking player then immediately rolls once on the VTOL Combat Vehicle Critical Hits Table, below.

† Damage Value / 10 (round up); see Rotor Hits, p. 197, *Total Warfare*. Additionally, damage to rotors slows down the VTOL. Each hit reduces the VTOL's Cruising MP by 1, meaning that the controlling player must also recalculate Flank MP; multiply the new Cruising MP by 1.5 and round up. As with all damage, such movement penalties do not apply until the end of the phase in which the damage occurred.

‡ If the VTOL has no turret, a turret strike hits Rotors†

VTOL ELEVATION TRACK

Turn	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
Elevation															

Turn	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30
Elevation															

PHYSICAL ATTACKS AGAINST VTOLS TABLE

DIFFERENCE IN LEVELS	TYPES OF PHYSICAL ATTACKS ALLOWED
-1 or lower	None
0	All except Punch
1-2	All except Kick
3	Club and Physical Weapons Only
4+	None

VTOL COMBAT VEHICLE CRITICAL HITS TABLE

	LOCATION HIT FRONT	SIDE	REAR	ROTORS	TURRET
2-5	No Critical Hit	No Critical Hit	No Critical Hit	No Critical Hit	No Critical Hit
6	Copilot Hit	Weapon Malfunction	Cargo/Infantry Hit	Rotor Damage	Stabilizer
7	Weapon Malfunction	Cargo/Infantry Hit	Weapon Malfunction	Rotor Damage	Turret Jam
8	Stabilizer	Stabilizer	Stabilizer	Rotor Damage	Weapon Malfunction
9	Sensors	Weapon Destroyed	Weapon Destroyed	Flight Stabilizer Hit	Turret Locks
10	Pilot Hit	Engine Hit	Sensors	Flight Stabilizer Hit	Weapon Destroyed
11	Weapon Destroyed	RotorsDestroyed	Ammunition**	Engine Hit	Ammunition**
12	Crew Killed	Fuel Tank*	Fuel Tank*	RotorsDestroyed	Turret Blown Off

*Only if the VTOL has an ICE engine. For VTOLs with fusion engines, treat this result as Engine Hit.
** If the VTOL carries no ammunition, treat this result as Weapon Destroyed.

© 2026 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved.
Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

BATTLE ARMOR RECORD SHEET

BATTLE ARMOR: SQUAD 1

Type: IS Standard Battle Armor [Laser](Sqd4)

Gunnery Skill: _____ **Anti-'Mech Skill:** _____

Ground MP: 1 **Jump MP:** 3

#	Type	Dmg	Min	Sht	Med	Lng
1	Small Laser	3 [DE]	–	1	2	3
1	Battle Claw		–	–	–	–

1 ○○○○○○○○○○

2 ○○○○○○○○○○

3 ○○○○○○○○○○

4 ○○○○○○○○○○

Mechanized: ☑ **Swarm:** ☑ **Leg:** ☑ **AP:** ☐

Armor: Standard (Basic) **Role:** Ambusher **BV:** 231

CLUSTER HITS TABLE

2D6	2	3	4
2	1	1	1
3	1	1	2
4	1	1	2
5	1	2	2
6	1	2	2
7	1	2	3
8	2	2	3
9	2	2	3
10	2	3	3
11	2	3	4
12	2	3	4

LEG ATTACKS TABLE

BATTLE ARMOR TROOPERS ACTIVE	BASE TO-HIT MODIFIER
4-6	0
3	+2
2	+5
1	+7

SWARM ATTACKS TABLE

BATTLE ARMOR TROOPERS ACTIVE	BASE TO-HIT MODIFIER
4-6	+2
1-3	+5

SWARM ATTACK MODIFIERS TABLE

ATTACKING ENEMY BATTLE ARMOR TROOPERS ACTIVE	FRIENDLY MECHANIZED BATTLE ARMOR TROOPERS ACTIVE					
	1	2	3	4	5	6
6	+0	+0	+0	+0	+1	+2
5	+0	+0	+0	+1	+2	+3
4	+0	+0	+1	+2	+3	+4
3	+0	+1	+2	+3	+4	+5
2	+1	+2	+3	+4	+5	+6
1	+2	+3	+4	+5	+6	+7

BATTLE ARMOR EQUIPMENT

Claws with magnets	-1

SITUATION*

'Mech prone	-2
'Mech or vehicle immobile	-4
Vehicle	-2

*Modifiers are cumulative

SWARM ATTACKS HIT LOCATION TABLE

2D6 ROLL	BIPEDAL/TRIPOD LOCATION	QUAD LOCATION
2	Head	Head
3	Rear Center Torso	Front Right Torso
4	Rear Right Torso	Rear Center Torso
5	Front Right Torso	Rear Right Torso
6	Right Arm	Front Right Torso
7	Front Center Torso	Front Center Torso
8	Left Arm	Front Left Torso
9	Front Left Torso	Rear Left Torso
10	Rear Left Torso	Rear Center Torso
11	Rear Center Torso	Front Left Torso
12	Head	Head

TRANSPORT POSITIONS TABLE

TROOPER NUMBER	'MECH LOCATION	VEHICLE LOCATION
1	Right Torso	Right Side
2	Left Torso	Right Side
3	Right Torso (rear)	Left Side
4	Left Torso (rear)	Left Side
5	Center Torso (rear)	Rear
6	Center Torso	Rear

TROOPER NUMBER	LARGE SUPPORT VEHICLE LOCATION*
1	Right Side (Unit 1/Unit 2)
2	Right Side (Unit 1/Unit 2)
3	Left Side (Unit 1/Unit 2)
4	Left Side (Unit 1/Unit 2)
5	Rear (Unit 1/Unit 2)
6	Rear (Unit 1/Unit 2)

*Unit 1 and Unit 2 represent two battle armor units.

© 2026 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved.
Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

BATTLE ARMOR RECORD SHEET

BATTLE ARMOR: SQUAD 1

Type: IS Standard Battle Armor [Laser](Sqd4)

Gunnery Skill: _____ **Anti-'Mech Skill:** _____

Ground MP: 1 **Jump MP:** 3

#	Type	Dmg	Min	Sht	Med	Lng
1	Small Laser	3 [DE]	–	1	2	3
1	Battle Claw		–	–	–	–

1 ○○○○○○○○○○

2 ○○○○○○○○○○

3 ○○○○○○○○○○

4 ○○○○○○○○○○

Mechanized: ☑ **Swarm:** ☑ **Leg:** ☑ **AP:** ☐

Armor: Standard (Basic) **Role:** Ambusher **BV:** 231

CLUSTER HITS TABLE

2D6	2	3	4
2	1	1	1
3	1	1	2
4	1	1	2
5	1	2	2
6	1	2	2
7	1	2	3
8	2	2	3
9	2	2	3
10	2	3	3
11	2	3	4
12	2	3	4

LEG ATTACKS TABLE

BATTLE ARMOR TROOPERS ACTIVE	BASE TO-HIT MODIFIER
4-6	0
3	+2
2	+5
1	+7

SWARM ATTACKS TABLE

BATTLE ARMOR TROOPERS ACTIVE	BASE TO-HIT MODIFIER
4-6	+2
1-3	+5

SWARM ATTACK MODIFIERS TABLE

ATTACKING ENEMY BATTLE ARMOR TROOPERS ACTIVE	FRIENDLY MECHANIZED BATTLE ARMOR TROOPERS ACTIVE					
	1	2	3	4	5	6
6	+0	+0	+0	+0	+1	+2
5	+0	+0	+0	+1	+2	+3
4	+0	+0	+1	+2	+3	+4
3	+0	+1	+2	+3	+4	+5
2	+1	+2	+3	+4	+5	+6
1	+2	+3	+4	+5	+6	+7

BATTLE ARMOR EQUIPMENT

Claws with magnets	-1

SITUATION*

'Mech prone	-2
'Mech or vehicle immobile	-4
Vehicle	-2

*Modifiers are cumulative

SWARM ATTACKS HIT LOCATION TABLE

2D6 ROLL	BIPEDAL/TRIPOD LOCATION	QUAD LOCATION
2	Head	Head
3	Rear Center Torso	Front Right Torso
4	Rear Right Torso	Rear Center Torso
5	Front Right Torso	Rear Right Torso
6	Right Arm	Front Right Torso
7	Front Center Torso	Front Center Torso
8	Left Arm	Front Left Torso
9	Front Left Torso	Rear Left Torso
10	Rear Left Torso	Rear Center Torso
11	Rear Center Torso	Front Left Torso
12	Head	Head

TRANSPORT POSITIONS TABLE

TROOPER NUMBER	'MECH LOCATION	VEHICLE LOCATION
1	Right Torso	Right Side
2	Left Torso	Right Side
3	Right Torso (rear)	Left Side
4	Left Torso (rear)	Left Side
5	Center Torso (rear)	Rear
6	Center Torso	Rear

TROOPER NUMBER	LARGE SUPPORT VEHICLE LOCATION*
1	Right Side (Unit 1/Unit 2)
2	Right Side (Unit 1/Unit 2)
3	Left Side (Unit 1/Unit 2)
4	Left Side (Unit 1/Unit 2)
5	Rear (Unit 1/Unit 2)
6	Rear (Unit 1/Unit 2)

*Unit 1 and Unit 2 represent two battle armor units.

© 2026 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved.
Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

BATTLE ARMOR RECORD SHEET

BATTLE ARMOR: SQUAD 1

Type: IS Standard Battle Armor [Laser](Sqd4)

Gunnery Skill: _____ **Anti-'Mech Skill:** _____

Ground MP: 1 **Jump MP:** 3

#	Type	Dmg	Min	Sht	Med	Lng
1	Small Laser	3 [DE]	–	1	2	3
1	Battle Claw		–	–	–	–

1 ○○○○○○○○○○

2 ○○○○○○○○○○

3 ○○○○○○○○○○

4 ○○○○○○○○○○

Mechanized: ☑ **Swarm:** ☑ **Leg:** ☑ **AP:** ☐

Armor: Standard (Basic) **Role:** Ambusher **BV:** 231

CLUSTER HITS TABLE

2D6	2	3	4
2	1	1	1
3	1	1	2
4	1	1	2
5	1	2	2
6	1	2	2
7	1	2	3
8	2	2	3
9	2	2	3
10	2	3	3
11	2	3	4
12	2	3	4

LEG ATTACKS TABLE

BATTLE ARMOR TROOPERS ACTIVE	BASE TO-HIT MODIFIER
4-6	0
3	+2
2	+5
1	+7

SWARM ATTACKS TABLE

BATTLE ARMOR TROOPERS ACTIVE	BASE TO-HIT MODIFIER
4-6	+2
1-3	+5

SWARM ATTACK MODIFIERS TABLE

ATTACKING ENEMY BATTLE ARMOR TROOPERS ACTIVE	FRIENDLY MECHANIZED BATTLE ARMOR TROOPERS ACTIVE					
	1	2	3	4	5	6
6	+0	+0	+0	+0	+1	+2
5	+0	+0	+0	+1	+2	+3
4	+0	+0	+1	+2	+3	+4
3	+0	+1	+2	+3	+4	+5
2	+1	+2	+3	+4	+5	+6
1	+2	+3	+4	+5	+6	+7

BATTLE ARMOR EQUIPMENT

Claws with magnets	-1

SITUATION*

'Mech prone	-2
'Mech or vehicle immobile	-4
Vehicle	-2

*Modifiers are cumulative

SWARM ATTACKS HIT LOCATION TABLE

2D6 ROLL	BIPEDAL/TRIPOD LOCATION	QUAD LOCATION
2	Head	Head
3	Rear Center Torso	Front Right Torso
4	Rear Right Torso	Rear Center Torso
5	Front Right Torso	Rear Right Torso
6	Right Arm	Front Right Torso
7	Front Center Torso	Front Center Torso
8	Left Arm	Front Left Torso
9	Front Left Torso	Rear Left Torso
10	Rear Left Torso	Rear Center Torso
11	Rear Center Torso	Front Left Torso
12	Head	Head

TRANSPORT POSITIONS TABLE

TROOPER NUMBER	'MECH LOCATION	VEHICLE LOCATION
1	Right Torso	Right Side
2	Left Torso	Right Side
3	Right Torso (rear)	Left Side
4	Left Torso (rear)	Left Side
5	Center Torso (rear)	Rear
6	Center Torso	Rear

TROOPER NUMBER	LARGE SUPPORT VEHICLE LOCATION*
1	Right Side (Unit 1/Unit 2)
2	Right Side (Unit 1/Unit 2)
3	Left Side (Unit 1/Unit 2)
4	Left Side (Unit 1/Unit 2)
5	Rear (Unit 1/Unit 2)
6	Rear (Unit 1/Unit 2)

*Unit 1 and Unit 2 represent two battle armor units.

© 2026 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved.
Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

BATTLE ARMOR RECORD SHEET

BATTLE ARMOR: SQUAD 1

Type: IS Standard Battle Armor [Laser](Sqd4)

Gunnery Skill: _____ **Anti-'Mech Skill:** _____

Ground MP: 1 **Jump MP:** 3

#	Type	Dmg	Min	Sht	Med	Lng
1	Small Laser	3 [DE]	–	1	2	3
1	Battle Claw		–	–	–	–

1 ○○○○○○○○○○

2 ○○○○○○○○○○

3 ○○○○○○○○○○

4 ○○○○○○○○○○

Mechanized: ☑ **Swarm:** ☑ **Leg:** ☑ **AP:** ☐

Armor: Standard (Basic) **Role:** Ambusher **BV:** 231

CLUSTER HITS TABLE

2D6	2	3	4
2	1	1	1
3	1	1	2
4	1	1	2
5	1	2	2
6	1	2	2
7	1	2	3
8	2	2	3
9	2	2	3
10	2	3	3
11	2	3	4
12	2	3	4

LEG ATTACKS TABLE

BATTLE ARMOR TROOPERS ACTIVE	BASE TO-HIT MODIFIER
4-6	0
3	+2
2	+5
1	+7

SWARM ATTACKS TABLE

BATTLE ARMOR TROOPERS ACTIVE	BASE TO-HIT MODIFIER
4-6	+2
1-3	+5

SWARM ATTACK MODIFIERS TABLE

ATTACKING ENEMY BATTLE ARMOR TROOPERS ACTIVE	FRIENDLY MECHANIZED BATTLE ARMOR TROOPERS ACTIVE					
	1	2	3	4	5	6
6	+0	+0	+0	+0	+1	+2
5	+0	+0	+0	+1	+2	+3
4	+0	+0	+1	+2	+3	+4
3	+0	+1	+2	+3	+4	+5
2	+1	+2	+3	+4	+5	+6
1	+2	+3	+4	+5	+6	+7

BATTLE ARMOR EQUIPMENT

Claws with magnets	-1

SITUATION*

'Mech prone	-2
'Mech or vehicle immobile	-4
Vehicle	-2

*Modifiers are cumulative

SWARM ATTACKS HIT LOCATION TABLE

2D6 ROLL	BIPEDAL/TRIPOD LOCATION	QUAD LOCATION
2	Head	Head
3	Rear Center Torso	Front Right Torso
4	Rear Right Torso	Rear Center Torso
5	Front Right Torso	Rear Right Torso
6	Right Arm	Front Right Torso
7	Front Center Torso	Front Center Torso
8	Left Arm	Front Left Torso
9	Front Left Torso	Rear Left Torso
10	Rear Left Torso	Rear Center Torso
11	Rear Center Torso	Front Left Torso
12	Head	Head

TRANSPORT POSITIONS TABLE

TROOPER NUMBER	'MECH LOCATION	VEHICLE LOCATION
1	Right Torso	Right Side
2	Left Torso	Right Side
3	Right Torso (rear)	Left Side
4	Left Torso (rear)	Left Side
5	Center Torso (rear)	Rear
6	Center Torso	Rear

TROOPER NUMBER	LARGE SUPPORT VEHICLE LOCATION*
1	Right Side (Unit 1/Unit 2)
2	Right Side (Unit 1/Unit 2)
3	Left Side (Unit 1/Unit 2)
4	Left Side (Unit 1/Unit 2)
5	Rear (Unit 1/Unit 2)
6	Rear (Unit 1/Unit 2)

*Unit 1 and Unit 2 represent two battle armor units.

© 2026 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved.
Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.