BATTLETECH™

OMNIMECH RECORD SHEET

'MECH DATA

Type: Archangel C-ANG-OD Luminos

Movement Points:		**Tonnage:**	100
Walking:	3	**Tech Base:**	Inner Sphere
Running:	5	**Rules Level:**	Standard
Jumping:	3	**Role:**	Juggernaut
Engine Type:	300 Compact		

Weapons & Equipment Inventory (hexes)

	Type	Loc	Ht	Dmg	Min	Sht	Med	Lng
	ER PPC	LA	15	10 [DE]	—	7	14	23
	ER PPC	RA	15	10 [DE]	—	7	14	23
-2	Medium Pulse Laser	LT	4	6 [P]	—	2	4	6
-2	Medium Pulse Laser	RT	4	6 [P]	—	2	4	6
-2	Medium Pulse Laser	RT	4	6 [P]	—	2	4	6
-2	Medium Pulse Laser	HD	4	6 [P]	—	2	4	6
	ER Small Laser	HD	2	3 [DE]	—	2	4	5
-2	Small Pulse Laser	CT	2	3 [PAI]	—	1	2	3
	ECM Suite (Guardian)	LT	—	[E]	—	—	—	6
	C3i	CT	—	[E]	—	—	—	—

Total Heat (Dissipation): 50 (34)

+3	Punch	LA	—	5	—	—	—	—
+3	Punch	RA	—	5	—	—	—	—
-2	Kick	—	—	20	—	—	—	—
Vs	Death From Above	—	—	30	—	—	—	—
Vs	Charge	—	—	10/hex	—	—	—	—
-1	Push	—	—	—	—	—	—	—

Quirks: Command Mech, Improved Communications, Improved Sensors, Bad Reputation (Inner Sphere), Bad Reputation (Clan)

BV: 2105

WARRIOR DATA

Name: _____

Gunnery Skill: _____ **Piloting Skill:** _____

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead

HIT LOCATION AND CLUSTER TABLE

Die Roll (2D6)	LS	F/R	RS
2*	LT(C)	CT(C)	RT(C)
3	LL	RA	RL
4	LA	RA	RA
5	LA	RL	RA
6	LL	RT	RL
7	LT	CT	RT
8	CT	LT	CT
9	RT	LL	LT
10	RA	LA	LA
11	RL	LA	LL
12	HD	HD	HD


*A result of 2 may inflict a critical hit.

PUNCH/KICK LOCATION TABLE

Die Roll (1D6)	Punch LS	Punch F/R	Punch RS	Kick LS	Kick F/R	Kick RS
1	LT	LA	RT	LL	RL	RL
2	LT	LT	RT	LL	RL	RL
3	CT	CT	CT	LL	RL	RL
4	LA	RT	RA	LL	LL	RL
5	LA	RA	RA	LL	LL	RL
6	HD	HD	HD	LL	LL	RL


ARMOR DIAGRAM

Standard Armor



INTERNAL STRUCTURE DIAGRAM

Endo Steel



Heat Scale

Overflow
30
29
28
27
26
25
24
23
22
21
20
19
18
17
16
15
14
13
12
11
10
9
8
7
6
5
4
3
2
1
0

CRITICAL TABLE

Left Arm
1. Shoulder
2. Upper Arm Actuator
3. Double Heat Sink
4. Double Heat Sink
5. Double Heat Sink
6. Double Heat Sink

1. Double Heat Sink
2. Double Heat Sink
3. ER PPC
4. ER PPC
5. ER PPC
6. Roll Again

Left Torso
1. Jump Jet
2. Medium Pulse Laser
3. ECM Suite (Guardian)
4. ECM Suite (Guardian)
5. Endo Steel
6. Endo Steel

1. Endo Steel
2. Endo Steel
3. Endo Steel
4. Roll Again
5. Roll Again
6. Roll Again


Left Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Endo Steel
6. Endo Steel

Head
1. Life Support
2. Sensors
3. Small Cockpit
4. Sensors
5. Medium Pulse Laser
6. ER Small Laser

Center Torso
1. Compact Fusion Engine
2. Compact Fusion Engine
3. Compact Fusion Engine
4. Compact Gyro
5. Compact Gyro
6. Double Heat Sink

1. Double Heat Sink
2. Double Heat Sink
3. Jump Jet
4. Small Pulse Laser
5. C3i
6. C3i

Engine Hits ○○○
Gyro Hits ○○
Sensor Hits ○○
Life Support ○



Damage Transfer Diagram

Right Arm
1. Shoulder
2. Upper Arm Actuator
3. Double Heat Sink
4. Double Heat Sink
5. Double Heat Sink
6. Double Heat Sink

1. Double Heat Sink
2. Double Heat Sink
3. ER PPC
4. ER PPC
5. ER PPC
6. Roll Again

Right Torso
1. Jump Jet
2. Medium Pulse Laser
3. Medium Pulse Laser
4. Endo Steel
5. Endo Steel
6. Endo Steel

1. Endo Steel
2. Endo Steel
3. Roll Again
4. Roll Again
5. Roll Again
6. Roll Again

Right Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Endo Steel
6. Endo Steel

HEAT DATA

Double Heat Sinks: 17 (34)

Heat Level*	Effects	
30	Shutdown	
28	Ammo Exp, avoid on 8+	○○
26	Shutdown, avoid on 10+	○○
25	-5 Movement Points	○○
24	+4 Modifier to Fire	○○
23	Ammo Exp, avoid on 6+	○○
22	Shutdown, avoid on 8+	○○
20	-4 Movement Points	○○
19	Ammo Exp, avoid on 4+	○○
18	Shutdown, avoid on 6+	○
17	+3 Modifier to Fire	○
15	-3 Movement Points	○
14	Shutdown, avoid on 4+	
13	+2 Modifier to Fire	
10	-2 Movement Points	
8	+1 Modifier to Fire	
5	-1 Movement Points	

© 2026 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved.
Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

FOUR-LEGGED BATTLEMECH RECORD SHEET

'MECH DATA

Type: Blue Flame BLF-21

Movement Points:
Walking: 5
Running: 8
Jumping: 0
Engine Type: 225 Light

Tonnage: 45
Tech Base: Inner Sphere
Rules Level: Standard
Role: Sniper

Weapons & Equipment Inventory

Type	Loc	Ht	Dmg	(hexes) Min	Sht	Med	Lng
ER Large Laser	LT	12	8 [DE]	—	7	14	19
ER Large Laser	RT	12	8 [DE]	—	7	14	19
Streak SRM 2	LT	2	2/Msl [M,C]	—	3	6	9
Streak SRM 2	RT	2	2/Msl [M,C]	—	3	6	9
Streak SRM 2	HD	2	2/Msl [M,C]	—	3	6	9
C3i	CT	—	[E]	—	—	—	—

Total Heat (Dissipation): 30 (20)

-2	Kick	—	—	9	—	—	—	—
Vs	Charge	—	—	4.5/hex	—	—	—	—

Ammo: (Streak SRM 2) 50

Quirks: Directional Torso Mount, Bad Reputation (Inner Sphere)

BV: 1256

WARRIOR DATA

Name: _____

Gunnery Skill: ____ **Piloting Skill:** ____

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead

HIT LOCATION AND CLUSTER TABLE

Die Roll (2D6)	LS	F/R	RS	2
2*	LT(C)	CT(C)	RT(C)	1
3	LRL	RFL	RRL	1
4	LFL	RFL	RFL	1
5	LFL	RRL	RFL	1
6	LRL	RT	RRL	1
7	LT	CT	RT	1
8	CT	LT	CT	2
9	RT	LRL	LT	2
10	RFL	LFL	LFL	2
11	RRL	LFL	LRL	2
12	HD	HD	HD	2


*A result of 2 may inflict a critical hit.

PUNCH/KICK LOCATION TABLE

Die Roll (1D6)	Punch LS	Punch F/R	Punch RS	Kick LS	Kick F/R	Kick RS
1	LT	LFL/LRL	RT	LFL	RFL/RRL	RFL
2	LT	LT	RT	LFL	RFL/RRL	RFL
3	CT	CT	CT	LFL	RFL/RRL	RFL
4	LFL	RT	RFL	LRL	LFL/LRL	RRL
5	LRL	RFL/RRL	RRL	LRL	LFL/LRL	RRL
6	HD	HD	HD	LRL	LFL/LRL	RRL


ARMOR DIAGRAM

Standard Armor



INTERNAL STRUCTURE DIAGRAM

Endo Steel



Heat Scale

Overflow
30
29
28
27
26
25
24
23
22
21
20
19
18
17
16
15
14
13
12
11
10
9
8
7
6
5
4
3
2
1
0

CRITICAL TABLE

Head
1. Life Support
2. Sensors
3. Cockpit
4. Streak SRM 2
5. Sensors
6. Life Support

Front Left Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Endo Steel
6. Endo Steel

Front Right Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Endo Steel
6. Endo Steel


Center Torso
1. Light Fusion Engine
2. Light Fusion Engine
3. Light Fusion Engine
1-3 4. Gyro
5. Gyro
6. Gyro
1. Gyro
2. Light Fusion Engine
3. Light Fusion Engine
4-6 4. Light Fusion Engine
5. C3i
6. C3i

Left Torso
1. Light Fusion Engine
2. Light Fusion Engine
1-3 3. ER Large Laser
4. ER Large Laser
5. Streak SRM 2
6. Endo Steel
1. Endo Steel
2. Endo Steel
4-6 3. Endo Steel
4. Endo Steel
5. Endo Steel
6. Roll Again

Right Torso
1. Light Fusion Engine
2. Light Fusion Engine
1-3 3. Double Heat Sink
4. Double Heat Sink
5. Double Heat Sink
6. ER Large Laser
1. ER Large Laser
2. Streak SRM 2
4-6 3. Ammo (Streak SRM 2) 50
4. Roll Again
5. Roll Again
6. Roll Again

Engine Hits ○○○
Gyro Hits ○○
Sensor Hits ○○
Life Support ○

Rear Left Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Endo Steel
6. Endo Steel



Damage Transfer Diagram

Rear Right Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Endo Steel
6. Endo Steel

HEAT DATA

Double Heat Sinks: 10 (20)

Heat Level*	Effects	
30	Shutdown	
28	Ammo Exp, avoid on 8+	○
26	Shutdown, avoid on 10+	○
25	-5 Movement Points	○
24	+4 Modifier to Fire	○
23	Ammo Exp, avoid on 6+	○
22	Shutdown, avoid on 8+	○
20	-4 Movement Points	○
19	Ammo Exp, avoid on 4+	○
18	Shutdown, avoid on 6+	○
17	+3 Modifier to Fire	○
15	-3 Movement Points	○
14	Shutdown, avoid on 4+	
13	+2 Modifier to Fire	
10	-2 Movement Points	
8	+1 Modifier to Fire	
5	-1 Movement Points	

© 2026 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved.
Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

OMNIMECH RECORD SHEET

'MECH DATA

Type: Malak C-MK-OC Comminus

Movement Points:
Walking: 7
Running: 11
Jumping: 0
Engine Type: 210 Light

Tonnage: 30
Tech Base: Inner Sphere
Rules Level: Standard
Role: Striker

Weapons & Equipment Inventory (hexes)

	Type	Loc	Ht	Dmg	Min	Sht	Med	Lng
	TAG	HD	–	[E]	–	5	9	15
-1	ER Medium Laser	LT	5	5 [DE]	–	4	8	12
-1	ER Medium Laser	RT	5	5 [DE]	–	4	8	12
-1	ER Small Laser	RA	2	3 [DE]	–	2	4	5
-1	ER Small Laser	RA	2	3 [DE]	–	2	4	5
-1	ER Small Laser	RA	2	3 [DE]	–	2	4	5
	Anti-BattleArmor Pods (B-Pods)	RT	–	1 [DB,PB,AI,X,OS]	–	0	–	–
	Active Probe (Beagle)	LA	–	[E]	–	–	–	4
	C3i	LT	–	[E]	–	–	–	–
	ECM Suite (Guardian)	RT	–	[E]	–	–	–	6
	Targeting Computer	RT	–	[E]	–	–	–	–

Total Heat (Dissipation): 16 (20)

	Punch	LA	–	3	–	–	–	–
+1	Punch	RA	–	3	–	–	–	–
-2	Kick	–	–	6	–	–	–	–
Vs	Charge	–	–	3/hex	–	–	–	–
-1	Push	–	–	–	–	–	–	–

Quirks: Improved Communications, Improved Sensors, Bad Reputation (Inner Sphere)

BV: 944

WARRIOR DATA

Name: _____

Gunnery Skill: ____ **Piloting Skill:** ____

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead

HIT LOCATION AND CLUSTER TABLE

Die Roll (2D6)	LS	F/R	RS
2*	LT(C)	CT(C)	RT(C)
3	LL	RA	RL
4	LA	RA	RA
5	LA	RL	RA
6	LL	RT	RL
7	LT	CT	RT
8	CT	LT	CT
9	RT	LL	LT
10	RA	LA	LA
11	RL	LA	LL
12	HD	HD	HD


*A result of 2 may inflict a critical hit.

PUNCH/KICK LOCATION TABLE

Die Roll (1D6)	Punch LS	Punch F/R	Punch RS	Kick LS	Kick F/R	Kick RS
1	LT	LA	RT	LL	RL	RL
2	LT	LT	RT	LL	RL	RL
3	CT	CT	CT	LL	RL	RL
4	LA	RT	RA	LL	LL	RL
5	LA	RA	RA	LL	LL	RL
6	HD	HD	HD	LL	LL	RL


ARMOR DIAGRAM

Light Ferro-Fibrous



INTERNAL STRUCTURE DIAGRAM

Endo Steel



Heat Scale: Overflow, 30, 29, 28, 27, 26, 25, 24, 23, 22, 21, 20, 19, 18, 17, 16, 15, 14, 13, 12, 11, 10, 9, 8, 7, 6, 5, 4, 3, 2, 1, 0

HEAT DATA

Double Heat Sinks: 10 (20)

Heat Level*	Effects	
30	Shutdown	
28	Ammo Exp, avoid on 8+	○
26	Shutdown, avoid on 10+	○
25	-5 Movement Points	○
24	+4 Modifier to Fire	○
23	Ammo Exp, avoid on 6+	○
22	Shutdown, avoid on 8+	○
20	-4 Movement Points	○
19	Ammo Exp, avoid on 4+	○
18	Shutdown, avoid on 6+	○
17	+3 Modifier to Fire	○
15	-3 Movement Points	○
14	Shutdown, avoid on 4+	
13	+2 Modifier to Fire	
10	-2 Movement Points	
8	+1 Modifier to Fire	
5	-1 Movement Points	

CRITICAL TABLE

Left Arm
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator

1-3
4. Hand Actuator
5. Double Heat Sink
6. Double Heat Sink

1. Double Heat Sink
2. Active Probe (Beagle)
3. Active Probe (Beagle)

4-6
4. Light Ferro-Fibrous
5. Light Ferro-Fibrous
6. Roll Again

Left Torso
1. Light Fusion Engine
2. Light Fusion Engine

1-3
3. Double Heat Sink
4. Double Heat Sink
5. Double Heat Sink
6. ER Medium Laser

1. C3i
2. C3i

4-6
3. Endo Steel
4. Endo Steel
5. Endo Steel
6. Endo Steel

Left Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Light Ferro-Fibrous
6. Light Ferro-Fibrous

Head
1. Life Support
2. Sensors
3. Small Cockpit
4. Sensors
5. TAG
6. Roll Again


Center Torso
1. Light Fusion Engine
2. Light Fusion Engine
3. Light Fusion Engine

1-3
4. XL Gyro
5. XL Gyro
6. XL Gyro

1. XL Gyro
2. XL Gyro
3. XL Gyro

4-6
4. Light Fusion Engine
5. Light Fusion Engine
6. Light Fusion Engine

Engine Hits ○○○
Gyro Hits ○○
Sensor Hits ○○
Life Support ○



Damage Transfer Diagram

Right Arm
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator

1-3
4. ER Small Laser
5. ER Small Laser
6. ER Small Laser

1. Endo Steel
2. Endo Steel
3. Endo Steel

4-6
4. Endo Steel
5. Endo Steel
6. Endo Steel

Right Torso
1. Light Fusion Engine
2. Light Fusion Engine
3. ER Medium Laser

1-3
4. Anti-BattleArmor Pods (B-Pods)
5. ECM Suite (Guardian)
6. ECM Suite (Guardian)

1. Targeting Computer
2. Endo Steel
3. Endo Steel

4-6
4. Endo Steel
5. Endo Steel
6. Light Ferro-Fibrous

Right Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Light Ferro-Fibrous
6. Light Ferro-Fibrous

© 2026 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved.
Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

BATTLEMECH RECORD SHEET

'MECH DATA

Type: Gurkha GUR-8G

Movement Points:
Walking: 7 [8]
Running: 11 [12]
Jumping: 0
Engine Type: 245 XL

Tonnage: 35
Tech Base: Inner Sphere
Rules Level: Standard
Role: Striker

Weapons & Equipment Inventory (hexes)

	Type	Loc	Ht	Dmg	Min	Sht	Med	Lng
	Snub-Nose PPC	RT	10	10/8/5 [DE,V]	—	9	13	15
	ER Medium Laser	LA	5	5 [DE]	—	4	8	12
	ER Medium Laser	LA	5	5 [DE]	—	4	8	12
	ER Medium Laser	LA	5	5 [DE]	—	4	8	12
	ER Small Laser	HD	2	3 [DE]	—	2	4	5
-2	Retractable Blade	RA	—	4 [8]	—	—	—	—
	C3i	CT	—	[E]	—	—	—	—
	Total Heat (Dissipation): 27 (20)							
	Punch	LA	—	4 [8]	—	—	—	—
	Punch	RA	—	4 [8]	—	—	—	—
-2	Kick	—	—	7 [14]	—	—	—	—
-1	Club	—	—	7 [14]	—	—	—	—
Vs	Charge	—	—	3.5/hex	—	—	—	—
-1	Push	—	—	—	—	—	—	—

Quirks: Bad Reputation (Inner Sphere), Bad Reputation (Clan), Exposed Actuators

BV: 1241

WARRIOR DATA

Name: _____

Gunnery Skill: _____ **Piloting Skill:** _____

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead

HIT LOCATION AND CLUSTER TABLE

Die Roll (2D6)	LS	F/R	RS
2*	LT(C)	CT(C)	RT(C)
3	LL	RA	RL
4	LA	RA	RA
5	LA	RL	RA
6	LL	RT	RL
7	LT	CT	RT
8	CT	LT	CT
9	RT	LL	LT
10	RA	LA	LA
11	RL	LA	LL
12	HD	HD	HD


*A result of 2 may inflict a critical hit.

PUNCH/KICK LOCATION TABLE

Die Roll (1D6)	Punch LS	Punch F/R	Punch RS	Kick LS	Kick F/R	Kick RS
1	LT	LA	RT	LL	RL	RL
2	LT	LT	RT	LL	RL	RL
3	CT	CT	CT	LL	RL	RL
4	LA	RT	RA	LL	LL	RL
5	LA	RA	RA	LL	LL	RL
6	HD	HD	HD	LL	LL	RL


ARMOR DIAGRAM

Standard Armor



INTERNAL STRUCTURE DIAGRAM

Endo Steel



Heat Scale

Overflow
30
29
28
27
26
25
24
23
22
21
20
19
18
17
16
15
14
13
12
11
10
9
8
7
6
5
4
3
2
1
0

CRITICAL TABLE

Left Arm
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. ER Medium Laser
6. ER Medium Laser

1-3

1. ER Medium Laser
2. Triple Strength Myomer
3. Triple Strength Myomer
4. Roll Again
5. Roll Again
6. Roll Again

4-6

Left Torso
1. XL Fusion Engine
2. XL Fusion Engine
3. XL Fusion Engine
4. Double Heat Sink
5. Double Heat Sink
6. Double Heat Sink

1-3

1. Endo Steel
2. Endo Steel
3. Endo Steel
4. Endo Steel
5. Endo Steel
6. Triple Strength Myomer

4-6

Left Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Endo Steel
6. Endo Steel

Head
1. Life Support
2. Sensors
3. Small Cockpit
4. Sensors
5. ER Small Laser
6. Roll Again


Center Torso
1. XL Fusion Engine
2. XL Fusion Engine
3. XL Fusion Engine
4. Gyro
5. Gyro
6. Gyro

1-3

1. Gyro
2. XL Fusion Engine
3. XL Fusion Engine
4. XL Fusion Engine
5. C3i
6. C3i

4-6

Engine Hits ○○○
Gyro Hits ○○
Sensor Hits ○○
Life Support ○



Damage Transfer Diagram

Right Arm
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. Hand Actuator
5. Retractable Blade
6. Retractable Blade

1-3

1. Retractable Blade
2. Triple Strength Myomer
3. Triple Strength Myomer
4. Roll Again
5. Roll Again
6. Roll Again

4-6

Right Torso
1. XL Fusion Engine
2. XL Fusion Engine
3. XL Fusion Engine
4. Snub-Nose PPC
5. Snub-Nose PPC
6. Endo Steel

1-3

1. Endo Steel
2. Endo Steel
3. Endo Steel
4. Endo Steel
5. Triple Strength Myomer
6. Roll Again

4-6

Right Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Endo Steel
6. Endo Steel

HEAT DATA

Double Heat Sinks: 10 (20)

Heat Level*	Effects	
30	Shutdown	
28	Ammo Exp, avoid on 8+	○
26	Shutdown, avoid on 10+	○
25	-5 Movement Points	○
24	+4 Modifier to Fire	○
23	Ammo Exp, avoid on 6+	○
22	Shutdown, avoid on 8+	○
20	-4 Movement Points	○
19	Ammo Exp, avoid on 4+	○
18	Shutdown, avoid on 6+	○
17	+3 Modifier to Fire	○
15	-3 Movement Points	○
14	Shutdown, avoid on 4+	
13	+2 Modifier to Fire	
10	-2 Movement Points	
8	+1 Modifier to Fire	
5	-1 Movement Points	

© 2026 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved.
Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

BATTLEMECH RECORD SHEET

'MECH DATA

Type: Mercury MCY-102

Movement Points:
Walking: 8
Running: 12 [16]
Jumping: 0
Engine Type: 160 Fusion

Tonnage: 20
Tech Base: Inner Sphere
Rules Level: Standard
Role: Scout

Weapons & Equipment Inventory (hexes)

	Type	Loc	Ht	Dmg	Min	Sht	Med	Lng
	ER Medium Laser	RA	5	5 [DE]	—	4	8	12
	Modular Weapon							
	ER Small Laser	HD	2	3 [DE]	—	2	4	5
	Modular Weapon							
	C3i	LT	—	[E]	—	—	—	—
	Total Heat (Dissipation): 7 (10)							
	Punch	LA	—	2	—	—	—	—
	Punch	RA	—	2	—	—	—	—
-2	Kick	—	—	4	—	—	—	—
-1	Club	—	—	4	—	—	—	—
Vs	Charge	—	—	2/hex	—	—	—	—
-1	Push	—	—	—	—	—	—	—

Quirks: Easy to Maintain

BV: 510

WARRIOR DATA

Name: _____

Gunnery Skill: _____ **Piloting Skill:** _____

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead

HIT LOCATION AND CLUSTER TABLE

Die Roll (2D6)	LS	F/R	RS
2*	LT(C)	CT(C)	RT(C)
3	LL	RA	RL
4	LA	RA	RA
5	LA	RL	RA
6	LL	RT	RL
7	LT	CT	RT
8	CT	LT	CT
9	RT	LL	LT
10	RA	LA	LA
11	RL	LA	LL
12	HD	HD	HD


*A result of 2 may inflict a critical hit.

PUNCH/KICK LOCATION TABLE

Die Roll (1D6)	Punch LS	Punch F/R	Punch RS	Kick LS	Kick F/R	Kick RS
1	LT	LA	RT	LL	RL	RL
2	LT	LT	RT	LL	RL	RL
3	CT	CT	CT	LL	RL	RL
4	LA	RT	RA	LL	LL	RL
5	LA	RA	RA	LL	LL	RL
6	HD	HD	HD	LL	LL	RL


ARMOR DIAGRAM

Ferro-Fibrous



INTERNAL STRUCTURE DIAGRAM

Endo Steel



Heat Scale

Overflow
30
29
28
27
26
25
24
23
22
21
20
19
18
17
16
15
14
13
12
11
10
9
8
7
6
5
4
3
2
1
0

CRITICAL TABLE

Left Arm

1-3	1. Shoulder
	2. Upper Arm Actuator
	3. Lower Arm Actuator
	4. Hand Actuator
	5. Endo Steel
	6. Endo Steel
4-6	1. Endo Steel
	2. Endo Steel
	3. Endo Steel
	4. Endo Steel
	5. Endo Steel
	6. Roll Again

Left Torso

1-3	1. C3i
	2. C3i
	3. Ferro-Fibrous
	4. Ferro-Fibrous
	5. Ferro-Fibrous
	6. Ferro-Fibrous
4-6	1. Ferro-Fibrous
	2. Ferro-Fibrous
	3. Ferro-Fibrous
	4. Roll Again
	5. Roll Again
	6. Roll Again

Left Leg

1.	Hip
2.	Upper Leg Actuator
3.	Lower Leg Actuator
4.	Foot Actuator
5.	Heat Sink
6.	Heat Sink


Head

1.	Life Support
2.	Sensors
3.	Cockpit
4.	ER Small Laser
5.	Sensors
6.	Life Support

Center Torso

1-3	1. Fusion Engine
	2. Fusion Engine
	3. Fusion Engine
	4. Gyro
	5. Gyro
	6. Gyro
4-6	1. Gyro
	2. Fusion Engine
	3. Fusion Engine
	4. Fusion Engine
	5. MASC
	6. Roll Again

Engine Hits ○○○
Gyro Hits ○○
Sensor Hits ○○
Life Support ○



Damage Transfer Diagram

Right Arm

1-3	1. Shoulder
	2. Upper Arm Actuator
	3. Lower Arm Actuator
	4. Hand Actuator
	5. ER Medium Laser
	6. Endo Steel
4-6	1. Endo Steel
	2. Endo Steel
	3. Endo Steel
	4. Endo Steel
	5. Endo Steel
	6. Endo Steel

Right Torso

1-3	1. Ferro-Fibrous
	2. Ferro-Fibrous
	3. Ferro-Fibrous
	4. Ferro-Fibrous
	5. Ferro-Fibrous
	6. Ferro-Fibrous
4-6	1. Ferro-Fibrous
	2. Roll Again
	3. Roll Again
	4. Roll Again
	5. Roll Again
	6. Roll Again

Right Leg

1.	Hip
2.	Upper Leg Actuator
3.	Lower Leg Actuator
4.	Foot Actuator
5.	Heat Sink
6.	Heat Sink

HEAT DATA

Heat Sinks: 10

Heat Level*	Effects	
30	Shutdown	
28	Ammo Exp, avoid on 8+	○
26	Shutdown, avoid on 10+	○
25	-5 Movement Points	○
24	+4 Modifier to Fire	○
23	Ammo Exp, avoid on 6+	○
22	Shutdown, avoid on 8+	○
20	-4 Movement Points	○
19	Ammo Exp, avoid on 4+	○
18	Shutdown, avoid on 6+	○
17	+3 Modifier to Fire	○
15	-3 Movement Points	○
14	Shutdown, avoid on 4+	
13	+2 Modifier to Fire	
10	-2 Movement Points	
8	+1 Modifier to Fire	
5	-1 Movement Points	

© 2026 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved.
Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

BATTLEMECH RECORD SHEET

'MECH DATA

Type: Red Shift RDS-3A

Movement Points:
Walking: 9
Running: 14
Jumping: 0
Engine Type: 180 XL

Tonnage: 20
Tech Base: Inner Sphere
Rules Level: Standard
Role: Striker

Weapons & Equipment Inventory (hexes)

Type	Loc	Ht	Dmg	Min	Sht	Med	Lng
ER Medium Laser	LA	5	5 [DE]	—	4	8	12
ER Medium Laser	LA	5	5 [DE]	—	4	8	12
ER Medium Laser	RA	5	5 [DE]	—	4	8	12
ER Medium Laser	RA	5	5 [DE]	—	4	8	12
C3i	CT	—	[E]	—	—	—	—
Total Heat (Dissipation): 20 (20)							
+1 Punch	LA	—	2	—	—	—	—
+1 Punch	RA	—	2	—	—	—	—
-2 Kick	—	—	4	—	—	—	—
Vs Charge	—	—	2/hex	—	—	—	—
-1 Push	—	—	—	—	—	—	—

Quirks: Improved Communications, Narrow/Low Profile, Bad Reputation (Inner Sphere)

BV: 869

WARRIOR DATA

Name: _____

Gunnery Skill: ____ **Piloting Skill:** ____

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead

HIT LOCATION AND CLUSTER TABLE

Die Roll (2D6)	LS	F/R	RS
2*	LT(C)	CT(C)	RT(C)
3	LL	RA	RL
4	LA	RA	RA
5	LA	RL	RA
6	LL	RT	RL
7	LT	CT	RT
8	CT	LT	CT
9	RT	LL	LT
10	RA	LA	LA
11	RL	LA	LL
12	HD	HD	HD


*A result of 2 may inflict a critical hit.

PUNCH/KICK LOCATION TABLE

Die Roll (1D6)	Punch LS	Punch F/R	Punch RS	Kick LS	Kick F/R	Kick RS
1	LT	LA	RT	LL	RL	RL
2	LT	LT	RT	LL	RL	RL
3	CT	CT	CT	LL	RL	RL
4	LA	RT	RA	LL	LL	RL
5	LA	RA	RA	LL	LL	RL
6	HD	HD	HD	LL	LL	RL


ARMOR DIAGRAM

Ferro-Fibrous



INTERNAL STRUCTURE DIAGRAM

Endo Steel



Heat Scale: Overflow, 30, 29, 28, 27, 26, 25, 24, 23, 22, 21, 20, 19, 18, 17, 16, 15, 14, 13, 12, 11, 10, 9, 8, 7, 6, 5, 4, 3, 2, 1, 0

HEAT DATA

Double Heat Sinks: 10 (20)

Heat Level*	Effects	
30	Shutdown	
28	Ammo Exp, avoid on 8+	○
26	Shutdown, avoid on 10+	○
25	-5 Movement Points	○
24	+4 Modifier to Fire	○
23	Ammo Exp, avoid on 6+	○
22	Shutdown, avoid on 8+	○
20	-4 Movement Points	○
19	Ammo Exp, avoid on 4+	○
18	Shutdown, avoid on 6+	○
17	+3 Modifier to Fire	○
15	-3 Movement Points	○
14	Shutdown, avoid on 4+	
13	+2 Modifier to Fire	
10	-2 Movement Points	
8	+1 Modifier to Fire	
5	-1 Movement Points	

CRITICAL TABLE

Left Arm
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. ER Medium Laser
5. ER Medium Laser
6. Ferro-Fibrous

Left Arm 4-6
1. Ferro-Fibrous
2. Ferro-Fibrous
3. Ferro-Fibrous
4. Ferro-Fibrous
5. Ferro-Fibrous
6. Ferro-Fibrous

Left Torso
1. XL Fusion Engine
2. XL Fusion Engine
3. XL Fusion Engine
4. Double Heat Sink
5. Double Heat Sink
6. Double Heat Sink

Left Torso 4-6
1. Double Heat Sink
2. Double Heat Sink
3. Double Heat Sink
4. Ferro-Fibrous
5. Ferro-Fibrous
6. Ferro-Fibrous


Left Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Ferro-Fibrous
6. Ferro-Fibrous

Head
1. Life Support
2. Sensors
3. Cockpit
4. Ferro-Fibrous
5. Sensors
6. Life Support

Center Torso
1. XL Fusion Engine
2. XL Fusion Engine
3. XL Fusion Engine
4. Gyro
5. Gyro
6. Gyro

Center Torso 4-6
1. Gyro
2. XL Fusion Engine
3. XL Fusion Engine
4. XL Fusion Engine
5. C3i
6. C3i

Engine Hits ○○○
Gyro Hits ○○
Sensor Hits ○○
Life Support ○



Damage Transfer Diagram

Right Arm
1. Shoulder
2. Upper Arm Actuator
3. Lower Arm Actuator
4. ER Medium Laser
5. ER Medium Laser
6. Endo Steel

Right Arm 4-6
1. Endo Steel
2. Endo Steel
3. Endo Steel
4. Endo Steel
5. Endo Steel
6. Endo Steel

Right Torso
1. XL Fusion Engine
2. XL Fusion Engine
3. XL Fusion Engine
4. Double Heat Sink
5. Double Heat Sink
6. Double Heat Sink

Right Torso 4-6
1. Endo Steel
2. Endo Steel
3. Endo Steel
4. Endo Steel
5. Endo Steel
6. Endo Steel

Right Leg
1. Hip
2. Upper Leg Actuator
3. Lower Leg Actuator
4. Foot Actuator
5. Endo Steel
6. Ferro-Fibrous

© 2026 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved.
Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™

OMNIFIGHTER RECORD SHEET

FIGHTER DATA

Type: Striga S-STR-OB Infernus

Thrust:		**Tonnage:**	85
SafeThrust:	6	**Tech Base:**	Inner Sphere
Maximum Thrust:	9	**Rules Level:**	Standard
Engine Type:	340 XL	**Role:**	Dogfighter


Weapons & Equipment Inventory

					Standard Scale		(1-6)	(7-12)	(13-20)	(21-25)
	#	Type	Loc	Ht	SRV	MRV	LRV	ERV
	1	ER Large Laser [DE]	LWG	12	8	8	8	—
	1	ER Large Laser [DE]	RWG	12	8	8	8	—
VS	1	Large VSP Laser [P,V]	NOS	10	10	7	—	—
VS	1	Large VSP Laser [P,V]	NOS	10	10	7	—	—
VS	1	Medium VSP Laser [P,V]	NOS	7	7	—	—	—
–2	1	Medium Pulse Laser [P]	AFT	4	6	—	—	—
–2	1	Medium Pulse Laser [P]	AFT	4	6	—	—	—
	1	ER Small Laser [DE]	AFT	2	3	—	—	—

Total Heat (Dissipation): 61 (40)


Fuel Points: 400
Features Small Cockpit

BV: 2058 (1871)



ARMOR DIAGRAM

Ferro-Aluminum



EXTERNAL STORES/BOMBS

Key:
HE - High Explosive
LG - Laser Guided
C - Cluster
RL - Rocket Launcher

Heat Scale

Overflow
30
29
28
27
26
25
24
23
22
21
20
19
18
17
16
15
14
13
12
11
10
9
8
7
6
5
4
3
2
1
0

CRITICAL DAMAGE

Avionics	+1	+2	+5	Engine	2 4 D
FCS	+2	+4	D	Landing Gear	+5
Sensors	+1	+2	+5	Life Support	+2

PILOT DATA

Name: _____

Gunnery Skill: 4 **Piloting Skill:** 4

Hits Taken	1	2	3	4	5	6
Consciousness #	3	5	7	10	11	Dead
Modifier	+1	+2	+3	+4	+5	

HEAT DATA

Double Heat Sinks: 20 (40)

Heat Level*	Effects
30	Shutdown
28	Ammo Exp avoid on 8+
27	Pilot damage, avoid on 9+
26	Shutdown, avoid on 10+
25	Random Movement, avoid on 10+
24	+4 Modifier to Fire
23	Ammo Exp avoid on 6+
22	Shutdown, avoid on 8+
21	Pilot damage, avoid on 6+
20	Random Movement, avoid on 8+
19	Ammo Exp avoid on 4+
18	Shutdown, avoid on 6+
17	+3 Modifier to Fire
15	Random Movement, avoid on 7+
14	Shutdown, avoid on 4+
13	+2 Modifier to Fire
10	Random Movement, avoid on 6+
8	+1 Modifier to Fire
5	Random Movement, avoid on 5+

VELOCITY RECORD

Turn #	1	2	3	4	5	6	7	8	9	10
Thrust										
Velocity										
Effective Velocity										
Altitude										

Turn #	11	12	13	14	15	16	17	18	19	20
Thrust										
Velocity										
Effective Velocity										
Altitude										

© 2026 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved.
Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™



BATTLE ARMOR RECORD SHEET

BATTLE ARMOR: LEVEL I 1

Type: Purifier Adaptive Battle Armor [Laser](Sqd6)

Gunnery Skill: 4 **Anti-'Mech Skill:** 4
Ground MP: 1 **Jump MP:** 3

#	Type	Dmg	Min	Sht	Med	Lng
1	ER Small Laser	3 [DE]	—	2	4	5
1	Battle Claw		—	—	—	—

Mechanized: ☑ **Swarm:** ☑ **Leg:** ☑ **AP:** ☐

1 ○○○○○○
2 ○○○○○○
3 ○○○○○○
4 ○○○○○○
5 ○○○○○○
6 ○○○○○○

Armor: Mimetic **Role:** Ambusher **BV:** 513 (466)

CLUSTER HITS TABLE

2D6	2	3	4	5	6
2	1	1	1	1	2
3	1	1	2	2	2
4	1	1	2	2	3
5	1	2	2	3	3
6	1	2	2	3	4
7	1	2	3	3	4
8	2	2	3	3	4
9	2	2	3	4	5
10	2	3	3	4	5
11	2	3	4	5	6
12	2	3	4	5	6

LEG ATTACKS TABLE

BATTLE ARMOR TROOPERS ACTIVE	BASE TO-HIT MODIFIER
4-6	0
3	+2
2	+5
1	+7

SWARM ATTACKS TABLE

BATTLE ARMOR TROOPERS ACTIVE	BASE TO-HIT MODIFIER
4-6	+2
1-3	+5

SWARM ATTACK MODIFIERS TABLE

ATTACKING ENEMY BATTLE ARMOR TROOPERS ACTIVE	FRIENDLY MECHANIZED BATTLE ARMOR TROOPERS ACTIVE					
	1	2	3	4	5	6
6	+0	+0	+0	+0	+1	+2
5	+0	+0	+0	+1	+2	+3
4	+0	+0	+1	+2	+3	+4
3	+0	+1	+2	+3	+4	+5
2	+1	+2	+3	+4	+5	+6
1	+2	+3	+4	+5	+6	+7

BATTLE ARMOR EQUIPMENT

Claws with magnets	-1

SITUATION*

'Mech prone	-2
'Mech or vehicle immobile	-4
Vehicle	-2

*Modifiers are cumulative

SWARM ATTACKS HIT LOCATION TABLE

2D6 ROLL	BIPEDAL/TRIPOD LOCATION	QUAD LOCATION
2	Head	Head
3	Rear Center Torso	Front Right Torso
4	Rear Right Torso	Rear Center Torso
5	Front Right Torso	Rear Right Torso
6	Right Arm	Front Right Torso
7	Front Center Torso	Front Center Torso
8	Left Arm	Front Left Torso
9	Front Left Torso	Rear Left Torso
10	Rear Left Torso	Rear Center Torso
11	Rear Center Torso	Front Left Torso
12	Head	Head

TRANSPORT POSITIONS TABLE

TROOPER NUMBER	'MECH LOCATION	VEHICLE LOCATION
1	Right Torso	Right Side
2	Left Torso	Right Side
3	Right Torso (rear)	Left Side
4	Left Torso (rear)	Left Side
5	Center Torso (rear)	Rear
6	Center Torso	Rear

TROOPER NUMBER	LARGE SUPPORT VEHICLE LOCATION*
1	Right Side (Unit 1/Unit 2)
2	Right Side (Unit 1/Unit 2)
3	Left Side (Unit 1/Unit 2)
4	Left Side (Unit 1/Unit 2)
5	Rear (Unit 1/Unit 2)
6	Rear (Unit 1/Unit 2)

*Unit 1 and Unit 2 represent two battle armor units.

© 2026 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved.
Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.

BATTLETECH™



BATTLE ARMOR RECORD SHEET

BATTLE ARMOR: LEVEL I 1

Type: Se'irim Medium Battle Armor (Sqd6)

Gunnery Skill: _____ **Anti-'Mech Skill:** _____

Ground MP: 3 **Jump MP:** 0

#	Type	Dmg	Min	Sht	Med	Lng
1	SRM 5 (OS) (Body)	2/Msl [M,C,S]	—	3	6	9
1	Light Recoiless Rifle	2 [DB,AI]	—	2	4	6
1	Vibro-Claw		—	—	—	—
1	Searchlight [BA]	[E]	—	—	—	—

Mechanized: ☑ **Swarm:** ☑ **Leg:** ☑ **AP:** ☐

1 ○○○○○○
2 ○○○○○○
3 ○○○○○○
4 ○○○○○○
5 ○○○○○○
6 ○○○○○○

Armor: Stealth (Basic) **Role:** Ambusher **BV:** 437

CLUSTER HITS TABLE

2D6	2	3	4	5	6	10	15	20	25	30
2	1	1	1	1	2	3	5	6	8	10
3	1	1	2	2	2	3	5	6	8	10
4	1	1	2	2	3	4	6	9	10	12
5	1	2	2	3	3	6	9	12	16	18
6	1	2	2	3	4	6	9	12	16	18
7	1	2	3	3	4	6	9	12	16	18
8	2	2	3	3	4	6	9	12	16	18
9	2	2	3	4	5	8	12	16	21	24
10	2	3	3	4	5	8	12	16	21	24
11	2	3	4	5	6	10	15	20	25	30
12	2	3	4	5	6	10	15	20	25	30

LEG ATTACKS TABLE

BATTLE ARMOR TROOPERS ACTIVE	BASE TO-HIT MODIFIER
4-6	0
3	+2
2	+5
1	+7

SWARM ATTACKS TABLE

BATTLE ARMOR TROOPERS ACTIVE	BASE TO-HIT MODIFIER
4-6	+2
1-3	+5

SWARM ATTACK MODIFIERS TABLE

ATTACKING ENEMY BATTLE ARMOR TROOPERS ACTIVE	FRIENDLY MECHANIZED BATTLE ARMOR TROOPERS ACTIVE					
	1	2	3	4	5	6
6	+0	+0	+0	+0	+1	+2
5	+0	+0	+0	+1	+2	+3
4	+0	+0	+1	+2	+3	+4
3	+0	+1	+2	+3	+4	+5
2	+1	+2	+3	+4	+5	+6
1	+2	+3	+4	+5	+6	+7

BATTLE ARMOR EQUIPMENT

Claws with magnets	-1

SITUATION*

'Mech prone	-2
'Mech or vehicle immobile	-4
Vehicle	-2

*Modifiers are cumulative

SWARM ATTACKS HIT LOCATION TABLE

2D6 ROLL	BIPEDAL/TRIPOD LOCATION	QUAD LOCATION
2	Head	Head
3	Rear Center Torso	Front Right Torso
4	Rear Right Torso	Rear Center Torso
5	Front Right Torso	Rear Right Torso
6	Right Arm	Front Right Torso
7	Front Center Torso	Front Center Torso
8	Left Arm	Front Left Torso
9	Front Left Torso	Rear Left Torso
10	Rear Left Torso	Rear Center Torso
11	Rear Center Torso	Front Left Torso
12	Head	Head

TRANSPORT POSITIONS TABLE

TROOPER NUMBER	'MECH LOCATION	VEHICLE LOCATION
1	Right Torso	Right Side
2	Left Torso	Right Side
3	Right Torso (rear)	Left Side
4	Left Torso (rear)	Left Side
5	Center Torso (rear)	Rear
6	Center Torso	Rear

TROOPER NUMBER	LARGE SUPPORT VEHICLE LOCATION*
1	Right Side (Unit 1/Unit 2)
2	Right Side (Unit 1/Unit 2)
3	Left Side (Unit 1/Unit 2)
4	Left Side (Unit 1/Unit 2)
5	Rear (Unit 1/Unit 2)
6	Rear (Unit 1/Unit 2)

*Unit 1 and Unit 2 represent two battle armor units.

© 2026 The Topps Company, Inc. Classic BattleTech, BattleTech, 'Mech and BattleMech are trademarks of The Topps Company, Inc. All rights reserved.
Catalyst Game Labs and the Catalyst Game Labs logo are trademarks of InMediaRes Production, LLC. Permission to photocopy for personal use.