

File Browser PRO

Native file browser for standalone



API

Date: 05.01.2021

Version: 2021.1.0

1 Namespace Index	1
1.1 Packages	1
2 Hierarchical Index	3
2.1 Class Hierarchy	3
3 Class Index	7
3.1 Class List	7
4 Namespace Documentation	11
4.1 Crosstales Namespace Reference	11
4.2 Crosstales.Common Namespace Reference	11
4.3 Crosstales.Common.EditorTask Namespace Reference	11
4.4 Crosstales.Common.EditorUtil Namespace Reference	11
4.5 Crosstales.Common.Model Namespace Reference	12
4.6 Crosstales.Common.Model.Enum Namespace Reference	12
4.6.1 Enumeration Type Documentation	12
4.6.1.1 Platform	12
4.6.1.2 SampleRate	12
4.7 Crosstales.Common.Tool Namespace Reference	12
4.8 Crosstales.Common.Util Namespace Reference	13
4.9 Crosstales.FB Namespace Reference	14
4.10 Crosstales.FB.Demo Namespace Reference	14
4.11 Crosstales.FB.Demo.Util Namespace Reference	14
4.12 Crosstales.FB.EditorExtension Namespace Reference	14
4.13 Crosstales.FB.EditorIntegration Namespace Reference	15
4.14 Crosstales.FB.EditorTask Namespace Reference	15
4.14.1 Enumeration Type Documentation	15
4.14.1.1 UpdateStatus	15
4.15 Crosstales.FB.EditorUtil Namespace Reference	16
4.16 Crosstales.FB.RTFB Namespace Reference	16
4.17 Crosstales.FB.Util Namespace Reference	16
4.18 Crosstales.FB.Wrapper Namespace Reference	17
4.19 Crosstales.FB.Wrapper.Linux Namespace Reference	17
4.20 Crosstales.FB.Wrapper.Mac Namespace Reference	17
4.21 Crosstales.UI Namespace Reference	18
4.22 Crosstales.UI.Audio Namespace Reference	18
4.23 Crosstales.UI.Util Namespace Reference	18
4.24 HutongGames Namespace Reference	19
4.25 HutongGames.PlayMaker Namespace Reference	19
4.26 HutongGames.PlayMaker.Actions Namespace Reference	19
5 Class Documentation	21
5.1 Crosstales.FB.EditorTask.AAAConfigLoader Class Reference	21

5.1.1 Detailed Description	21
5.2 Crosstales.UI.Audio.AudioFilterController Class Reference	21
5.2.1 Detailed Description	22
5.2.2 Member Function Documentation	22
5.2.2.1 FindAllAudioFilters()	23
5.2.2.2 ResetAudioFilters()	23
5.2.3 Member Data Documentation	23
5.2.3.1 FindAllAudioFiltersOnStart	23
5.3 Crosstales.UI.Audio.AudioSourceController Class Reference	23
5.3.1 Detailed Description	24
5.3.2 Member Function Documentation	24
5.3.2.1 FindAllAudioSources()	24
5.3.2.2 ResetAllAudioSources()	25
5.3.3 Member Data Documentation	25
5.3.3.1 AudioSources	25
5.3.3.2 FindAllAudioSourcesOnStart	25
5.3.3.3 Loop	25
5.3.3.4 Mute	25
5.3.3.5 Pitch	25
5.3.3.6 ResetAudioSourcesOnStart	26
5.3.3.7 StereoPan	26
5.3.3.8 Volume	26
5.4 Crosstales.FB.EditorTask.AutoInitialize Class Reference	26
5.4.1 Detailed Description	26
5.5 Crosstales.Common.Util.BackgroundController Class Reference	26
5.5.1 Detailed Description	27
5.5.2 Member Data Documentation	27
5.5.2.1 Objects	27
5.6 Crosstales.Common.EditorTask.BaseCompileDefines Class Reference	27
5.6.1 Detailed Description	28
5.6.2 Member Function Documentation	28
5.6.2.1 AddSymbolsToAllTargets()	28
5.6.2.2 RemoveSymbolsFromAllTargets()	28
5.7 Crosstales.Common.Util.BaseConstants Class Reference	28
5.7.1 Detailed Description	31
5.7.2 Member Data Documentation	31
5.7.2.1 APPLICATION_PATH	31
5.7.2.2 ASSET_3P_PLAYMAKER	31
5.7.2.3 ASSET_3P_ROCKTOMATE	31
5.7.2.4 ASSET_3P_VOLUMETRIC_AUDIO	32
5.7.2.5 ASSET_AUTHOR	32
5.7.2.6 ASSET_AUTHOR_URL	32

5.7.2.7 ASSET_BWF	32
5.7.2.8 ASSET_CT_URL	32
5.7.2.9 ASSET_DJ	32
5.7.2.10 ASSET_FB	33
5.7.2.11 ASSET_OC	33
5.7.2.12 ASSET_RADIO	33
5.7.2.13 ASSET_RTV	33
5.7.2.14 ASSET_SOCIAL_DISCORD	33
5.7.2.15 ASSET_SOCIAL_FACEBOOK	33
5.7.2.16 ASSET_SOCIAL_LINKEDIN	34
5.7.2.17 ASSET_SOCIAL_TWITTER	34
5.7.2.18 ASSET_SOCIAL_YOUTUBE	34
5.7.2.19 ASSET_TB	34
5.7.2.20 ASSET_TPB	34
5.7.2.21 ASSET_TPS	34
5.7.2.22 ASSET_TR	35
5.7.2.23 CMD_WINDOWS_PATH	35
5.7.2.24 DEV_DEBUG	35
5.7.2.25 FACTOR_GB	35
5.7.2.26 FACTOR_KB	35
5.7.2.27 FACTOR_MB	35
5.7.2.28 FLOAT_32768	36
5.7.2.29 FLOAT_TOLERANCE	36
5.7.2.30 FORMAT_NO_DECIMAL_PLACES	36
5.7.2.31 FORMAT_PERCENT	36
5.7.2.32 FORMAT_TWO_DECIMAL_PLACES	36
5.7.2.33 PATH_DELIMITER_UNIX	36
5.7.2.34 PATH_DELIMITER_WINDOWS	37
5.7.2.35 PROCESS_KILL_TIME	37
5.7.2.36 SHOW_BWF_BANNER	37
5.7.2.37 SHOW_DJ_BANNER	37
5.7.2.38 SHOW_FB_BANNER	37
5.7.2.39 SHOW_OC_BANNER	37
5.7.2.40 SHOW_RADIO_BANNER	38
5.7.2.41 SHOW_RTV_BANNER	38
5.7.2.42 SHOW_TB_BANNER	38
5.7.2.43 SHOW_TPB_BANNER	38
5.7.2.44 SHOW_TPS_BANNER	38
5.7.2.45 SHOW_TR_BANNER	38
5.7.3 Property Documentation	39
5.7.3.1 PREFIX_FILE	39
5.8 Crosstales.FB.Wrapper.BaseCustomFileBrowser Class Reference	39

5.8.1 Detailed Description	40
5.8.2 Member Function Documentation	40
5.8.2.1 OpenFiles()	40
5.8.2.2 OpenFilesAsync()	40
5.8.2.3 OpenFolders()	41
5.8.2.4 OpenFoldersAsync()	42
5.8.2.5 OpenSingleFile()	42
5.8.2.6 OpenSingleFolder()	43
5.8.2.7 SaveFile()	43
5.8.2.8 SaveFileAsync()	44
5.9 Crosstales.Common.EditorUtil.BaseEditorHelper Class Reference	44
5.9.1 Detailed Description	46
5.9.2 Member Function Documentation	46
5.9.2.1 FindAssetsByType< T >()	46
5.9.2.2 getBuildNameFromBuildTarget()	46
5.9.2.3 getBuildTargetForBuildName()	47
5.9.2.4 getCLIArgument()	47
5.9.2.5 InvokeMethod()	47
5.9.2.6 isValidBuildTarget()	48
5.9.2.7 ReadOnlyTextField()	48
5.9.2.8 RefreshAssetDatabase()	48
5.9.2.9 RestartUnity()	49
5.9.2.10 SeparatorUI()	49
5.10 HutongGames.PlayMaker.Actions.BaseFBAction Class Reference	49
5.10.1 Detailed Description	50
5.10.2 Member Data Documentation	50
5.10.2.1 ResultPath	50
5.10.2.2 StartPath	50
5.11 Crosstales.FB.Wrapper.BaseFileBrowser Class Reference	50
5.11.1 Detailed Description	51
5.11.2 Member Function Documentation	51
5.11.2.1 OpenFiles()	51
5.11.2.2 OpenFilesAsync()	52
5.11.2.3 OpenFolders()	53
5.11.2.4 OpenFoldersAsync()	53
5.11.2.5 OpenSingleFile()	54
5.11.2.6 OpenSingleFolder()	54
5.11.2.7 SaveFile()	54
5.11.2.8 SaveFileAsync()	55
5.12 Crosstales.Common.Util.BaseHelper Class Reference	56
5.12.1 Detailed Description	58
5.12.2 Member Function Documentation	58

5.12.2.1 CleanUrl()	58
5.12.2.2 ClearLineEndings()	59
5.12.2.3 ClearSpaces()	59
5.12.2.4 ClearTags()	60
5.12.2.5 CreateString()	60
5.12.2.6 FileCopy()	60
5.12.2.7 FormatBytesToHRF()	61
5.12.2.8 FormatSecondsToHourMinSec()	61
5.12.2.9 GetDirectories()	61
5.12.2.10 GetDrives()	62
5.12.2.11 GetFiles()	62
5.12.2.12 getIP()	62
5.12.2.13 hasActiveClip()	63
5.12.2.14 HSVToRGB()	63
5.12.2.15 isValidURL()	63
5.12.2.16 OpenFile()	64
5.12.2.17 OpenURL()	64
5.12.2.18 RemoteCertificateValidationCallback()	64
5.12.2.19 ShowFileLocation()	65
5.12.2.20 SplitStringToLines()	66
5.12.2.21 ValidateFile()	66
5.12.2.22 ValidatePath()	67
5.12.2.23 ValidURLFromFilePath()	67
5.12.3 Member Data Documentation	67
5.12.3.1 isAppleBasedPlatform	67
5.12.3.2 isEditor	68
5.12.3.3 isEditorMode	68
5.12.3.4 isIOSBasedPlatform	68
5.12.3.5 isMobilePlatform	68
5.12.3.6 isStandalonePlatform	69
5.12.3.7 isWebPlatform	69
5.12.3.8 isWindowsBasedPlatform	69
5.12.3.9 isWSABasedPlatform	69
5.12.4 Property Documentation	70
5.12.4.1 CurrentPlatform	70
5.12.4.2 isAndroidPlatform	70
5.12.4.3 isIL2CPP	70
5.12.4.4 isInternetAvailable	70
5.12.4.5 isIOSPlatform	71
5.12.4.6 isLinuxEditor	71
5.12.4.7 isLinuxPlatform	71
5.12.4.8 isMacOSEditor	71

5.12.4.9 isMacOSPlatform	72
5.12.4.10 isPS4Platform	72
5.12.4.11 isTvOSPlatform	72
5.12.4.12 isWebGLPlatform	72
5.12.4.13 isWindowsEditor	73
5.12.4.14 isWindowsPlatform	73
5.12.4.15 isWSAPlatform	73
5.12.4.16 isXboxOnePlatform	73
5.12.4.17 StreamingAssetsPath	74
5.13 Crosstales.Common.EditorTask.BaseSetupResources Class Reference	74
5.13.1 Detailed Description	74
5.14 Crosstales.FB.EditorUtil.BuildPostprocessor Class Reference	74
5.14.1 Detailed Description	75
5.15 Crosstales.UI.CompileDefines Class Reference	75
5.15.1 Detailed Description	75
5.16 Crosstales.FB.EditorTask.CompileDefines Class Reference	75
5.16.1 Detailed Description	76
5.17 Crosstales.FB.Util.Config Class Reference	76
5.17.1 Detailed Description	76
5.17.2 Member Function Documentation	76
5.17.2.1 Load()	77
5.17.2.2 Reset()	77
5.17.2.3 Save()	77
5.17.3 Member Data Documentation	77
5.17.3.1 ASSET_PATH	77
5.17.3.2 DEBUG	77
5.17.3.3 isLoaded	77
5.17.3.4 NATIVE_WINDOWS	78
5.18 Crosstales.FB.EditorIntegration.ConfigBase Class Reference	78
5.18.1 Detailed Description	78
5.19 Crosstales.FB.EditorIntegration.ConfigPreferences Class Reference	79
5.19.1 Detailed Description	79
5.20 Crosstales.FB.EditorIntegration.ConfigWindow Class Reference	79
5.20.1 Detailed Description	80
5.21 Crosstales.FB.Util.Constants Class Reference	80
5.21.1 Detailed Description	81
5.21.2 Member Data Documentation	81
5.21.2.1 ASSET_3P_RTFB	81
5.21.2.2 ASSET_API_URL	81
5.21.2.3 ASSET_BUILD	82
5.21.2.4 ASSET_CHANGED	82
5.21.2.5 ASSET_CONTACT	82

5.21.2.6 ASSET_CREATED	82
5.21.2.7 ASSET_FORUM_URL	82
5.21.2.8 ASSET_MANUAL_URL	82
5.21.2.9 ASSET_NAME	83
5.21.2.10 ASSET_NAME_SHORT	83
5.21.2.11 ASSET_PRO_URL	83
5.21.2.12 ASSET_UPDATE_CHECK_URL	83
5.21.2.13 ASSET_VERSION	83
5.21.2.14 ASSET_VIDEO_TUTORIAL	83
5.21.2.15 ASSET_WEB_URL	84
5.21.2.16 FB_SCENE_OBJECT_NAME	84
5.22 Crosstales.Common.Util.CTPlayerPrefs Class Reference	84
5.22.1 Detailed Description	85
5.22.2 Member Function Documentation	85
5.22.2.1 DeleteAll()	85
5.22.2.2 DeleteKey()	85
5.22.2.3 GetBool()	85
5.22.2.4 GetDate()	86
5.22.2.5 GetFloat()	86
5.22.2.6 GetInt()	86
5.22.2.7 GetString()	87
5.22.2.8 HasKey()	87
5.22.2.9 Save()	87
5.22.2.10 SetBool()	87
5.22.2.11 SetDate()	88
5.22.2.12 SetFloat()	88
5.22.2.13 SetInt()	88
5.22.2.14 SetString()	89
5.23 Crosstales.Common.Util.CTProcess Class Reference	89
5.23.1 Detailed Description	90
5.23.2 Member Function Documentation	91
5.23.2.1 Kill() [1/2]	91
5.23.2.2 Kill() [2/2]	91
5.23.2.3 Start() [1/4]	91
5.23.2.4 Start() [2/4]	91
5.23.2.5 Start() [3/4]	91
5.23.2.6 Start() [4/4]	92
5.23.3 Member Data Documentation	92
5.23.3.1 ExitCode	92
5.23.4 Property Documentation	92
5.23.4.1 ExitTime	92
5.23.4.2 Handle	92

5.23.4.3 HasExited	92
5.23.4.4 Id	93
5.23.4.5 isBusy	93
5.23.4.6 StandardError	93
5.23.4.7 StandardOutput	93
5.23.4.8 StartInfo	93
5.23.4.9 StartTime	93
5.24 Crosstales.Common.Util.CTProcessStartInfo Class Reference	94
5.24.1 Detailed Description	94
5.24.2 Property Documentation	94
5.24.2.1 Arguments	94
5.24.2.2 CreateNoWindow	95
5.24.2.3 FileName	95
5.24.2.4 RedirectStandardError	95
5.24.2.5 RedirectStandardOutput	95
5.24.2.6 StandardErrorEncoding	95
5.24.2.7 StandardOutputEncoding	95
5.24.2.8 UseCmdExecute	96
5.24.2.9 UseShellExecute	96
5.24.2.10 UseThread	96
5.24.2.11 WorkingDirectory	96
5.25 Crosstales.Common.Util.CTWebClient Class Reference	96
5.25.1 Detailed Description	97
5.25.2 Property Documentation	97
5.25.2.1 ConnectionLimit	97
5.25.2.2 Timeout	97
5.26 Crosstales.FB.Demo.Util.CustomWrapperController Class Reference	98
5.26.1 Detailed Description	98
5.27 Crosstales.FB.EditorUtil.EditorConfig Class Reference	98
5.27.1 Detailed Description	99
5.27.2 Member Function Documentation	99
5.27.2.1 Load()	99
5.27.2.2 Reset()	99
5.27.2.3 Save()	100
5.27.3 Member Data Documentation	100
5.27.3.1 COMPILE_DEFINES	100
5.27.3.2 HIERARCHY_ICON	100
5.27.3.3 isLoaded	100
5.27.3.4 PREFAB_AUTOLOAD	100
5.27.3.5 PREFAB_PATH	101
5.27.3.6 UPDATE_CHECK	101
5.27.4 Property Documentation	101

5.27.4.1 ASSET_PATH	101
5.28 Crosstales.FB.EditorUtil.EditorConstants Class Reference	101
5.28.1 Detailed Description	102
5.28.2 Member Data Documentation	102
5.28.2.1 ASSET_ID	102
5.28.2.2 ASSET_UID	102
5.28.2.3 ASSET_URL	103
5.28.2.4 PREFAB_SUBPATH	103
5.29 Crosstales.FB.EditorUtil.EditorHelper Class Reference	103
5.29.1 Detailed Description	104
5.29.2 Member Function Documentation	104
5.29.2.1 FBUnavailable()	104
5.29.2.2 InstantiatePrefab()	104
5.29.3 Member Data Documentation	104
5.29.3.1 GO_ID	105
5.29.3.2 isFileBrowserInScene	105
5.29.3.3 MENU_ID	105
5.30 Crosstales.FB.Demo.EventTester Class Reference	105
5.30.1 Detailed Description	106
5.31 Crosstales.FB.Demo.Examples Class Reference	106
5.31.1 Detailed Description	107
5.32 Crosstales.FB.Extension Struct Reference	107
5.33 Crosstales.FB.ExtensionFilter Struct Reference	107
5.33.1 Detailed Description	108
5.34 Crosstales.ExtensionMethods Class Reference	108
5.34.1 Detailed Description	109
5.34.2 Member Function Documentation	110
5.34.2.1 CTAddRange< K, V >()	110
5.34.2.2 CTContains()	110
5.34.2.3 CTContainsAll()	110
5.34.2.4 CTContainsAny()	111
5.34.2.5 CTDeepSearch()	111
5.34.2.6 CTDump() [1/8]	112
5.34.2.7 CTDump() [2/8]	112
5.34.2.8 CTDump() [3/8]	112
5.34.2.9 CTDump() [4/8]	113
5.34.2.10 CTDump() [5/8]	113
5.34.2.11 CTDump() [6/8]	113
5.34.2.12 CTDump() [7/8]	115
5.34.2.13 CTDump() [8/8]	115
5.34.2.14 CTDump< K, V >()	115
5.34.2.15 CTDump< T >() [1/2]	116

5.34.2.16 CTDump< T >() [2/2]	116
5.34.2.17 CTEndsWith()	117
5.34.2.18 CTEquals()	117
5.34.2.19 CTIndexOf() [1/2]	118
5.34.2.20 CTIndexOf() [2/2]	118
5.34.2.21 CTIsInteger()	118
5.34.2.22 CTIsNumeric()	119
5.34.2.23 CTIsVisibleFrom()	119
5.34.2.24 CTLastIndexOf()	120
5.34.2.25 CTReadFully()	120
5.34.2.26 CTReplace()	120
5.34.2.27 CTReverse()	121
5.34.2.28 CTShuffle< T >() [1/2]	121
5.34.2.29 CTShuffle< T >() [2/2]	121
5.34.2.30 CTStartsWith()	122
5.34.2.31 CTToString< T >() [1/2]	122
5.34.2.32 CTToString< T >() [2/2]	123
5.34.2.33 CTToTitleCase()	123
5.35 Crosstales.FB.FileBrowser Class Reference	123
5.35.1 Detailed Description	127
5.35.2 Member Function Documentation	127
5.35.2.1 GetDirectories()	127
5.35.2.2 GetDrives()	127
5.35.2.3 GetFiles() [1/2]	128
5.35.2.4 GetFiles() [2/2]	128
5.35.2.5 OpenFiles() [1/3]	129
5.35.2.6 OpenFiles() [2/3]	129
5.35.2.7 OpenFiles() [3/3]	129
5.35.2.8 OpenFilesAsync() [1/6]	130
5.35.2.9 OpenFilesAsync() [2/6]	130
5.35.2.10 OpenFilesAsync() [3/6]	131
5.35.2.11 OpenFilesAsync() [4/6]	131
5.35.2.12 OpenFilesAsync() [5/6]	132
5.35.2.13 OpenFilesAsync() [6/6]	132
5.35.2.14 OpenFolders() [1/2]	133
5.35.2.15 OpenFolders() [2/2]	133
5.35.2.16 OpenFoldersAsync() [1/4]	133
5.35.2.17 OpenFoldersAsync() [2/4]	134
5.35.2.18 OpenFoldersAsync() [3/4]	134
5.35.2.19 OpenFoldersAsync() [4/4]	134
5.35.2.20 OpenSingleFile() [1/3]	135
5.35.2.21 OpenSingleFile() [2/3]	135

5.35.2.22 OpenSingleFile() [3/3]	136
5.35.2.23 OpenSingleFileAsync() [1/3]	136
5.35.2.24 OpenSingleFileAsync() [2/3]	136
5.35.2.25 OpenSingleFileAsync() [3/3]	137
5.35.2.26 OpenSingleFolder() [1/2]	137
5.35.2.27 OpenSingleFolder() [2/2]	138
5.35.2.28 OpenSingleFolderAsync() [1/2]	138
5.35.2.29 OpenSingleFolderAsync() [2/2]	138
5.35.2.30 SaveFile() [1/3]	139
5.35.2.31 SaveFile() [2/3]	139
5.35.2.32 SaveFile() [3/3]	139
5.35.2.33 SaveFileAsync() [1/6]	140
5.35.2.34 SaveFileAsync() [2/6]	140
5.35.2.35 SaveFileAsync() [3/6]	141
5.35.2.36 SaveFileAsync() [4/6]	141
5.35.2.37 SaveFileAsync() [5/6]	142
5.35.2.38 SaveFileAsync() [6/6]	142
5.35.3 Member Data Documentation	142
5.35.3.1 canOpenMultipleFiles	143
5.35.3.2 canOpenMultipleFolders	143
5.35.3.3 isPlatformSupported	143
5.35.3.4 isWorkingInEditor	143
5.35.4 Property Documentation	144
5.35.4.1 AskOverwriteFile	144
5.35.4.2 CurrentOpenFiles	144
5.35.4.3 CurrentOpenFolders	144
5.35.4.4 CurrentOpenSingleFile	144
5.35.4.5 CurrentOpenSingleFolder	145
5.35.4.6 CurrentSaveFile	145
5.35.4.7 CustomMode	145
5.35.4.8 CustomWrapper	145
5.35.4.9 LegacyFolderBrowser	145
5.35.4.10 NameSaveFile	146
5.35.4.11 TextAllFiles	146
5.35.4.12 TitleOpenFile	146
5.35.4.13 TitleOpenFiles	146
5.35.4.14 TitleOpenFolder	146
5.35.4.15 TitleOpenFolders	146
5.35.4.16 TitleSaveFile	147
5.35.5 Event Documentation	147
5.35.5.1 OnOpenFilesComplete	147
5.35.5.2 OnOpenFilesStart	147

5.35.5.3 OnOpenFoldersComplete	147
5.35.5.4 OnOpenFoldersStart	147
5.35.5.5 OnSaveFileComplete	147
5.35.5.6 OnSaveFileStart	148
5.36 Crosstales.FB.Wrapper.FileBrowserEditor Class Reference	148
5.36.1 Member Function Documentation	149
5.36.1.1 OpenFiles()	149
5.36.1.2 OpenFolders()	149
5.36.1.3 SaveFile()	150
5.37 Crosstales.FB.EditorExtension.FileBrowserEditor Class Reference	150
5.37.1 Detailed Description	151
5.38 Crosstales.FB.EditorIntegration.FileBrowserGameObject Class Reference	151
5.38.1 Detailed Description	151
5.39 Crosstales.FB.Wrapper.FileBrowserGeneric Class Reference	151
5.39.1 Detailed Description	152
5.39.2 Member Function Documentation	152
5.39.2.1 OpenFiles()	152
5.39.2.2 OpenFolders()	153
5.39.2.3 SaveFile()	153
5.40 Crosstales.FB.Wrapper.FileBrowserLinux Class Reference	154
5.40.1 Detailed Description	155
5.40.2 Member Function Documentation	155
5.40.2.1 OpenFiles()	155
5.40.2.2 OpenFolders()	155
5.41 Crosstales.FB.Wrapper.FileBrowserMac Class Reference	156
5.41.1 Detailed Description	157
5.41.2 Member Function Documentation	157
5.41.2.1 OpenFiles()	157
5.41.2.2 OpenFolders()	157
5.41.2.3 SaveFile()	158
5.42 Crosstales.FB.EditorIntegration.FileBrowserMenu Class Reference	158
5.42.1 Detailed Description	159
5.43 Crosstales.FB.RTFB.FileBrowserRTFB Class Reference	159
5.43.1 Detailed Description	160
5.43.2 Member Function Documentation	160
5.43.2.1 OpenFiles()	160
5.43.2.2 OpenFilesAsync()	161
5.43.2.3 OpenFolders()	161
5.43.2.4 OpenFoldersAsync()	162
5.43.2.5 SaveFile()	162
5.43.2.6 SaveFileAsync()	163
5.43.3 Property Documentation	163

5.43.3.1 LoadButtonText	163
5.43.3.2 SaveButtonText	163
5.43.3.3 ShowAllFiles	164
5.44 Crosstales.FB.RTFB.FileBrowserRTFBEitor Class Reference	164
5.44.1 Detailed Description	164
5.45 Crosstales.FB.RTFB.FileBrowserRTFBGameObject Class Reference	164
5.45.1 Detailed Description	165
5.46 Crosstales.FB.RTFB.FileBrowserRTFBMenu Class Reference	165
5.46.1 Detailed Description	165
5.47 Crosstales.FB.Wrapper.FileBrowserWindows Class Reference	165
5.47.1 Detailed Description	166
5.47.2 Member Function Documentation	166
5.47.2.1 OpenFiles()	166
5.47.2.2 OpenFolders()	166
5.47.2.3 SaveFile()	167
5.48 Crosstales.FB.Wrapper.FileBrowserWSA Class Reference	168
5.48.1 Detailed Description	168
5.48.2 Constructor & Destructor Documentation	168
5.48.2.1 FileBrowserWSA()	169
5.48.3 Member Function Documentation	169
5.48.3.1 OpenFiles()	169
5.48.3.2 OpenFolders()	169
5.48.3.3 SaveFile()	170
5.49 Crosstales.FB.FileBrowserWSAImpl Class Reference	170
5.49.1 Detailed Description	171
5.49.2 Member Data Documentation	171
5.49.2.1 LastGetDirectories	171
5.49.2.2 LastGetDrives	172
5.49.2.3 LastGetFiles	172
5.49.2.4 LastOpenFile	172
5.49.2.5 LastOpenFiles	172
5.49.2.6 Selection	173
5.49.3 Property Documentation	173
5.49.3.1 DEBUG	173
5.49.3.2 isBusy	173
5.50 Crosstales.UI.Util.FPSDisplay Class Reference	173
5.50.1 Detailed Description	174
5.50.2 Member Data Documentation	174
5.50.2.1 FPS	174
5.50.2.2 FrameUpdate	174
5.51 Crosstales.Common.Tool.FreeCam Class Reference	174
5.51.1 Detailed Description	175

5.51.2 Member Function Documentation	175
5.51.2.1 StartLooking()	175
5.51.2.2 StopLooking()	175
5.51.3 Member Data Documentation	176
5.51.3.1 FastMovementSpeed	176
5.51.3.2 FastZoomSensitivity	176
5.51.3.3 FreeLookSensitivity	176
5.51.3.4 MovementSpeed	176
5.51.3.5 ZoomSensitivity	176
5.52 Crosstales.FB.Demo.GUIMain Class Reference	177
5.52.1 Detailed Description	177
5.53 Crosstales.FB.Demo.GUIScenes Class Reference	177
5.53.1 Detailed Description	178
5.54 Crosstales.FB.Util.Helper Class Reference	178
5.54.1 Detailed Description	178
5.55 Crosstales.Common.Util.HelperCT Class Reference	179
5.55.1 Detailed Description	179
5.56 Crosstales.Common.Util.HelperCTEditor Class Reference	179
5.57 Crosstales.FB.Wrapper.IFileBrowser Interface Reference	180
5.57.1 Detailed Description	181
5.57.2 Member Function Documentation	181
5.57.2.1 OpenFiles()	181
5.57.2.2 OpenFilesAsync()	181
5.57.2.3 OpenFolders()	182
5.57.2.4 OpenFoldersAsync()	182
5.57.2.5 OpenSingleFile()	183
5.57.2.6 OpenSingleFolder()	183
5.57.2.7 SaveFile()	184
5.57.2.8 SaveFileAsync()	184
5.57.3 Property Documentation	185
5.57.3.1 canOpenMultipleFiles	185
5.57.3.2 canOpenMultipleFolders	185
5.57.3.3 isPlatformSupported	186
5.57.3.4 isWorkingInEditor	186
5.58 Crosstales.FB.EditorTask.Launch Class Reference	186
5.58.1 Detailed Description	187
5.59 Crosstales.Common.Util.MemoryCacheStream Class Reference	187
5.59.1 Detailed Description	188
5.59.2 Constructor & Destructor Documentation	188
5.59.2.1 MemoryCacheStream()	188
5.59.3 Member Data Documentation	188
5.59.3.1 CanRead	188

5.59.3.2 CanSeek	188
5.59.3.3 CanWrite	188
5.59.3.4 Length	189
5.59.4 Property Documentation	189
5.59.4.1 Position	189
5.60 Crosstales.Common.EditorTask.NYCheck Class Reference	189
5.60.1 Detailed Description	189
5.61 Crosstales.FB.OnOpenFilesCompleted Class Reference	189
5.62 Crosstales.FB.OnOpenFoldersCompleted Class Reference	190
5.63 Crosstales.FB.OnSaveFileCompleted Class Reference	190
5.64 HutongGames.PlayMaker.Actions.OpenFile Class Reference	190
5.64.1 Detailed Description	191
5.64.2 Member Data Documentation	191
5.64.2.1 Extension	191
5.65 HutongGames.PlayMaker.Actions.OpenFolder Class Reference	191
5.65.1 Detailed Description	192
5.66 Crosstales.Common.Util.PlatformController Class Reference	192
5.66.1 Detailed Description	192
5.66.2 Member Data Documentation	193
5.66.2.1 Active	193
5.66.2.2 Objects	193
5.66.2.3 Platforms	193
5.67 Crosstales.Common.Util.RandomColor Class Reference	193
5.67.1 Detailed Description	194
5.67.2 Member Data Documentation	194
5.67.2.1 AlphaRange	194
5.67.2.2 ChangeInterval	194
5.67.2.3 GrayScale	195
5.67.2.4 HueRange	195
5.67.2.5 Material	195
5.67.2.6 SaturationRange	195
5.67.2.7 UseInterval	195
5.67.2.8 ValueRange	195
5.68 Crosstales.Common.Util.RandomRotator Class Reference	196
5.68.1 Detailed Description	196
5.68.2 Member Data Documentation	196
5.68.2.1 ChangeInterval	196
5.68.2.2 SpeedMax	196
5.68.2.3 SpeedMin	197
5.68.2.4 UseInterval	197
5.69 Crosstales.Common.Util.RandomScaler Class Reference	197
5.69.1 Detailed Description	198

5.69.2 Member Data Documentation	198
5.69.2.1 ChangeInterval	198
5.69.2.2 ScaleMax	198
5.69.2.3 ScaleMin	198
5.69.2.4 Uniform	198
5.69.2.5 UseInterval	198
5.70 HutongGames.PlayMaker.Actions.SaveFile Class Reference	199
5.70.1 Detailed Description	199
5.70.2 Member Data Documentation	199
5.70.2.1 Extension	199
5.70.2.2 FileName	200
5.71 Crosstales.UI.Util.ScrollRectHandler Class Reference	200
5.71.1 Detailed Description	200
5.72 Crosstales.FB.Util.SetupProject Class Reference	200
5.72.1 Detailed Description	201
5.73 Crosstales.Common.EditorTask.SetupResources Class Reference	201
5.73.1 Detailed Description	201
5.74 Crosstales.FB.EditorTask.SetupResources Class Reference	201
5.74.1 Detailed Description	202
5.75 Crosstales.FB.RTFB.ShowMore Class Reference	202
5.75.1 Detailed Description	202
5.76 Crosstales.Common.Util.Singleton< T > Class Template Reference	203
5.76.1 Detailed Description	203
5.76.2 Member Function Documentation	204
5.76.2.1 CreateInstance()	204
5.76.2.2 DeleteInstance()	204
5.76.3 Member Data Documentation	204
5.76.3.1 PrefabPath	204
5.76.4 Property Documentation	204
5.76.4.1 DontDestroy	204
5.76.4.2 Instance	205
5.77 Crosstales.Common.Util.SingletonHelper Class Reference	205
5.77.1 Detailed Description	205
5.78 Crosstales.UI.Social Class Reference	205
5.78.1 Detailed Description	206
5.79 Crosstales.UI.StaticManager Class Reference	206
5.79.1 Detailed Description	206
5.80 Crosstales.Common.Util.SurviveSceneSwitch Class Reference	207
5.80.1 Detailed Description	207
5.80.2 Member Data Documentation	207
5.80.2.1 Survivors	207
5.81 Crosstales.Common.Util.TakeScreenshot Class Reference	207

5.81.1 Detailed Description	208
5.81.2 Member Function Documentation	208
5.81.2.1 Capture()	208
5.81.3 Member Data Documentation	208
5.81.3.1 KeyCode	208
5.81.3.2 Prefix	209
5.81.3.3 Scale	209
5.82 Crosstales.UI.UIDrag Class Reference	209
5.82.1 Detailed Description	209
5.83 Crosstales.UI.UIFocus Class Reference	210
5.83.1 Detailed Description	210
5.83.2 Member Function Documentation	210
5.83.2.1 OnPanelEnter()	210
5.83.3 Member Data Documentation	210
5.83.3.1 ManagerName	211
5.84 Crosstales.UI.UIHint Class Reference	211
5.84.1 Detailed Description	211
5.84.2 Member Data Documentation	212
5.84.2.1 Delay	212
5.84.2.2 Disable	212
5.84.2.3 FadeAtStart	212
5.84.2.4 FadeTime	212
5.84.2.5 Group	212
5.85 Crosstales.UI.UIResize Class Reference	213
5.85.1 Detailed Description	213
5.85.2 Member Data Documentation	213
5.85.2.1 MaxSize	213
5.85.2.2 MinSize	213
5.86 Crosstales.UI.UIWindowManager Class Reference	214
5.86.1 Detailed Description	214
5.86.2 Member Function Documentation	214
5.86.2.1 ChangeState()	214
5.86.3 Member Data Documentation	214
5.86.3.1 Windows	215
5.87 Crosstales.FB.EditorTask.UpdateCheck Class Reference	215
5.87.1 Detailed Description	215
5.88 Crosstales.UI.WindowManager Class Reference	215
5.88.1 Detailed Description	216
5.88.2 Member Data Documentation	216
5.88.2.1 Dependencies	216
5.88.2.2 Speed	216
5.89 Crosstales.FB.WrapperExample Class Reference	216

5.89.1 Detailed Description	217
5.89.2 Member Function Documentation	217
5.89.2.1 OpenFiles()	217
5.89.2.2 OpenFilesAsync()	218
5.89.2.3 OpenFolders()	218
5.89.2.4 OpenFoldersAsync()	219
5.89.2.5 SaveFile()	219
5.89.2.6 SaveFileAsync()	220
5.90 Crosstales.Common.Util.XmlHelper Class Reference	220
5.90.1 Detailed Description	221
5.90.2 Member Function Documentation	221
5.90.2.1 DeserializeFromFile< T >()	221
5.90.2.2 DeserializeFromResource< T >()	221
5.90.2.3 DeserializeFromString< T >()	222
5.90.2.4 SerializeToFile< T >()	222
5.90.2.5 SerializeToString< T >()	222
5.91 Crosstales.FB.Demo.ZInstaller Class Reference	223
5.91.1 Detailed Description	223
6 More information	225
6.1 Homepage	225
6.2 AssetStore	225
6.3 Forum	225
6.4 Documentation	225
6.5 Discord	225
6.6 Demos	225
6.6.1 Windows	225
6.6.2 macOS	226
6.6.3 Linux	226
6.7 Videos	226
6.7.1 Tutorial	226
Index	227

Chapter 1

Namespace Index

1.1 Packages

Here are the packages with brief descriptions (if available):

Crosstales	11
Crosstales.Common	11
Crosstales.Common.EditorTask	11
Crosstales.Common.EditorUtil	11
Crosstales.Common.Model	12
Crosstales.Common.Model.Enum	12
Crosstales.Common.Tool	12
Crosstales.Common.Util	13
Crosstales.FB	14
Crosstales.FB.Demo	14
Crosstales.FB.Demo.Util	14
Crosstales.FB.EditorExtension	14
Crosstales.FB.EditorIntegration	15
Crosstales.FB.EditorTask	15
Crosstales.FB.EditorUtil	16
Crosstales.FB.RTFB	16
Crosstales.FB.Util	16
Crosstales.FB.Wrapper	17
Crosstales.FB.Wrapper.Linux	17
Crosstales.FB.Wrapper.Mac	17
Crosstales.UI	18
Crosstales.UI.Audio	18
Crosstales.UI.Util	18
HutongGames	19
HutongGames.PlayMaker	19
HutongGames.PlayMaker.Actions	19

Chapter 2

Hierarchical Index

2.1 Class Hierarchy

This inheritance list is sorted roughly, but not completely, alphabetically:

Crosstales.FB.EditorTask.AAACConfigLoader	21
AssetPostprocessor	
Crosstales.FB.EditorTask.Launch	186
Crosstales.FB.EditorTask.AutoInitialize	26
Crosstales.Common.EditorTask.BaseCompileDefines	27
Crosstales.FB.EditorTask.CompileDefines	75
Crosstales.UI.CompileDefines	75
Crosstales.Common.Util.BaseConstants	28
Crosstales.FB.Util.Constants	80
Crosstales.Common.Util.BaseHelper	56
Crosstales.Common.EditorUtil.BaseEditorHelper	44
Crosstales.FB.EditorUtil.EditorHelper	103
Crosstales.FB.Util.Helper	178
Crosstales.Common.EditorTask.BaseSetupResources	74
Crosstales.Common.EditorTask.SetupResources	201
Crosstales.FB.EditorTask.SetupResources	201
Crosstales.FB.EditorUtil.BuildPostprocessor	74
Crosstales.FB.Util.Config	76
Crosstales.Common.Util.CTPlayerPrefs	84
Crosstales.Common.Util.CTProcessStartInfo	94
Editor	
Crosstales.Common.Util.HelperCTEditor	179
Crosstales.FB.EditorExtension.FileBrowserEditor	150
Crosstales.FB.RTFB.FileBrowserRTFEditor	164
Crosstales.FB.EditorUtil.EditorConfig	98
Crosstales.FB.EditorUtil.EditorConstants	101
EditorWindow	
Crosstales.FB.EditorIntegration.ConfigBase	78
Crosstales.FB.EditorIntegration.ConfigPreferences	79
Crosstales.FB.EditorIntegration.ConfigWindow	79
Crosstales.FB.Extension	107
Crosstales.FB.ExtensionFilter	107
Crosstales.ExtensionMethods	108
Crosstales.FB.EditorIntegration.FileBrowserGameObject	151

Crosstales.FB.EditorIntegration.FileBrowserMenu	158
Crosstales.FB.RTFB.FileBrowserRTFBGameObject	164
Crosstales.FB.RTFB.FileBrowserRTFBMenu	165
Crosstales.FB.FileBrowserWSAImpl	170
FsmStateAction	
HutongGames.PlayMaker.Actions.BaseFBAction	49
HutongGames.PlayMaker.Actions.OpenFile	190
HutongGames.PlayMaker.Actions.OpenFolder	191
HutongGames.PlayMaker.Actions.SaveFile	199
IDisposable	
Crosstales.Common.Util.CTPProcess	89
IDragHandler	
Crosstales.UI.UIResize	213
Crosstales.FB.Wrapper.IFileBrowser	180
Crosstales.FB.Wrapper.BaseCustomFileBrowser	39
Crosstales.FB.RTFB.FileBrowserRTFB	159
Crosstales.FB.WrapperExample	216
Crosstales.FB.Wrapper.BaseFileBrowser	50
Crosstales.FB.Wrapper.FileBrowserEditor	148
Crosstales.FB.Wrapper.FileBrowserGeneric	151
Crosstales.FB.Wrapper.FileBrowserLinux	154
Crosstales.FB.Wrapper.FileBrowserMac	156
Crosstales.FB.Wrapper.FileBrowserWindows	165
Crosstales.FB.Wrapper.FileBrowserWSA	168
IPointerDownHandler	
Crosstales.UI.UIResize	213
MonoBehaviour	
Crosstales.Common.Tool.FreeCam	174
Crosstales.Common.Util.BackgroundController	26
Crosstales.Common.Util.HelperCT	179
Crosstales.Common.Util.PlatformController	192
Crosstales.Common.Util.RandomColor	193
Crosstales.Common.Util.RandomRotator	196
Crosstales.Common.Util.RandomScaler	197
Crosstales.Common.Util.Singleton< T >	203
Crosstales.FB.Demo.EventTester	105
Crosstales.FB.Demo.Examples	106
Crosstales.FB.Demo.GUIMain	177
Crosstales.FB.Demo.GUIScenes	177
Crosstales.FB.Demo.Util.CustomWrapperController	98
Crosstales.FB.RTFB.ShowMore	202
Crosstales.FB.Wrapper.BaseCustomFileBrowser	39
Crosstales.UI.Audio.AudioFilterController	21
Crosstales.UI.Audio.AudioSourceController	23
Crosstales.UI.Social	205
Crosstales.UI.StaticManager	206
Crosstales.UI.UIDrag	209
Crosstales.UI.UIFocus	210
Crosstales.UI.UIHint	211
Crosstales.UI.UIResize	213
Crosstales.UI.UIWindowManager	214
Crosstales.UI.Util.FPSDisplay	173
Crosstales.UI.Util.ScrollRectHandler	200
Crosstales.UI.WindowManager	215
Crosstales.Common.EditorTask.NYCheck	189
Crosstales.FB.Util.SetupProject	200
Crosstales.Common.Util.Singleton< FileBrowser >	203
Crosstales.FB.FileBrowser	123

Crosstales.Common.Util.Singleton< SurviveSceneSwitch >	203
Crosstales.Common.Util.SurviveSceneSwitch	207
Crosstales.Common.Util.Singleton< TakeScreenshot >	203
Crosstales.Common.Util.TakeScreenshot	207
Crosstales.Common.Util.SingletonHelper	205
Stream	
Crosstales.Common.Util.MemoryCacheStream	187
UnityEvent	
Crosstales.FB.OnOpenFilesCompleted	189
Crosstales.FB.OnOpenFoldersCompleted	190
Crosstales.FB.OnSaveFileCompleted	190
Crosstales.FB.EditorTask.UpdateCheck	215
WebClient	
Crosstales.Common.Util.CTWebClient	96
Crosstales.Common.Util.XmlHelper	220
Crosstales.FB.Demo.ZInstaller	223

Chapter 3

Class Index

3.1 Class List

Here are the classes, structs, unions and interfaces with brief descriptions:

Crosstales.FB.EditorTask.AAAConfigLoader	
Loads the configuration at startup	21
Crosstales.UI.Audio.AudioFilterController	
Controller for audio filters	21
Crosstales.UI.Audio.AudioSourceController	
Controller for AudioSources	23
Crosstales.FB.EditorTask.AutoInitialize	
Automatically adds the necessary FileBrowser-prefabs to the current scene	26
Crosstales.Common.Util.BackgroundController	
Enables or disable game objects on Android or iOS in the background	26
Crosstales.Common.EditorTask.BaseCompileDefines	
Base for adding and removing the given symbols to PlayerSettings compiler define symbols	27
Crosstales.Common.Util.BaseConstants	
Base for collected constants of very general utility for the asset	28
Crosstales.FB Wrapper.BaseCustomFileBrowser	
Base class for custom file browsers	39
Crosstales.Common.EditorUtil.BaseEditorHelper	
Base for various Editor helper functions	44
HutongGames.PlayMaker.Actions.BaseFBAction	
Base class for BWF-actions in PlayMaker	49
Crosstales.FB Wrapper.BaseFileBrowser	
Base class for all file browsers	50
Crosstales.Common.Util.BaseHelper	
Base for various helper functions	56
Crosstales.Common.EditorTask.BaseSetupResources	
Base-class for moving all resources to 'Editor Default Resources'	74
Crosstales.FB.EditorUtil.BuildPostprocessor	
BuildPostprocessor for macOS	74
Crosstales.UI.CompileDefines	
Adds the given define symbols to PlayerSettings define symbols	75
Crosstales.FB.EditorTask.CompileDefines	
Adds the given define symbols to PlayerSettings define symbols	75
Crosstales.FB.Util.Config	
Configuration for the asset	76
Crosstales.FB.EditorIntegration.ConfigBase	
Base class for editor windows	78

Crosstales.FB.EditorIntegration.ConfigPreferences	
Unity "Preferences" extension	79
Crosstales.FB.EditorIntegration.ConfigWindow	
Editor window extension	79
Crosstales.FB.Util.Constants	
Collected constants of very general utility for the asset	80
Crosstales.Common.Util.CTPlayerPrefs	
Wrapper for the PlayerPrefs	84
Crosstales.Common.Util.CTProcess	
Native process class for standalone IL2CPP-builds (mimicking the missing "System.Diagnostics.Process"-class with the most important properties, methods and events)	89
Crosstales.Common.Util.CTProcessStartInfo	
Specifies a set of values that are used when you start a process (mimicking the "System.Diagnostics.ProcessStartInfo"-class with the most important properties)	94
Crosstales.Common.Util.CTWebClient	
Specialized WebClient	96
Crosstales.FB.Demo.Util.CustomWrapperController	
Controls the custom wrapper in demo builds	98
Crosstales.FB.EditorUtil.EditorConfig	
Editor configuration for the asset	98
Crosstales.FB.EditorUtil.EditorConstants	
Collected editor constants of very general utility for the asset	101
Crosstales.FB.EditorUtil.EditorHelper	
Editor helper class	103
Crosstales.FB.Demo.EventTester	
Simple test script for all UnityEvent-callbacks	105
Crosstales.FB.Demo.Examples	
Examples for all methods	106
Crosstales.FB.Extension	107
Crosstales.FB.ExtensionFilter	
Filter for extensions	107
Crosstales.ExtensionMethods	
Various extension methods	108
Crosstales.FB.FileBrowser	
Native file browser various actions like open file, open folder and save file	123
Crosstales.FB.Wrapper.FileBrowserEditor	148
Crosstales.FB.EditorExtension.FileBrowserEditor	
Custom editor for the 'FileBrowser'-class	150
Crosstales.FB.EditorIntegration.FileBrowserGameObject	
Editor component for the "Hierarchy"-menu	151
Crosstales.FB.Wrapper.FileBrowserGeneric	
File browser implementation for generic devices (currently NOT IMPLEMENTED)	151
Crosstales.FB.Wrapper.FileBrowserLinux	
File browser implementation for Linux (GTK)	154
Crosstales.FB.Wrapper.FileBrowserMac	
File browser implementation for macOS	156
Crosstales.FB.EditorIntegration.FileBrowserMenu	
Editor component for the "Tools"-menu	158
Crosstales.FB.RTFB.FileBrowserRTFB	
Runtime File Browser wrapper. NOTE: This wrapper needs "Runtime File Browser" https://assetstore.unity.com/packages/slug/113006?aid=10111NGT	159
Crosstales.FB.RTFB.FileBrowserRTFBEditor	
Custom editor for the 'FileBrowserRTFB'-class	164
Crosstales.FB.RTFB.FileBrowserRTFBGameObject	
Editor component for for adding the prefabs from 'WebGL' in the "Hierarchy"-menu	164
Crosstales.FB.RTFB.FileBrowserRTFBMenu	
Editor component for for adding the prefabs from 'WebGL' in the "Tools"-menu	165

Crosstales.FB.Wrapper.FileBrowserWindows	
File browser implementation for Windows	165
Crosstales.FB.Wrapper.FileBrowserWSA	
File browser implementation for WSA (UWP)	168
Crosstales.FB.FileBrowserWSAImpl	
File browser for WSA	170
Crosstales.UI.Util.FPSDisplay	
Simple FPS-Counter	173
Crosstales.Common.Tool.FreeCam	
A simple free camera to be added to a Unity game object	174
Crosstales.FB.Demo.GUIMain	
Main GUI component for all demo scenes	177
Crosstales.FB.Demo.GUIScenes	
Main GUI scene manager for all demo scenes	177
Crosstales.FB.Util.Helper	
Various helper functions	178
Crosstales.Common.Util.HelperCT	
Helper to reset the necessary settings	179
Crosstales.Common.Util.HelperCTEditor	
	179
Crosstales.FB.Wrapper.IFileBrowser	
Interface for all file browsers	180
Crosstales.FB.EditorTask.Launch	
Show the configuration window on the first launch	186
Crosstales.Common.Util.MemoryCacheStream	
Memory cache stream	187
Crosstales.Common.EditorTask.NYCheck	
Checks if a 'Happy new year'-message must be displayed	189
Crosstales.FB.OnOpenFilesCompleted	
	189
Crosstales.FB.OnOpenFoldersCompleted	
	190
Crosstales.FB.OnSaveFileCompleted	
	190
HutongGames.PlayMaker.Actions.OpenFile	
Open file action for PlayMaker	190
HutongGames.PlayMaker.Actions.OpenFolder	
Open folder action for PlayMaker	191
Crosstales.Common.Util.PlatformController	
Enables or disable game objects and scripts for a given platform	192
Crosstales.Common.Util.RandomColor	
Random color changer	193
Crosstales.Common.Util.RandomRotator	
Random rotation changer	196
Crosstales.Common.Util.RandomScaler	
Random scale changer	197
HutongGames.PlayMaker.Actions.SaveFile	
Save file action for PlayMaker	199
Crosstales.UI.Util.ScrollRectHandler	
Changes the sensitivity of ScrollRects under various platforms	200
Crosstales.FB.SetupProject	
Setup the project to use File Browser	200
Crosstales.Common.EditorTask.SetupResources	
Moves all resources to 'Editor Default Resources'	201
Crosstales.FB.EditorTask.SetupResources	
Moves all resources to 'Editor Default Resources'	201
Crosstales.FB.RTFB.ShowMore	
Shows the details for Runtime File Browser	202
Crosstales.Common.Util.Singleton< T >	
Base-class for all singletons	203
Crosstales.Common.Util.SingletonHelper	
Helper-class for singletons	205

Crosstales.UI.Social	
Crosstales social media links	205
Crosstales.UI.StaticManager	
Static Button Manager	206
Crosstales.Common.Util.SurviveSceneSwitch	
Allows any Unity gameobject to survive a scene switch. This is especially useful to keep the music playing while loading a new scene	207
Crosstales.Common.Util.TakeScreenshot	
Take screen shots inside an application	207
Crosstales.UI.UIDrag	
Allow to Drag the Windows around	209
Crosstales.UI.UIFocus	
Change the Focus on from a Window	210
Crosstales.UI.UIHint	
Controls a UI group (hint)	211
Crosstales.UI.UIResize	
Resize a UI element	213
Crosstales.UI.UIWindowManager	
Change the state of all Window panels	214
Crosstales.FB.EditorTask.UpdateCheck	
Checks for updates of the asset	215
Crosstales.UI.WindowManager	
Manager for a Window	215
Crosstales.FB.WrapperExample	
Example for a custom wrapper with all callbacks (only for demonstration - it doesn't do anything). NOTE: please make sure you understand the Wrapper and its variables	216
Crosstales.Common.Util.XmlHelper	
Helper-class for XML	220
Crosstales.FB.Demo.ZInstaller	
Installs the ' UI '-package from Common	223

Chapter 4

Namespace Documentation

4.1 Crosstales Namespace Reference

Classes

- class [ExtensionMethods](#)
Various extension methods.

4.2 Crosstales.Common Namespace Reference

4.3 Crosstales.Common.EditorTask Namespace Reference

Classes

- class [BaseCompileDefines](#)
Base for adding and removing the given symbols to PlayerSettings compiler define symbols.
- class [BaseSetupResources](#)
Base-class for moving all resources to 'Editor Default Resources'.
- class [NYCheck](#)
Checks if a 'Happy new year'-message must be displayed.
- class [SetupResources](#)
Moves all resources to 'Editor Default Resources'.

4.4 Crosstales.Common.EditorUtil Namespace Reference

Classes

- class [BaseEditorHelper](#)
Base for various Editor helper functions.

4.5 Crosstales.Common.Model Namespace Reference

4.6 Crosstales.Common.Model.Enum Namespace Reference

Enumerations

- enum [Platform](#) {
 Windows, OSX, Linux, IOS,
 Android, WSA, Web, Unsupported }

 All available platforms.
- enum [SampleRate](#) {
 _8000Hz = 8000, _11025Hz = 11025, _22050Hz = 22050, _44100Hz = 44100,
 _48000Hz = 48000 }

 Typical audio sample rates.

4.6.1 Enumeration Type Documentation

4.6.1.1 Platform

enum [Crosstales.Common.Model.Enum.Platform](#) [strong]

All available platforms.

4.6.1.2 SampleRate

enum [Crosstales.Common.Model.Enum.SampleRate](#) [strong]

Typical audio sample rates.

4.7 Crosstales.Common.Tool Namespace Reference

Classes

- class [FreeCam](#)

 A simple free camera to be added to a Unity game object.

4.8 Crosstales.Common.Util Namespace Reference

Classes

- class [BackgroundController](#)
Enables or disable game objects on Android or iOS in the background.
- class [BaseConstants](#)
Base for collected constants of very general utility for the asset.
- class [BaseHelper](#)
Base for various helper functions.
- class [CTPlayerPrefs](#)
Wrapper for the PlayerPrefs.
- class [CTProcess](#)
Native process class for standalone IL2CPP-builds (mimicking the missing "System.Diagnostics.Process"-class with the most important properties, methods and events).
- class [CTProcessStartInfo](#)
Specifies a set of values that are used when you start a process (mimicking the "System.Diagnostics.ProcessStartInfo"-class with the most important properties).
- class [CTWebClient](#)
Specialized WebClient.
- class [HelperCT](#)
Helper to reset the necessary settings.
- class [HelperCTEditor](#)
- class [MemoryCacheStream](#)
Memory cache stream.
- class **NativeMethods**
Native methods (bridge to Windows).
- class [PlatformController](#)
Enables or disable game objects and scripts for a given platform.
- class [RandomColor](#)
Random color changer.
- class [RandomRotator](#)
Random rotation changer.
- class [RandomScaler](#)
Random scale changer.
- class [Singleton](#)
Base-class for all singletons.
- class [SingletonHelper](#)
Helper-class for singletons.
- class [SurviveSceneSwitch](#)
Allows any Unity gameobject to survive a scene switch. This is especially useful to keep the music playing while loading a new scene.
- class [TakeScreenshot](#)
Take screen shots inside an application.
- class [XmlHelper](#)
Helper-class for XML.

4.9 Crosstales.FB Namespace Reference

Classes

- struct [Extension](#)
- struct [ExtensionFilter](#)
Filter for extensions.
- class [FileBrowser](#)
Native file browser various actions like open file, open folder and save file.
- class [FileBrowserWSAImpl](#)
File browser for WSA.
- class [OnOpenFilesCompleted](#)
- class [OnOpenFoldersCompleted](#)
- class [OnSaveFileCompleted](#)
- class [WrapperExample](#)
Example for a custom wrapper with all callbacks (only for demonstration - it doesn't do anything). NOTE: please make sure you understand the [Wrapper](#) and its variables
- class **WrapperHolder**

4.10 Crosstales.FB.Demo Namespace Reference

Classes

- class [EventTester](#)
Simple test script for all UnityEvent-callbacks.
- class [Examples](#)
Examples for all methods.
- class [GUIMain](#)
Main GUI component for all demo scenes.
- class [GUIScenes](#)
Main GUI scene manager for all demo scenes.
- class [ZInstaller](#)
Installs the 'UI'-package from [Common](#).

4.11 Crosstales.FB.Demo.Util Namespace Reference

Classes

- class [CustomWrapperController](#)
Controls the custom wrapper in demo builds.

4.12 Crosstales.FB.EditorExtension Namespace Reference

Classes

- class [FileBrowserEditor](#)
Custom editor for the '[FileBrowser](#)'-class.

4.13 Crosstales.FB.EditorIntegration Namespace Reference

Classes

- class [ConfigBase](#)
Base class for editor windows.
- class [ConfigPreferences](#)
Unity "Preferences" extension.
- class [ConfigWindow](#)
Editor window extension.
- class [FileBrowserGameObject](#)
Editor component for the "Hierarchy"-menu.
- class [FileBrowserMenu](#)
Editor component for the "Tools"-menu.

4.14 Crosstales.FB.EditorTask Namespace Reference

Classes

- class [AAAConfigLoader](#)
Loads the configuration at startup.
- class [AutoInitialize](#)
Automatically adds the necessary FileBrowser-prefabs to the current scene.
- class [CompileDefines](#)
Adds the given define symbols to PlayerSettings define symbols.
- class [Launch](#)
Show the configuration window on the first launch.
- class [SetupResources](#)
Moves all resources to 'Editor Default Resources'.
- class [UpdateCheck](#)
Checks for updates of the asset.

Enumerations

- enum [UpdateStatus](#) {
NOT_CHECKED, NO_UPDATE, UPDATE, UPDATE_VERSION,
DEPRECATED }
All possible update stati.

4.14.1 Enumeration Type Documentation

4.14.1.1 UpdateStatus

enum [Crosstales.FB.EditorTask.UpdateStatus](#) [strong]

All possible update stati.

4.15 Crosstales.FB.EditorUtil Namespace Reference

Classes

- class [BuildPostprocessor](#)
BuildPostprocessor for macOS.
- class [EditorConfig](#)
Editor configuration for the asset.
- class [EditorConstants](#)
Collected editor constants of very general utility for the asset.
- class [EditorHelper](#)
Editor helper class.

4.16 Crosstales.FB.RTFB Namespace Reference

Classes

- class [FileBrowserRTFB](#)
Runtime File Browser wrapper. NOTE: This wrapper needs "Runtime File Browser" <https://assetstore.unity.com/packages/slug/113006?aid=10111NGT>
- class [FileBrowserRTFBEditor](#)
Custom editor for the 'FileBrowserRTFB'-class.
- class [FileBrowserRTFBGameObject](#)
Editor component for for adding the prefabs from 'WebGL' in the "Hierarchy"-menu.
- class [FileBrowserRTFBMenu](#)
Editor component for for adding the prefabs from 'WebGL' in the "Tools"-menu.
- class [ShowMore](#)
Shows the details for Runtime File Browser.

4.17 Crosstales.FB.Util Namespace Reference

Classes

- class [Config](#)
Configuration for the asset.
- class [Constants](#)
Collected constants of very general utility for the asset.
- class [Helper](#)
Various helper functions.
- class [SetupProject](#)
Setup the project to use File Browser.

4.18 Crosstales.FB.Wrapper Namespace Reference

Classes

- class [BaseCustomFileBrowser](#)
Base class for custom file browsers.
- class [BaseFileBrowser](#)
Base class for all file browsers.
- class [FileBrowserEditor](#)
- class [FileBrowserGeneric](#)
File browser implementation for generic devices (currently NOT IMPLEMENTED).
- class [FileBrowserLinux](#)
File browser implementation for [Linux](#) (GTK).
- class [FileBrowserMac](#)
File browser implementation for macOS.
- class [FileBrowserWindows](#)
File browser implementation for Windows.
- class [FileBrowserWSA](#)
File browser implementation for WSA (UWP).
- interface [IFileBrowser](#)
Interface for all file browsers.
- class **NativeMethods**

4.19 Crosstales.FB.Wrapper.Linux Namespace Reference

Classes

- class **NativeMethods**
Native methods (bridge to [Linux](#)).

4.20 Crosstales.FB.Wrapper.Mac Namespace Reference

Classes

- class **NativeMethods**
Native methods (bridge to macOS).

4.21 Crosstales.UI Namespace Reference

Classes

- class [CompileDefines](#)
Adds the given define symbols to PlayerSettings define symbols.
- class [Social](#)
Crosstales social media links.
- class [StaticManager](#)
Static Button Manager.
- class [UIDrag](#)
Allow to Drag the Windows around.
- class [UIFocus](#)
Change the Focus on from a Window.
- class [UIHint](#)
Controls a [UI](#) group (hint).
- class [UIResize](#)
Resize a [UI](#) element.
- class [UIWindowManager](#)
Change the state of all Window panels.
- class [WindowManager](#)
Manager for a Window.

4.22 Crosstales.UI.Audio Namespace Reference

Classes

- class [AudioFilterController](#)
Controller for audio filters.
- class [AudioSourceController](#)
Controller for AudioSources.

4.23 Crosstales.UI.Util Namespace Reference

Classes

- class [FPSDisplay](#)
Simple FPS-Counter.
- class [ScrollRectHandler](#)
Changes the sensitivity of ScrollRects under various platforms.

4.24 HutongGames Namespace Reference

4.25 HutongGames.PlayMaker Namespace Reference

4.26 HutongGames.PlayMaker.Actions Namespace Reference

Classes

- class [BaseFBAction](#)
Base class for BWF-actions in [PlayMaker](#).
- class [OpenFile](#)
Open file action for [PlayMaker](#).
- class [OpenFolder](#)
Open folder action for [PlayMaker](#).
- class [SaveFile](#)
Save file action for [PlayMaker](#).

Chapter 5

Class Documentation

5.1 Crosstales.FB.EditorTask.AAAConfigLoader Class Reference

Loads the configuration at startup.

5.1.1 Detailed Description

Loads the configuration at startup.


The documentation for this class was generated from the following file:

- [D:/slaubenberger/git/assets/FileBrowser/FileBrowserPro/Assets/Plugins/crosstales/FileBrowser/Editor/Task/AAAConfigLoader.cs](#)

5.2 Crosstales.UI.Audio.AudioFilterController Class Reference

Controller for audio filters.

Inheritance diagram for Crosstales.UI.Audio.AudioFilterController:



Public Member Functions

- void [FindAllAudioFilters](#) ()
Finds all audio filters in the scene.
- void [ResetAudioFilters](#) ()
Resets all audio filters.
- void **ReverbFilterDropdownChanged** (int index)
- void **ChorusFilterEnabled** (bool isEnabled)
- void **EchoFilterEnabled** (bool isEnabled)
- void **DistortionFilterEnabled** (bool isEnabled)
- void **DistortionFilterChanged** (float value)
- void **LowPassFilterEnabled** (bool isEnabled)
- void **LowPassFilterChanged** (float value)
- void **HighPassFilterEnabled** (bool isEnabled)
- void **HighPassFilterChanged** (float value)

Public Attributes

- bool [FindAllAudioFiltersOnStart](#) = true
Searches for all audio filters in the whole scene (default: true).
- AudioReverbFilter[] **ReverbFilters**
- AudioChorusFilter[] **ChorusFilters**
- AudioEchoFilter[] **EchoFilters**
- AudioDistortionFilter[] **DistortionFilters**
- AudioLowPassFilter[] **LowPassFilters**
- AudioHighPassFilter[] **HighPassFilters**
- bool **ResetAudioFiltersOnStart** = true
- bool **ChorusFilter**
- bool **EchoFilter**
- bool **DistortionFilter**
- float **DistortionFilterValue** = 0.5f
- bool **LowpassFilter**
- float **LowpassFilterValue** = 5000f
- bool **HighpassFilter**
- float **HighpassFilterValue** = 5000f
- Dropdown **ReverbFilterDropdown**
- Text **DistortionText**
- Text **LowpassText**
- Text **HighpassText**

5.2.1 Detailed Description

Controller for audio filters.

5.2.2 Member Function Documentation

5.2.2.1 FindAllAudioFilters()

```
void Crosstales.UI.Audio.AudioFilterController.FindAllAudioFilters ( )
```

Finds all audio filters in the scene.

5.2.2.2 ResetAudioFilters()

```
void Crosstales.UI.Audio.AudioFilterController.ResetAudioFilters ( )
```

Resets all audio filters.

5.2.3 Member Data Documentation

5.2.3.1 FindAllAudioFiltersOnStart

```
bool Crosstales.UI.Audio.AudioFilterController.FindAllAudioFiltersOnStart = true
```

Searches for all audio filters in the whole scene (default: true).


The documentation for this class was generated from the following file:

- D:/slaubenberger/git/assets/FileBrowser/FileBrowserPro/Assets/Plugins/crosstales/Common/UI/Scripts/↔ Audio/AudioFilterController.cs

5.3 Crosstales.UI.Audio.AudioSourceController Class Reference

Controller for AudioSources.

Inheritance diagram for Crosstales.UI.Audio.AudioSourceController:



Public Member Functions

- void [FindAllAudioSources](#) ()
Finds all audio sources in the scene.
- void [ResetAllAudioSources](#) ()
Resets all audio sources.
- void **MuteEnabled** (bool isEnabled)
- void **LoopEnabled** (bool isEnabled)
- void **VolumeChanged** (float value)
- void **PitchChanged** (float value)
- void **StereoPanChanged** (float value)

Public Attributes

- bool [FindAllAudioSourcesOnStart](#) = true
Searches for all AudioSource in the whole scene (default: true).
- AudioSource[] [AudioSources](#)
Active controlled AudioSources.
- bool [ResetAudioSourcesOnStart](#) = true
Resets all active AudioSources (default: true).
- bool [Mute](#)
Mute on/off (default: false).
- bool [Loop](#)
Loop on/off (default: false).
- float [Volume](#) = 1f
Volume of the audio (default: 1)
- float [Pitch](#) = 1f
Pitch of the audio (default: 1).
- float [StereoPan](#)
Stereo pan of the audio (default: 0).
- Text **VolumeText**
- Text **PitchText**
- Text **StereoPanText**

5.3.1 Detailed Description

Controller for AudioSources.

5.3.2 Member Function Documentation

5.3.2.1 FindAllAudioSources()

```
void Crosstales.UI.Audio.AudioSourceController.FindAllAudioSources ( )
```

Finds all audio sources in the scene.

5.3.2.2 ResetAllAudioSources()

```
void Crosstales.UI.Audio.AudioSourceController.ResetAllAudioSources ( )
```

Resets all audio sources.

5.3.3 Member Data Documentation

5.3.3.1 AudioSources

```
AudioSource [ ] Crosstales.UI.Audio.AudioSourceController.AudioSources
```

Active controlled AudioSources.

5.3.3.2 FindAllAudioSourcesOnStart

```
bool Crosstales.UI.Audio.AudioSourceController.FindAllAudioSourcesOnStart = true
```

Searches for all AudioSource in the whole scene (default: true).

5.3.3.3 Loop

```
bool Crosstales.UI.Audio.AudioSourceController.Loop
```

Loop on/off (default: false).

5.3.3.4 Mute

```
bool Crosstales.UI.Audio.AudioSourceController.Mute
```

Mute on/off (default: false).

5.3.3.5 Pitch

```
float Crosstales.UI.Audio.AudioSourceController.Pitch = 1f
```

Pitch of the audio (default: 1).

5.3.3.6 ResetAudioSourcesOnStart

```
bool Crosstales.UI.Audio.AudioSourceController.ResetAudioSourcesOnStart = true
```

Resets all active AudioSources (default: true).

5.3.3.7 StereoPan

```
float Crosstales.UI.Audio.AudioSourceController.StereoPan
```

Stereo pan of the audio (default: 0).

5.3.3.8 Volume

```
float Crosstales.UI.Audio.AudioSourceController.Volume = 1f
```

Volume of the audio (default: 1)

The documentation for this class was generated from the following file:

- D:/slaubenberger/git/assets/FileBrowser/FileBrowserPro/Assets/Plugins/crosstales/Common/UI/Scripts/↔ Audio/AudioSourceController.cs

5.4 Crosstales.FB.EditorTask.AutoInitialize Class Reference

Automatically adds the necessary FileBrowser-prefabs to the current scene.

5.4.1 Detailed Description

Automatically adds the necessary FileBrowser-prefabs to the current scene.


The documentation for this class was generated from the following file:

- D:/slaubenberger/git/assets/FileBrowser/FileBrowserPro/Assets/Plugins/crosstales/FileBrowser/Editor/↔ Task/AutoInitialize.cs

5.5 Crosstales.Common.Util.BackgroundController Class Reference

Enables or disable game objects on Android or iOS in the background.

Inheritance diagram for Crosstales.Common.Util.BackgroundController:



Public Attributes

- `GameObject[]` [Objects](#)

Selected objects to disable in the background for the controller.

5.5.1 Detailed Description

Enables or disable game objects on Android or iOS in the background.

5.5.2 Member Data Documentation

5.5.2.1 Objects

```
GameObject [] Crosstales.Common.Util.BackgroundController.Objects
```

Selected objects to disable in the background for the controller.


The documentation for this class was generated from the following file:

- `D:/slaubenberger/git/assets/FileBrowser/FileBrowserPro/Assets/Plugins/crosstales/Common/Scripts/↔ Util/BackgroundController.cs`

5.6 Crosstales.Common.EditorTask.BaseCompileDefines Class Reference

Base for adding and removing the given symbols to PlayerSettings compiler define symbols.

Inheritance diagram for `Crosstales.Common.EditorTask.BaseCompileDefines`:



Static Public Member Functions

- static void [AddSymbolsToAllTargets](#) (params `string[]` symbols)
Adds the given symbols to the compiler defines.
- static void [RemoveSymbolsFromAllTargets](#) (params `string[]` symbols)
Removes the given symbols from the compiler defines.

Static Protected Member Functions

- static void **addSymbolsToAllTargets** (params string[] symbols)
- static void **removeSymbolsFromAllTargets** (params string[] symbols)

5.6.1 Detailed Description

Base for adding and removing the given symbols to PlayerSettings compiler define symbols.

5.6.2 Member Function Documentation

5.6.2.1 AddSymbolsToAllTargets()

```
static void Crosstales.Common.EditorTask.BaseCompileDefines.AddSymbolsToAllTargets (
    params string[] symbols ) [static]
```

Adds the given symbols to the compiler defines.

Parameters

<i>symbols</i>	Symbols to add to the compiler defines
----------------	--

5.6.2.2 RemoveSymbolsFromAllTargets()

```
static void Crosstales.Common.EditorTask.BaseCompileDefines.RemoveSymbolsFromAllTargets (
    params string[] symbols ) [static]
```

Removes the given symbols from the compiler defines.

Parameters

<i>symbols</i>	Symbols to remove from the compiler defines
----------------	---


The documentation for this class was generated from the following file:

- D:/slaubenberger/git/assets/FileBrowser/FileBrowserPro/Assets/Plugins/crosstales/Common/Editor/↵
Task/BaseCompileDefines.cs

5.7 Crosstales.Common.Util.BaseConstants Class Reference

Base for collected constants of very general utility for the asset.

Inheritance diagram for Crosstales.Common.Util.BaseConstants:



Static Public Attributes

- const string **ASSET_AUTHOR** = "crosstales LLC"
Author of the asset.
- const string **ASSET_AUTHOR_URL** = "https://www.crosstales.com"
URL of the asset author.
- const string **ASSET_CT_URL** = "https://assetstore.unity.com/lists/crosstales-42213?aid=1011INGT"
URL of the crosstales assets in UAS.
- const string **ASSET_SOCIAL_DISCORD** = "https://discord.gg/ZbZ2sh4"
URL of the crosstales Discord-channel.
- const string **ASSET_SOCIAL_FACEBOOK** = "https://www.facebook.com/crosstales/"
URL of the crosstales Facebook-profile.
- const string **ASSET_SOCIAL_TWITTER** = "https://twitter.com/crosstales"
URL of the crosstales Twitter-profile.
- const string **ASSET_SOCIAL_YOUTUBE** = "https://www.youtube.com/c/Crosstales"
URL of the crosstales Youtube-profile.
- const string **ASSET_SOCIAL_LINKEDIN** = "https://www.linkedin.com/company/crosstales"
URL of the crosstales LinkedIn-profile.
- const string **ASSET_3P_PLAYMAKER** = "https://assetstore.unity.com/packages/slug/368?aid=1011INGT"
URL of the 3rd party asset "PlayMaker".
- const string **ASSET_3P_VOLUMETRIC_AUDIO** = "https://assetstore.unity.com/packages/slug/17125?aid=1011INGT"
URL of the 3rd party asset "Volumetric Audio".
- const string **ASSET_3P_ROCKTOMATE** = "https://assetstore.unity.com/packages/slug/156311?aid=1011INGT"
URL of the 3rd party asset "RockTomate".
- const string **ASSET_BWF** = "https://assetstore.unity.com/packages/slug/26255?aid=1011INGT"
URL of the "Badword Filter" asset.
- const string **ASSET_DJ** = "https://assetstore.unity.com/packages/slug/41993?aid=1011INGT"
URL of the "DJ" asset.
- const string **ASSET_FB** = "https://assetstore.unity.com/packages/slug/98713?aid=1011INGT"
URL of the "File Browser" asset.
- const string **ASSET_OC** = "https://assetstore.unity.com/packages/slug/74688?aid=1011INGT"
URL of the "Online Check" asset.
- const string **ASSET_RADIO** = "https://assetstore.unity.com/packages/slug/32034?aid=1011INGT"
URL of the "Radio" asset.
- const string **ASSET_RTV** = "https://assetstore.unity.com/packages/slug/41068?aid=1011INGT"
URL of the "RT-Voice" asset.
- const string **ASSET_TB** = "https://assetstore.unity.com/packages/slug/98711?aid=1011INGT"
URL of the "Turbo Backup" asset.
- const string **ASSET_TPB** = "https://assetstore.unity.com/packages/slug/98714?aid=1011INGT"
URL of the "Turbo Builder" asset.

- const string **ASSET_TPS** = "https://assetstore.unity.com/packages/slug/60040?aid=1011INGT"
URL of the "Turbo Switch" asset.
- const string **ASSET_TR** = "https://assetstore.unity.com/packages/slug/61617?aid=1011INGT"
URL of the "True Random" asset.
- const int **FACTOR_KB** = 1024
Factor for kilo bytes.
- const int **FACTOR_MB** = **FACTOR_KB** * 1024
Factor for mega bytes.
- const int **FACTOR_GB** = **FACTOR_MB** * 1024
Factor for giga bytes.
- const float **FLOAT_32768** = 32768f
Float value of 32768.
- const float **FLOAT_TOLERANCE** = 0.0001f
Float tolerance.
- const string **FORMAT_TWO_DECIMAL_PLACES** = "0.00"
ToString for two decimal places.
- const string **FORMAT_NO_DECIMAL_PLACES** = "0"
ToString for no decimal places.
- const string **FORMAT_PERCENT** = "0%"
ToString for percent.
- const bool **DEFAULT_DEBUG** = false
- const string **PATH_DELIMITER_WINDOWS** = @"\"
Path delimiter for Windows.
- const string **PATH_DELIMITER_UNIX** = "/"
Path delimiter for Unix.
- static bool **DEV_DEBUG** = false
Development debug logging for the asset.
- static string **TEXT_TOSTRING_START** = "{"
- static string **TEXT_TOSTRING_END** = "}"
- static string **TEXT_TOSTRING_DELIMITER** = ", "
- static string **TEXT_TOSTRING_DELIMITER_END** = ""
- static string **PREFIX_HTTP** = "http://"
- static string **PREFIX_HTTPS** = "https://"
- static int **PROCESS_KILL_TIME** = 5000
Kill processes after 5000 milliseconds.
- static string **CMD_WINDOWS_PATH** = @"C:\Windows\system32\cmd.exe"
Path to the cmd under Windows.
- static bool **SHOW_BWF_BANNER** = true
Show the BWF banner.
- static bool **SHOW_DJ_BANNER** = true
Show the DJ banner.
- static bool **SHOW_FB_BANNER** = true
Show the FB banner.
- static bool **SHOW_OC_BANNER** = true
Show the OC banner.
- static bool **SHOW_RADIO_BANNER** = true
Show the Radio banner.
- static bool **SHOW_RTV_BANNER** = true
Show the RTV banner.
- static bool **SHOW_TB_BANNER** = true
Show the TB banner.

- static bool [SHOW_TPB_BANNER](#) = true
Show the TPB banner.
- static bool [SHOW_TPS_BANNER](#) = true
Show the TPS banner.
- static bool [SHOW_TR_BANNER](#) = true
Show the TR banner.
- static string [APPLICATION_PATH](#) => [BaseHelper.ValidatePath](#)(Application.dataPath.Substring(0, Application.dataPath.LastIndexOf('/') + 1))
Application path.

Properties

- static string [PREFIX_FILE](#) [get]
URL prefix for files.

5.7.1 Detailed Description

Base for collected constants of very general utility for the asset.

5.7.2 Member Data Documentation

5.7.2.1 APPLICATION_PATH

```
string Crosstales.Common.Util.BaseConstants.APPLICATION_PATH => BaseHelper.ValidatePath(Application.↵  
dataPath.Substring(0, Application.dataPath.LastIndexOf('/') + 1)) [static]
```

Application path.

5.7.2.2 ASSET_3P_PLAYMAKER

```
const string Crosstales.Common.Util.BaseConstants.ASSET_3P_PLAYMAKER = "https://assetstore.↵  
unity.com/packages/slug/368?aid=10111NGT" [static]
```

URL of the 3rd party asset "PlayMaker".

5.7.2.3 ASSET_3P_ROCKTOMATE

```
const string Crosstales.Common.Util.BaseConstants.ASSET_3P_ROCKTOMATE = "https://assetstore.↵  
unity.com/packages/slug/156311?aid=10111NGT" [static]
```

URL of the 3rd party asset "RockTomate".

5.7.2.4 ASSET_3P_VOLUMETRIC_AUDIO

```
const string Crosstales.Common.Util.BaseConstants.ASSET_3P_VOLUMETRIC_AUDIO = "https://assetstore.unity.com/packages/slug/17125?aid=10111NGT" [static]
```

URL of the 3rd party asset "Volumetric Audio".

5.7.2.5 ASSET_AUTHOR

```
const string Crosstales.Common.Util.BaseConstants.ASSET_AUTHOR = "crosstales LLC" [static]
```

Author of the asset.

5.7.2.6 ASSET_AUTHOR_URL

```
const string Crosstales.Common.Util.BaseConstants.ASSET_AUTHOR_URL = "https://www.crosstales.com" [static]
```

URL of the asset author.

5.7.2.7 ASSET_BWF

```
const string Crosstales.Common.Util.BaseConstants.ASSET_BWF = "https://assetstore.unity.com/packages/slug/26255?aid=10111NGT" [static]
```

URL of the "Badword Filter" asset.

5.7.2.8 ASSET_CT_URL

```
const string Crosstales.Common.Util.BaseConstants.ASSET_CT_URL = "https://assetstore.unity.com/lists/crosstales-42213?aid=10111NGT" [static]
```

URL of the crosstales assets in UAS.

5.7.2.9 ASSET_DJ

```
const string Crosstales.Common.Util.BaseConstants.ASSET_DJ = "https://assetstore.unity.com/packages/slug/41993?aid=10111NGT" [static]
```

URL of the "DJ" asset.

5.7.2.10 ASSET_FB

```
const string Crosstales.Common.Util.BaseConstants.ASSET_FB = "https://assetstore.unity.↵  
com/packages/slug/98713?aid=10111NGT" [static]
```

URL of the "File Browser" asset.

5.7.2.11 ASSET_OC

```
const string Crosstales.Common.Util.BaseConstants.ASSET_OC = "https://assetstore.unity.↵  
com/packages/slug/74688?aid=10111NGT" [static]
```

URL of the "Online Check" asset.

5.7.2.12 ASSET_RADIO

```
const string Crosstales.Common.Util.BaseConstants.ASSET_RADIO = "https://assetstore.unity.↵  
com/packages/slug/32034?aid=10111NGT" [static]
```

URL of the "Radio" asset.

5.7.2.13 ASSET_RTV

```
const string Crosstales.Common.Util.BaseConstants.ASSET_RTV = "https://assetstore.unity.↵  
com/packages/slug/41068?aid=10111NGT" [static]
```

URL of the "RT-Voice" asset.

5.7.2.14 ASSET_SOCIAL_DISCORD

```
const string Crosstales.Common.Util.BaseConstants.ASSET_SOCIAL_DISCORD = "https://discord.↵  
gg/ZbZ2sh4" [static]
```

URL of the crosstales Discord-channel.

5.7.2.15 ASSET_SOCIAL_FACEBOOK

```
const string Crosstales.Common.Util.BaseConstants.ASSET_SOCIAL_FACEBOOK = "https://www.↵  
facebook.com/crosstales/" [static]
```

URL of the crosstales Facebook-profile.

5.7.2.16 ASSET_SOCIAL_LINKEDIN

```
const string Crosstales.Common.Util.BaseConstants.ASSET_SOCIAL_LINKEDIN = "https://www.↵  
linkedin.com/company/crosstales" [static]
```

URL of the crosstales LinkedIn-profile.

5.7.2.17 ASSET_SOCIAL_TWITTER

```
const string Crosstales.Common.Util.BaseConstants.ASSET_SOCIAL_TWITTER = "https://twitter.↵  
com/crosstales" [static]
```

URL of the crosstales Twitter-profile.

5.7.2.18 ASSET_SOCIAL_YOUTUBE

```
const string Crosstales.Common.Util.BaseConstants.ASSET_SOCIAL_YOUTUBE = "https://www.youtube.↵  
com/c/Crosstales" [static]
```

URL of the crosstales Youtube-profile.

5.7.2.19 ASSET_TB

```
const string Crosstales.Common.Util.BaseConstants.ASSET_TB = "https://assetstore.unity.↵  
com/packages/slug/98711?aid=10111NGT" [static]
```

URL of the "Turbo Backup" asset.

5.7.2.20 ASSET_TPB

```
const string Crosstales.Common.Util.BaseConstants.ASSET_TPB = "https://assetstore.unity.↵  
com/packages/slug/98714?aid=10111NGT" [static]
```

URL of the "Turbo Builder" asset.

5.7.2.21 ASSET_TPS

```
const string Crosstales.Common.Util.BaseConstants.ASSET_TPS = "https://assetstore.unity.↵  
com/packages/slug/60040?aid=10111NGT" [static]
```

URL of the "Turbo Switch" asset.

5.7.2.22 ASSET_TR

```
const string Crosstales.Common.Util.BaseConstants.ASSET_TR = "https://assetstore.unity.com/packages/slug/61617?aid=10111NGT" [static]
```

URL of the "True Random" asset.

5.7.2.23 CMD_WINDOWS_PATH

```
string Crosstales.Common.Util.BaseConstants.CMD_WINDOWS_PATH = @"C:\Windows\system32\cmd.exe" [static]
```

Path to the cmd under Windows.

5.7.2.24 DEV_DEBUG

```
bool Crosstales.Common.Util.BaseConstants.DEV_DEBUG = false [static]
```

Development debug logging for the asset.

5.7.2.25 FACTOR_GB

```
const int Crosstales.Common.Util.BaseConstants.FACTOR_GB = FACTOR_MB * 1024 [static]
```

Factor for giga bytes.

5.7.2.26 FACTOR_KB

```
const int Crosstales.Common.Util.BaseConstants.FACTOR_KB = 1024 [static]
```

Factor for kilo bytes.

5.7.2.27 FACTOR_MB

```
const int Crosstales.Common.Util.BaseConstants.FACTOR_MB = FACTOR_KB * 1024 [static]
```

Factor for mega bytes.

5.7.2.28 FLOAT_32768

```
const float Crosstales.Common.Util.BaseConstants.FLOAT_32768 = 32768f [static]
```

Float value of 32768.

5.7.2.29 FLOAT_TOLERANCE

```
const float Crosstales.Common.Util.BaseConstants.FLOAT_TOLERANCE = 0.0001f [static]
```

Float tolerance.

5.7.2.30 FORMAT_NO_DECIMAL_PLACES

```
const string Crosstales.Common.Util.BaseConstants.FORMAT_NO_DECIMAL_PLACES = "0" [static]
```

ToString for no decimal places.

5.7.2.31 FORMAT_PERCENT

```
const string Crosstales.Common.Util.BaseConstants.FORMAT_PERCENT = "0%" [static]
```

ToString for percent.

5.7.2.32 FORMAT_TWO_DECIMAL_PLACES

```
const string Crosstales.Common.Util.BaseConstants.FORMAT_TWO_DECIMAL_PLACES = "0.00" [static]
```

ToString for two decimal places.

5.7.2.33 PATH_DELIMITER_UNIX

```
const string Crosstales.Common.Util.BaseConstants.PATH_DELIMITER_UNIX = "/" [static]
```

Path delimiter for Unix.

5.7.2.34 PATH_DELIMITER_WINDOWS

```
const string Crosstales.Common.Util.BaseConstants.PATH_DELIMITER_WINDOWS = @"\" [static]
```

Path delimiter for Windows.

5.7.2.35 PROCESS_KILL_TIME

```
int Crosstales.Common.Util.BaseConstants.PROCESS_KILL_TIME = 5000 [static]
```

Kill processes after 5000 milliseconds.

5.7.2.36 SHOW_BWF_BANNER

```
bool Crosstales.Common.Util.BaseConstants.SHOW_BWF_BANNER = true [static]
```

Show the BWF banner.

5.7.2.37 SHOW_DJ_BANNER

```
bool Crosstales.Common.Util.BaseConstants.SHOW_DJ_BANNER = true [static]
```

Show the DJ banner.

5.7.2.38 SHOW_FB_BANNER

```
bool Crosstales.Common.Util.BaseConstants.SHOW_FB_BANNER = true [static]
```

Show the [FB](#) banner.

5.7.2.39 SHOW_OC_BANNER

```
bool Crosstales.Common.Util.BaseConstants.SHOW_OC_BANNER = true [static]
```

Show the OC banner.

5.7.2.40 SHOW_RADIO_BANNER

```
bool Crosstales.Common.Util.BaseConstants.SHOW_RADIO_BANNER = true [static]
```

Show the Radio banner.

5.7.2.41 SHOW_RTV_BANNER

```
bool Crosstales.Common.Util.BaseConstants.SHOW_RTV_BANNER = true [static]
```

Show the RTV banner.

5.7.2.42 SHOW_TB_BANNER

```
bool Crosstales.Common.Util.BaseConstants.SHOW_TB_BANNER = true [static]
```

Show the TB banner.

5.7.2.43 SHOW_TPB_BANNER

```
bool Crosstales.Common.Util.BaseConstants.SHOW_TPB_BANNER = true [static]
```

Show the TPB banner.

5.7.2.44 SHOW_TPS_BANNER

```
bool Crosstales.Common.Util.BaseConstants.SHOW_TPS_BANNER = true [static]
```

Show the TPS banner.

5.7.2.45 SHOW_TR_BANNER

```
bool Crosstales.Common.Util.BaseConstants.SHOW_TR_BANNER = true [static]
```

Show the TR banner.

5.7.3 Property Documentation

5.7.3.1 PREFIX_FILE

```
string Crosstales.Common.Util.BaseConstants.PREFIX_FILE [static], [get]
```

URL prefix for files.


The documentation for this class was generated from the following file:

- D:/slaubenberger/git/assets/FileBrowser/FileBrowserPro/Assets/Plugins/crosstales/Common/Scripts/↔ Util/BaseConstants.cs

5.8 Crosstales.FB.Wrapper.BaseCustomFileBrowser Class Reference

Base class for custom file browsers.

Inheritance diagram for Crosstales.FB.Wrapper.BaseCustomFileBrowser:



Public Member Functions

- string [OpenSingleFile](#) (string title, string directory, string defaultName, params [ExtensionFilter\[\]](#) extensions)
Open native file browser for a single file.
- abstract string[] [OpenFiles](#) (string title, string directory, string defaultName, bool multiselect, params [ExtensionFilter\[\]](#) extensions)
Open native file browser for multiple files.
- string [OpenSingleFolder](#) (string title, string directory)
Open native folder browser for a single folder.
- abstract string[] [OpenFolders](#) (string title, string directory, bool multiselect)
Open native folder browser for multiple folders.
- abstract string [SaveFile](#) (string title, string directory, string defaultName, params [ExtensionFilter\[\]](#) extensions)
Open native save file browser.
- abstract void [OpenFilesAsync](#) (string title, string directory, string defaultName, bool multiselect, [ExtensionFilter\[\]](#) extensions, System.Action< string[]> cb)
Asynchronously opens native file browser for multiple files.
- abstract void [OpenFoldersAsync](#) (string title, string directory, bool multiselect, System.Action< string[]> cb)
Asynchronously opens native folder browser for multiple folders.
- abstract void [SaveFileAsync](#) (string title, string directory, string defaultName, [ExtensionFilter\[\]](#) extensions, System.Action< string > cb)
Asynchronously opens native save file browser.

Properties

- abstract bool **canOpenMultipleFiles** [get]
- abstract bool **canOpenMultipleFolders** [get]
- abstract bool **isPlatformSupported** [get]
- abstract bool **isWorkingInEditor** [get]

5.8.1 Detailed Description

Base class for custom file browsers.

5.8.2 Member Function Documentation

5.8.2.1 OpenFiles()

```
abstract string [] Crosstales.FB.Wrapper.BaseCustomFileBrowser.OpenFiles (  
    string title,  
    string directory,  
    string defaultName,  
    bool multiselect,  
    params ExtensionFilter[] extensions ) [pure virtual]
```

Open native file browser for multiple files.

Parameters

<i>title</i>	Dialog title
<i>directory</i>	Root directory
<i>defaultName</i>	Default file name (currently only supported under Windows standalone)
<i>multiselect</i>	Allow multiple file selection
<i>extensions</i>	List of extension filters. Filter Example: new ExtensionFilter ("Image Files", "jpg", "png")

Returns

Returns array of chosen files. Zero length array when cancelled

Implements [Crosstales.FB.Wrapper.IFileBrowser](#).

Implemented in [Crosstales.FB.RTFB.FileBrowserRTFB](#), and [Crosstales.FB.WrapperExample](#).

5.8.2.2 OpenFilesAsync()

```
abstract void Crosstales.FB.Wrapper.BaseCustomFileBrowser.OpenFilesAsync (  
    string title,
```

```
string directory,  
string defaultName,  
bool multiselect,  
ExtensionFilter[] extensions,  
System.Action< string[]> cb ) [pure virtual]
```

Asynchronously opens native file browser for multiple files.

Parameters

<i>title</i>	Dialog title
<i>directory</i>	Root directory
<i>defaultName</i>	Default file name (currently only supported under Windows standalone)
<i>multiselect</i>	Allow multiple file selection
<i>extensions</i>	List of extension filters. Filter Example: new ExtensionFilter ("Image Files", ".jpg", ".png")
<i>cb</i>	Callback for the async operation.

Returns

Returns array of chosen files. Zero length array when cancelled

Implements [Crosstales.FB.Wrapper.IFileBrowser](#).

Implemented in [Crosstales.FB.RTFB.FileBrowserRTFB](#), and [Crosstales.FB.WrapperExample](#).

5.8.2.3 OpenFolders()

```
abstract string [] Crosstales.FB.Wrapper.BaseCustomFileBrowser.OpenFolders (  
    string title,  
    string directory,  
    bool multiselect ) [pure virtual]
```

Open native folder browser for multiple folders.

Parameters

<i>title</i>	Dialog title
<i>directory</i>	Root directory
<i>multiselect</i>	Allow multiple folder selection

Returns

Returns array of chosen folders. Zero length array when cancelled

Implements [Crosstales.FB.Wrapper.IFileBrowser](#).

Implemented in [Crosstales.FB.RTFB.FileBrowserRTFB](#), and [Crosstales.FB.WrapperExample](#).

5.8.2.4 OpenFoldersAsync()

```
abstract void Crosstales.FB.Wrapper.BaseCustomFileBrowser.OpenFoldersAsync (
    string title,
    string directory,
    bool multiselect,
    System.Action< string[]> cb ) [pure virtual]
```

Asynchronously opens native folder browser for multiple folders.

Parameters

<i>title</i>	Dialog title
<i>directory</i>	Root directory
<i>multiselect</i>	Allow multiple folder selection
<i>cb</i>	Callback for the async operation.

Returns

Returns array of chosen folders. Zero length array when cancelled

Implements [Crosstales.FB.Wrapper.IFileBrowser](#).

Implemented in [Crosstales.FB.RTFB.FileBrowserRTFB](#), and [Crosstales.FB.WrapperExample](#).

5.8.2.5 OpenSingleFile()

```
string Crosstales.FB.Wrapper.BaseCustomFileBrowser.OpenSingleFile (
    string title,
    string directory,
    string defaultName,
    params ExtensionFilter[] extensions )
```

Open native file browser for a single file.

Parameters

<i>title</i>	Dialog title
<i>directory</i>	Root directory
<i>defaultName</i>	Default file name (currently only supported under Windows standalone)
<i>extensions</i>	List of extension filters. Filter Example: new ExtensionFilter ("Image Files", "jpg", "png")

Returns

Returns a string of the chosen file. Empty string when cancelled

Implements [Crosstales.FB.Wrapper.IFileBrowser](#).

5.8.2.6 OpenSingleFolder()

```
string Crosstales.FB.Wrapper.BaseCustomFileBrowser.OpenSingleFolder (
    string title,
    string directory )
```

Open native folder browser for a single folder.

Parameters

<i>title</i>	Dialog title
<i>directory</i>	Root directory

Returns

Returns a string of the chosen folder. Empty string when cancelled

Implements [Crosstales.FB.Wrapper.IFileBrowser](#).

5.8.2.7 SaveFile()

```
abstract string Crosstales.FB.Wrapper.BaseCustomFileBrowser.SaveFile (
    string title,
    string directory,
    string defaultName,
    params ExtensionFilter[] extensions ) [pure virtual]
```

Open native save file browser.

Parameters

<i>title</i>	Dialog title
<i>directory</i>	Root directory
<i>defaultName</i>	Default file name
<i>extensions</i>	List of extension filters. Filter Example: new ExtensionFilter ("Image Files", "jpg", "png")

Returns

Returns chosen file. Empty string when cancelled

Implements [Crosstales.FB.Wrapper.IFileBrowser](#).

Implemented in [Crosstales.FB.RTFB.FileBrowserRTFB](#), and [Crosstales.FB.WrapperExample](#).

5.8.2.8 SaveFileAsync()

```
abstract void Crosstales.FB.Wrapper.BaseCustomFileBrowser.SaveFileAsync (
    string title,
    string directory,
    string defaultName,
    ExtensionFilter[] extensions,
    System.Action< string > cb ) [pure virtual]
```

Asynchronously opens native save file browser.

Parameters

<i>title</i>	Dialog title
<i>directory</i>	Root directory
<i>defaultName</i>	Default file name
<i>extensions</i>	List of extension filters. Filter Example: new ExtensionFilter ("Image Files", "jpg", "png")
<i>cb</i>	Callback for the async operation.

Returns

Returns chosen file. Empty string when cancelled

Implements [Crosstales.FB.Wrapper.IFileBrowser](#).

Implemented in [Crosstales.FB.RTFB.FileBrowserRTFB](#), and [Crosstales.FB.WrapperExample](#).


The documentation for this class was generated from the following file:

- D:/slaubenberger/git/assets/FileBrowser/FileBrowserPro/Assets/Plugins/crosstales/FileBrowser/Scripts/↔
Wrapper/BaseCustomFileBrowser.cs

5.9 Crosstales.Common.EditorUtil.BaseEditorHelper Class Reference

Base for various Editor helper functions.

Inheritance diagram for Crosstales.Common.EditorUtil.BaseEditorHelper:



Static Public Member Functions

- static void [RestartUnity](#) (string executeMethod="")
Restart Unity.
- static void [SeparatorUI](#) (int space=12)
Shows a separator-UI.
- static void [ReadOnlyTextField](#) (string label, string text)
Generates a read-only text field with a label.
- static void [RefreshAssetDatabase](#) (ImportAssetOptions options=ImportAssetOptions.Default)
Refreshes the asset database.
- static void [InvokeMethod](#) (string className, string methodName, params object[] parameters)
Invokes a public static method on a full qualified class.
- static bool [IsValidBuildTarget](#) (BuildTarget target)
Returns the true if the BuildTarget is installed in Unity.
- static string [getCLIArgument](#) (string name)
Returns an argument for a name from the command line.
- static BuildTarget [getBuildTargetForBuildName](#) (string build)
Returns the BuildTarget for a build name, like 'win64'.
- static string [getBuildNameFromBuildTarget](#) (BuildTarget build)
Returns the build name for a BuildTarget.
- static System.Collections.Generic.List< T > [FindAssetsByType< T > \(\)](#)
Returns assets for a certain type.

Static Public Attributes

- static Texture2D **Logo_Asset_BWF** => loadImage(ref logo_asset_bwf, "logo_asset_bwf.png")
- static Texture2D **Logo_Asset_DJ** => loadImage(ref logo_asset_dj, "logo_asset_dj.png")
- static Texture2D **Logo_Asset_FB** => loadImage(ref logo_asset_fb, "logo_asset_fb.png")
- static Texture2D **Logo_Asset_OC** => loadImage(ref logo_asset_oc, "logo_asset_oc.png")
- static Texture2D **Logo_Asset_Radio** => loadImage(ref logo_asset_radio, "logo_asset_radio.png")
- static Texture2D **Logo_Asset_RTV** => loadImage(ref logo_asset_rtv, "logo_asset_rtv.png")
- static Texture2D **Logo_Asset_TB** => loadImage(ref logo_asset_tb, "logo_asset_tb.png")
- static Texture2D **Logo_Asset_TPB** => loadImage(ref logo_asset_tpb, "logo_asset_tpb.png")
- static Texture2D **Logo_Asset_TPS** => loadImage(ref logo_asset_tps, "logo_asset_tps.png")
- static Texture2D **Logo_Asset_TR** => loadImage(ref logo_asset_tr, "logo_asset_tr.png")
- static Texture2D **Logo_CT** => loadImage(ref logo_ct, "logo_ct.png")
- static Texture2D **Logo_Unity** => loadImage(ref logo_unity, "logo_unity.png")
- static Texture2D **Icon_Save** => loadImage(ref icon_save, "icon_save.png")
- static Texture2D **Icon_Reset** => loadImage(ref icon_reset, "icon_reset.png")
- static Texture2D **Icon_Refresh** => loadImage(ref icon_refresh, "icon_refresh.png")
- static Texture2D **Icon_Delete** => loadImage(ref icon_delete, "icon_delete.png")
- static Texture2D **Icon_Folder** => loadImage(ref icon_folder, "icon_folder.png")
- static Texture2D **Icon_Plus** => loadImage(ref icon_plus, "icon_plus.png")
- static Texture2D **Icon_Minus** => loadImage(ref icon_minus, "icon_minus.png")
- static Texture2D **Icon_Manual** => loadImage(ref icon_manual, "icon_manual.png")
- static Texture2D **Icon_API** => loadImage(ref icon_api, "icon_api.png")
- static Texture2D **Icon_Forum** => loadImage(ref icon_forum, "icon_forum.png")
- static Texture2D **Icon_Product** => loadImage(ref icon_product, "icon_product.png")
- static Texture2D **Icon_Check** => loadImage(ref icon_check, "icon_check.png")
- static Texture2D **Social_Discord** => loadImage(ref social_Discord, "social_Discord.png")
- static Texture2D **Social_Facebook** => loadImage(ref social_Facebook, "social_Facebook.png")
- static Texture2D **Social_Twitter** => loadImage(ref social_Twitter, "social_Twitter.png")

- static Texture2D **Social_Youtube** => loadImage(ref social_Youtube, "social_Youtube.png")
- static Texture2D **Social_Linkedin** => loadImage(ref social_Linkedin, "social_Linkedin.png")
- static Texture2D **Video_Promo** => loadImage(ref video_promo, "video_promo.png")
- static Texture2D **Video_Tutorial** => loadImage(ref video_tutorial, "video_tutorial.png")
- static Texture2D **Icon_Videos** => loadImage(ref icon_videos, "icon_videos.png")
- static Texture2D **Icon_3p_Assets** => loadImage(ref icon_3p_assets, "icon_3p_assets.png")
- static Texture2D **Asset_PlayMaker** => loadImage(ref asset_PlayMaker, "asset_PlayMaker.png")
- static Texture2D **Asset_VolumetricAudio** => loadImage(ref asset_VolumetricAudio, "asset_VolumetricAudio.png")
- static Texture2D **Asset_RockTomate** => loadImage(ref asset_rocktomate, "asset_rocktomate.png")

Additional Inherited Members

5.9.1 Detailed Description

Base for various Editor helper functions.

5.9.2 Member Function Documentation

5.9.2.1 FindAssetsByType< T >()

```
static System.Collections.Generic.List<T> Crosstales.Common.EditorUtil.BaseEditorHelper.FindAssetsByType< T > ( ) [static]
```

Returns assets for a certain type.

Returns

List of assets for a certain type.

Type Constraints

T: *Object*

5.9.2.2 getBuildNameFromBuildTarget()

```
static string Crosstales.Common.EditorUtil.BaseEditorHelper.getBuildNameFromBuildTarget ( BuildTarget build ) [static]
```

Returns the build name for a BuildTarget.

Parameters

<i>build</i>	BuildTarget for a build name
--------------	------------------------------

Returns

The build name for a BuildTarget.

5.9.2.3 getBuildTargetForBuildName()

```
static BuildTarget Crosstales.Common.EditorUtil.BaseEditorHelper.getBuildTargetForBuildName (
    string build ) [static]
```

Returns the BuildTarget for a build name, like 'win64'.

Parameters

<i>build</i>	Build name, like 'win64'
--------------	--------------------------

Returns

The BuildTarget for a build name.

5.9.2.4 getCLIArgument()

```
static string Crosstales.Common.EditorUtil.BaseEditorHelper.getCLIArgument (
    string name ) [static]
```

Returns an argument for a name from the command line.

Parameters

<i>name</i>	Name for the argument
-------------	-----------------------

Returns

True if the BuildTarget is installed in Unity.

5.9.2.5 InvokeMethod()

```
static void Crosstales.Common.EditorUtil.BaseEditorHelper.InvokeMethod (
    string className,
    string methodName,
    params object[] parameters ) [static]
```

Invokes a public static method on a full qualified class.

Parameters

<i>className</i>	Full qualified name of the class
<i>methodName</i>	Public static method of the class to execute
<i>parameters</i>	Parameters for the method (optional)

5.9.2.6 isValidBuildTarget()

```
static bool Crosstales.Common.EditorUtil.BaseEditorHelper.isValidBuildTarget (
    BuildTarget target ) [static]
```

Returns the true if the BuildTarget is installed in Unity.

Parameters

<i>target</i>	BuildTarget to test
---------------	---------------------

Returns

True if the BuildTarget is installed in Unity.

5.9.2.7 ReadOnlyTextField()

```
static void Crosstales.Common.EditorUtil.BaseEditorHelper.ReadOnlyTextField (
    string label,
    string text ) [static]
```

Generates a read-only text field with a label.

5.9.2.8 RefreshAssetDatabase()

```
static void Crosstales.Common.EditorUtil.BaseEditorHelper.RefreshAssetDatabase (
    ImportAssetOptions options = ImportAssetOptions.Default ) [static]
```

Refreshes the asset database.

Parameters

<i>options</i>	Asset import options (default: ImportAssetOptions.Default, optional).
----------------	---

5.9.2.9 RestartUnity()

```
static void Crosstales.Common.EditorUtil.BaseEditorHelper.RestartUnity (
    string executeMethod = "" ) [static]
```

Restart Unity.

Parameters

<i>executeMethod</i>	Executed method after the restart (optional)
----------------------	--

5.9.2.10 SeparatorUI()

```
static void Crosstales.Common.EditorUtil.BaseEditorHelper.SeparatorUI (
    int space = 12 ) [static]
```

Shows a separator-UI.

Parameters

<i>space</i>	Space in pixels between the component and the separator line (default: 12, optional).
--------------	---


The documentation for this class was generated from the following file:

- D:/slaubenberger/git/assets/FileBrowser/FileBrowserPro/Assets/Plugins/crosstales/Common/Editor/↔
Util/BaseEditorHelper.cs

5.10 HutongGames.PlayMaker.Actions.BaseFBAction Class Reference

Base class for BWF-actions in [PlayMaker](#).

Inheritance diagram for HutongGames.PlayMaker.Actions.BaseFBAction:



Public Attributes

- FsmEvent **sendEvent**
- FsmString [StartPath](#)
Start path for the selection.
- FsmString [ResultPath](#)
Result path of the selection (output).

5.10.1 Detailed Description

Base class for BWF-actions in [PlayMaker](#).

5.10.2 Member Data Documentation

5.10.2.1 ResultPath

```
FsmString HutongGames.PlayMaker.Actions.BaseFBAction.ResultPath
```

Result path of the selection (output).

5.10.2.2 StartPath

```
FsmString HutongGames.PlayMaker.Actions.BaseFBAction.StartPath
```

Start path for the selection.


The documentation for this class was generated from the following file:

- D:/slaubenberger/git/assets/FileBrowser/FileBrowserPro/Assets/Plugins/crosstales/FileBrowser/3rd party/↔ PlayMaker/Scripts/BaseFBAction.cs

5.11 Crosstales.FB.Wrapper.BaseFileBrowser Class Reference

Base class for all file browsers.

Inheritance diagram for Crosstales.FB.Wrapper.BaseFileBrowser:



Public Member Functions

- string [OpenSingleFile](#) (string title, string directory, string defaultName, params [ExtensionFilter](#)[] extensions)
Open native file browser for a single file.
- abstract string[] [OpenFiles](#) (string title, string directory, string defaultName, bool multiselect, params [ExtensionFilter](#)[] extensions)
Open native file browser for multiple files.
- string [OpenSingleFolder](#) (string title, string directory)
Open native folder browser for a single folder.
- abstract string[] [OpenFolders](#) (string title, string directory, bool multiselect)
Open native folder browser for multiple folders.
- abstract string [SaveFile](#) (string title, string directory, string defaultName, params [ExtensionFilter](#)[] extensions)
Open native save file browser.
- abstract void [OpenFilesAsync](#) (string title, string directory, string defaultName, bool multiselect, [ExtensionFilter](#)[] extensions, System.Action< string[]> cb)
Asynchronously opens native file browser for multiple files.
- abstract void [OpenFoldersAsync](#) (string title, string directory, bool multiselect, System.Action< string[]> cb)
Asynchronously opens native folder browser for multiple folders.
- abstract void [SaveFileAsync](#) (string title, string directory, string defaultName, [ExtensionFilter](#)[] extensions, System.Action< string > cb)
Asynchronously opens native save file browser.

Properties

- abstract bool **canOpenMultipleFiles** [get]
- abstract bool **canOpenMultipleFolders** [get]
- abstract bool **isPlatformSupported** [get]
- abstract bool **isWorkingInEditor** [get]

5.11.1 Detailed Description

Base class for all file browsers.

5.11.2 Member Function Documentation

5.11.2.1 OpenFiles()

```
abstract string [] Crosstales.FB.Wrapper.BaseFileBrowser.OpenFiles (  
    string title,  
    string directory,  
    string defaultName,  
    bool multiselect,  
    params ExtensionFilter[] extensions ) [pure virtual]
```

Open native file browser for multiple files.

Parameters

<i>title</i>	Dialog title
<i>directory</i>	Root directory
<i>defaultName</i>	Default file name (currently only supported under Windows standalone)
<i>multiselect</i>	Allow multiple file selection
<i>extensions</i>	List of extension filters. Filter Example: new ExtensionFilter ("Image Files", ".jpg", ".png")

Returns

Returns array of chosen files. Zero length array when cancelled

Implements [Crosstales.FB.Wrapper.IFileBrowser](#).

Implemented in [Crosstales.FB.Wrapper.FileBrowserWSA](#), [Crosstales.FB.Wrapper.FileBrowserWindows](#), [Crosstales.FB.Wrapper.FileBrowserMac](#), [Crosstales.FB.Wrapper.FileBrowserEditor](#), and [Crosstales.FB.Wrapper.FileBrowserGeneric](#)

5.11.2.2 OpenFilesAsync()

```
abstract void Crosstales.FB.Wrapper.BaseFileBrowser.OpenFilesAsync (
    string title,
    string directory,
    string defaultName,
    bool multiselect,
    ExtensionFilter[] extensions,
    System.Action< string[]> cb ) [pure virtual]
```

Asynchronously opens native file browser for multiple files.

Parameters

<i>title</i>	Dialog title
<i>directory</i>	Root directory
<i>defaultName</i>	Default file name (currently only supported under Windows standalone)
<i>multiselect</i>	Allow multiple file selection
<i>extensions</i>	List of extension filters. Filter Example: new ExtensionFilter ("Image Files", ".jpg", ".png")
<i>cb</i>	Callback for the async operation.

Returns

Returns array of chosen files. Zero length array when cancelled

Implements [Crosstales.FB.Wrapper.IFileBrowser](#).

5.11.2.3 OpenFolders()

```
abstract string [] Crosstales.FB.Wrapper.BaseFileBrowser.OpenFolders (
    string title,
    string directory,
    bool multiselect ) [pure virtual]
```

Open native folder browser for multiple folders.

Parameters

<i>title</i>	Dialog title
<i>directory</i>	Root directory
<i>multiselect</i>	Allow multiple folder selection

Returns

Returns array of chosen folders. Zero length array when cancelled

Implements [Crosstales.FB.Wrapper.IFileBrowser](#).

Implemented in [Crosstales.FB.Wrapper.FileBrowserWindows](#), [Crosstales.FB.Wrapper.FileBrowserWSA](#), [Crosstales.FB.Wrapper.FileBrowserMac](#), [Crosstales.FB.Wrapper.FileBrowserEditor](#), and [Crosstales.FB.Wrapper.FileBrowserGeneric](#).

5.11.2.4 OpenFoldersAsync()

```
abstract void Crosstales.FB.Wrapper.BaseFileBrowser.OpenFoldersAsync (
    string title,
    string directory,
    bool multiselect,
    System.Action< string[]> cb ) [pure virtual]
```

Asynchronously opens native folder browser for multiple folders.

Parameters

<i>title</i>	Dialog title
<i>directory</i>	Root directory
<i>multiselect</i>	Allow multiple folder selection
<i>cb</i>	Callback for the async operation.

Returns

Returns array of chosen folders. Zero length array when cancelled

Implements [Crosstales.FB.Wrapper.IFileBrowser](#).

5.11.2.5 OpenSingleFile()

```
string Crosstales.FB.Wrapper.BaseFileBrowser.OpenSingleFile (
    string title,
    string directory,
    string defaultName,
    params ExtensionFilter[] extensions )
```

Open native file browser for a single file.

Parameters

<i>title</i>	Dialog title
<i>directory</i>	Root directory
<i>defaultName</i>	Default file name (currently only supported under Windows standalone)
<i>extensions</i>	List of extension filters. Filter Example: new ExtensionFilter ("Image Files", ".jpg", ".png")

Returns

Returns a string of the chosen file. Empty string when cancelled

Implements [Crosstales.FB.Wrapper.IFileBrowser](#).

5.11.2.6 OpenSingleFolder()

```
string Crosstales.FB.Wrapper.BaseFileBrowser.OpenSingleFolder (
    string title,
    string directory )
```

Open native folder browser for a single folder.

Parameters

<i>title</i>	Dialog title
<i>directory</i>	Root directory

Returns

Returns a string of the chosen folder. Empty string when cancelled

Implements [Crosstales.FB.Wrapper.IFileBrowser](#).

5.11.2.7 SaveFile()

```
abstract string Crosstales.FB.Wrapper.BaseFileBrowser.SaveFile (
    string title,
```

```

    string directory,
    string defaultName,
    params ExtensionFilter[] extensions ) [pure virtual]

```

Open native save file browser.

Parameters

<i>title</i>	Dialog title
<i>directory</i>	Root directory
<i>defaultName</i>	Default file name
<i>extensions</i>	List of extension filters. Filter Example: new ExtensionFilter ("Image Files", "jpg", "png")

Returns

Returns chosen file. Empty string when cancelled

Implements [Crosstales.FB.Wrapper.IFileBrowser](#).

Implemented in [Crosstales.FB.Wrapper.FileBrowserWindows](#), [Crosstales.FB.Wrapper.FileBrowserWSA](#), [Crosstales.FB.Wrapper.FileBrowserMac](#), and [Crosstales.FB.Wrapper.FileBrowserGeneric](#).

5.11.2.8 SaveFileAsync()

```

abstract void Crosstales.FB.Wrapper.BaseFileBrowser.SaveFileAsync (
    string title,
    string directory,
    string defaultName,
    ExtensionFilter[] extensions,
    System.Action< string > cb ) [pure virtual]

```

Asynchronously opens native save file browser.

Parameters

<i>title</i>	Dialog title
<i>directory</i>	Root directory
<i>defaultName</i>	Default file name
<i>extensions</i>	List of extension filters. Filter Example: new ExtensionFilter ("Image Files", "jpg", "png")
<i>cb</i>	Callback for the async operation.

Returns

Returns chosen file. Empty string when cancelled

Implements [Crosstales.FB.Wrapper.IFileBrowser](#).


The documentation for this class was generated from the following file:

- D:/slaubenberger/git/assets/FileBrowser/FileBrowserPro/Assets/Plugins/crosstales/FileBrowser/Scripts/↔
Wrapper/BaseFileBrowser.cs

5.12 Crosstales.Common.Util.BaseHelper Class Reference

Base for various helper functions.

Inheritance diagram for Crosstales.Common.Util.BaseHelper:



Static Public Member Functions

- static bool [OpenURL](#) (string url)
Opens the given URL with the file explorer or browser.
- static string [CreateString](#) (string replaceChars, int stringLength)
Creates a string of characters with a given length.
- static bool [hasActiveClip](#) (AudioSource source)
Determines if an AudioSource has an active clip.
- static bool [RemoteCertificateValidationCallback](#) (object sender, System.Security.Cryptography.X509Certificates.X509Certificate certificate, System.Security.Cryptography.X509Certificates.X509Chain chain, System.Net.Security.SslPolicyErrors sslPolicyErrors)
HTTPS-certification callback.
- static string [ValidatePath](#) (string path, bool addEndDelimiter=true)
Validates a given path and add missing slash.
- static string [ValidateFile](#) (string path)
Validates a given file.
- static string[] [GetFiles](#) (string path, bool isRecursive=false, params string[] extensions)
Find files inside a path.
- static string[] [GetDirectories](#) (string path, bool isRecursive=false)
Find directories inside.
- static string[] [GetDrives](#) ()
Find all logical drives.
- static string [ValidURLFromFilePath](#) (string path)
Validates a given file.
- static string [CleanUrl](#) (string url, bool removeProtocol=true, bool removeWWW=true, bool removeSlash=true)
Cleans a given URL.
- static string [ClearTags](#) (string text)
Cleans a given text from tags.
- static string [ClearSpaces](#) (string text)
Cleans a given text from multiple spaces.
- static string [ClearLineEndings](#) (string text)
Cleans a given text from line endings.
- static System.Collections.Generic.List< string > [SplitStringToLines](#) (string text, bool ignoreCommented↵ Lines=true, int skipHeaderLines=0, int skipFooterLines=0)
Split the given text to lines and return it as list.
- static string [FormatBytesToHRF](#) (long bytes)

- static string **FormatSecondsToHourMinSec** (double seconds)
Format byte-value to Human-Readable-Form.
- static Color **HSVToRGB** (float h, float s, float v, float a=1f)
Format seconds to Human-Readable-Form.
- static bool **IsValidURL** (string url)
Generate nice HSV colors. Based on <https://gist.github.com/rje/6206099>
- static void **FileCopy** (string inputFile, string outputFile, bool move=false)
Checks if the URL is valid.
- static void **ShowFileLocation** (string file)
Copy or move a file.
- static void **OpenFile** (string file)
Shows the location of a path or file in OS file explorer. NOTE: only works for standalone platforms
- static string **getIP** (string host)
Opens a file with the OS default application. NOTE: only works for standalone platforms
- static string **getIP** (string host)
Returns the IP of a given host name.

Static Public Attributes

- static readonly System.Globalization.CultureInfo **BaseCulture** = new System.Globalization.CultureInfo("en-US")
- static bool **ApplicationIsPlaying** = Application.isPlaying
- static bool **isStandalonePlatform** => **isWindowsPlatform** || **isMacOSPlatform** || **isLinuxPlatform**
Checks if the current platform is standalone (Windows, macOS or Linux).
- static bool **isWebPlatform** => **isWebGLPlatform**
Checks if the current platform is Web (WebPlayer or WebGL).
- static bool **isWindowsBasedPlatform** => **isWindowsPlatform** || **isWSAPlatform** || **isXboxOnePlatform**
Checks if the current platform is Windows-based (Windows standalone, WSA or XboxOne).
- static bool **isWSABasedPlatform** => **isWSAPlatform** || **isXboxOnePlatform**
Checks if the current platform is WSA-based (WSA or XboxOne).
- static bool **isAppleBasedPlatform** => **isMacOSPlatform** || **isIOSPlatform** || **isTvOSPlatform**
Checks if the current platform is Apple-based (macOS standalone, iOS or tvOS).
- static bool **isIOSBasedPlatform** => **isIOSPlatform** || **isTvOSPlatform**
Checks if the current platform is iOS-based (iOS or tvOS).
- static bool **isMobilePlatform** => **isAndroidPlatform** || **isIOSBasedPlatform**
Checks if the current platform is mobile (Android and iOS).
- static bool **isEditor** => **isWindowsEditor** || **isMacOSEditor** || **isLinuxEditor**
Checks if we are inside the Editor.
- static bool **isEditorMode** => **isEditor** && !Application.isPlaying
Checks if we are in Editor mode.

Static Protected Attributes

- static readonly System.Text.RegularExpressions.Regex **lineEndingsRegex** = new System.Text.RegularExpressions.Regex(@"\r\n|\r|\n")
- static readonly System.Text.RegularExpressions.Regex **cleanSpacesRegex** = new System.Text.RegularExpressions.Regex(@"\s+")
- static readonly System.Text.RegularExpressions.Regex **cleanTagsRegex** = new System.Text.RegularExpressions.Regex("<.*?>")
- static readonly System.Random **rnd** = new System.Random()
- const string **file_prefix** = "file:/"

Properties

- static bool [isInternetAvailable](#) [get]
Checks if an Internet connection is available.
- static bool [isWindowsPlatform](#) [get]
Checks if the current platform is Windows.
- static bool [isMacOSPlatform](#) [get]
Checks if the current platform is OSX.
- static bool [isLinuxPlatform](#) [get]
Checks if the current platform is Linux.
- static bool [isAndroidPlatform](#) [get]
Checks if the current platform is Android.
- static bool [isIOSPlatform](#) [get]
Checks if the current platform is iOS.
- static bool [isTvOSPlatform](#) [get]
Checks if the current platform is tvOS.
- static bool [isWSAPlatform](#) [get]
Checks if the current platform is WSA.
- static bool [isXboxOnePlatform](#) [get]
Checks if the current platform is XboxOne.
- static bool [isPS4Platform](#) [get]
Checks if the current platform is PS4.
- static bool [isWebGLPlatform](#) [get]
Checks if the current platform is WebGL.
- static bool [isWindowsEditor](#) [get]
Checks if we are inside the Windows Editor.
- static bool [isMacOSEditor](#) [get]
Checks if we are inside the macOS Editor.
- static bool [isLinuxEditor](#) [get]
Checks if we are inside the Linux Editor.
- static bool [isIL2CPP](#) [get]
Checks if the current build target uses IL2CPP.
- static [Model.Enum.Platform?](#) [CurrentPlatform](#) [get]
Returns the current platform.
- static string [StreamingAssetsPath](#) [get]
Returns the path to the the "Streaming Assets".

5.12.1 Detailed Description

Base for various helper functions.

5.12.2 Member Function Documentation

5.12.2.1 CleanUrl()

```
static string Crosstales.Common.Util.BaseHelper.CleanUrl (
    string url,
    bool removeProtocol = true,
    bool removeWWW = true,
    bool removeSlash = true ) [static]
```

Cleans a given URL.

Parameters

<i>url</i>	URL to clean
<i>removeProtocol</i>	Remove the protocol, e.g. <code>http://</code> (default: true, optional).
<i>removeWWW</i>	Remove www (default: true, optional).
<i>removeSlash</i>	Remove slash at the end (default: true, optional)

Returns

Clean URL

5.12.2.2 ClearLineEndings()

```
static string Crosstales.Common.Util.BaseHelper.ClearLineEndings (  
    string text ) [static]
```

Cleans a given text from line endings.

Parameters

<i>text</i>	Text to clean.
-------------	----------------

Returns

Clean text without line endings.

5.12.2.3 ClearSpaces()

```
static string Crosstales.Common.Util.BaseHelper.ClearSpaces (  
    string text ) [static]
```

Cleans a given text from multiple spaces.

Parameters

<i>text</i>	Text to clean.
-------------	----------------

Returns

Clean text without multiple spaces.

5.12.2.4 ClearTags()

```
static string Crosstales.Common.Util.BaseHelper.ClearTags (
    string text ) [static]
```

Cleans a given text from tags.

Parameters

<i>text</i>	Text to clean.
-------------	----------------

Returns

Clean text without tags.

5.12.2.5 CreateString()

```
static string Crosstales.Common.Util.BaseHelper.CreateString (
    string replaceChars,
    int stringLength ) [static]
```

Creates a string of characters with a given length.

Parameters

<i>replaceChars</i>	Characters to generate the string (if more than one character is used, the generated string will be a randomized result of all characters)
<i>stringLength</i>	Length of the generated string

Returns

Generated string

5.12.2.6 FileCopy()

```
static void Crosstales.Common.Util.BaseHelper.FileCopy (
    string inputFile,
    string outputFile,
    bool move = false ) [static]
```

Copy or move a file.

Parameters

<i>inputFile</i>	Input file path
<i>outputFile</i>	Output file path
<i>move</i>	Move file instead of copy (default: false, optional)

5.12.2.7 FormatBytesToHRF()

```
static string Crosstales.Common.Util.BaseHelper.FormatBytesToHRF (
    long bytes ) [static]
```

Format byte-value to Human-Readable-Form.

Returns

Formatted byte-value in Human-Readable-Form.

5.12.2.8 FormatSecondsToHourMinSec()

```
static string Crosstales.Common.Util.BaseHelper.FormatSecondsToHourMinSec (
    double seconds ) [static]
```

Format seconds to Human-Readable-Form.

Returns

Formatted seconds in Human-Readable-Form.

5.12.2.9 GetDirectories()

```
static string [] Crosstales.Common.Util.BaseHelper.GetDirectories (
    string path,
    bool isRecursive = false ) [static]
```

Find directories inside.

Parameters

<i>path</i>	Path to find the directories
<i>isRecursive</i>	Recursive search (default: false, optional)

Returns

Returns array of the found directories inside the path. Zero length array when an error occurred.

5.12.2.10 GetDrives()

```
static string [] Crosstales.Common.Util.BaseHelper.GetDrives ( ) [static]
```

Find all logical drives.

Returns

Returns array of the found drives. Zero length array when an error occurred.

5.12.2.11 GetFiles()

```
static string [] Crosstales.Common.Util.BaseHelper.GetFiles (
    string path,
    bool isRecursive = false,
    params string[] extensions ) [static]
```

Find files inside a path.

Parameters

<i>path</i>	Path to find the files
<i>isRecursive</i>	Recursive search (default: false, optional)
<i>extensions</i>	Extensions for the file search, e.g. "png" (optional)

Returns

Returns array of the found files inside the path (alphabetically ordered). Zero length array when an error occurred.

5.12.2.12 getIP()

```
static string Crosstales.Common.Util.BaseHelper.getIP (
    string host ) [static]
```

Returns the IP of a given host name.

Parameters

<i>host</i>	Host name
-------------	-----------

Returns

IP of a given host name.

5.12.2.13 hasActiveClip()

```
static bool Crosstales.Common.Util.BaseHelper.hasActiveClip (
    AudioSource source ) [static]
```

Determines if an AudioSource has an active clip.

Parameters

<i>source</i>	AudioSource to check.
---------------	-----------------------

Returns

True if the AudioSource has an active clip.

5.12.2.14 HSVToRGB()

```
static Color Crosstales.Common.Util.BaseHelper.HSVToRGB (
    float h,
    float s,
    float v,
    float a = 1f ) [static]
```

Generate nice HSV colors. Based on <https://gist.github.com/rje/6206099>

Parameters

<i>h</i>	Hue
<i>s</i>	Saturation
<i>v</i>	Value
<i>a</i>	Alpha (optional)

Returns

True if the current platform is supported.

5.12.2.15 isValidURL()

```
static bool Crosstales.Common.Util.BaseHelper.isValidURL (
    string url ) [static]
```

Checks if the URL is valid.

Parameters

<i>url</i>	URL to check
------------	--------------

Returns

True if the URL is valid.

5.12.2.16 OpenFile()

```
static void Crosstales.Common.Util.BaseHelper.OpenFile (
    string file ) [static]
```

Opens a file with the OS default application. NOTE: only works for standalone platforms

Parameters

<i>file</i>	File path
-------------	-----------

5.12.2.17 OpenURL()

```
static bool Crosstales.Common.Util.BaseHelper.OpenURL (
    string url ) [static]
```

Opens the given URL with the file explorer or browser.

Parameters

<i>url</i>	URL to open
------------	-------------

Returns

True if the URL was valid.

5.12.2.18 RemoteCertificateValidationCallback()

```
static bool Crosstales.Common.Util.BaseHelper.RemoteCertificateValidationCallback (
    object sender,
    System.Security.Cryptography.X509Certificates.X509Certificate certificate,
    System.Security.Cryptography.X509Certificates.X509Chain chain,
    System.Net.Security.SslPolicyErrors sslPolicyErrors ) [static]
```

HTTPS-certification callback.

5.12.2.19 ShowFileLocation()

```
static void Crosstales.Common.Util.BaseHelper.ShowFileLocation (
    string file ) [static]
```

Shows the location of a path or file in OS file explorer. NOTE: only works for standalone platforms

Parameters

<i>file</i>	File path
-------------	-----------

5.12.2.20 SplitStringToLines()

```
static System.Collections.Generic.List<string> Crosstales.Common.Util.BaseHelper.SplitStringToLines (
    string text,
    bool ignoreCommentedLines = true,
    int skipHeaderLines = 0,
    int skipFooterLines = 0 ) [static]
```

Split the given text to lines and return it as list.

Parameters

<i>text</i>	Complete text fragment
<i>ignoreCommentedLines</i>	Ignore commente lines (default: true, optional)
<i>skipHeaderLines</i>	Number of skipped header lines (default: 0, optional)
<i>skipFooterLines</i>	Number of skipped footer lines (default: 0, optional)

Returns

Splitted lines as array

5.12.2.21 ValidateFile()

```
static string Crosstales.Common.Util.BaseHelper.ValidateFile (
    string path ) [static]
```

Validates a given file.

Parameters

<i>path</i>	File to validate
-------------	------------------

Returns

Valid file path

5.12.2.22 ValidatePath()

```
static string Crosstales.Common.Util.BaseHelper.ValidatePath (
    string path,
    bool addEndDelimiter = true ) [static]
```

Validates a given path and add missing slash.

Parameters

<i>path</i>	Path to validate
<i>addEndDelimiter</i>	Add delimiter at the end of the path (optional, default: true)

Returns

Valid path

5.12.2.23 ValidURLFromFilePath()

```
static string Crosstales.Common.Util.BaseHelper.ValidURLFromFilePath (
    string path ) [static]
```

Validates a given file.

Parameters

<i>path</i>	File to validate
-------------	------------------

Returns

Valid file path

5.12.3 Member Data Documentation

5.12.3.1 isAppleBasedPlatform

```
bool Crosstales.Common.Util.BaseHelper.isAppleBasedPlatform => isMacOSPlatform || isIOSPlatform
|| isTvOSPlatform [static]
```

Checks if the current platform is Apple-based (macOS standalone, iOS or tvOS).

Returns

True if the current platform is Apple-based (macOS standalone, iOS or tvOS).

5.12.3.2 isEditor

```
bool Crosstales.Common.Util.BaseHelper.isEditor => isWindowsEditor || isMacOSEditor || isLinuxEditor  
[static]
```

Checks if we are inside the Editor.

Returns

True if we are inside the Editor.

5.12.3.3 isEditorMode

```
bool Crosstales.Common.Util.BaseHelper.isEditorMode => isEditor && !ApplicationIsPlaying [static]
```

Checks if we are in Editor mode.

Returns

True if in Editor mode.

5.12.3.4 isIOSBasedPlatform

```
bool Crosstales.Common.Util.BaseHelper.isIOSBasedPlatform => isIOSPlatform || isTvOSPlatform  
[static]
```

Checks if the current platform is iOS-based (iOS or tvOS).

Returns

True if the current platform is iOS-based (iOS or tvOS).

5.12.3.5 isMobilePlatform

```
bool Crosstales.Common.Util.BaseHelper.isMobilePlatform => isAndroidPlatform || isIOSBasedPlatform  
[static]
```

Checks if the current platform is mobile (Android and iOS).

Returns

True if the current platform is mobile (Android and iOS).

5.12.3.6 isStandalonePlatform

```
bool Crosstales.Common.Util.BaseHelper.isStandalonePlatform => isWindowsPlatform || isMacOSPlatform  
|| isLinuxPlatform [static]
```

Checks if the current platform is standalone (Windows, macOS or Linux).

Returns

True if the current platform is standalone (Windows, macOS or Linux).

5.12.3.7 isWebPlatform

```
bool Crosstales.Common.Util.BaseHelper.isWebPlatform => isWebGLPlatform [static]
```

Checks if the current platform is Web (WebPlayer or WebGL).

Returns

True if the current platform is Web (WebPlayer or WebGL).

5.12.3.8 isWindowsBasedPlatform

```
bool Crosstales.Common.Util.BaseHelper.isWindowsBasedPlatform => isWindowsPlatform || isWSAPlatform  
|| isXboxOnePlatform [static]
```

Checks if the current platform is Windows-based (Windows standalone, WSA or XboxOne).

Returns

True if the current platform is Windows-based (Windows standalone, WSA or XboxOne).

5.12.3.9 isWSABasedPlatform

```
bool Crosstales.Common.Util.BaseHelper.isWSABasedPlatform => isWSAPlatform || isXboxOnePlatform  
[static]
```

Checks if the current platform is WSA-based (WSA or XboxOne).

Returns

True if the current platform is WSA-based (WSA or XboxOne).

5.12.4 Property Documentation

5.12.4.1 CurrentPlatform

`Model.Enum.Platform?` `Crosstales.Common.Util.BaseHelper.CurrentPlatform` [static], [get]

Returns the current platform.

Returns

The current platform.

5.12.4.2 isAndroidPlatform

`bool` `Crosstales.Common.Util.BaseHelper.isAndroidPlatform` [static], [get]

Checks if the current platform is Android.

Returns

True if the current platform is Android.

5.12.4.3 isIL2CPP

`bool` `Crosstales.Common.Util.BaseHelper.isIL2CPP` [static], [get]

Checks if the current build target uses IL2CPP.

Returns

True if the current build target uses IL2CPP.

5.12.4.4 isInternetAvailable

`bool` `Crosstales.Common.Util.BaseHelper.isInternetAvailable` [static], [get]

Checks if an Internet connection is available.

Returns

True if an Internet connection is available.

5.12.4.5 isIOSPlatform

```
bool Crosstales.Common.Util.BaseHelper.isIOSPlatform [static], [get]
```

Checks if the current platform is iOS.

Returns

True if the current platform is iOS.

5.12.4.6 isLinuxEditor

```
bool Crosstales.Common.Util.BaseHelper.isLinuxEditor [static], [get]
```

Checks if we are inside the Linux Editor.

Returns

True if we are inside the Linux Editor.

5.12.4.7 isLinuxPlatform

```
bool Crosstales.Common.Util.BaseHelper.isLinuxPlatform [static], [get]
```

Checks if the current platform is Linux.

Returns

True if the current platform is Linux.

5.12.4.8 isMacOSEditor

```
bool Crosstales.Common.Util.BaseHelper.isMacOSEditor [static], [get]
```

Checks if we are inside the macOS Editor.

Returns

True if we are inside the macOS Editor.

5.12.4.9 isMacOSPlatform

```
bool Crosstales.Common.Util.BaseHelper.isMacOSPlatform [static], [get]
```

Checks if the current platform is OSX.

Returns

True if the current platform is OSX.

5.12.4.10 isPS4Platform

```
bool Crosstales.Common.Util.BaseHelper.isPS4Platform [static], [get]
```

Checks if the current platform is PS4.

Returns

True if the current platform is PS4.

5.12.4.11 isTvOSPlatform

```
bool Crosstales.Common.Util.BaseHelper.isTvOSPlatform [static], [get]
```

Checks if the current platform is tvOS.

Returns

True if the current platform is tvOS.

5.12.4.12 isWebGLPlatform

```
bool Crosstales.Common.Util.BaseHelper.isWebGLPlatform [static], [get]
```

Checks if the current platform is WebGL.

Returns

True if the current platform is WebGL.

5.12.4.13 isWindowsEditor

```
bool Crosstales.Common.Util.BaseHelper.isWindowsEditor [static], [get]
```

Checks if we are inside the Windows Editor.

Returns

True if we are inside the Windows Editor.

5.12.4.14 isWindowsPlatform

```
bool Crosstales.Common.Util.BaseHelper.isWindowsPlatform [static], [get]
```

Checks if the current platform is Windows.

Returns

True if the current platform is Windows.

5.12.4.15 isWSAPlatform

```
bool Crosstales.Common.Util.BaseHelper.isWSAPlatform [static], [get]
```

Checks if the current platform is WSA.

Returns

True if the current platform is WSA.

5.12.4.16 isXboxOnePlatform

```
bool Crosstales.Common.Util.BaseHelper.isXboxOnePlatform [static], [get]
```

Checks if the current platform is XboxOne.

Returns

True if the current platform is XboxOne.

5.12.4.17 StreamingAssetsPath

```
string Crosstales.Common.Util.BaseHelper.StreamingAssetsPath [static], [get]
```

Returns the path to the the "Streaming Assets".

Returns

The path to the the "Streaming Assets".


The documentation for this class was generated from the following file:

- D:/slaubenberger/git/assets/FileBrowser/FileBrowserPro/Assets/Plugins/crosstales/Common/Scripts/↔ Util/BaseHelper.cs

5.13 Crosstales.Common.EditorTask.BaseSetupResources Class Reference

Base-class for moving all resources to 'Editor Default Resources'.

Inheritance diagram for Crosstales.Common.EditorTask.BaseSetupResources:



Static Protected Member Functions

- static void **setupResources** (string source, string sourceFolder, string target, string targetFolder, string metafile)

5.13.1 Detailed Description

Base-class for moving all resources to 'Editor Default Resources'.

The documentation for this class was generated from the following file:

- D:/slaubenberger/git/assets/FileBrowser/FileBrowserPro/Assets/Plugins/crosstales/Common/Editor/↔ Task/BaseSetupResources.cs

5.14 Crosstales.FB.EditorUtil.BuildPostprocessor Class Reference

[BuildPostprocessor](#) for macOS.

Static Public Member Functions

- static void **OnPostprocessBuild** (BuildTarget target, string pathToBuiltProject)

5.14.1 Detailed Description

[BuildPostprocessor](#) for macOS.


The documentation for this class was generated from the following file:

- D:/slaubenberger/git/assets/FileBrowser/FileBrowserPro/Assets/Plugins/crosstales/FileBrowser/Editor/↵
Util/BuildPostprocessor.cs

5.15 Crosstales.UI.CompileDefines Class Reference

Adds the given define symbols to PlayerSettings define symbols.

Inheritance diagram for Crosstales.UI.CompileDefines:



Additional Inherited Members

5.15.1 Detailed Description

Adds the given define symbols to PlayerSettings define symbols.


The documentation for this class was generated from the following file:

- D:/slaubenberger/git/assets/FileBrowser/FileBrowserPro/Assets/Plugins/crosstales/Common/UI/Editor/Compile↵
Defines.cs

5.16 Crosstales.FB.EditorTask.CompileDefines Class Reference

Adds the given define symbols to PlayerSettings define symbols.

Inheritance diagram for Crosstales.FB.EditorTask.CompileDefines:



Additional Inherited Members

5.16.1 Detailed Description

Adds the given define symbols to PlayerSettings define symbols.

The documentation for this class was generated from the following file:

- `D:/slaubenberger/git/assets/FileBrowser/FileBrowserPro/Assets/Plugins/crosstales/FileBrowser/Editor/Task/CompileDefines.cs`

5.17 Crosstales.FB.Util.Config Class Reference

Configuration for the asset.

Static Public Member Functions

- static void [Reset](#) ()
Resets all changeable variables to their default value.
- static void [Load](#) ()
Loads the all changeable variables.
- static void [Save](#) ()
Saves the all changeable variables.

Static Public Attributes

- static string [ASSET_PATH](#) = `"/Plugins/crosstales/FileBrowser/"`
Path to the asset inside the Unity project.
- static bool [DEBUG](#) = `Constants.DEFAULT_DEBUG || Constants.DEV_DEBUG`
Enable or disable debug logging for the asset.
- static bool [NATIVE_WINDOWS](#) = `Constants.DEFAULT_NATIVE_WINDOWS`
Enable or disable native file browser inside the Unity Editor.
- static bool [isLoading](#)
Is the configuration loaded?

5.17.1 Detailed Description

Configuration for the asset.

5.17.2 Member Function Documentation

5.17.2.1 Load()

```
static void Crosstales.FB.Util.Config.Load ( ) [static]
```

Loads the all changeable variables.

5.17.2.2 Reset()

```
static void Crosstales.FB.Util.Config.Reset ( ) [static]
```

Resets all changeable variables to their default value.

5.17.2.3 Save()

```
static void Crosstales.FB.Util.Config.Save ( ) [static]
```

Saves the all changeable variables.

5.17.3 Member Data Documentation

5.17.3.1 ASSET_PATH

```
string Crosstales.FB.Util.Config.ASSET_PATH = "/Plugins/crosstales/FileBrowser/" [static]
```

Path to the asset inside the Unity project.

5.17.3.2 DEBUG

```
bool Crosstales.FB.Util.Config.DEBUG = Constants.DEFAULT_DEBUG || Constants.DEV_DEBUG [static]
```

Enable or disable debug logging for the asset.

5.17.3.3 isLoaded

```
bool Crosstales.FB.Util.Config.isLoaded [static]
```

Is the configuration loaded?

5.17.3.4 NATIVE_WINDOWS

```
bool Crosstales.FB.Util.Config.NATIVE_WINDOWS = Constants.DEFAULT_NATIVE_WINDOWS [static]
```

Enable or disable native file browser inside the Unity Editor.


The documentation for this class was generated from the following file:

- D:/slaubenberger/git/assets/FileBrowser/FileBrowserPro/Assets/Plugins/crosstales/FileBrowser/Scripts/↔ Util/Config.cs

5.18 Crosstales.FB.EditorIntegration.ConfigBase Class Reference

Base class for editor windows.

Inheritance diagram for Crosstales.FB.EditorIntegration.ConfigBase:



Protected Member Functions

- void **showConfiguration** ()
- void **showHelp** ()
- void **showAbout** ()
- void **showPlatformNotSupported** ()

Static Protected Member Functions

- static void **save** ()

5.18.1 Detailed Description

Base class for editor windows.


The documentation for this class was generated from the following file:

- D:/slaubenberger/git/assets/FileBrowser/FileBrowserPro/Assets/Plugins/crosstales/FileBrowser/Editor/↔ Integration/ConfigBase.cs

5.19 Crosstales.FB.EditorIntegration.ConfigPreferences Class Reference

Unity "Preferences" extension.

Inheritance diagram for Crosstales.FB.EditorIntegration.ConfigPreferences:



Additional Inherited Members

5.19.1 Detailed Description

Unity "Preferences" extension.


The documentation for this class was generated from the following file:

- D:/slaubenberger/git/assets/FileBrowser/FileBrowserPro/Assets/Plugins/crosstales/FileBrowser/Editor/↔ Integration/ConfigPreferences.cs

5.20 Crosstales.FB.EditorIntegration.ConfigWindow Class Reference

Editor window extension.

Inheritance diagram for Crosstales.FB.EditorIntegration.ConfigWindow:



Public Member Functions

- void **OnEnable** ()
- void **OnDestroy** ()
- void **OnLostFocus** ()
- void **OnGUI** ()
- void **OnInspectorUpdate** ()

Static Public Member Functions

- static void **ShowWindow** ()
- static void **ShowWindow** (int tab)

Additional Inherited Members

5.20.1 Detailed Description

Editor window extension.


The documentation for this class was generated from the following file:

- D:/slaubenberger/git/assets/FileBrowser/FileBrowserPro/Assets/Plugins/crosstales/FileBrowser/Editor/↔ Integration/ConfigWindow.cs

5.21 Crosstales.FB.Util.Constants Class Reference

Collected constants of very general utility for the asset.

Inheritance diagram for Crosstales.FB.Util.Constants:



Static Public Attributes

- const string **ASSET_NAME** = "File Browser PRO"
Name of the asset.
- const string **ASSET_NAME_SHORT** = "FB PRO"
Short name of the asset.
- const string **ASSET_VERSION** = "2021.1.0"
Version of the asset.
- const int **ASSET_BUILD** = 20210105
Build number of the asset.
- static readonly System.DateTime **ASSET_CREATED** = new System.DateTime(2017, 8, 1)
Create date of the asset (YYYY, MM, DD).
- static readonly System.DateTime **ASSET_CHANGED** = new System.DateTime(2021, 1, 5)
Change date of the asset (YYYY, MM, DD).
- const string **ASSET_PRO_URL** = "https://assetstore.unity.com/packages/slug/98713?aid=1011INGT"
URL of the PRO asset in UAS.
- const string **ASSET_UPDATE_CHECK_URL** = "https://www.crosstales.com/media/assets/fb_versions.txt"
URL for update-checks of the asset
- const string **ASSET_CONTACT** = "fb@crosstales.com"
Contact to the owner of the asset.

- const string [ASSET_MANUAL_URL](#) = "https://www.crosstales.com/media/data/assets/FileBrowser/FileBrowser-doc.pdf"
URL of the asset manual.
- const string [ASSET_API_URL](#) = "https://www.crosstales.com/media/data/assets/FileBrowser/api/"
URL of the asset API.
- const string [ASSET_FORUM_URL](#) = "https://forum.unity.com/threads/file-browser-native-file-browser-for-standalone.510403/"
URL of the asset forum.
- const string [ASSET_WEB_URL](#) = "https://www.crosstales.com/en/portfolio/FileBrowser/"
URL of the asset in crosstales.
- const string [ASSET_VIDEO_TUTORIAL](#) = "https://youtu.be/nczXecD0uB0?list=PLgtonlOr6Tb41XTMee↵Z836tjHIKgOO84S"
URL of the tutorial video of the asset (Youtube).
- const string [ASSET_3P_RTFB](#) = "https://assetstore.unity.com/packages/slug/113006?aid=1011INGT"
URL of the 3rd party asset "Runtime File Browser".
- const string [KEY_PREFIX](#) = "FILEBROWSER_CFG_"
- const string [KEY_ASSET_PATH](#) = KEY_PREFIX + "ASSET_PATH"
- const string [KEY_DEBUG](#) = KEY_PREFIX + "DEBUG"
- const string [KEY_NATIVE_WINDOWS](#) = KEY_PREFIX + "NATIVE_WINDOWS"
- const bool [DEFAULT_NATIVE_WINDOWS](#) = false
- const string [FB_SCENE_OBJECT_NAME](#) = "FileBrowser"
FB prefab scene name.

Additional Inherited Members

5.21.1 Detailed Description

Collected constants of very general utility for the asset.

5.21.2 Member Data Documentation

5.21.2.1 [ASSET_3P_RTFB](#)

```
const string Crosstales.FB.Util.Constants.ASSET_3P_RTFB = "https://assetstore.unity.com/packages/slug/113006?aid=1011INGT" [static]
```

URL of the 3rd party asset "Runtime File Browser".

5.21.2.2 [ASSET_API_URL](#)

```
const string Crosstales.FB.Util.Constants.ASSET_API_URL = "https://www.crosstales.com/media/data/assets/FileBrowser/api/" [static]
```

URL of the asset API.

5.21.2.3 ASSET_BUILD

```
const int Crosstales.FB.Util.Constants.ASSET_BUILD = 20210105 [static]
```

Build number of the asset.

5.21.2.4 ASSET_CHANGED

```
readonly System.DateTime Crosstales.FB.Util.Constants.ASSET_CHANGED = new System.DateTime(2021, 1, 5) [static]
```

Change date of the asset (YYYY, MM, DD).

5.21.2.5 ASSET_CONTACT

```
const string Crosstales.FB.Util.Constants.ASSET_CONTACT = "fb@crosstales.com" [static]
```

Contact to the owner of the asset.

5.21.2.6 ASSET_CREATED

```
readonly System.DateTime Crosstales.FB.Util.Constants.ASSET_CREATED = new System.DateTime(2017, 8, 1) [static]
```

Create date of the asset (YYYY, MM, DD).

5.21.2.7 ASSET_FORUM_URL

```
const string Crosstales.FB.Util.Constants.ASSET_FORUM_URL = "https://forum.unity.com/threads/file-browser-nati-510403/" [static]
```

URL of the asset forum.

5.21.2.8 ASSET_MANUAL_URL

```
const string Crosstales.FB.Util.Constants.ASSET_MANUAL_URL = "https://www.crosstales.com/media/data/assets/Files/Manual.pdf" [static]
```

URL of the asset manual.

5.21.2.9 ASSET_NAME

```
const string Crosstales.FB.Util.Constants.ASSET_NAME = "File Browser PRO" [static]
```

Name of the asset.

5.21.2.10 ASSET_NAME_SHORT

```
const string Crosstales.FB.Util.Constants.ASSET_NAME_SHORT = "FB PRO" [static]
```

Short name of the asset.

5.21.2.11 ASSET_PRO_URL

```
const string Crosstales.FB.Util.Constants.ASSET_PRO_URL = "https://assetstore.unity.com/packages/slug/98713?aiNGT" [static]
```

URL of the PRO asset in UAS.

5.21.2.12 ASSET_UPDATE_CHECK_URL

```
const string Crosstales.FB.Util.Constants.ASSET_UPDATE_CHECK_URL = "https://www.crosstales.com/media/assets/fb_versions.txt" [static]
```

URL for update-checks of the asset

5.21.2.13 ASSET_VERSION

```
const string Crosstales.FB.Util.Constants.ASSET_VERSION = "2021.1.0" [static]
```

Version of the asset.

5.21.2.14 ASSET_VIDEO_TUTORIAL

```
const string Crosstales.FB.Util.Constants.ASSET_VIDEO_TUTORIAL = "https://youtu.be/nczXecD0uB0?list=PLgtonIO6Tb41XTMeeZ836tjHlKg0084S" [static]
```

URL of the tutorial video of the asset (Youtube).

5.21.2.15 ASSET_WEB_URL

```
const string Crosstales.FB.Util.Constants.ASSET_WEB_URL = "https://www.crosstales.com/en/portfolio/FileBrowser"
[static]
```

URL of the asset in crosstales.

5.21.2.16 FB_SCENE_OBJECT_NAME

```
const string Crosstales.FB.Util.Constants.FB_SCENE_OBJECT_NAME = "FileBrowser" [static]
```

FB prefab scene name.

The documentation for this class was generated from the following file:

- D:/slaubenberger/git/assets/FileBrowser/FileBrowserPro/Assets/Plugins/crosstales/FileBrowser/Scripts/↔ Util/Constants.cs

5.22 Crosstales.Common.Util.CTPlayerPrefs Class Reference

Wrapper for the PlayerPrefs.

Static Public Member Functions

- static bool [HasKey](#) (string key)
Exists the key?
- static void [DeleteAll](#) ()
Deletes all keys.
- static void [DeleteKey](#) (string key)
Delete the key.
- static void [Save](#) ()
Saves all modifications.
- static string [GetString](#) (string key)
Allows to get a string from a key.
- static float [GetFloat](#) (string key)
Allows to get a float from a key.
- static int [GetInt](#) (string key)
Allows to get an int from a key.
- static bool [GetBool](#) (string key)
Allows to get a bool from a key.
- static System.DateTime [GetDate](#) (string key)
Allows to get a DateTime from a key.
- static void [SetString](#) (string key, string value)
Allows to set a string for a key.
- static void [SetFloat](#) (string key, float value)
Allows to set a float for a key.
- static void [SetInt](#) (string key, int value)
Allows to set an int for a key.
- static void [SetBool](#) (string key, bool value)
Allows to set a bool for a key.
- static void [SetDate](#) (string key, System.DateTime value)
Allows to set a DateTime for a key.

5.22.1 Detailed Description

Wrapper for the PlayerPrefs.

5.22.2 Member Function Documentation

5.22.2.1 DeleteAll()

```
static void Crosstales.Common.Util.CTPlayerPrefs.DeleteAll ( ) [static]
```

Deletes all keys.

5.22.2.2 DeleteKey()

```
static void Crosstales.Common.Util.CTPlayerPrefs.DeleteKey (
    string key ) [static]
```

Delete the key.

Parameters

<i>key</i>	Key to delete in the PlayerPrefs.
------------	-----------------------------------

5.22.2.3 GetBool()

```
static bool Crosstales.Common.Util.CTPlayerPrefs.GetBool (
    string key ) [static]
```

Allows to get a bool from a key.

Parameters

<i>key</i>	Key for the PlayerPrefs.
------------	--------------------------

Returns

Value for the key.

5.22.2.4 GetDate()

```
static System.DateTime Crosstales.Common.Util.CTPlayerPrefs.GetDate (
    string key ) [static]
```

Allows to get a DateTime from a key.

Parameters

<i>key</i>	Key for the PlayerPrefs.
------------	--------------------------

Returns

Value for the key.

5.22.2.5 GetFloat()

```
static float Crosstales.Common.Util.CTPlayerPrefs.GetFloat (
    string key ) [static]
```

Allows to get a float from a key.

Parameters

<i>key</i>	Key for the PlayerPrefs.
------------	--------------------------

Returns

Value for the key.

5.22.2.6 GetInt()

```
static int Crosstales.Common.Util.CTPlayerPrefs.GetInt (
    string key ) [static]
```

Allows to get an int from a key.

Parameters

<i>key</i>	Key for the PlayerPrefs.
------------	--------------------------

Returns

Value for the key.

5.22.2.7 GetString()

```
static string Crosstales.Common.Util.CTPlayerPrefs.GetString (
    string key ) [static]
```

Allows to get a string from a key.

Parameters

<i>key</i>	Key for the PlayerPrefs.
------------	--------------------------

Returns

Value for the key.

5.22.2.8 HasKey()

```
static bool Crosstales.Common.Util.CTPlayerPrefs.HasKey (
    string key ) [static]
```

Exists the key?

Parameters

<i>key</i>	Key for the PlayerPrefs.
------------	--------------------------

Returns

Value for the key.

5.22.2.9 Save()

```
static void Crosstales.Common.Util.CTPlayerPrefs.Save ( ) [static]
```

Saves all modifications.

5.22.2.10 SetBool()

```
static void Crosstales.Common.Util.CTPlayerPrefs.SetBool (
    string key,
    bool value ) [static]
```

Allows to set a bool for a key.

Parameters

<i>key</i>	Key for the PlayerPrefs.
<i>value</i>	Value for the PlayerPrefs.

5.22.2.11 SetDate()

```
static void Crosstales.Common.Util.CTPlayerPrefs.SetDate (
    string key,
    System.DateTime value ) [static]
```

Allows to set a DateTime for a key.

Parameters

<i>key</i>	Key for the PlayerPrefs.
<i>value</i>	Value for the PlayerPrefs.

5.22.2.12 SetFloat()

```
static void Crosstales.Common.Util.CTPlayerPrefs.SetFloat (
    string key,
    float value ) [static]
```

Allows to set a float for a key.

Parameters

<i>key</i>	Key for the PlayerPrefs.
<i>value</i>	Value for the PlayerPrefs.

5.22.2.13 SetInt()

```
static void Crosstales.Common.Util.CTPlayerPrefs.SetInt (
    string key,
    int value ) [static]
```

Allows to set an int for a key.

Parameters

<i>key</i>	Key for the PlayerPrefs.
<i>value</i>	Value for the PlayerPrefs.

5.22.2.14 SetString()

```
static void Crosstales.Common.Util.CTPlayerPrefs.SetString (
    string key,
    string value ) [static]
```

Allows to set a string for a key.

Parameters

<i>key</i>	Key for the PlayerPrefs.
<i>value</i>	Value for the PlayerPrefs.


The documentation for this class was generated from the following file:

- D:/slauberger/git/assets/FileBrowser/FileBrowserPro/Assets/Plugins/crosstales/Common/Scripts/↔ Util/CTPlayerPrefs.cs

5.23 Crosstales.Common.Util.CTProcess Class Reference

Native process class for standalone IL2CPP-builds (mimicking the missing "System.Diagnostics.Process"-class with the most important properties, methods and events).

Inheritance diagram for Crosstales.Common.Util.CTProcess:



Public Member Functions

- void **Start** ()
Starts (or reuses) the process resource that is specified by the StartInfo property of this Process component and associates it with the component.
- void **Start** (CTProcessStartInfo info)
Starts the process resource that is specified by the parameter containing process start information (for example, the file name of the process to start) and associates the resource with a new Process component..
- void **Kill** ()
Immediately stops the associated process.
- void **WaitForExit** (int milliseconds=0)
- void **BeginOutputReadLine** ()
- void **BeginErrorReadLine** ()
- void **Dispose** ()
- void **Start** ()

Starts (or reuses) the process resource that is specified by the StartInfo property of this Process component and associates it with the component.

- void **Start** (CTProcessStartInfo info)

Starts the process resource that is specified by the parameter containing process start information (for example, the file name of the process to start) and associates the resource with a new Process component..

- void **Kill** ()

Immediately stops the associated process.

- void **WaitForExit** (int milliseconds=0)
- void **BeginOutputReadLine** ()
- void **BeginErrorReadLine** ()
- void **Dispose** ()

Public Attributes

- uint **ExitCode** => exitCode

Gets the value that the associated process specified when it terminated.

Properties

- System.IntPtr **Handle** [get]

Gets the native handle of the associated process.

- int **Id** [get]

Gets the unique identifier for the associated process.

- CTProcessStartInfo **StartInfo** [get, set]

*Gets or sets the properties to pass to the **Start()** method of the Process.*

- bool **HasExited** [get]

Gets a value indicating whether the associated process has been terminated.

- System.DateTime **StartTime** [get]

Gets the time that the associated process was started.

- System.DateTime **ExitTime** [get]

Gets the time that the associated process exited.

- System.IO.StreamReader **StandardOutput** [get]

Gets a stream used to read the textual output of the application.

- System.IO.StreamReader **StandardError** [get]

Gets a stream used to read the error output of the application.

- bool **isBusy** [get]

Gets a value indicating whether the associated process has been busy.

Events

- System.EventHandler **Exited**
- System.Diagnostics.DataReceivedEventHandler **OutputDataReceived**
- System.Diagnostics.DataReceivedEventHandler **ErrorDataReceived**

5.23.1 Detailed Description

Native process class for standalone IL2CPP-builds (mimicking the missing "System.Diagnostics.Process"-class with the most important properties, methods and events).

5.23.2 Member Function Documentation

5.23.2.1 Kill() [1/2]

```
void Crosstales.Common.Util.CTProcess.Kill ( )
```

Immediately stops the associated process.

5.23.2.2 Kill() [2/2]

```
void Crosstales.Common.Util.CTProcess.Kill ( )
```

Immediately stops the associated process.

5.23.2.3 Start() [1/4]

```
void Crosstales.Common.Util.CTProcess.Start ( )
```

Starts (or reuses) the process resource that is specified by the StartInfo property of this Process component and associates it with the component.

5.23.2.4 Start() [2/4]

```
void Crosstales.Common.Util.CTProcess.Start ( )
```

Starts (or reuses) the process resource that is specified by the StartInfo property of this Process component and associates it with the component.

5.23.2.5 Start() [3/4]

```
void Crosstales.Common.Util.CTProcess.Start (
    CTProcessStartInfo info )
```

Starts the process resource that is specified by the parameter containing process start information (for example, the file name of the process to start) and associates the resource with a new Process component..

5.23.2.6 Start() [4/4]

```
void Crosstales.Common.Util.CTProcess.Start (
    CTProcessStartInfo info )
```

Starts the process resource that is specified by the parameter containing process start information (for example, the file name of the process to start) and associates the resource with a new Process component..

5.23.3 Member Data Documentation

5.23.3.1 ExitCode

```
uint Crosstales.Common.Util.CTProcess.ExitCode => exitCode
```

Gets the value that the associated process specified when it terminated.

5.23.4 Property Documentation

5.23.4.1 ExitTime

```
System.DateTime Crosstales.Common.Util.CTProcess.ExitTime [get]
```

Gets the time that the associated process exited.

5.23.4.2 Handle

```
System.IntPtr Crosstales.Common.Util.CTProcess.Handle [get]
```

Gets the native handle of the associated process.

5.23.4.3 HasExited

```
bool Crosstales.Common.Util.CTProcess.HasExited [get]
```

Gets a value indicating whether the associated process has been terminated.

5.23.4.4 Id

```
int Crosstales.Common.Util.CTProcess.Id [get]
```

Gets the unique identifier for the associated process.

5.23.4.5 isBusy

```
bool Crosstales.Common.Util.CTProcess.isBusy [get]
```

Gets a value indicating whether the associated process has been busy.

5.23.4.6 StandardError

```
System.IO.StreamReader Crosstales.Common.Util.CTProcess.StandardError [get]
```

Gets a stream used to read the error output of the application.

5.23.4.7 StandardOutput

```
System.IO.StreamReader Crosstales.Common.Util.CTProcess.StandardOutput [get]
```

Gets a stream used to read the textual output of the application.

5.23.4.8 StartInfo

```
CTProcessStartInfo Crosstales.Common.Util.CTProcess.StartInfo [get], [set]
```

Gets or sets the properties to pass to the [Start\(\)](#) method of the Process.

5.23.4.9 StartTime

```
System.DateTime Crosstales.Common.Util.CTProcess.StartTime [get]
```

Gets the time that the associated process was started.

The documentation for this class was generated from the following file:

- D:/slauberberger/git/assets/FileBrowser/FileBrowserPro/Assets/Plugins/crosstales/Common/Scripts/↔ Util/CTProcess.cs

5.24 Crosstales.Common.Util.CTProcessStartInfo Class Reference

Specifies a set of values that are used when you start a process (mimicking the "System.Diagnostics.Process↵StartInfo"-class with the most important properties).

Properties

- bool [UseThread](#) [get, set]
Gets or sets the application to be threaded.
- bool [UseCmdExecute](#) [get, set]
Gets or sets the application to be started in cmd (command prompt).
- string [FileName](#) [get, set]
Gets or sets the application or document to start.
- string [Arguments](#) [get, set]
Gets or sets the set of command-line arguments to use when starting the application.
- bool [CreateNoWindow](#) [get, set]
Gets or sets a value indicating whether to start the process in a new window.
- string [WorkingDirectory](#) [get, set]
Gets or sets the working directory for the process to be started.
- bool [RedirectStandardOutput](#) [get, set]
Gets or sets a value that indicates whether the textual output of an application is written to the StandardOutput stream.
- bool [RedirectStandardError](#) [get, set]
Gets or sets a value that indicates whether the error output of an application is written to the StandardError stream.
- System.Text.Encoding [StandardOutputEncoding](#) [get, set]
Gets or sets the preferred encoding for standard output (UTF8 per default).
- System.Text.Encoding [StandardErrorEncoding](#) [get, set]
Gets or sets the preferred encoding for error output (UTF8 per default).
- bool [UseShellExecute](#) [get, set]
Gets or sets a value indicating whether to use the operating system shell to start the process (ignored, always false).

5.24.1 Detailed Description

Specifies a set of values that are used when you start a process (mimicking the "System.Diagnostics.Process↵StartInfo"-class with the most important properties).

5.24.2 Property Documentation

5.24.2.1 Arguments

```
string Crosstales.Common.Util.CTProcessStartInfo.Arguments [get], [set]
```

Gets or sets the set of command-line arguments to use when starting the application.

5.24.2.2 CreateNoWindow

```
bool Crosstales.Common.Util.CTProcessStartInfo.CreateNoWindow [get], [set]
```

Gets or sets a value indicating whether to start the process in a new window.

5.24.2.3 FileName

```
string Crosstales.Common.Util.CTProcessStartInfo.FileName [get], [set]
```

Gets or sets the application or document to start.

5.24.2.4 RedirectStandardError

```
bool Crosstales.Common.Util.CTProcessStartInfo.RedirectStandardError [get], [set]
```

Gets or sets a value that indicates whether the error output of an application is written to the StandardError stream.

5.24.2.5 RedirectStandardOutput

```
bool Crosstales.Common.Util.CTProcessStartInfo.RedirectStandardOutput [get], [set]
```

Gets or sets a value that indicates whether the textual output of an application is written to the StandardOutput stream.

5.24.2.6 StandardErrorEncoding

```
System.Text.Encoding Crosstales.Common.Util.CTProcessStartInfo.StandardErrorEncoding [get],  
[set]
```

Gets or sets the preferred encoding for error output (UTF8 per default).

5.24.2.7 StandardOutputEncoding

```
System.Text.Encoding Crosstales.Common.Util.CTProcessStartInfo.StandardOutputEncoding [get],  
[set]
```

Gets or sets the preferred encoding for standard output (UTF8 per default).

5.24.2.8 UseCmdExecute

```
bool Crosstales.Common.Util.CTProcessStartInfo.UseCmdExecute [get], [set]
```

Gets or sets the application to be started in cmd (command prompt).

5.24.2.9 UseShellExecute

```
bool Crosstales.Common.Util.CTProcessStartInfo.UseShellExecute [get], [set]
```

Gets or sets a value indicating whether to use the operating system shell to start the process (ignored, always false).

5.24.2.10 UseThread

```
bool Crosstales.Common.Util.CTProcessStartInfo.UseThread [get], [set]
```

Gets or sets the application to be threaded.

5.24.2.11 WorkingDirectory

```
string Crosstales.Common.Util.CTProcessStartInfo.WorkingDirectory [get], [set]
```

Gets or sets the working directory for the process to be started.


The documentation for this class was generated from the following file:

- D:/slaubenberger/git/assets/FileBrowser/FileBrowserPro/Assets/Plugins/crosstales/Common/Scripts/↵
Util/CTProcess.cs

5.25 Crosstales.Common.Util.CTWebClient Class Reference

Specialized WebClient.

Inheritance diagram for Crosstales.Common.Util.CTWebClient:



Public Member Functions

- **CTWebClient** (int timeout, int connectionLimit=20)
- System.Net.WebRequest **CTGetWebRequest** (string uri)

Protected Member Functions

- override System.Net.WebRequest **GetWebRequest** (System.Uri uri)

Properties

- int **Timeout** [get, set]
Timeout in milliseconds
- int **ConnectionLimit** [get, set]
Connection limit for all WebClients

5.25.1 Detailed Description

Specialized WebClient.

5.25.2 Property Documentation

5.25.2.1 ConnectionLimit

```
int Crosstales.Common.Util.CTWebClient.ConnectionLimit [get], [set]
```

Connection limit for all WebClients

5.25.2.2 Timeout

```
int Crosstales.Common.Util.CTWebClient.Timeout [get], [set]
```

Timeout in milliseconds


The documentation for this class was generated from the following file:

- D:/slauberberger/git/assets/FileBrowser/FileBrowserPro/Assets/Plugins/crosstales/Common/Scripts/↔
Util/CTWebClient.cs

5.26 Crosstales.FB.Demo.Util.CustomWrapperController Class Reference

Controls the custom wrapper in demo builds.

Inheritance diagram for Crosstales.FB.Demo.Util.CustomWrapperController:



Public Attributes

- [Wrapper.BaseCustomFileBrowser](#) **Wrapper**

5.26.1 Detailed Description

Controls the custom wrapper in demo builds.

The documentation for this class was generated from the following file:

- D:/slaubenberger/git/assets/FileBrowser/FileBrowserPro/Assets/Plugins/crosstales/FileBrowser/Demos/↔ Scripts/CustomWrapperController.cs

5.27 Crosstales.FB.EditorUtil.EditorConfig Class Reference

Editor configuration for the asset.

Static Public Member Functions

- static void [Reset](#) ()
Resets all changeable variables to their default value.
- static void [Load](#) ()
Loads the all changeable variables.
- static void [Save](#) ()
Saves the all changeable variables.

Static Public Attributes

- static bool [UPDATE_CHECK](#) = EditorConstants.DEFAULT_UPDATE_CHECK
Enable or disable update-checks for the asset.
- static bool [COMPILE_DEFINES](#) = EditorConstants.DEFAULT_COMPILE_DEFINES
Enable or disable adding compile defines "CT_FB" and "CT_FB_PRO" for the asset.
- static bool [PREFAB_AUTOLOAD](#) = EditorConstants.DEFAULT_PREFAB_AUTOLOAD
Automatically load and add the prefabs to the scene.
- static bool [HIERARCHY_ICON](#) = EditorConstants.DEFAULT_HIERARCHY_ICON
Enable or disable the icon in the hierarchy.
- static bool [isLoading](#)
Is the configuration loaded?
- static string [PREFAB_PATH](#) => [ASSET_PATH](#) + [EditorConstants.PREFAB_SUBPATH](#)
Returns the path of the prefabs.

Properties

- static string [ASSET_PATH](#) [get]
Returns the path to the asset inside the Unity project.

5.27.1 Detailed Description

Editor configuration for the asset.

5.27.2 Member Function Documentation

5.27.2.1 Load()

```
static void Crosstales.FB.EditorUtil.EditorConfig.Load ( ) [static]
```

Loads the all changeable variables.

5.27.2.2 Reset()

```
static void Crosstales.FB.EditorUtil.EditorConfig.Reset ( ) [static]
```

Resets all changeable variables to their default value.

5.27.2.3 Save()

```
static void Crosstales.FB.EditorUtil.EditorConfig.Save ( ) [static]
```

Saves the all changeable variables.

5.27.3 Member Data Documentation

5.27.3.1 COMPILE_DEFINES

```
bool Crosstales.FB.EditorUtil.EditorConfig.COMPILE_DEFINES = EditorConstants.DEFAULT_COMPILE↵  
_DEFINES [static]
```

Enable or disable adding compile defines "CT_FB" and "CT_FB_PRO" for the asset.

5.27.3.2 HIERARCHY_ICON

```
bool Crosstales.FB.EditorUtil.EditorConfig.HIERARCHY_ICON = EditorConstants.DEFAULT_HIERARCH↵  
Y_ICON [static]
```

Enable or disable the icon in the hierarchy.

5.27.3.3 isLoaded

```
bool Crosstales.FB.EditorUtil.EditorConfig.isLoaded [static]
```

Is the configuration loaded?

5.27.3.4 PREFAB_AUTOLOAD

```
bool Crosstales.FB.EditorUtil.EditorConfig.PREFAB_AUTOLOAD = EditorConstants.DEFAULT_PREFAB_↵  
AUTOLOAD [static]
```

Automatically load and add the prefabs to the scene.

5.27.3.5 PREFAB_PATH

```
string Crosstales.FB.EditorUtil.EditorConfig.PREFAB_PATH => ASSET_PATH + EditorConstants.PREFAB_SUBPATH  
[static]
```

Returns the path of the prefabs.

Returns

The path of the prefabs.

5.27.3.6 UPDATE_CHECK

```
bool Crosstales.FB.EditorUtil.EditorConfig.UPDATE_CHECK = EditorConstants.DEFAULT_UPDATE_CHECK  
[static]
```

Enable or disable update-checks for the asset.

5.27.4 Property Documentation

5.27.4.1 ASSET_PATH

```
string Crosstales.FB.EditorUtil.EditorConfig.ASSET_PATH [static], [get]
```

Returns the path to the asset inside the Unity project.

Returns

The path to the asset inside the Unity project.

The documentation for this class was generated from the following file:

- D:/slaubenberger/git/assets/FileBrowser/FileBrowserPro/Assets/Plugins/crosstales/FileBrowser/Editor/↵
Util/EditorConfig.cs

5.28 Crosstales.FB.EditorUtil.EditorConstants Class Reference

Collected editor constants of very general utility for the asset.

Static Public Attributes

- const string **KEY_UPDATE_CHECK** = Util.Constants.KEY_PREFIX + "UPDATE_CHECK"
- const string **KEY_COMPILE_DEFINES** = Util.Constants.KEY_PREFIX + "COMPILE_DEFINES"
- const string **KEY_PREFAB_AUTOLOAD** = Util.Constants.KEY_PREFIX + "PREFAB_AUTOLOAD"
- const string **KEY_HIERARCHY_ICON** = Util.Constants.KEY_PREFIX + "HIERARCHY_ICON"
- const string **KEY_UPDATE_DATE** = Util.Constants.KEY_PREFIX + "UPDATE_DATE"
- const string **DEFAULT_ASSET_PATH** = "/Plugins/crosstales/FileBrowser/"
- const bool **DEFAULT_UPDATE_CHECK** = false
- const bool **DEFAULT_COMPILE_DEFINES** = true
- const bool **DEFAULT_PREFAB_AUTOLOAD** = false
- const bool **DEFAULT_HIERARCHY_ICON** = false
- static string **PREFAB_SUBPATH** = "Resources/Prefabs/"
Sub-path to the prefabs.
- static string **ASSET_URL** => Util.Constants.ASSET_PRO_URL
Returns the URL of the asset in UAS.
- static string **ASSET_ID** => "98713"
Returns the ID of the asset in UAS.
- static System.Guid **ASSET_UID** => new System.Guid("f9c139be-4da6-4d0f-894a-0675635af15f")
Returns the UID of the asset.

5.28.1 Detailed Description

Collected editor constants of very general utility for the asset.

5.28.2 Member Data Documentation

5.28.2.1 ASSET_ID

```
string Crosstales.FB.EditorUtil.EditorConstants.ASSET_ID => "98713" [static]
```

Returns the ID of the asset in UAS.

Returns

The ID of the asset in UAS.

5.28.2.2 ASSET_UID

```
System.Guid Crosstales.FB.EditorUtil.EditorConstants.ASSET_UID => new System.Guid("f9c139be-4da6-4d0f-894a-0675635af15f") [static]
```

Returns the UID of the asset.

Returns

The UID of the asset.

5.28.2.3 ASSET_URL

```
string Crosstales.FB.EditorUtil.EditorConstants.ASSET_URL => Util.Constants.ASSET_PRO_URL  
[static]
```

Returns the URL of the asset in UAS.

Returns

The URL of the asset in UAS.

5.28.2.4 PREFAB_SUBPATH

```
string Crosstales.FB.EditorUtil.EditorConstants.PREFAB_SUBPATH = "Resources/Prefabs/" [static]
```

Sub-path to the prefabs.


The documentation for this class was generated from the following file:

- D:/slaubenberger/git/assets/FileBrowser/FileBrowserPro/Assets/Plugins/crosstales/FileBrowser/Editor/↵
Util/EditorConstants.cs

5.29 Crosstales.FB.EditorUtil.EditorHelper Class Reference

Editor helper class.

Inheritance diagram for Crosstales.FB.EditorUtil.EditorHelper:



Static Public Member Functions

- static void [FBUnavailable](#) ()
Shows an "FileBrowser unavailable"-UI.
- static void [InstantiatePrefab](#) (string prefabName)
Instantiates a prefab.

Static Public Attributes

- const int [GO_ID](#) = 26
Start index inside the "GameObject"-menu.
- const int [MENU_ID](#) = 11018
Start index inside the "Tools"-menu.
- static Texture2D **Logo_Asset** => loadImage(ref logo_asset, "logo_asset_pro.png")
- static Texture2D **Logo_Asset_Small** => loadImage(ref logo_asset_small, "logo_asset_small_pro.png")
- static Texture2D **Icon_File** => loadImage(ref icon_file, "icon_file.png")
- static Texture2D **Asset_RTFB** => loadImage(ref asset_RTFB, "asset_RTFB.png")
- static bool [isFileBrowserInScene](#) => GameObject.FindObjectOfType(typeof([FileBrowser](#))) != null
Checks if the '[FileBrowser](#)'-prefab is in the scene.

Additional Inherited Members

5.29.1 Detailed Description

Editor helper class.

5.29.2 Member Function Documentation

5.29.2.1 FBUnavailable()

```
static void Crosstales.FB.EditorUtil.EditorHelper.FBUnavailable ( ) [static]
```

Shows an "FileBrowser unavailable"-[UI](#).

5.29.2.2 InstantiatePrefab()

```
static void Crosstales.FB.EditorUtil.EditorHelper.InstantiatePrefab (
    string prefabName ) [static]
```

Instantiates a prefab.

Parameters

<i>prefabName</i>	Name of the prefab.
-------------------	---------------------

5.29.3 Member Data Documentation

5.29.3.1 GO_ID

```
const int Crosstales.FB.EditorUtil.EditorHelper.GO_ID = 26 [static]
```

Start index inside the "GameObject"-menu.

5.29.3.2 isFileBrowserInScene

```
bool Crosstales.FB.EditorUtil.EditorHelper.isFileBrowserInScene => GameObject.FindObjectOfType<FileBrowser>() != null [static]
```

Checks if the 'FileBrowser'-prefab is in the scene.

Returns

True if the 'FileBrowser'-prefab is in the scene.

5.29.3.3 MENU_ID

```
const int Crosstales.FB.EditorUtil.EditorHelper.MENU_ID = 11018 [static]
```

Start index inside the "Tools"-menu.


The documentation for this class was generated from the following file:

- D:/slaubenberger/git/assets/FileBrowser/FileBrowserPro/Assets/Plugins/crosstales/FileBrowser/Editor/Util/EditorHelper.cs

5.30 Crosstales.FB.Demo.EventTester Class Reference

Simple test script for all UnityEvent-callbacks.

Inheritance diagram for Crosstales.FB.Demo.EventTester:



Public Member Functions

- void **OnOpenFilesCompleted** (bool selected, string singleFile, string listOfFiles)
- void **OnOpenFoldersCompleted** (bool selected, string singleFolder, string listOfFolders)
- void **OnSaveFileCompleted** (bool selected, string saveFile)

5.30.1 Detailed Description

Simple test script for all UnityEvent-callbacks.


The documentation for this class was generated from the following file:

- D:/slaubenberger/git/assets/FileBrowser/FileBrowserPro/Assets/Plugins/crosstailes/FileBrowser/Demos/↔ Scripts/EventTester.cs

5.31 Crosstailes.FB.Demo.Examples Class Reference

[Examples](#) for all methods.

Inheritance diagram for Crosstailes.FB.Demo.Examples:



Public Member Functions

- void **OpenSingleFile** ()
- void **OpenFiles** ()
- void **OpenSingleFolder** ()
- void **OpenFolders** ()
- void **SaveFile** ()
- void **OpenSingleFileAsync** ()
- void **OpenFilesAsync** ()
- void **OpenSingleFolderAsync** ()
- void **OpenFoldersAsync** ()
- void **SaveFileAsync** ()

Public Attributes

- GameObject **TextPrefab**
- GameObject **ScrollView**
- Button **OpenFilesBtn**
- Button **OpenFoldersBtn**

Protected Attributes

- string **testPath** = @"D:\slaubenberger\git\assets\FileBrowser"

5.31.1 Detailed Description

[Examples](#) for all methods.

The documentation for this class was generated from the following file:

- `D:/slaubenberger/git/assets/FileBrowser/FileBrowserPro/Assets/Plugins/crosstales/FileBrowser/Demos/↔ Scripts/Examples.cs`

5.32 Crosstales.FB.Extension Struct Reference

Public Member Functions

- **Extension** (string filterName, params string[] filterExtensions)
- override string **ToString** ()

Public Attributes

- string **Name**
- string[] **Extensions**

The documentation for this struct was generated from the following file:

- `D:/slaubenberger/git/assets/FileBrowser/FileBrowserPro/Assets/Plugins/crosstales/FileBrowser/Scripts/↔ Native/FileBrowserImpl.cs`

5.33 Crosstales.FB.ExtensionFilter Struct Reference

Filter for extensions.

Public Member Functions

- **ExtensionFilter** (string filterName, params string[] filterExtensions)
- override string **ToString** ()

Public Attributes

- string **Name**
- string[] **Extensions**

5.33.1 Detailed Description

Filter for extensions.

The documentation for this struct was generated from the following file:

- D:/slaubenberger/git/assets/FileBrowser/FileBrowserPro/Assets/Plugins/crosstales/FileBrowser/Scripts/FileBrowser.cs

5.34 Crosstales.ExtensionMethods Class Reference

Various extension methods.

Static Public Member Functions

- static string [CTToTitleCase](#) (this string str)
Extension method for strings. Converts a string to title case (first letter uppercase).
- static string [CTReverse](#) (this string str)
Extension method for strings. Reverses a string.
- static string [CTReplace](#) (this string str, string oldString, string newString, System.StringComparison comp=System.StringComparison.OrdinalIgnoreCase)
Extension method for strings. Case insensitive 'Replace'.
- static bool [CTEquals](#) (this string str, string toCheck, System.StringComparison comp=System.StringComparison.OrdinalIgnoreCase)
Extension method for strings. Case insensitive 'Equals'.
- static bool [CTContains](#) (this string str, string toCheck, System.StringComparison comp=System.StringComparison.OrdinalIgnoreCase)
Extension method for strings. Case insensitive 'Contains'.
- static bool [CTContainsAny](#) (this string str, string searchTerms, char splitChar=' ')
Extension method for strings. Contains any given string.
- static bool [CTContainsAll](#) (this string str, string searchTerms, char splitChar=' ')
Extension method for strings. Contains all given strings.
- static bool [CTIsNumeric](#) (this string str)
Extension method for strings. Checks if the string is numeric.
- static bool [CTIsInteger](#) (this string str)
Extension method for strings. Checks if the string is integer.
- static bool [CTStartsWith](#) (this string str, string toCheck, System.StringComparison comp=System.StringComparison.OrdinalIgnoreCase)
Extension method for strings. Checks if the string starts with another string.
- static bool [CTEndsWith](#) (this string str, string toCheck, System.StringComparison comp=System.StringComparison.OrdinalIgnoreCase)
Extension method for strings. Checks if the string ends with another string.
- static int [CTLastIndexOf](#) (this string str, string toCheck, System.StringComparison comp=System.StringComparison.OrdinalIgnoreCase)
Extension method for strings. Returns the index of the last occurrence of a given string.
- static int [CTIndexOf](#) (this string str, string toCheck, System.StringComparison comp=System.StringComparison.OrdinalIgnoreCase)
Extension method for strings. Returns the index of the first occurrence of a given string.

- static int **CTIndexOf** (this string str, string toCheck, int startIndex, System.StringComparison comp=System.StringComparison.OrdinalIgnoreCase)
Extension method for strings. Returns the index of the first occurrence of a given string.
- static void **CTShuffle**< T > (this T[] array, int seed=0)
Extension method for Arrays. Shuffles an Array.
- static string **CTDump**< T > (this T[] array, string prefix="", string postfix="")
Extension method for Arrays. Dumps an array to a string.
- static string **CTDump** (this Quaternion[] array)
Extension method for Quaternion-Arrays. Dumps an array to a string.
- static string **CTDump** (this Vector2[] array)
Extension method for Vector2-Arrays. Dumps an array to a string.
- static string **CTDump** (this Vector3[] array)
Extension method for Vector3-Arrays. Dumps an array to a string.
- static string **CTDump** (this Vector4[] array)
Extension method for Vector4-Arrays. Dumps an array to a string.
- static string[] **CTToString**< T > (this T[] array)
Extension method for Arrays. Generates a string array with all entries (via ToString).
- static void **CTShuffle**< T > (this System.Collections.Generic.IList< T > list, int seed=0)
Extension method for IList. Shuffles a List.
- static string **CTDump**< T > (this System.Collections.Generic.IList< T > list, string prefix="", string postfix="")
Extension method for IList. Dumps a list to a string.
- static string **CTDump** (this System.Collections.Generic.IList< Quaternion > list)
Extension method for Quaternion-IList. Dumps a list to a string.
- static string **CTDump** (this System.Collections.Generic.IList< Vector2 > list)
Extension method for Vector2-IList. Dumps a list to a string.
- static string **CTDump** (this System.Collections.Generic.IList< Vector3 > list)
Extension method for Vector3-IList. Dumps a list to a string.
- static string **CTDump** (this System.Collections.Generic.IList< Vector4 > list)
Extension method for Vector4-IList. Dumps a list to a string.
- static System.Collections.Generic.List< string > **CTToString**< T > (this System.Collections.Generic.IList< T > list)
Extension method for IList. Generates a string list with all entries (via ToString).
- static string **CTDump**< K, V > (this System.Collections.Generic.IDictionary< K, V > dict, string prefix="", string postfix="")
Extension method for IDictionary. Dumps a dictionary to a string.
- static void **CTAddRange**< K, V > (this System.Collections.Generic.IDictionary< K, V > dict, System.Collections.Generic.IDictionary< K, V > collection)
Extension method for IDictionary. Adds a dictionary to an existing one.
- static bool **CTIsVisibleFrom** (this Renderer renderer, Camera camera)
Extension method for Renderer. Determines if the renderer is visible from a certain camera.
- static Transform **CTDeepSearch** (Transform parent, string name)
Extension method for Transform. Recursively searches all children of a parent transform for specific named transform
- static byte[] **CTReadFully** (this System.IO.Stream input, int bufferSize=16384)
Extension method for Stream. Reads the full content of a Stream.

5.34.1 Detailed Description

Various extension methods.

5.34.2 Member Function Documentation

5.34.2.1 CTAddRange< K, V >()

```
static void Crosstales.ExtensionMethods.CTAddRange< K, V > (
    this System.Collections.Generic.IDictionary< K, V > dict,
    System.Collections.Generic.IDictionary< K, V > collection ) [static]
```

Extension method for IDictionary. Adds a dictionary to an existing one.

Parameters

<i>dict</i>	IDictionary-instance.
<i>collection</i>	Dictionary to add.

5.34.2.2 CTContains()

```
static bool Crosstales.ExtensionMethods.CTContains (
    this string str,
    string toCheck,
    System.StringComparison comp = System.StringComparison.OrdinalIgnoreCase ) [static]
```

Extension method for strings. Case insensitive 'Contains'.

Parameters

<i>str</i>	String-instance.
<i>toCheck</i>	String to check.
<i>comp</i>	StringComparison-method (default: StringComparison.OrdinalIgnoreCase, optional)

Returns

True if the string contains the given string.

5.34.2.3 CTContainsAll()

```
static bool Crosstales.ExtensionMethods.CTContainsAll (
    this string str,
    string searchTerms,
    char splitChar = ' ' ) [static]
```

Extension method for strings. Contains all given strings.

Parameters

<i>str</i>	String-instance.
<i>searchTerms</i>	Search terms separated by the given split-character.
<i>splitChar</i>	Split-character (default: ' ', optional)

Returns

True if the string contains all parts of the given string.

5.34.2.4 CTContainsAny()

```
static bool Crosstales.ExtensionMethods.CTContainsAny (
    this string str,
    string searchTerms,
    char splitChar = ' ' ) [static]
```

Extension method for strings. Contains any given string.

Parameters

<i>str</i>	String-instance.
<i>searchTerms</i>	Search terms separated by the given split-character.
<i>splitChar</i>	Split-character (default: ' ', optional)

Returns

True if the string contains any parts of the given string.

5.34.2.5 CTDeepSearch()

```
static Transform Crosstales.ExtensionMethods.CTDeepSearch (
    Transform parent,
    string name ) [static]
```

Extension method for Transform. Recursively searches all children of a parent transform for specific named transform

Parameters

<i>parent</i>	Parent of the current children.
<i>name</i>	Name of the transform.

Returns

True if the renderer is visible by the given camera.

5.34.2.6 CTDump() [1/8]

```
static string Crosstales.ExtensionMethods.CTDump (  
    this Quaternion[] array ) [static]
```

Extension method for Quaternion-Arrays. Dumps an array to a string.

Parameters

<i>array</i>	Quaternion-Array-instance to dump.
--------------	------------------------------------

Returns

String with lines for all array entries.

5.34.2.7 CTDump() [2/8]

```
static string Crosstales.ExtensionMethods.CTDump (  
    this System.Collections.Generic.IList< Quaternion > list ) [static]
```

Extension method for Quaternion-IList. Dumps a list to a string.

Parameters

<i>list</i>	Quaternion-IList-instance to dump.
-------------	------------------------------------

Returns

String with lines for all list entries.

5.34.2.8 CTDump() [3/8]

```
static string Crosstales.ExtensionMethods.CTDump (  
    this System.Collections.Generic.IList< Vector2 > list ) [static]
```

Extension method for Vector2-IList. Dumps a list to a string.

Parameters

<i>list</i>	Vector2-IList-instance to dump.
-------------	---------------------------------

Returns

String with lines for all list entries.

5.34.2.9 CTDump() [4/8]

```
static string Crosstales.ExtensionMethods.CTDump (  
    this System.Collections.Generic.IList< Vector3 > list ) [static]
```

Extension method for Vector3-IList. Dumps a list to a string.

Parameters

<i>list</i>	Vector3-IList-instance to dump.
-------------	---------------------------------

Returns

String with lines for all list entries.

5.34.2.10 CTDump() [5/8]

```
static string Crosstales.ExtensionMethods.CTDump (  
    this System.Collections.Generic.IList< Vector4 > list ) [static]
```

Extension method for Vector4-IList. Dumps a list to a string.

Parameters

<i>list</i>	Vector4-IList-instance to dump.
-------------	---------------------------------

Returns

String with lines for all list entries.

5.34.2.11 CTDump() [6/8]

```
static string Crosstales.ExtensionMethods.CTDump (  
    this Vector2[] array ) [static]
```

Extension method for Vector2-Arrays. Dumps an array to a string.

Parameters

<i>array</i>	Vector2-Array-instance to dump.
--------------	---------------------------------

Returns

String with lines for all array entries.

5.34.2.12 CTDump() [7/8]

```
static string Crosstales.ExtensionMethods.CTDump (  
    this Vector3[] array ) [static]
```

Extension method for Vector3-Arrays. Dumps an array to a string.

Parameters

<i>array</i>	Vector3-Array-instance to dump.
--------------	---------------------------------

Returns

String with lines for all array entries.

5.34.2.13 CTDump() [8/8]

```
static string Crosstales.ExtensionMethods.CTDump (  
    this Vector4[] array ) [static]
```

Extension method for Vector4-Arrays. Dumps an array to a string.

Parameters

<i>array</i>	Vector4-Array-instance to dump.
--------------	---------------------------------

Returns

String with lines for all array entries.

5.34.2.14 CTDump< K, V >()

```
static string Crosstales.ExtensionMethods.CTDump< K, V > (  
    this System.Collections.Generic.IDictionary< K, V > dict,
```

```
string prefix = "",  
string postfix = "" ) [static]
```

Extension method for IDictionary. Dumps a dictionary to a string.

Parameters

<i>dict</i>	IDictionary-instance to dump.
<i>prefix</i>	Prefix for every element (default: empty, optional).
<i>postfix</i>	Postfix for every element (default: empty, optional).

Returns

String with lines for all dictionary entries.

5.34.2.15 CTDump< T >() [1/2]

```
static string Crosstales.ExtensionMethods.CTDump< T > (  
    this System.Collections.Generic.IList< T > list,  
    string prefix = "",  
    string postfix = "" ) [static]
```

Extension method for IList. Dumps a list to a string.

Parameters

<i>list</i>	IList-instance to dump.
<i>prefix</i>	Prefix for every element (default: empty, optional).
<i>postfix</i>	Postfix for every element (default: empty, optional).

Returns

String with lines for all list entries.

5.34.2.16 CTDump< T >() [2/2]

```
static string Crosstales.ExtensionMethods.CTDump< T > (  
    this T[] array,  
    string prefix = "",  
    string postfix = "" ) [static]
```

Extension method for Arrays. Dumps an array to a string.

Parameters

<i>array</i>	Array-instance to dump.
<i>prefix</i>	Prefix for every element (default: empty, optional).
<i>postfix</i>	Postfix for every element (default: empty, optional).

Returns

String with lines for all array entries.

5.34.2.17 CTEndsWith()

```
static bool Crosstales.ExtensionMethods.CTEndsWith (
    this string str,
    string toCheck,
    System.StringComparison comp = System.StringComparison.OrdinalIgnoreCase ) [static]
```

Extension method for strings. Checks if the string ends with another string.

Parameters

<i>str</i>	String-instance.
<i>toCheck</i>	String to check.
<i>comp</i>	StringComparison-method (default: StringComparison.OrdinalIgnoreCase, optional)

Returns

True if the string is integer.

5.34.2.18 CTEquals()

```
static bool Crosstales.ExtensionMethods.CTEquals (
    this string str,
    string toCheck,
    System.StringComparison comp = System.StringComparison.OrdinalIgnoreCase ) [static]
```

Extension method for strings. Case insensitive 'Equals'.

Parameters

<i>str</i>	String-instance.
<i>toCheck</i>	String to check.
<i>comp</i>	StringComparison-method (default: StringComparison.OrdinalIgnoreCase, optional)

Returns

True if the string contains the given string.

5.34.2.19 CTIndexOf() [1/2]

```
static int Crosstales.ExtensionMethods.CTIndexOf (
    this string str,
    string toCheck,
    int startIndex,
    System.StringComparison comp = System.StringComparison.OrdinalIgnoreCase ) [static]
```

Extension method for strings. Returns the index of the first occurrence of a given string.

Parameters

<i>str</i>	String-instance.
<i>toCheck</i>	String for the index.
<i>startIndex</i>	Start index for the check.
<i>comp</i>	StringComparison-method (default: StringComparison.OrdinalIgnoreCase, optional)

Returns

The index of the first occurrence of the given string if the string is integer.

5.34.2.20 CTIndexOf() [2/2]

```
static int Crosstales.ExtensionMethods.CTIndexOf (
    this string str,
    string toCheck,
    System.StringComparison comp = System.StringComparison.OrdinalIgnoreCase ) [static]
```

Extension method for strings. Returns the index of the first occurrence of a given string.

Parameters

<i>str</i>	String-instance.
<i>toCheck</i>	String for the index.
<i>comp</i>	StringComparison-method (default: StringComparison.OrdinalIgnoreCase, optional)

Returns

The index of the first occurrence of the given string if the string is integer.

5.34.2.21 CTIsInteger()

```
static bool Crosstales.ExtensionMethods.CTIsInteger (
    this string str ) [static]
```

Extension method for strings. Checks if the string is integer.

Parameters

<i>str</i>	String-instance.
------------	------------------

Returns

True if the string is integer.

5.34.2.22 CTIsNumeric()

```
static bool Crosstales.ExtensionMethods.CTIsNumeric (  
    this string str ) [static]
```

Extension method for strings. Checks if the string is numeric.

Parameters

<i>str</i>	String-instance.
------------	------------------

Returns

True if the string is numeric.

5.34.2.23 CTIsVisibleFrom()

```
static bool Crosstales.ExtensionMethods.CTIsVisibleFrom (  
    this Renderer renderer,  
    Camera camera ) [static]
```

Extension method for Renderer. Determines if the renderer is visible from a certain camera.

Parameters

<i>renderer</i>	Renderer to test the visibility.
<i>camera</i>	Camera for the test.

Returns

True if the renderer is visible by the given camera.

5.34.2.24 CTLastIndexOf()

```
static int Crosstales.ExtensionMethods.CTLastIndexOf (
    this string str,
    string toCheck,
    System.StringComparison comp = System.StringComparison.OrdinalIgnoreCase ) [static]
```

Extension method for strings. Returns the index of the last occurrence of a given string.

Parameters

<i>str</i>	String-instance.
<i>toCheck</i>	String for the index.
<i>comp</i>	StringComparison-method (default: StringComparison.OrdinalIgnoreCase, optional)

Returns

The index of the last occurrence of the given string if the string is integer.

5.34.2.25 CTReadFully()

```
static byte [] Crosstales.ExtensionMethods.CTReadFully (
    this System.IO.Stream input,
    int bufferSize = 16384 ) [static]
```

Extension method for Stream. Reads the full content of a Stream.

Parameters

<i>input</i>	Stream-instance to read.
<i>bufferSize</i>	Buffer size in bytes (default: 16384, optional).

Returns

Byte-array of the Stream content.

5.34.2.26 CTReplace()

```
static string Crosstales.ExtensionMethods.CTReplace (
    this string str,
    string oldString,
    string newString,
    System.StringComparison comp = System.StringComparison.OrdinalIgnoreCase ) [static]
```

Extension method for strings. Case insensitive 'Replace'.

Parameters

<i>str</i>	String-instance.
<i>oldString</i>	String to replace.
<i>newString</i>	New replacement string.
<i>comp</i>	StringComparison-method (default: StringComparison.OrdinalIgnoreCase, optional)

Returns

Replaced string.

5.34.2.27 CTReverse()

```
static string Crosstales.ExtensionMethods.CTReverse (  
    this string str ) [static]
```

Extension method for strings. Reverses a string.

Parameters

<i>str</i>	String-instance.
------------	------------------

Returns

Reversed string.

5.34.2.28 CTShuffle< T >() [1/2]

```
static void Crosstales.ExtensionMethods.CTShuffle< T > (  
    this System.Collections.Generic.IList< T > list,  
    int seed = 0 ) [static]
```

Extension method for IList. Shuffles a List.

Parameters

<i>list</i>	IList-instance to shuffle.
<i>seed</i>	Seed for the PRNG (default: 0 (=standard), optional)

5.34.2.29 CTShuffle< T >() [2/2]

```
static void Crosstales.ExtensionMethods.CTShuffle< T > (  

```

```
    this T[] array,  
    int seed = 0 ) [static]
```

Extension method for Arrays. Shuffles an Array.

Parameters

<i>array</i>	Array-instance to shuffle.
<i>seed</i>	Seed for the PRNG (default: 0 (=standard), optional)

5.34.2.30 CTStartsWith()

```
static bool Crosstales.ExtensionMethods.CTStartsWith (  
    this string str,  
    string toCheck,  
    System.StringComparison comp = System.StringComparison.OrdinalIgnoreCase ) [static]
```

Extension method for strings. Checks if the string starts with another string.

Parameters

<i>str</i>	String-instance.
<i>toCheck</i>	String to check.
<i>comp</i>	StringComparison-method (default: StringComparison.OrdinalIgnoreCase, optional)

Returns

True if the string is integer.

5.34.2.31 CTToString< T >() [1/2]

```
static System.Collections.Generic.List<string> Crosstales.ExtensionMethods.CTToString< T > (  
    this System.Collections.Generic.ICollection< T > list ) [static]
```

Extension method for IList. Generates a string list with all entries (via ToString).

Parameters

<i>list</i>	IList-instance to ToString.
-------------	-----------------------------

Returns

String list with all entries (via ToString).

5.34.2.32 CTToString< T >() [2/2]

```
static string [] Crosstales.ExtensionMethods.CTToString< T > (
    this T[] array ) [static]
```

Extension method for Arrays. Generates a string array with all entries (via ToString).

Parameters

<i>array</i>	Array-instance to ToString.
--------------	-----------------------------

Returns

String array with all entries (via ToString).

5.34.2.33 CTToTitleCase()

```
static string Crosstales.ExtensionMethods.CTToTitleCase (
    this string str ) [static]
```

Extension method for strings. Converts a string to title case (first letter uppercase).

Parameters

<i>str</i>	String-instance.
------------	------------------

Returns

Converted string in title case.


The documentation for this class was generated from the following file:

- D:/slaubenberger/git/assets/FileBrowser/FileBrowserPro/Assets/Plugins/crosstales/Common/Scripts/Extension↵
Methods.cs

5.35 Crosstales.FB.FileBrowser Class Reference

Native file browser various actions like open file, open folder and save file.

Inheritance diagram for Crosstales.FB.FileBrowser:



Public Member Functions

- delegate void **OpenFilesStart** ()
- delegate void **OpenFilesComplete** (bool selected, string singleFile, string[] files)
- delegate void **OpenFoldersStart** ()
- delegate void **OpenFoldersComplete** (bool selected, string singleFolder, string[] folders)
- delegate void **SaveFileStart** ()
- delegate void **OpenAndReadFilesComplete** (bool selected, string singleFile, string[] files)
- delegate void **SaveFileComplete** (bool selected, string file)
- string **OpenSingleFile** (string extension="*")
Open native file browser for a single file.
- string **OpenSingleFile** (string title, string directory, string defaultName, params string[] extensions)
Open native file browser for a single file.
- string **OpenSingleFile** (string title, string directory, string defaultName, params [ExtensionFilter](#)[] extensions)
Open native file browser for a single file.
- string[] **OpenFiles** (string extension="*")
Open native file browser for multiple files.
- string[] **OpenFiles** (string title, string directory, string defaultName, params string[] extensions)
Open native file browser for multiple files.
- string[] **OpenFiles** (string title, string directory, string defaultName, params [ExtensionFilter](#)[] extensions)
Open native file browser for multiple files.
- string **OpenSingleFolder** ()
Open native folder browser for a single folder.
- string **OpenSingleFolder** (string title, string directory="")
Open native folder browser for a single folder. NOTE: Title is not supported under Windows and UWP (WSA)!
- string[] **OpenFolders** ()
Open native folder browser for multiple folders. NOTE: Title and multiple folder selection are not supported under Windows and UWP (WSA)!
- string[] **OpenFolders** (string title, string directory="")
Open native folder browser for multiple folders. NOTE: Title and multiple folder selection are not supported under Windows and UWP (WSA)!
- string **SaveFile** (string defaultName="", string extension="*")
Open native save file browser.
- string **SaveFile** (string title, string directory, string defaultName, params string[] extensions)
Open native save file browser.
- string **SaveFile** (string title, string directory, string defaultName, params [ExtensionFilter](#)[] extensions)
Open native save file browser
- void **OpenSingleFileAsync** (string extension="*")
Asynchronously opens native file browser for a single file.
- void **OpenSingleFileAsync** (string title, string directory, string defaultName, params string[] extensions)
Asynchronously opens native file browser for a single file.
- void **OpenSingleFileAsync** (string title, string directory, string defaultName, params [ExtensionFilter](#)[] extensions)
Asynchronously opens native file browser for a single file.
- void **OpenFilesAsync** (bool multiselect=true, params string[] extensions)
Asynchronously opens native file browser for multiple files.
- void **OpenFilesAsync** (string title, string directory, string defaultName, bool multiselect=true, params string[] extensions)
Asynchronously opens native file browser for multiple files.
- void **OpenFilesAsync** (string title, string directory, string defaultName, bool multiselect=true, params [ExtensionFilter](#)[] extensions)
Asynchronously opens native file browser for multiple files.

- void [OpenSingleFolderAsync](#) ()
Asynchronously opens native folder browser for a single folder.
- void [OpenSingleFolderAsync](#) (string title, string directory="")
Asynchronously opens native folder browser for a single folder. NOTE: Title is not supported under Windows and UWP (WSA)!
- void [OpenFoldersAsync](#) (bool multiselect=true)
Asynchronously opens native folder browser for multiple folders.
- void [OpenFoldersAsync](#) (string title, string directory="", bool multiselect=true)
Asynchronously opens native folder browser for multiple folders.
- void [SaveFileAsync](#) (string defaultName="", string extension="*")
Asynchronously opens native save file browser.
- void [SaveFileAsync](#) (string title, string directory, string defaultName, params string[] extensions)
Asynchronously opens native save file browser.
- void [SaveFileAsync](#) (string title, string directory, string defaultName, params [ExtensionFilter](#)[] extensions)
Asynchronously opens native save file browser (async).
- string[] [GetFiles](#) (string path, bool isRecursive=false, params string[] extensions)
Find files inside a path.
- string[] [GetFiles](#) (string path, bool isRecursive, params [ExtensionFilter](#)[] extensions)
Find files inside a path.
- string[] [GetDirectories](#) (string path, bool isRecursive=false)
Find directories inside.
- string[] [GetDrives](#) ()
Find all logical drives.
- void [OpenFilesAsync](#) (System.Action< string[]> cb, bool multiselect=true, params string[] extensions)
Open native file browser for multiple files.
- void [OpenFilesAsync](#) (System.Action< string[]> cb, string title, string directory, string defaultName, bool multiselect=true, params string[] extensions)
Open native file browser for multiple files.
- void [OpenFilesAsync](#) (System.Action< string[]> cb, string title, string directory, string defaultName, bool multiselect=true, params [ExtensionFilter](#)[] extensions)
Open native file browser for multiple files (async).
- void [OpenFoldersAsync](#) (System.Action< string[]> cb, bool multiselect=true)
Open native folder browser for multiple folders (async).
- void [OpenFoldersAsync](#) (System.Action< string[]> cb, string title, string directory="", bool multiselect=true)
Open native folder browser for multiple folders (async).
- void [SaveFileAsync](#) (System.Action< string > cb, string defaultName="", string extension="*")
Open native save file browser
- void [SaveFileAsync](#) (System.Action< string > cb, string title, string directory, string defaultName, params string[] extensions)
Open native save file browser
- void [SaveFileAsync](#) (System.Action< string > cb, string title, string directory, string defaultName, params [ExtensionFilter](#)[] extensions)
Open native save file browser (async).

Public Attributes

- bool [canOpenMultipleFiles](#) => wrapperHolder?.PlatformWrapper.canOpenMultipleFiles ?? false
Indicates if this wrapper can open multiple files.
- bool [canOpenMultipleFolders](#) => wrapperHolder?.PlatformWrapper.canOpenMultipleFolders ?? false
Indicates if this wrapper can open multiple folders.
- bool [isPlatformSupported](#) => wrapperHolder?.PlatformWrapper.isPlatformSupported ?? true

Indicates if this wrapper is supporting the current platform.

- bool `isWorkingInEditor` => `wrapperHolder?.PlatformWrapper.isWorkingInEditor ?? false`

Indicates if this wrapper is working directly inside the Unity Editor (without 'Play'-mode).

- `OnOpenFilesCompleted` `OnOpenFilesCompleted`
- `OnOpenFoldersCompleted` `OnOpenFoldersCompleted`
- `OnSaveFileCompleted` `OnSaveFileCompleted`

Protected Member Functions

- override void `Awake` ()

Properties

- `Wrapper.BaseCustomFileBrowser CustomWrapper` [get, set]
Custom wrapper for File Browser.
- bool `CustomMode` [get, set]
Enables or disables the custom wrapper.
- bool `LegacyFolderBrowser` [get, set]
Use the legacy folder browser (Windows).
- bool `AskOverwriteFile` [get, set]
Ask to overwrite existing file in save dialog (Windows).
- string `TitleOpenFile` [get, set]
Title for the 'Open File'-dialog.
- string `TitleOpenFiles` [get, set]
Title for the 'Open Files'-dialog.
- string `TitleOpenFolder` [get, set]
Title for the 'Open Folder'-dialog.
- string `TitleOpenFolders` [get, set]
Title for the 'Open Folders'-dialog.
- string `TitleSaveFile` [get, set]
Title for the 'Save File'-dialog.
- string `TextAllFiles` [get, set]
Text for 'All Files'-filter ().*
- string `NameSaveFile` [get, set]
Default name of the save-file.
- string `CurrentOpenSingleFile` [get]
Returns the file from the last "OpenSingleFile"-action.
- string[] `CurrentOpenFiles` [get]
Returns the array of files from the last "OpenFiles"-action.
- string `CurrentOpenSingleFolder` [get]
Returns the folder from the last "OpenSingleFolder"-action.
- string[] `CurrentOpenFolders` [get]
Returns the array of folders from the last "OpenFolders"-action.
- string `CurrentSaveFile` [get]
Returns the file from the last "SaveFile"-action.

Events

- OpenFilesStart [OnOpenFilesStart](#)
An event triggered whenever "OpenFiles" is started.
- OpenFilesComplete [OnOpenFilesComplete](#)
An event triggered whenever "OpenFiles" is completed.
- OpenFoldersStart [OnOpenFoldersStart](#)
An event triggered whenever "OpenFolders" is started.
- OpenFoldersComplete [OnOpenFoldersComplete](#)
An event triggered whenever "OpenFolders" is completed.
- SaveFileStart [OnSaveFileStart](#)
An event triggered whenever "SaveFile" is started.
- SaveFileComplete [OnSaveFileComplete](#)
An event triggered whenever "SaveFile" is completed.

Additional Inherited Members

5.35.1 Detailed Description

Native file browser various actions like open file, open folder and save file.

5.35.2 Member Function Documentation

5.35.2.1 GetDirectories()

```
string [ ] Crosstales.FB.FileBrowser.GetDirectories (
    string path,
    bool isRecursive = false )
```

Find directories inside.

Parameters

<i>path</i>	Path to find the directories
<i>isRecursive</i>	Recursive search (default: false, optional)

Returns

Returns array of the found directories inside the path. Zero length array when an error occurred.

5.35.2.2 GetDrives()

```
string [ ] Crosstales.FB.FileBrowser.GetDrives ( )
```

Find all logical drives.

Returns

Returns array of the found drives. Zero length array when an error occurred.

5.35.2.3 GetFiles() [1/2]

```
string [] Crosstales.FB.FileBrowser.GetFiles (
    string path,
    bool isRecursive,
    params ExtensionFilter[] extensions )
```

Find files inside a path.

Parameters

<i>path</i>	Path to find the files
<i>isRecursive</i>	Recursive search
<i>extensions</i>	List of extension filters for the search (optional)

Returns

Returns array of the found files inside the path. Zero length array when an error occurred.

5.35.2.4 GetFiles() [2/2]

```
string [] Crosstales.FB.FileBrowser.GetFiles (
    string path,
    bool isRecursive = false,
    params string[] extensions )
```

Find files inside a path.

Parameters

<i>path</i>	Path to find the files
<i>isRecursive</i>	Recursive search (default: false, optional)
<i>extensions</i>	Extensions for the file search, e.g. "png" (optional)

Returns

Returns array of the found files inside the path (alphabetically ordered). Zero length array when an error occurred.

5.35.2.5 OpenFiles() [1/3]

```
string [] Crosstales.FB.FileBrowser.OpenFiles (
    string extension = "*" )
```

Open native file browser for multiple files.

Parameters

<i>extension</i>	Allowed extension, e.g. "png" (optional)
------------------	--

Returns

Returns a string of the chosen file. Empty string when cancelled

5.35.2.6 OpenFiles() [2/3]

```
string [] Crosstales.FB.FileBrowser.OpenFiles (
    string title,
    string directory,
    string defaultName,
    params ExtensionFilter[] extensions )
```

Open native file browser for multiple files.

Parameters

<i>title</i>	Dialog title
<i>directory</i>	Root directory
<i>defaultName</i>	Default file name (currently only supported under Windows standalone)
<i>extensions</i>	List of extension filters (optional)

Returns

Returns array of chosen files. Zero length array when cancelled

5.35.2.7 OpenFiles() [3/3]

```
string [] Crosstales.FB.FileBrowser.OpenFiles (
    string title,
    string directory,
    string defaultName,
    params string[] extensions )
```

Open native file browser for multiple files.

Parameters

<i>title</i>	Dialog title
<i>directory</i>	Root directory
<i>defaultName</i>	Default file name (currently only supported under Windows standalone)
<i>extensions</i>	Allowed extensions, e.g. "png" (optional)

Returns

Returns array of chosen files. Zero length array when cancelled

5.35.2.8 OpenFilesAsync() [1/6]

```
void Crosstales.FB.FileBrowser.OpenFilesAsync (
    bool multiselect = true,
    params string[] extensions )
```

Asynchronously opens native file browser for multiple files.

Parameters

<i>multiselect</i>	Allow multiple file selection (default: true, optional)
<i>extensions</i>	Allowed extensions, e.g. "png" (optional)

Returns

Returns array of chosen files. Zero length array when cancelled

5.35.2.9 OpenFilesAsync() [2/6]

```
void Crosstales.FB.FileBrowser.OpenFilesAsync (
    string title,
    string directory,
    string defaultName,
    bool multiselect = true,
    params ExtensionFilter[] extensions )
```

Asynchronously opens native file browser for multiple files.

Parameters

<i>title</i>	Dialog title
<i>directory</i>	Root directory
<i>defaultName</i>	Default file name (currently only supported under Windows standalone)
<i>multiselect</i>	Allow multiple file selection (default: true, optional)
<i>extensions</i>	List of extension filters (optional)

Returns

Returns array of chosen files. Zero length array when cancelled

5.35.2.10 OpenFilesAsync() [3/6]

```
void Crosstales.FB.FileBrowser.OpenFilesAsync (
    string title,
    string directory,
    string defaultName,
    bool multiselect = true,
    params string[] extensions )
```

Asynchronously opens native file browser for multiple files.

Parameters

<i>title</i>	Dialog title
<i>directory</i>	Root directory
<i>defaultName</i>	Default file name (currently only supported under Windows standalone)
<i>multiselect</i>	Allow multiple file selection (default: true, optional)
<i>extensions</i>	Allowed extensions, e.g. "png" (optional)

Returns

Returns array of chosen files. Zero length array when cancelled

5.35.2.11 OpenFilesAsync() [4/6]

```
void Crosstales.FB.FileBrowser.OpenFilesAsync (
    System.Action< string[]> cb,
    bool multiselect = true,
    params string[] extensions )
```

Open native file browser for multiple files.

Parameters

<i>cb</i>	Callback for the async operation.
<i>multiselect</i>	Allow multiple file selection (default: true, optional)
<i>extensions</i>	Allowed extensions, e.g. "png" (optional)

Returns

Returns array of chosen files. Zero length array when cancelled

5.35.2.12 OpenFilesAsync() [5/6]

```
void Crosstales.FB.FileBrowser.OpenFilesAsync (
    System.Action< string[]> cb,
    string title,
    string directory,
    string defaultName,
    bool multiselect = true,
    params ExtensionFilter[] extensions )
```

Open native file browser for multiple files (async).

Parameters

<i>cb</i>	Callback for the async operation.
<i>title</i>	Dialog title
<i>directory</i>	Root directory
<i>defaultName</i>	Default file name (currently only supported under Windows standalone)
<i>multiselect</i>	Allow multiple file selection (default: true, optional)
<i>extensions</i>	List of extension filters (optional)

Returns

Returns array of chosen files. Zero length array when cancelled

5.35.2.13 OpenFilesAsync() [6/6]

```
void Crosstales.FB.FileBrowser.OpenFilesAsync (
    System.Action< string[]> cb,
    string title,
    string directory,
    string defaultName,
    bool multiselect = true,
    params string[] extensions )
```

Open native file browser for multiple files.

Parameters

<i>cb</i>	Callback for the async operation.
<i>title</i>	Dialog title
<i>directory</i>	Root directory
<i>defaultName</i>	Default file name (currently only supported under Windows standalone)
<i>multiselect</i>	Allow multiple file selection (default: true, optional)
<i>extensions</i>	Allowed extensions, e.g. "png" (optional)

Returns

Returns array of chosen files. Zero length array when cancelled

5.35.2.14 OpenFolders() [1/2]

```
string [] Crosstales.FB.FileBrowser.OpenFolders ( )
```

Open native folder browser for multiple folders. NOTE: Title and multiple folder selection are not supported under Windows and UWP (WSA)!

Returns

Returns array of chosen folders. Zero length array when cancelled

5.35.2.15 OpenFolders() [2/2]

```
string [] Crosstales.FB.FileBrowser.OpenFolders (
    string title,
    string directory = "" )
```

Open native folder browser for multiple folders. NOTE: Title and multiple folder selection are not supported under Windows and UWP (WSA)!

Parameters

<i>title</i>	Dialog title
<i>directory</i>	Root directory (default: current, optional)

Returns

Returns array of chosen folders. Zero length array when cancelled

5.35.2.16 OpenFoldersAsync() [1/4]

```
void Crosstales.FB.FileBrowser.OpenFoldersAsync (
    bool multiselect = true )
```

Asynchronously opens native folder browser for multiple folders.

Parameters

<i>multiselect</i>	Allow multiple folder selection (default: true, optional)
--------------------	---

Returns

Returns array of chosen folders. Zero length array when cancelled

5.35.2.17 OpenFoldersAsync() [2/4]

```
void Crosstales.FB.FileBrowser.OpenFoldersAsync (
    string title,
    string directory = "",
    bool multiselect = true )
```

Asynchronously opens native folder browser for multiple folders.

Parameters

<i>title</i>	Dialog title
<i>directory</i>	Root directory (default: current, optional)
<i>multiselect</i>	Allow multiple folder selection (default: true, optional)

Returns

Returns array of chosen folders. Zero length array when cancelled

5.35.2.18 OpenFoldersAsync() [3/4]

```
void Crosstales.FB.FileBrowser.OpenFoldersAsync (
    System.Action< string[]> cb,
    bool multiselect = true )
```

Open native folder browser for multiple folders (async).

Parameters

<i>cb</i>	Callback for the async operation.
<i>multiselect</i>	Allow multiple folder selection (default: true, optional)

Returns

Returns array of chosen folders. Zero length array when cancelled

5.35.2.19 OpenFoldersAsync() [4/4]

```
void Crosstales.FB.FileBrowser.OpenFoldersAsync (
    System.Action< string[]> cb,
```

```

    string title,
    string directory = "",
    bool multiselect = true )

```

Open native folder browser for multiple folders (async).

Parameters

<i>cb</i>	Callback for the async operation.
<i>title</i>	Dialog title
<i>directory</i>	Root directory (default: current, optional)
<i>multiselect</i>	Allow multiple folder selection (default: true, optional)

Returns

Returns array of chosen folders. Zero length array when cancelled

5.35.2.20 OpenSingleFile() [1/3]

```

string Crosstales.FB.FileBrowser.OpenSingleFile (
    string extension = "*" )

```

Open native file browser for a single file.

Parameters

<i>extension</i>	Allowed extension, e.g. "png" (optional)
------------------	--

Returns

Returns a string of the chosen file. Empty string when cancelled

5.35.2.21 OpenSingleFile() [2/3]

```

string Crosstales.FB.FileBrowser.OpenSingleFile (
    string title,
    string directory,
    string defaultName,
    params ExtensionFilter[] extensions )

```

Open native file browser for a single file.

Parameters

<i>title</i>	Dialog title
<i>directory</i>	Root directory
<i>defaultName</i>	Default file name (currently only supported under Windows standalone)
<i>extensions</i>	List of extension filters (optional)

Returns

Returns a string of the chosen file. Empty string when cancelled

5.35.2.22 OpenSingleFile() [3/3]

```
string Crosstales.FB.FileBrowser.OpenSingleFile (
    string title,
    string directory,
    string defaultName,
    params string[] extensions )
```

Open native file browser for a single file.

Parameters

<i>title</i>	Dialog title
<i>directory</i>	Root directory
<i>defaultName</i>	Default file name (currently only supported under Windows standalone)
<i>extensions</i>	Allowed extensions, e.g. "png" (optional)

Returns

Returns a string of the chosen file. Empty string when cancelled

5.35.2.23 OpenSingleFileAsync() [1/3]

```
void Crosstales.FB.FileBrowser.OpenSingleFileAsync (
    string extension = "*" )
```

Asynchronously opens native file browser for a single file.

Parameters

<i>extension</i>	Allowed extension, e.g. "png" (optional)
------------------	--

Returns

Returns a string of the chosen file. Empty string when cancelled

5.35.2.24 OpenSingleFileAsync() [2/3]

```
void Crosstales.FB.FileBrowser.OpenSingleFileAsync (
    string title,
```

```
string directory,  
string defaultName,  
params ExtensionFilter[] extensions )
```

Asynchronously opens native file browser for a single file.

Parameters

<i>title</i>	Dialog title
<i>directory</i>	Root directory
<i>defaultName</i>	Default file name (currently only supported under Windows standalone)
<i>extensions</i>	List of extension filters (optional)

Returns

Returns a string of the chosen file. Empty string when cancelled

5.35.2.25 OpenSingleFileAsync() [3/3]

```
void Crosstales.FB.FileBrowser.OpenSingleFileAsync (  
    string title,  
    string directory,  
    string defaultName,  
    params string[] extensions )
```

Asynchronously opens native file browser for a single file.

Parameters

<i>title</i>	Dialog title
<i>directory</i>	Root directory
<i>defaultName</i>	Default file name (currently only supported under Windows standalone)
<i>extensions</i>	Allowed extensions, e.g. "png" (optional)

Returns

Returns a string of the chosen file. Empty string when cancelled

5.35.2.26 OpenSingleFolder() [1/2]

```
string Crosstales.FB.FileBrowser.OpenSingleFolder ( )
```

Open native folder browser for a single folder.

Returns

Returns a string of the chosen folder. Empty string when cancelled

5.35.2.27 OpenSingleFolder() [2/2]

```
string Crosstales.FB.FileBrowser.OpenSingleFolder (
    string title,
    string directory = "" )
```

Open native folder browser for a single folder. NOTE: Title is not supported under Windows and UWP (WSA)!

Parameters

<i>title</i>	Dialog title
<i>directory</i>	Root directory (default: current, optional)

Returns

Returns a string of the chosen folder. Empty string when cancelled

5.35.2.28 OpenSingleFolderAsync() [1/2]

```
void Crosstales.FB.FileBrowser.OpenSingleFolderAsync ( )
```

Asynchronously opens native folder browser for a single folder.

Returns

Returns a string of the chosen folder. Empty string when cancelled

5.35.2.29 OpenSingleFolderAsync() [2/2]

```
void Crosstales.FB.FileBrowser.OpenSingleFolderAsync (
    string title,
    string directory = "" )
```

Asynchronously opens native folder browser for a single folder. NOTE: Title is not supported under Windows and UWP (WSA)!

Parameters

<i>title</i>	Dialog title
<i>directory</i>	Root directory (default: current, optional)

Returns

Returns a string of the chosen folder. Empty string when cancelled

5.35.2.30 SaveFile() [1/3]

```
string Crosstales.FB.FileBrowser.SaveFile (
    string defaultName = "",
    string extension = "*" )
```

Open native save file browser.

Parameters

<i>defaultName</i>	Default file name (optional)
<i>extension</i>	File extensions, e.g. "png" (optional)

Returns

Returns chosen file. Empty string when cancelled

5.35.2.31 SaveFile() [2/3]

```
string Crosstales.FB.FileBrowser.SaveFile (
    string title,
    string directory,
    string defaultName,
    params ExtensionFilter[] extensions )
```

Open native save file browser

Parameters

<i>title</i>	Dialog title
<i>directory</i>	Root directory
<i>defaultName</i>	Default file name
<i>extensions</i>	List of extension filters (optional)

Returns

Returns chosen file. Empty string when cancelled

5.35.2.32 SaveFile() [3/3]

```
string Crosstales.FB.FileBrowser.SaveFile (
    string title,
    string directory,
    string defaultName,
    params string[] extensions )
```

Open native save file browser.

Parameters

<i>title</i>	Dialog title
<i>directory</i>	Root directory
<i>defaultName</i>	Default file name
<i>extensions</i>	File extensions, e.g. "png" (optional)

Returns

Returns chosen file. Empty string when cancelled

5.35.2.33 SaveFileAsync() [1/6]

```
void Crosstales.FB.FileBrowser.SaveFileAsync (
    string defaultName = "",
    string extension = "*" )
```

Asynchronously opens native save file browser.

Parameters

<i>defaultName</i>	Default file name (optional)
<i>extension</i>	File extension, e.g. "png" (optional)

Returns

Returns chosen file. Empty string when cancelled

5.35.2.34 SaveFileAsync() [2/6]

```
void Crosstales.FB.FileBrowser.SaveFileAsync (
    string title,
    string directory,
    string defaultName,
    params ExtensionFilter[] extensions )
```

Asynchronously opens native save file browser (async)

Parameters

<i>title</i>	Dialog title
<i>directory</i>	Root directory
<i>defaultName</i>	Default file name
<i>extensions</i>	List of extension filters (optional)

Returns

Returns chosen file. Empty string when cancelled

5.35.2.35 SaveFileAsync() [3/6]

```
void Crosstales.FB.FileBrowser.SaveFileAsync (
    string title,
    string directory,
    string defaultName,
    params string[] extensions )
```

Asynchronously opens native save file browser.

Parameters

<i>title</i>	Dialog title
<i>directory</i>	Root directory
<i>defaultName</i>	Default file name
<i>extensions</i>	File extensions, e.g. "png" (optional)

Returns

Returns chosen file. Empty string when cancelled

5.35.2.36 SaveFileAsync() [4/6]

```
void Crosstales.FB.FileBrowser.SaveFileAsync (
    System.Action< string > cb,
    string defaultName = "",
    string extension = "*" )
```

Open native save file browser

Parameters

<i>cb</i>	Callback for the async operation.
<i>defaultName</i>	Default file name (optional)
<i>extension</i>	File extension, e.g. "png" (optional)

Returns

Returns chosen file. Empty string when cancelled

5.35.2.37 SaveFileAsync() [5/6]

```
void Crosstales.FB.FileBrowser.SaveFileAsync (
    System.Action< string > cb,
    string title,
    string directory,
    string defaultName,
    params ExtensionFilter[] extensions )
```

Open native save file browser (async).

Parameters

<i>cb</i>	Callback for the async operation.
<i>title</i>	Dialog title
<i>directory</i>	Root directory
<i>defaultName</i>	Default file name
<i>extensions</i>	List of extension filters (optional)

Returns

Returns chosen file. Empty string when cancelled

5.35.2.38 SaveFileAsync() [6/6]

```
void Crosstales.FB.FileBrowser.SaveFileAsync (
    System.Action< string > cb,
    string title,
    string directory,
    string defaultName,
    params string[] extensions )
```

Open native save file browser

Parameters

<i>cb</i>	Callback for the async operation.
<i>title</i>	Dialog title
<i>directory</i>	Root directory
<i>defaultName</i>	Default file name
<i>extensions</i>	File extensions, e.g. "png" (optional)

Returns

Returns chosen file. Empty string when cancelled

5.35.3 Member Data Documentation

5.35.3.1 canOpenMultipleFiles

```
bool Crosstales.FB.FileBrowser.canOpenMultipleFiles => wrapperHolder?.PlatformWrapper.can↔  
OpenMultipleFiles ?? false
```

Indicates if this wrapper can open multiple files.

Returns

[Wrapper](#) can open multiple files.

5.35.3.2 canOpenMultipleFolders

```
bool Crosstales.FB.FileBrowser.canOpenMultipleFolders => wrapperHolder?.PlatformWrapper.can↔  
OpenMultipleFolders ?? false
```

Indicates if this wrapper can open multiple folders.

Returns

[Wrapper](#) can open multiple folders.

5.35.3.3 isPlatformSupported

```
bool Crosstales.FB.FileBrowser.isPlatformSupported => wrapperHolder?.PlatformWrapper.is↔  
PlatformSupported ?? true
```

Indicates if this wrapper is supporting the current platform.

Returns

True if this wrapper supports current platform.

5.35.3.4 isWorkingInEditor

```
bool Crosstales.FB.FileBrowser.isWorkingInEditor => wrapperHolder?.PlatformWrapper.isWorking↔  
InEditor ?? false
```

Indicates if this wrapper is working directly inside the Unity Editor (without 'Play'-mode).

Returns

True if this wrapper is working directly inside the Unity Editor.

5.35.4 Property Documentation

5.35.4.1 AskOverwriteFile

```
bool Crosstales.FB.FileBrowser.AskOverwriteFile [get], [set]
```

Ask to overwrite existing file in save dialog (Windows).

5.35.4.2 CurrentOpenFiles

```
string [] Crosstales.FB.FileBrowser.CurrentOpenFiles [get]
```

Returns the array of files from the last "OpenFiles"-action.

Returns

Array of files from the last "OpenFiles"-action.

5.35.4.3 CurrentOpenFolders

```
string [] Crosstales.FB.FileBrowser.CurrentOpenFolders [get]
```

Returns the array of folders from the last "OpenFolders"-action.

Returns

Array of folders from the last "OpenFolders"-action.

5.35.4.4 CurrentOpenSingleFile

```
string Crosstales.FB.FileBrowser.CurrentOpenSingleFile [get]
```

Returns the file from the last "OpenSingleFile"-action.

Returns

File from the last "OpenSingleFile"-action.

5.35.4.5 CurrentOpenSingleFolder

```
string Crosstales.FB.FileBrowser.CurrentOpenSingleFolder [get]
```

Returns the folder from the last "OpenSingleFolder"-action.

Returns

Folder from the last "OpenSingleFolder"-action.

5.35.4.6 CurrentSaveFile

```
string Crosstales.FB.FileBrowser.CurrentSaveFile [get]
```

Returns the file from the last "SaveFile"-action.

Returns

File from the last "SaveFile"-action.

5.35.4.7 CustomMode

```
bool Crosstales.FB.FileBrowser.CustomMode [get], [set]
```

Enables or disables the custom wrapper.

5.35.4.8 CustomWrapper

```
Wrapper.BaseCustomFileBrowser Crosstales.FB.FileBrowser.CustomWrapper [get], [set]
```

Custom wrapper for File Browser.

5.35.4.9 LegacyFolderBrowser

```
bool Crosstales.FB.FileBrowser.LegacyFolderBrowser [get], [set]
```

Use the legacy folder browser (Windows).

5.35.4.10 NameSaveFile

```
string Crosstales.FB.FileBrowser.NameSaveFile [get], [set]
```

Default name of the save-file.

5.35.4.11 TextAllFiles

```
string Crosstales.FB.FileBrowser.TextAllFiles [get], [set]
```

Text for 'All Files'-filter (*).

5.35.4.12 TitleOpenFile

```
string Crosstales.FB.FileBrowser.TitleOpenFile [get], [set]
```

Title for the 'Open File'-dialog.

5.35.4.13 TitleOpenFiles

```
string Crosstales.FB.FileBrowser.TitleOpenFiles [get], [set]
```

Title for the 'Open Files'-dialog.

5.35.4.14 TitleOpenFolder

```
string Crosstales.FB.FileBrowser.TitleOpenFolder [get], [set]
```

Title for the 'Open Folder'-dialog.

5.35.4.15 TitleOpenFolders

```
string Crosstales.FB.FileBrowser.TitleOpenFolders [get], [set]
```

Title for the 'Open Folders'-dialog.

5.35.4.16 TitleSaveFile

```
string Crosstales.FB.FileBrowser.TitleSaveFile [get], [set]
```

Title for the 'Save File'-dialog.

5.35.5 Event Documentation

5.35.5.1 OnOpenFilesComplete

```
OpenFilesComplete Crosstales.FB.FileBrowser.OnOpenFilesComplete
```

An event triggered whenever "OpenFiles" is completed.

5.35.5.2 OnOpenFilesStart

```
OpenFilesStart Crosstales.FB.FileBrowser.OnOpenFilesStart
```

An event triggered whenever "OpenFiles" is started.

5.35.5.3 OnOpenFoldersComplete

```
OpenFoldersComplete Crosstales.FB.FileBrowser.OnOpenFoldersComplete
```

An event triggered whenever "OpenFolders" is completed.

5.35.5.4 OnOpenFoldersStart

```
OpenFoldersStart Crosstales.FB.FileBrowser.OnOpenFoldersStart
```

An event triggered whenever "OpenFolders" is started.

5.35.5.5 OnSaveFileComplete

```
SaveFileComplete Crosstales.FB.FileBrowser.OnSaveFileComplete
```

An event triggered whenever "SaveFile" is completed.

5.35.5.6 OnSaveFileStart

SaveFileStart Crosstales.FB.FileBrowser.OnSaveFileStart


An event triggered whenever "SaveFile" is started.

The documentation for this class was generated from the following file:

- D:/slaubenberger/git/assets/FileBrowser/FileBrowserPro/Assets/Plugins/crosstales/FileBrowser/Scripts/FileBrowser.cs

5.36 Crosstales.FB.Wrapper.FileBrowserEditor Class Reference

Inheritance diagram for Crosstales.FB.Wrapper.FileBrowserEditor:



Public Member Functions

- override string[] [OpenFiles](#) (string title, string directory, string defaultName, bool multiselect, params [ExtensionFilter](#)[] extensions)
Open native file browser for multiple files.
- override string[] [OpenFolders](#) (string title, string directory, bool multiselect)
Open native folder browser for multiple folders.
- override string [SaveFile](#) (string title, string directory, string defaultName, params [ExtensionFilter](#)[] extensions)
Open native save file browser.
- override void **OpenFilesAsync** (string title, string directory, string defaultName, bool multiselect, [ExtensionFilter](#)[] extensions, Action< string[]> cb)
- override void **OpenFoldersAsync** (string title, string directory, bool multiselect, Action< string[]> cb)
- override void **SaveFileAsync** (string title, string directory, string defaultName, [ExtensionFilter](#)[] extensions, Action< string > cb)

Public Attributes

- override bool **canOpenMultipleFiles** => false
- override bool **canOpenMultipleFolders** => false
- override bool **isPlatformSupported** => [Util.Helper.isWindowsPlatform](#) || [Util.Helper.isMacOSPlatform](#) || [Util.Helper.isLinuxPlatform](#) || [Util.Helper.isWSABasedPlatform](#)
- override bool **isWorkingInEditor** => true

Additional Inherited Members

5.36.1 Member Function Documentation

5.36.1.1 OpenFiles()

```
override string [] Crosstales.FB.Wrapper.FileBrowserEditor.OpenFiles (
    string title,
    string directory,
    string defaultName,
    bool multiselect,
    params ExtensionFilter[] extensions ) [virtual]
```

Open native file browser for multiple files.

Parameters

<i>title</i>	Dialog title
<i>directory</i>	Root directory
<i>defaultName</i>	Default file name (currently only supported under Windows standalone)
<i>multiselect</i>	Allow multiple file selection
<i>extensions</i>	List of extension filters. Filter Example: new ExtensionFilter ("Image Files", "jpg", "png")

Returns

Returns array of chosen files. Zero length array when cancelled

Implements [Crosstales.FB.Wrapper.BaseFileBrowser](#).

5.36.1.2 OpenFolders()

```
override string [] Crosstales.FB.Wrapper.FileBrowserEditor.OpenFolders (
    string title,
    string directory,
    bool multiselect ) [virtual]
```

Open native folder browser for multiple folders.

Parameters

<i>title</i>	Dialog title
<i>directory</i>	Root directory
<i>multiselect</i>	Allow multiple folder selection

Returns

Returns array of chosen folders. Zero length array when cancelled

Implements [Crosstales.FB.Wrapper.BaseFileBrowser](#).

5.36.1.3 SaveFile()

```
override string Crosstales.FB.Wrapper.FileBrowserEditor.SaveFile (
    string title,
    string directory,
    string defaultName,
    params ExtensionFilter[] extensions ) [virtual]
```

Open native save file browser.

Parameters

<i>title</i>	Dialog title
<i>directory</i>	Root directory
<i>defaultName</i>	Default file name
<i>extensions</i>	List of extension filters. Filter Example: new ExtensionFilter ("Image Files", "jpg", "png")

Returns

Returns chosen file. Empty string when cancelled

Implements [Crosstales.FB.Wrapper.BaseFileBrowser](#).


The documentation for this class was generated from the following file:

- D:/slaubenberger/git/assets/FileBrowser/FileBrowserPro/Assets/Plugins/crosstales/FileBrowser/Scripts/↔
Wrapper/FileBrowserEditor.cs

5.37 Crosstales.FB.EditorExtension.FileBrowserEditor Class Reference

Custom editor for the '[FileBrowser](#)'-class.

Inheritance diagram for Crosstales.FB.EditorExtension.FileBrowserEditor:



Public Member Functions

- void **OnEnable** ()
- void **OnDisable** ()
- override void **OnInspectorGUI** ()

5.37.1 Detailed Description

Custom editor for the 'FileBrowser'-class.

The documentation for this class was generated from the following file:

- D:/slaubenberger/git/assets/FileBrowser/FileBrowserPro/Assets/Plugins/crosstales/FileBrowser/Editor/↵↵
Extension/FileBrowserEditor.cs

5.38 Crosstales.FB.EditorIntegration.FileBrowserGameObject Class Reference

Editor component for the "Hierarchy"-menu.

5.38.1 Detailed Description

Editor component for the "Hierarchy"-menu.


The documentation for this class was generated from the following file:

- D:/slaubenberger/git/assets/FileBrowser/FileBrowserPro/Assets/Plugins/crosstales/FileBrowser/Editor/↵↵
Integration/FileBrowserGameObject.cs

5.39 Crosstales.FB.Wrapper.FileBrowserGeneric Class Reference

File browser implementation for generic devices (currently NOT IMPLEMENTED).

Inheritance diagram for Crosstales.FB.Wrapper.FileBrowserGeneric:



Public Member Functions

- override string[] [OpenFiles](#) (string title, string directory, string defaultName, bool multiselect, params [ExtensionFilter](#)[] extensions)
Open native file browser for multiple files.
- override string[] [OpenFolders](#) (string title, string directory, bool multiselect)
Open native folder browser for multiple folders.
- override string [SaveFile](#) (string title, string directory, string defaultName, params [ExtensionFilter](#)[] extensions)
Open native save file browser.
- override void **OpenFilesAsync** (string title, string directory, string defaultName, bool multiselect, [ExtensionFilter](#)[] extensions, Action< string[]> cb)
- override void **OpenFoldersAsync** (string title, string directory, bool multiselect, Action< string[]> cb)
- override void **SaveFileAsync** (string title, string directory, string defaultName, [ExtensionFilter](#)[] extensions, Action< string > cb)

Public Attributes

- override bool **canOpenMultipleFiles** => false
- override bool **canOpenMultipleFolders** => false
- override bool **isPlatformSupported** => false
- override bool **isWorkingInEditor** => true

Additional Inherited Members

5.39.1 Detailed Description

File browser implementation for generic devices (currently NOT IMPLEMENTED).

5.39.2 Member Function Documentation

5.39.2.1 OpenFiles()

```
override string [] Crosstales.FB.Wrapper.FileBrowserGeneric.OpenFiles (
    string title,
    string directory,
    string defaultName,
    bool multiselect,
    params ExtensionFilter[] extensions ) [virtual]
```

Open native file browser for multiple files.

Parameters

<i>title</i>	Dialog title
<i>directory</i>	Root directory
<i>defaultName</i>	Default file name (currently only supported under Windows standalone)
<i>multiselect</i>	Allow multiple file selection
<i>extensions</i>	List of extension filters. Filter Example: new ExtensionFilter ("Image Files", "jpg", "png")

Returns

Returns array of chosen files. Zero length array when cancelled

Implements [Crosstales.FB.Wrapper.BaseFileBrowser](#).

5.39.2.2 OpenFolders()

```
override string [] Crosstales.FB.Wrapper.FileBrowserGeneric.OpenFolders (
    string title,
    string directory,
    bool multiselect ) [virtual]
```

Open native folder browser for multiple folders.

Parameters

<i>title</i>	Dialog title
<i>directory</i>	Root directory
<i>multiselect</i>	Allow multiple folder selection

Returns

Returns array of chosen folders. Zero length array when cancelled

Implements [Crosstales.FB.Wrapper.BaseFileBrowser](#).

5.39.2.3 SaveFile()

```
override string Crosstales.FB.Wrapper.FileBrowserGeneric.SaveFile (
    string title,
    string directory,
    string defaultName,
    params ExtensionFilter[] extensions ) [virtual]
```

Open native save file browser.

Parameters

<i>title</i>	Dialog title
<i>directory</i>	Root directory
<i>defaultName</i>	Default file name
<i>extensions</i>	List of extension filters. Filter Example: new ExtensionFilter ("Image Files", "jpg", "png")

Returns

Returns chosen file. Empty string when cancelled

Implements [Crosstales.FB.Wrapper.BaseFileBrowser](#).


The documentation for this class was generated from the following file:

- D:/slaubenberger/git/assets/FileBrowser/FileBrowserPro/Assets/Plugins/crosstales/FileBrowser/Scripts/↔ Wrapper/FileBrowserGeneric.cs

5.40 Crosstales.FB.Wrapper.FileBrowserLinux Class Reference

File browser implementation for [Linux](#) (GTK).

Inheritance diagram for Crosstales.FB.Wrapper.FileBrowserLinux:



Public Member Functions

- override string[] [OpenFiles](#) (string title, string directory, string defaultName, bool multiselect, params [ExtensionFilter](#)[] extensions)
Open native file browser for multiple files.
- override string[] [OpenFolders](#) (string title, string directory, bool multiselect)
Open native folder browser for multiple folders.
- override string **SaveFile** (string title, string directory, string defaultName, [ExtensionFilter](#)[] extensions)
- override void **OpenFilesAsync** (string title, string directory, string defaultName, bool multiselect, [ExtensionFilter](#)[] extensions, Action< string[]> cb)
- override void **OpenFoldersAsync** (string title, string directory, bool multiselect, Action< string[]> cb)
- override void **SaveFileAsync** (string title, string directory, string defaultName, [ExtensionFilter](#)[] extensions, Action< string > cb)

Public Attributes

- override bool **canOpenMultipleFiles** => true
- override bool **canOpenMultipleFolders** => true
- override bool **isPlatformSupported** => [Util.Helper.isLinuxPlatform](#)
- override bool **isWorkingInEditor** => false

Additional Inherited Members

5.40.1 Detailed Description

File browser implementation for [Linux](#) (GTK).

5.40.2 Member Function Documentation

5.40.2.1 OpenFiles()

```
override string [ ] Crosstales.FB.Wrapper.FileBrowserLinux.OpenFiles (
    string title,
    string directory,
    string defaultName,
    bool multiselect,
    params ExtensionFilter[] extensions ) [virtual]
```

Open native file browser for multiple files.

Parameters

<i>title</i>	Dialog title
<i>directory</i>	Root directory
<i>defaultName</i>	Default file name (currently only supported under Windows standalone)
<i>multiselect</i>	Allow multiple file selection
<i>extensions</i>	List of extension filters. Filter Example: new ExtensionFilter ("Image Files", "jpg", "png")

Returns

Returns array of chosen files. Zero length array when cancelled

Implements [Crosstales.FB.Wrapper.BaseFileBrowser](#).

5.40.2.2 OpenFolders()

```
override string [ ] Crosstales.FB.Wrapper.FileBrowserLinux.OpenFolders (
    string title,
    string directory,
    bool multiselect ) [virtual]
```

Open native folder browser for multiple folders.

Parameters

<i>title</i>	Dialog title
<i>directory</i>	Root directory
<i>multiselect</i>	Allow multiple folder selection

Returns

Returns array of chosen folders. Zero length array when cancelled

Implements [Crosstales.FB.Wrapper.BaseFileBrowser](#).


The documentation for this class was generated from the following file:

- D:/slaubenberger/git/assets/FileBrowser/FileBrowserPro/Assets/Plugins/crosstales/FileBrowser/Scripts/↵
Wrapper/FileBrowserLinux.cs

5.41 Crosstales.FB.Wrapper.FileBrowserMac Class Reference

File browser implementation for macOS.

Inheritance diagram for Crosstales.FB.Wrapper.FileBrowserMac:



Public Member Functions

- override string[] [OpenFiles](#) (string title, string directory, string defaultName, bool multiselect, params [ExtensionFilter](#)[] extensions)
Open native file browser for multiple files.
- override string[] [OpenFolders](#) (string title, string directory, bool multiselect)
Open native folder browser for multiple folders.
- override string [SaveFile](#) (string title, string directory, string defaultName, params [ExtensionFilter](#)[] extensions)
Open native save file browser.
- override void **OpenFilesAsync** (string title, string directory, string defaultName, bool multiselect, [ExtensionFilter](#)[] extensions, Action< string[]> cb)
- override void **OpenFoldersAsync** (string title, string directory, bool multiselect, Action< string[]> cb)
- override void **SaveFileAsync** (string title, string directory, string defaultName, [ExtensionFilter](#)[] extensions, Action< string > cb)

Public Attributes

- override bool **canOpenMultipleFiles** => true
- override bool **canOpenMultipleFolders** => true
- override bool **isPlatformSupported** => [Util.Helper.isMacOSPlatform](#)
- override bool **isWorkingInEditor** => false

Additional Inherited Members

5.41.1 Detailed Description

File browser implementation for macOS.

5.41.2 Member Function Documentation

5.41.2.1 OpenFiles()

```
override string [ ] Crosstales.FB.Wrapper.FileBrowserMac.OpenFiles (
    string title,
    string directory,
    string defaultName,
    bool multiselect,
    params ExtensionFilter[] extensions ) [virtual]
```

Open native file browser for multiple files.

Parameters

<i>title</i>	Dialog title
<i>directory</i>	Root directory
<i>defaultName</i>	Default file name (currently only supported under Windows standalone)
<i>multiselect</i>	Allow multiple file selection
<i>extensions</i>	List of extension filters. Filter Example: new ExtensionFilter ("Image Files", "jpg", "png")

Returns

Returns array of chosen files. Zero length array when cancelled

Implements [Crosstales.FB.Wrapper.BaseFileBrowser](#).

5.41.2.2 OpenFolders()

```
override string [ ] Crosstales.FB.Wrapper.FileBrowserMac.OpenFolders (
    string title,
```



```
string directory,  
bool multiselect ) [virtual]
```

Open native folder browser for multiple folders.

Parameters

<i>title</i>	Dialog title
<i>directory</i>	Root directory
<i>multiselect</i>	Allow multiple folder selection

Returns

Returns array of chosen folders. Zero length array when cancelled

Implements [Crosstales.FB.Wrapper.BaseFileBrowser](#).

5.41.2.3 SaveFile()

```
override string Crosstales.FB.Wrapper.FileBrowserMac.SaveFile (  
    string title,  
    string directory,  
    string defaultName,  
    params ExtensionFilter[] extensions ) [virtual]
```

Open native save file browser.

Parameters

<i>title</i>	Dialog title
<i>directory</i>	Root directory
<i>defaultName</i>	Default file name
<i>extensions</i>	List of extension filters. Filter Example: new ExtensionFilter ("Image Files", "jpg", "png")

Returns

Returns chosen file. Empty string when cancelled

Implements [Crosstales.FB.Wrapper.BaseFileBrowser](#).

The documentation for this class was generated from the following file:

- D:/slaubenberger/git/assets/FileBrowser/FileBrowserPro/Assets/Plugins/crosstales/FileBrowser/Scripts/↵
Wrapper/FileBrowserMac.cs

5.42 Crosstales.FB.EditorIntegration.FileBrowserMenu Class Reference

Editor component for the "Tools"-menu.

5.42.1 Detailed Description

Editor component for the "Tools"-menu.


The documentation for this class was generated from the following file:

- D:/slaubenberger/git/assets/FileBrowser/FileBrowserPro/Assets/Plugins/crosstales/FileBrowser/Editor/↔ Integration/FileBrowserMenu.cs

5.43 Crosstales.FB.RTFB.FileBrowserRTFB Class Reference

Runtime File Browser wrapper. NOTE: This wrapper needs "Runtime File Browser" <https://assetstore.unity.com/packages/slug/113006?aid=10111NGT>

Inheritance diagram for Crosstales.FB.RTFB.FileBrowserRTFB:



Public Member Functions

- override string[] **OpenFiles** (string title, string directory, string defaultName, bool multiselect, params **ExtensionFilter**[] extensions)
Open native file browser for multiple files.
- override string[] **OpenFolders** (string title, string directory, bool multiselect)
Open native folder browser for multiple folders.
- override string **SaveFile** (string title, string directory, string defaultName, params **ExtensionFilter**[] extensions)
Open native save file browser.
- override void **OpenFilesAsync** (string title, string directory, string defaultName, bool multiselect, **ExtensionFilter**[] extensions, System.Action< string[]> cb)
Asynchronously opens native file browser for multiple files.
- override void **OpenFoldersAsync** (string title, string directory, bool multiselect, System.Action< string[]> cb)
Asynchronously opens native folder browser for multiple folders.
- override void **SaveFileAsync** (string title, string directory, string defaultName, **ExtensionFilter**[] extensions, System.Action< string > cb)
Asynchronously opens native save file browser.

Public Attributes

- override bool **canOpenMultipleFiles** => true
- override bool **canOpenMultipleFolders** => true
- override bool **isPlatformSupported** => true
- override bool **isWorkingInEditor** => false

Properties

- bool [ShowAllFiles](#) [get, set]
Always show the 'All Files'-option in the dialog.
- string [LoadButtonText](#) [get, set]
Label for the 'Load'-button.
- string [SaveButtonText](#) [get, set]
Label for the 'Save'-button.

5.43.1 Detailed Description

Runtime File Browser wrapper. NOTE: This wrapper needs "Runtime File Browser" <https://assetstore.unity.com/packages/slug/113006?aid=10111NGT>

5.43.2 Member Function Documentation

5.43.2.1 OpenFiles()

```
override string [] Crosstales.FB.RTFB.FileBrowserRTFB.OpenFiles (  
    string title,  
    string directory,  
    string defaultName,  
    bool multiselect,  
    params ExtensionFilter[] extensions ) [virtual]
```

Open native file browser for multiple files.

Parameters

<i>title</i>	Dialog title
<i>directory</i>	Root directory
<i>defaultName</i>	Default file name (currently only supported under Windows standalone)
<i>multiselect</i>	Allow multiple file selection
<i>extensions</i>	List of extension filters. Filter Example: new ExtensionFilter ("Image Files", "jpg", "png")

Returns

Returns array of chosen files. Zero length array when cancelled

Implements [Crosstales.FB.Wrapper.BaseCustomFileBrowser](#).

5.43.2.2 OpenFilesAsync()

```
override void Crosstales.FB.RTFB.FileBrowserRTFB.OpenFilesAsync (
    string title,
    string directory,
    string defaultName,
    bool multiselect,
    ExtensionFilter[] extensions,
    System.Action< string[]> cb ) [virtual]
```

Asynchronously opens native file browser for multiple files.

Parameters

<i>title</i>	Dialog title
<i>directory</i>	Root directory
<i>defaultName</i>	Default file name (currently only supported under Windows standalone)
<i>multiselect</i>	Allow multiple file selection
<i>extensions</i>	List of extension filters. Filter Example: new ExtensionFilter ("Image Files", "jpg", "png")
<i>cb</i>	Callback for the async operation.

Returns

Returns array of chosen files. Zero length array when cancelled

Implements [Crosstales.FB.Wrapper.BaseCustomFileBrowser](#).

5.43.2.3 OpenFolders()

```
override string [] Crosstales.FB.RTFB.FileBrowserRTFB.OpenFolders (
    string title,
    string directory,
    bool multiselect ) [virtual]
```

Open native folder browser for multiple folders.

Parameters

<i>title</i>	Dialog title
<i>directory</i>	Root directory
<i>multiselect</i>	Allow multiple folder selection

Returns

Returns array of chosen folders. Zero length array when cancelled

Implements [Crosstales.FB.Wrapper.BaseCustomFileBrowser](#).

5.43.2.4 OpenFoldersAsync()

```
override void Crosstales.FB.RTFB.FileBrowserRTFB.OpenFoldersAsync (
    string title,
    string directory,
    bool multiselect,
    System.Action< string[]> cb ) [virtual]
```

Asynchronously opens native folder browser for multiple folders.

Parameters

<i>title</i>	Dialog title
<i>directory</i>	Root directory
<i>multiselect</i>	Allow multiple folder selection
<i>cb</i>	Callback for the async operation.

Returns

Returns array of chosen folders. Zero length array when cancelled

Implements [Crosstales.FB.Wrapper.BaseCustomFileBrowser](#).

5.43.2.5 SaveFile()

```
override string Crosstales.FB.RTFB.FileBrowserRTFB.SaveFile (
    string title,
    string directory,
    string defaultName,
    params ExtensionFilter[] extensions ) [virtual]
```

Open native save file browser.

Parameters

<i>title</i>	Dialog title
<i>directory</i>	Root directory
<i>defaultName</i>	Default file name
<i>extensions</i>	List of extension filters. Filter Example: new ExtensionFilter ("Image Files", "jpg", "png")

Returns

Returns chosen file. Empty string when cancelled

Implements [Crosstales.FB.Wrapper.BaseCustomFileBrowser](#).

5.43.2.6 SaveFileAsync()

```
override void Crosstales.FB.RTFB.FileBrowserRTFB.SaveFileAsync (
    string title,
    string directory,
    string defaultName,
    ExtensionFilter[] extensions,
    System.Action< string > cb ) [virtual]
```

Asynchronously opens native save file browser.

Parameters

<i>title</i>	Dialog title
<i>directory</i>	Root directory
<i>defaultName</i>	Default file name
<i>extensions</i>	List of extension filters. Filter Example: new ExtensionFilter ("Image Files", "jpg", "png")
<i>cb</i>	Callback for the async operation.

Returns

Returns chosen file. Empty string when cancelled

Implements [Crosstales.FB.Wrapper.BaseCustomFileBrowser](#).

5.43.3 Property Documentation

5.43.3.1 LoadButtonText

```
string Crosstales.FB.RTFB.FileBrowserRTFB.LoadButtonText [get], [set]
```

Label for the 'Load'-button.

5.43.3.2 SaveButtonText

```
string Crosstales.FB.RTFB.FileBrowserRTFB.SaveButtonText [get], [set]
```

Label for the 'Save'-button.

5.43.3.3 ShowAllFiles

```
bool Crosstales.FB.RTFB.FileBrowserRTFB.ShowAllFiles [get], [set]
```

Always show the 'All Files'-option in the dialog.


The documentation for this class was generated from the following file:

- D:/slaubenberger/git/assets/FileBrowser/FileBrowserPro/Assets/Plugins/crosstales/FileBrowser/3rd party/↔ Runtime File Browser/Scripts/FileBrowserRTFB.cs

5.44 Crosstales.FB.RTFB.FileBrowserRTFBEitor Class Reference

Custom editor for the '[FileBrowserRTFB](#)'-class.

Inheritance diagram for Crosstales.FB.RTFB.FileBrowserRTFBEitor:



Public Member Functions

- void **OnEnable** ()
- override void **OnInspectorGUI** ()

Static Public Attributes

- static bool **isPrefabInScene** => GameObject.Find("Runtime File Browser") != null

5.44.1 Detailed Description

Custom editor for the '[FileBrowserRTFB](#)'-class.

The documentation for this class was generated from the following file:

- D:/slaubenberger/git/assets/FileBrowser/FileBrowserPro/Assets/Plugins/crosstales/FileBrowser/3rd party/↔ Runtime File Browser/Editor/FileBrowserRTFBEitor.cs

5.45 Crosstales.FB.RTFB.FileBrowserRTFBGameObject Class Reference

Editor component for for adding the prefabs from 'WebGL' in the "Hierarchy"-menu.

5.45.1 Detailed Description

Editor component for for adding the prefabs from 'WebGL' in the "Hierarchy"-menu.

The documentation for this class was generated from the following file:

- D:/slaubenberger/git/assets/FileBrowser/FileBrowserPro/Assets/Plugins/crosstales/FileBrowser/3rd party/↔ Runtime File Browser/Editor/FileBrowserRTFBGameObject.cs

5.46 Crosstales.FB.RTFB.FileBrowserRTFBMenu Class Reference

Editor component for for adding the prefabs from 'WebGL' in the "Tools"-menu.

5.46.1 Detailed Description

Editor component for for adding the prefabs from 'WebGL' in the "Tools"-menu.


The documentation for this class was generated from the following file:

- D:/slaubenberger/git/assets/FileBrowser/FileBrowserPro/Assets/Plugins/crosstales/FileBrowser/3rd party/↔ Runtime File Browser/Editor/FileBrowserRTFBMenu.cs

5.47 Crosstales.FB.Wrapper.FileBrowserWindows Class Reference

File browser implementation for Windows.

Inheritance diagram for Crosstales.FB.Wrapper.FileBrowserWindows:



Public Member Functions

- override string[] [OpenFiles](#) (string title, string directory, string defaultName, bool multiselect, params [ExtensionFilter](#)[] extensions)
Open native file browser for multiple files.
- override string[] [OpenFolders](#) (string title, string directory, bool multiselect)
Open native folder browser for multiple folders.
- override string [SaveFile](#) (string title, string directory, string defaultName, params [ExtensionFilter](#)[] extensions)
Open native save file browser.
- override void **OpenFilesAsync** (string title, string directory, string defaultName, bool multiselect, [ExtensionFilter](#)[] extensions, Action< string[]> cb)
- override void **OpenFoldersAsync** (string title, string directory, bool multiselect, Action< string[]> cb)
- override void **SaveFileAsync** (string title, string directory, string defaultName, [ExtensionFilter](#)[] extensions, Action< string > cb)

Public Attributes

- override bool **canOpenMultipleFiles** => true
- override bool **canOpenMultipleFolders** => false
- override bool **isPlatformSupported** => [Util.Helper.isWindowsPlatform](#)
- override bool **isWorkingInEditor** => true

Additional Inherited Members

5.47.1 Detailed Description

File browser implementation for Windows.

5.47.2 Member Function Documentation

5.47.2.1 OpenFiles()

```
override string [ ] Crosstales.FB.Wrapper.FileBrowserWindows.OpenFiles (
    string title,
    string directory,
    string defaultName,
    bool multiselect,
    params ExtensionFilter[] extensions ) [virtual]
```

Open native file browser for multiple files.

Parameters

<i>title</i>	Dialog title
<i>directory</i>	Root directory
<i>defaultName</i>	Default file name (currently only supported under Windows standalone)
<i>multiselect</i>	Allow multiple file selection
<i>extensions</i>	List of extension filters. Filter Example: new ExtensionFilter ("Image Files", "jpg", "png")

Returns

Returns array of chosen files. Zero length array when cancelled

Implements [Crosstales.FB.Wrapper.BaseFileBrowser](#).

5.47.2.2 OpenFolders()

```
override string [ ] Crosstales.FB.Wrapper.FileBrowserWindows.OpenFolders (
    string title,
```

```
string directory,  
bool multiselect ) [virtual]
```

Open native folder browser for multiple folders.

Parameters

<i>title</i>	Dialog title
<i>directory</i>	Root directory
<i>multiselect</i>	Allow multiple folder selection

Returns

Returns array of chosen folders. Zero length array when cancelled

Implements [Crosstales.FB.Wrapper.BaseFileBrowser](#).

5.47.2.3 SaveFile()

```
override string Crosstales.FB.Wrapper.FileBrowserWindows.SaveFile (  
    string title,  
    string directory,  
    string defaultName,  
    params ExtensionFilter[] extensions ) [virtual]
```

Open native save file browser.

Parameters

<i>title</i>	Dialog title
<i>directory</i>	Root directory
<i>defaultName</i>	Default file name
<i>extensions</i>	List of extension filters. Filter Example: new ExtensionFilter ("Image Files", "jpg", "png")

Returns

Returns chosen file. Empty string when cancelled

Implements [Crosstales.FB.Wrapper.BaseFileBrowser](#).


The documentation for this class was generated from the following file:

- D:/slaubenberger/git/assets/FileBrowser/FileBrowserPro/Assets/Plugins/crosstales/FileBrowser/Scripts/↔
Wrapper/FileBrowserWindows.cs

5.48 Crosstales.FB.Wrapper.FileBrowserWSA Class Reference

File browser implementation for WSA (UWP).

Inheritance diagram for Crosstales.FB.Wrapper.FileBrowserWSA:



Public Member Functions

- [FileBrowserWSA](#) ()
Constructor for a WSA file browser.
- override string[] [OpenFiles](#) (string title, string directory, string defaultName, bool multiselect, params [ExtensionFilter](#)[] extensions)
Open native file browser for multiple files.
- override string[] [OpenFolders](#) (string title, string directory, bool multiselect)
Open native folder browser for multiple folders.
- override string [SaveFile](#) (string title, string directory, string defaultName, params [ExtensionFilter](#)[] extensions)
Open native save file browser.
- override void **OpenFilesAsync** (string title, string directory, string defaultName, bool multiselect, [ExtensionFilter](#)[] extensions, Action< string[]> cb)
- override void **OpenFoldersAsync** (string title, string directory, bool multiselect, Action< string[]> cb)
- override void **SaveFileAsync** (string title, string directory, string defaultName, [ExtensionFilter](#)[] extensions, Action< string > cb)

Public Attributes

- override bool **canOpenMultipleFiles** => FileBrowserWSAImpl.canOpenMultipleFiles
- override bool **canOpenMultipleFolders** => FileBrowserWSAImpl.canOpenMultipleFolders
- override bool **isPlatformSupported** => [Util.Helper.isWSABasedPlatform](#)
- override bool **isWorkingInEditor** => false

Additional Inherited Members

5.48.1 Detailed Description

File browser implementation for WSA (UWP).

5.48.2 Constructor & Destructor Documentation

5.48.2.1 FileBrowserWSA()

```
Crosstales.FB.Wrapper.FileBrowserWSA.FileBrowserWSA ( )
```

Constructor for a WSA file browser.

5.48.3 Member Function Documentation

5.48.3.1 OpenFiles()

```
override string [ ] Crosstales.FB.Wrapper.FileBrowserWSA.OpenFiles (
    string title,
    string directory,
    string defaultName,
    bool multiselect,
    params ExtensionFilter[] extensions ) [virtual]
```

Open native file browser for multiple files.

Parameters

<i>title</i>	Dialog title
<i>directory</i>	Root directory
<i>defaultName</i>	Default file name (currently only supported under Windows standalone)
<i>multiselect</i>	Allow multiple file selection
<i>extensions</i>	List of extension filters. Filter Example: new ExtensionFilter ("Image Files", "jpg", "png")

Returns

Returns array of chosen files. Zero length array when cancelled

Implements [Crosstales.FB.Wrapper.BaseFileBrowser](#).

5.48.3.2 OpenFolders()

```
override string [ ] Crosstales.FB.Wrapper.FileBrowserWSA.OpenFolders (
    string title,
    string directory,
    bool multiselect ) [virtual]
```

Open native folder browser for multiple folders.

Parameters

<i>title</i>	Dialog title
<i>directory</i>	Root directory
<i>multiselect</i>	Allow multiple folder selection

Returns

Returns array of chosen folders. Zero length array when cancelled

Implements [Crosstales.FB.Wrapper.BaseFileBrowser](#).

5.48.3.3 SaveFile()

```
override string Crosstales.FB.Wrapper.FileBrowserWSA.SaveFile (
    string title,
    string directory,
    string defaultName,
    params ExtensionFilter[] extensions ) [virtual]
```

Open native save file browser.

Parameters

<i>title</i>	Dialog title
<i>directory</i>	Root directory
<i>defaultName</i>	Default file name
<i>extensions</i>	List of extension filters. Filter Example: new ExtensionFilter ("Image Files", "jpg", "png")

Returns

Returns chosen file. Empty string when cancelled

Implements [Crosstales.FB.Wrapper.BaseFileBrowser](#).

The documentation for this class was generated from the following file:

- D:/slaubenberger/git/assets/FileBrowser/FileBrowserPro/Assets/Plugins/crosstales/FileBrowser/Scripts/↵
Wrapper/FileBrowserWSA.cs

5.49 Crosstales.FB.FileBrowserWSAImpl Class Reference

File browser for WSA.

Public Member Functions

- async void **OpenFiles** (List< [Extension](#) > extensions, bool multiselect)
- async void **OpenSingleFolder** ()
- async void **SaveFile** (string defaultName, List< [Extension](#) > extensions)
- async void **GetDrives** ()
- async void **GetDirectories** (string path, bool isRecursive=false)
- async void **GetFiles** (string path, bool isRecursive=false, params string[] extensions)

Public Attributes

- List< string > [Selection](#) => selection
Selected files or folders

Static Public Attributes

- static PickerLocationId **CurrentLocation** = PickerLocationId.ComputerFolder
- static PickerViewMode **CurrentViewMode** = PickerViewMode.List
- static StorageFolder **LastOpenFolder**
- static StorageFile **LastSaveFile**
- static List< StorageFile > [LastOpenFiles](#) => lastOpenFiles
Last opened files
- static StorageFile [LastOpenFile](#) => (lastOpenFiles.Count > 0) ? lastOpenFiles[0] : null
Last opened file
- static List< StorageFile > [LastGetFiles](#) => lastGetFiles
Last searched files
- static List< StorageFolder > [LastGetDirectories](#) => lastGetDirectories
Last searched folders
- static List< StorageFolder > [LastGetDrives](#) => lastGetDrives
Last searched drives
- static bool **canOpenMultipleFiles** => true
- static bool **canOpenMultipleFolders** => false

Properties

- bool [isBusy](#) [get, set]
Indicates if the [FB](#) is currently busy.
- bool [DEBUG](#) [get, set]
DEBUG mode to on/off

5.49.1 Detailed Description

File browser for WSA.

5.49.2 Member Data Documentation

5.49.2.1 LastGetDirectories

```
List<StorageFolder> Crosstales.FB.FileBrowserWSAImpl.LastGetDirectories => lastGetDirectories
[static]
```

Last searched folders

Returns

Last searched folders

5.49.2.2 LastGetDrives

```
List<StorageFolder> Crosstales.FB.FileBrowserWSAImpl.LastGetDrives => lastGetDrives [static]
```

Last searched drives

Returns

Last searched drives

5.49.2.3 LastGetFiles

```
List<StorageFile> Crosstales.FB.FileBrowserWSAImpl.LastGetFiles => lastGetFiles [static]
```

Last searched files

Returns

Last searched files

5.49.2.4 LastOpenFile

```
StorageFile Crosstales.FB.FileBrowserWSAImpl.LastOpenFile => (lastOpenFiles.Count > 0) ?  
lastOpenFiles[0] : null [static]
```

Last opened file

Returns

Last opened file

5.49.2.5 LastOpenFiles

```
List<StorageFile> Crosstales.FB.FileBrowserWSAImpl.LastOpenFiles => lastOpenFiles [static]
```

Last opened files

Returns

Last opened files

5.49.2.6 Selection

```
List<string> Crosstales.FB.FileBrowserWSAImpl.Selection => selection
```

Selected files or folders

Returns

Selected files or folders

5.49.3 Property Documentation

5.49.3.1 DEBUG

```
bool Crosstales.FB.FileBrowserWSAImpl.DEBUG [get], [set]
```

DEBUG mode to on/off

5.49.3.2 isBusy

```
bool Crosstales.FB.FileBrowserWSAImpl.isBusy [get], [set]
```

Indicates if the [FB](#) is currently busy.

Returns

True if the [FB](#) is currently busy


The documentation for this class was generated from the following file:

- D:/slaubenberger/git/assets/FileBrowser/FileBrowserPro/Assets/Plugins/crosstales/FileBrowser/Scripts/↔ Native/FileBrowserImpl.cs

5.50 Crosstales.UI.Util.FPSDisplay Class Reference

Simple FPS-Counter.

Inheritance diagram for Crosstales.UI.Util.FPSDisplay:



Public Attributes

- Text [FPS](#)
Text component to display the FPS.
- int [FrameUpdate](#) = 5
Update every set frame.

5.50.1 Detailed Description

Simple FPS-Counter.

5.50.2 Member Data Documentation

5.50.2.1 FPS

```
Text Crosstales.UI.Util.FPSDisplay.FPS
```

Text component to display the FPS.

5.50.2.2 FrameUpdate

```
int Crosstales.UI.Util.FPSDisplay.FrameUpdate = 5
```

Update every set frame.


The documentation for this class was generated from the following file:

- D:/slaubenberger/git/assets/FileBrowser/FileBrowserPro/Assets/Plugins/crosstales/Common/UI/Scripts/↔ Util/FPSDisplay.cs

5.51 Crosstales.Common.Tool.FreeCam Class Reference

A simple free camera to be added to a Unity game object.

Inheritance diagram for Crosstales.Common.Tool.FreeCam:



Public Member Functions

- void [StartLooking](#) ()
Enable free looking.
- void [StopLooking](#) ()
Disable free looking.

Public Attributes

- float [MovementSpeed](#) = 10f
Normal speed of camera movement.
- float [FastMovementSpeed](#) = 100f
Speed of camera movement when shift is held down.
- float [FreeLookSensitivity](#) = 3f
Sensitivity for free look.
- float [ZoomSensitivity](#) = 10f
Amount to zoom the camera when using the mouse wheel.
- float [FastZoomSensitivity](#) = 50f
Amount to zoom the camera when using the mouse wheel (fast mode).

5.51.1 Detailed Description

A simple free camera to be added to a Unity game object.

Keys: wasd / arrows - movement q/e - up/down (local space) r/f - up/down (world space) pageup/pagedown - up/down (world space) hold shift - enable fast movement mode right mouse - enable free look mouse - free look / rotation

5.51.2 Member Function Documentation

5.51.2.1 StartLooking()

```
void Crosstales.Common.Tool.FreeCam.StartLooking ( )
```

Enable free looking.

5.51.2.2 StopLooking()

```
void Crosstales.Common.Tool.FreeCam.StopLooking ( )
```

Disable free looking.

5.51.3 Member Data Documentation

5.51.3.1 FastMovementSpeed

```
float Crosstales.Common.Tool.FreeCam.FastMovementSpeed = 100f
```

Speed of camera movement when shift is held down.

5.51.3.2 FastZoomSensitivity

```
float Crosstales.Common.Tool.FreeCam.FastZoomSensitivity = 50f
```

Amount to zoom the camera when using the mouse wheel (fast mode).

5.51.3.3 FreeLookSensitivity

```
float Crosstales.Common.Tool.FreeCam.FreeLookSensitivity = 3f
```

Sensitivity for free look.

5.51.3.4 MovementSpeed

```
float Crosstales.Common.Tool.FreeCam.MovementSpeed = 10f
```

Normal speed of camera movement.

5.51.3.5 ZoomSensitivity

```
float Crosstales.Common.Tool.FreeCam.ZoomSensitivity = 10f
```

Amount to zoom the camera when using the mouse wheel.


The documentation for this class was generated from the following file:

- D:/slaubenberger/git/assets/FileBrowser/FileBrowserPro/Assets/Plugins/crosstales/Common/Scripts/↔ Tool/FreeCam.cs

5.52 Crosstales.FB.Demo.GUIMain Class Reference

Main GUI component for all demo scenes.

Inheritance diagram for Crosstales.FB.Demo.GUIMain:



Public Member Functions

- void **OpenAssetURL** ()
- void **OpenCTURL** ()
- void **Quit** ()

Public Attributes

- Text **Name**
- Text **Version**
- Text **Scene**

5.52.1 Detailed Description

Main GUI component for all demo scenes.


The documentation for this class was generated from the following file:

- D:/slaubenberger/git/assets/FileBrowser/FileBrowserPro/Assets/Plugins/crosstales/FileBrowser/Demos/↔ Scripts/GUIMain.cs

5.53 Crosstales.FB.Demo.GUIScenes Class Reference

Main GUI scene manager for all demo scenes.

Inheritance diagram for Crosstales.FB.Demo.GUIScenes:



Public Member Functions

- void **LoadPrevoiusScene** ()
- void **LoadNextScene** ()

Public Attributes

- string **PreviousScene**
- string **NextScene**

5.53.1 Detailed Description

Main GUI scene manager for all demo scenes.


The documentation for this class was generated from the following file:

- D:/slaubenberger/git/assets/FileBrowser/FileBrowserPro/Assets/Plugins/crosstales/FileBrowser/Demos/↔ Scripts/GUIScenes.cs

5.54 Crosstales.FB.Util.Helper Class Reference

Various helper functions.

Inheritance diagram for Crosstales.FB.Util.Helper:



Additional Inherited Members

5.54.1 Detailed Description

Various helper functions.


The documentation for this class was generated from the following file:

- D:/slaubenberger/git/assets/FileBrowser/FileBrowserPro/Assets/Plugins/crosstales/FileBrowser/Scripts/↔ Util/Helper.cs

5.55 Crosstales.Common.Util.HelperCT Class Reference

Helper to reset the necessary settings.

Inheritance diagram for Crosstales.Common.Util.HelperCT:



Properties

- static [HelperCT Instance](#) [get]

5.55.1 Detailed Description


Helper to reset the necessary settings.

The documentation for this class was generated from the following file:

- D:/slaubenberger/git/assets/FileBrowser/FileBrowserPro/Assets/Plugins/crosstales/Common/Scripts/↔
Util/BaseHelper.cs

5.56 Crosstales.Common.Util.HelperCTEditor Class Reference

Inheritance diagram for Crosstales.Common.Util.HelperCTEditor:



Public Member Functions

- override void **OnInspectorGUI** ()


The documentation for this class was generated from the following file:

- D:/slaubenberger/git/assets/FileBrowser/FileBrowserPro/Assets/Plugins/crosstales/Common/Scripts/↔
Util/BaseHelper.cs

5.57 Crosstales.FB.Wrapper.IFileBrowser Interface Reference

Interface for all file browsers.

Inheritance diagram for Crosstales.FB.Wrapper.IFileBrowser:



Public Member Functions

- string [OpenSingleFile](#) (string title, string directory, string defaultName, params [ExtensionFilter](#)[] extensions)
Open native file browser for a single file.
- string[] [OpenFiles](#) (string title, string directory, string defaultName, bool multiselect, params [ExtensionFilter](#)[] extensions)
Open native file browser for multiple files.
- string [OpenSingleFolder](#) (string title, string directory)
Open native folder browser for a single folder.
- string[] [OpenFolders](#) (string title, string directory, bool multiselect)
Open native folder browser for multiple folders.
- string [SaveFile](#) (string title, string directory, string defaultName, params [ExtensionFilter](#)[] extensions)
Open native save file browser.
- void [OpenFilesAsync](#) (string title, string directory, string defaultName, bool multiselect, [ExtensionFilter](#)[] extensions, System.Action< string[]> cb)
Asynchronously opens native file browser for multiple files.
- void [OpenFoldersAsync](#) (string title, string directory, bool multiselect, System.Action< string[]> cb)
Asynchronously opens native folder browser for multiple folders.
- void [SaveFileAsync](#) (string title, string directory, string defaultName, [ExtensionFilter](#)[] extensions, System.Action< string > cb)
Asynchronously opens native save file browser.

Properties

- bool [canOpenMultipleFiles](#) [get]
Indicates if this wrapper can open multiple files.
- bool [canOpenMultipleFolders](#) [get]
Indicates if this wrapper can open multiple folders.
- bool [isPlatformSupported](#) [get]
Indicates if this wrapper is supporting the current platform.
- bool [isWorkingInEditor](#) [get]
Indicates if this wrapper is working directly inside the Unity Editor (without 'Play'-mode).

5.57.1 Detailed Description

Interface for all file browsers.

5.57.2 Member Function Documentation

5.57.2.1 OpenFiles()

```
string [] Crosstales.FB.Wrapper.IFileBrowser.OpenFiles (
    string title,
    string directory,
    string defaultName,
    bool multiselect,
    params ExtensionFilter[] extensions )
```

Open native file browser for multiple files.

Parameters

<i>title</i>	Dialog title
<i>directory</i>	Root directory
<i>defaultName</i>	Default file name (currently only supported under Windows standalone)
<i>multiselect</i>	Allow multiple file selection
<i>extensions</i>	List of extension filters. Filter Example: new ExtensionFilter ("Image Files", "jpg", "png")

Returns

Returns array of chosen files. Zero length array when cancelled

Implemented in [Crosstales.FB.RTFB.FileBrowserRTFB](#), [Crosstales.FB.WrapperExample](#), [Crosstales.FB.Wrapper.FileBrowserWSA](#), [Crosstales.FB.Wrapper.FileBrowserWindows](#), [Crosstales.FB.Wrapper.FileBrowserLinux](#), [Crosstales.FB.Wrapper.FileBrowserMac](#), [Crosstales.FB.Wrapper.BaseCustomFileBrowser](#), [Crosstales.FB.Wrapper.BaseFileBrowser](#), [Crosstales.FB.Wrapper.FileBrowserEdit](#) and [Crosstales.FB.Wrapper.FileBrowserGeneric](#).

5.57.2.2 OpenFilesAsync()

```
void Crosstales.FB.Wrapper.IFileBrowser.OpenFilesAsync (
    string title,
    string directory,
    string defaultName,
    bool multiselect,
    ExtensionFilter[] extensions,
    System.Action< string[]> cb )
```

Asynchronously opens native file browser for multiple files.

Parameters

<i>title</i>	Dialog title
<i>directory</i>	Root directory
<i>defaultName</i>	Default file name (currently only supported under Windows standalone)
<i>multiselect</i>	Allow multiple file selection
<i>extensions</i>	List of extension filters. Filter Example: new ExtensionFilter ("Image Files", ".jpg", ".png")
<i>cb</i>	Callback for the async operation.

Returns

Returns array of chosen files. Zero length array when cancelled

Implemented in [Crosstales.FB.RTFB.FileBrowserRTFB](#), [Crosstales.FB.WrapperExample](#), [Crosstales.FB.Wrapper.BaseCustomFileBrowser](#) and [Crosstales.FB.Wrapper.BaseFileBrowser](#).

5.57.2.3 OpenFolders()

```
string [] Crosstales.FB.Wrapper.IFileBrowser.OpenFolders (
    string title,
    string directory,
    bool multiselect )
```

Open native folder browser for multiple folders.

Parameters

<i>title</i>	Dialog title
<i>directory</i>	Root directory
<i>multiselect</i>	Allow multiple folder selection

Returns

Returns array of chosen folders. Zero length array when cancelled

Implemented in [Crosstales.FB.Wrapper.FileBrowserWindows](#), [Crosstales.FB.RTFB.FileBrowserRTFB](#), [Crosstales.FB.Wrapper.FileBrowserLinux](#), [Crosstales.FB.Wrapper.FileBrowserMac](#), [Crosstales.FB.Wrapper.FileBrowserEditor](#), [Crosstales.FB.Wrapper.BaseCustomFileBrowser](#), [Crosstales.FB.Wrapper.BaseFileBrowser](#) and [Crosstales.FB.Wrapper.FileBrowserGeneric](#).

5.57.2.4 OpenFoldersAsync()

```
void Crosstales.FB.Wrapper.IFileBrowser.OpenFoldersAsync (
    string title,
    string directory,
    bool multiselect,
    System.Action< string[]> cb )
```

Asynchronously opens native folder browser for multiple folders.

Parameters

<i>title</i>	Dialog title
<i>directory</i>	Root directory
<i>multiselect</i>	Allow multiple folder selection
<i>cb</i>	Callback for the async operation.

Returns

Returns array of chosen folders. Zero length array when cancelled

Implemented in [Crosstales.FB.RTFB.FileBrowserRTFB](#), [Crosstales.FB.WrapperExample](#), [Crosstales.FB.Wrapper.BaseCustomFileBrowser](#) and [Crosstales.FB.Wrapper.BaseFileBrowser](#).

5.57.2.5 OpenSingleFile()

```
string Crosstales.FB.Wrapper.IFileBrowser.OpenSingleFile (
    string title,
    string directory,
    string defaultName,
    params ExtensionFilter[] extensions )
```

Open native file browser for a single file.

Parameters

<i>title</i>	Dialog title
<i>directory</i>	Root directory
<i>defaultName</i>	Default file name (currently only supported under Windows standalone)
<i>extensions</i>	List of extension filters. Filter Example: new ExtensionFilter ("Image Files", "jpg", "png")

Returns

Returns a string of the chosen file. Empty string when cancelled

Implemented in [Crosstales.FB.Wrapper.BaseCustomFileBrowser](#), and [Crosstales.FB.Wrapper.BaseFileBrowser](#).

5.57.2.6 OpenSingleFolder()

```
string Crosstales.FB.Wrapper.IFileBrowser.OpenSingleFolder (
    string title,
    string directory )
```

Open native folder browser for a single folder.

Parameters

<i>title</i>	Dialog title
<i>directory</i>	Root directory

Returns

Returns a string of the chosen folder. Empty string when cancelled

Implemented in [Crosstales.FB.Wrapper.BaseCustomFileBrowser](#), and [Crosstales.FB.Wrapper.BaseFileBrowser](#).

5.57.2.7 SaveFile()

```
string Crosstales.FB.Wrapper.IFileBrowser.SaveFile (
    string title,
    string directory,
    string defaultName,
    params ExtensionFilter[] extensions )
```

Open native save file browser.

Parameters

<i>title</i>	Dialog title
<i>directory</i>	Root directory
<i>defaultName</i>	Default file name
<i>extensions</i>	List of extension filters. Filter Example: new ExtensionFilter ("Image Files", "jpg", "png")

Returns

Returns chosen file. Empty string when cancelled

Implemented in [Crosstales.FB.Wrapper.FileBrowserWindows](#), [Crosstales.FB.Wrapper.FileBrowserWSA](#), [Crosstales.FB.RTFB.FileBrowser](#), [Crosstales.FB.WrapperExample](#), [Crosstales.FB.Wrapper.FileBrowserEditor](#), [Crosstales.FB.Wrapper.FileBrowserMac](#), [Crosstales.FB.Wrapper.BaseCustomFileBrowser](#), [Crosstales.FB.Wrapper.BaseFileBrowser](#), and [Crosstales.FB.Wrapper.FileBrowser](#).

5.57.2.8 SaveFileAsync()

```
void Crosstales.FB.Wrapper.IFileBrowser.SaveFileAsync (
    string title,
    string directory,
    string defaultName,
    ExtensionFilter[] extensions,
    System.Action< string > cb )
```

Asynchronously opens native save file browser.

Parameters

<i>title</i>	Dialog title
<i>directory</i>	Root directory
<i>defaultName</i>	Default file name
<i>extensions</i>	List of extension filters. Filter Example: new ExtensionFilter ("Image Files", "jpg", "png")
<i>cb</i>	Callback for the async operation.

Returns

Returns chosen file. Empty string when cancelled

Implemented in [Crosstales.FB.RTFB.FileBrowserRTFB](#), [Crosstales.FB.WrapperExample](#), [Crosstales.FB.Wrapper.BaseCustomFileBrowser](#) and [Crosstales.FB.Wrapper.BaseFileBrowser](#).

5.57.3 Property Documentation

5.57.3.1 canOpenMultipleFiles

```
bool Crosstales.FB.Wrapper.IFileBrowser.canOpenMultipleFiles [get]
```

Indicates if this wrapper can open multiple files.

Returns

[Wrapper](#) can open multiple files.

5.57.3.2 canOpenMultipleFolders

```
bool Crosstales.FB.Wrapper.IFileBrowser.canOpenMultipleFolders [get]
```

Indicates if this wrapper can open multiple folders.

Returns

[Wrapper](#) can open multiple folders.

5.57.3.3 isPlatformSupported

```
bool Crosstales.FB.Wrapper.IFileBrowser.isPlatformSupported [get]
```

Indicates if this wrapper is supporting the current platform.

Returns

True if this wrapper supports current platform.

5.57.3.4 isWorkingInEditor

```
bool Crosstales.FB.Wrapper.IFileBrowser.isWorkingInEditor [get]
```

Indicates if this wrapper is working directly inside the Unity Editor (without 'Play'-mode).

Returns

True if this wrapper is working directly inside the Unity Editor.


The documentation for this interface was generated from the following file:

- D:/slaubenberger/git/assets/FileBrowser/FileBrowserPro/Assets/Plugins/crosstales/FileBrowser/Scripts/↔
Wrapper/IFileBrowser.cs

5.58 Crosstales.FB.EditorTask.Launch Class Reference

Show the configuration window on the first launch.

Inheritance diagram for Crosstales.FB.EditorTask.Launch:



Static Public Member Functions

- static void **OnPostprocessAllAssets** (string[] importedAssets, string[] deletedAssets, string[] moved↔
Assets, string[] movedFromAssetPaths)

5.58.1 Detailed Description

Show the configuration window on the first launch.


The documentation for this class was generated from the following file:

- D:/slaubenberger/git/assets/FileBrowser/FileBrowserPro/Assets/Plugins/crosstales/FileBrowser/Editor/↔ Task/Launch.cs

5.59 Crosstales.Common.Util.MemoryCacheStream Class Reference

Memory cache stream.

Inheritance diagram for Crosstales.Common.Util.MemoryCacheStream:



Public Member Functions

- [MemoryCacheStream](#) (int cacheSize=64 *[BaseConstants.FACTOR_KB](#), int maxCacheSize=64 *[BaseConstants.FACTOR_MB](#))
Constructor with a specified cache size.
- override void **Flush** ()
- override long **Seek** (long offset, System.IO.SeekOrigin origin)
- override void **SetLength** (long value)
- override int **Read** (byte[] buffer, int offset, int count)
- override void **Write** (byte[] buffer, int offset, int count)

Public Attributes

- override bool [CanRead](#) => true
Gets a flag flag that indicates if the stream is readable (always true).
- override bool [CanSeek](#) => true
Gets a flag flag that indicates if the stream is seekable (always true).
- override bool [CanWrite](#) => true
Gets a flag flag that indicates if the stream is seekable (always true).
- override long [Length](#) => length
Gets the current stream length.

Properties

- override long [Position](#) [get, set]
Gets or sets the current stream position.

5.59.1 Detailed Description

Memory cache stream.

5.59.2 Constructor & Destructor Documentation

5.59.2.1 MemoryCacheStream()

```
Crosstales.Common.Util.MemoryCacheStream.MemoryCacheStream (
    int cacheSize = 64 * BaseConstants.FACTOR_KB,
    int maxCacheSize = 64 * BaseConstants.FACTOR_MB )
```

Constructor with a specified cache size.

Parameters

<i>cacheSize</i>	Cache size of the stream in bytes.
<i>maxCacheSize</i>	Maximum cache size of the stream in bytes.

5.59.3 Member Data Documentation

5.59.3.1 CanRead

```
override bool Crosstales.Common.Util.MemoryCacheStream.CanRead => true
```

Gets a flag flag that indicates if the stream is readable (always true).

5.59.3.2 CanSeek

```
override bool Crosstales.Common.Util.MemoryCacheStream.CanSeek => true
```

Gets a flag flag that indicates if the stream is seekable (always true).

5.59.3.3 CanWrite

```
override bool Crosstales.Common.Util.MemoryCacheStream.CanWrite => true
```

Gets a flag flag that indicates if the stream is seekable (always true).

5.59.3.4 Length

```
override long Crosstales.Common.Util.MemoryCacheStream.Length => length
```

Gets the current stream length.

5.59.4 Property Documentation

5.59.4.1 Position

```
override long Crosstales.Common.Util.MemoryCacheStream.Position [get], [set]
```

Gets or sets the current stream position.

The documentation for this class was generated from the following file:

- D:/slaubenberger/git/assets/FileBrowser/FileBrowserPro/Assets/Plugins/crosstales/Common/Scripts/↔
Util/MemoryCacheStream.cs

5.60 Crosstales.Common.EditorTask.NYCheck Class Reference

Checks if a 'Happy new year'-message must be displayed.

5.60.1 Detailed Description


Checks if a 'Happy new year'-message must be displayed.

The documentation for this class was generated from the following file:

- D:/slaubenberger/git/assets/FileBrowser/FileBrowserPro/Assets/Plugins/crosstales/Common/Editor/↔
Task/NYCheck.cs

5.61 Crosstales.FB.OnOpenFilesCompleted Class Reference

Inheritance diagram for Crosstales.FB.OnOpenFilesCompleted:




The documentation for this class was generated from the following file:

- D:/slaubenberger/git/assets/FileBrowser/FileBrowserPro/Assets/Plugins/crosstales/FileBrowser/Scripts/File↔
Browser.cs

5.62 Crosstales.FB.OnOpenFoldersCompleted Class Reference

Inheritance diagram for Crosstales.FB.OnOpenFoldersCompleted:




The documentation for this class was generated from the following file:

- `D:/slaubenberger/git/assets/FileBrowser/FileBrowserPro/Assets/Plugins/crosstales/FileBrowser/Scripts/FileBrowser.cs`

5.63 Crosstales.FB.OnSaveFileCompleted Class Reference

Inheritance diagram for Crosstales.FB.OnSaveFileCompleted:




The documentation for this class was generated from the following file:

- `D:/slaubenberger/git/assets/FileBrowser/FileBrowserPro/Assets/Plugins/crosstales/FileBrowser/Scripts/FileBrowser.cs`

5.64 HutongGames.PlayMaker.Actions.OpenFile Class Reference

Open file action for [PlayMaker](#).

Inheritance diagram for HutongGames.PlayMaker.Actions.OpenFile:



Public Member Functions

- override void **OnEnter** ()

Public Attributes

- FsmString **Extension** = "txt"
Extension of the file.

5.64.1 Detailed Description

Open file action for [PlayMaker](#).

5.64.2 Member Data Documentation

5.64.2.1 Extension

```
FsmString HutongGames.PlayMaker.Actions.OpenFile.Extension = "txt"
```

Extension of the file.


The documentation for this class was generated from the following file:

- D:/slaubenberger/git/assets/FileBrowser/FileBrowserPro/Assets/Plugins/crosstailes/FileBrowser/3rd party/↔
PlayMaker/Scripts/OpenFile.cs

5.65 HutongGames.PlayMaker.Actions.OpenFolder Class Reference

Open folder action for [PlayMaker](#).

Inheritance diagram for HutongGames.PlayMaker.Actions.OpenFolder:



Public Member Functions

- override void **OnEnter** ()

Additional Inherited Members

5.65.1 Detailed Description

Open folder action for [PlayMaker](#).


The documentation for this class was generated from the following file:

- D:/slaubenberger/git/assets/FileBrowser/FileBrowserPro/Assets/Plugins/crosstales/FileBrowser/3rd party/↔ PlayMaker/Scripts/OpenFolder.cs

5.66 Crosstales.Common.Util.PlatformController Class Reference

Enables or disable game objects and scripts for a given platform.

Inheritance diagram for Crosstales.Common.Util.PlatformController:



Public Attributes

- System.Collections.Generic.List< [Model.Enum.Platform](#) > [Platforms](#)
Selected platforms for the controller.
- bool [Active](#) = true
summary> Selected objects for the controller.
- GameObject[] [Objects](#)
summary> Selected scripts for the controller.
- MonoBehaviour[] **Scripts**

Protected Member Functions

- virtual void **Awake** ()
- void **selectPlatform** ()
- void **activateGameObjects** ()
- void **activateScripts** ()

Protected Attributes

- [Model.Enum.Platform](#) **currentPlatform**

5.66.1 Detailed Description

Enables or disable game objects and scripts for a given platform.

5.66.2 Member Data Documentation

5.66.2.1 Active

```
bool Crosstales.Common.Util.PlatformController.Active = true
```

summary>Selected objects for the controller.

5.66.2.2 Objects

```
GameObject [ ] Crosstales.Common.Util.PlatformController.Objects
```

summary>Selected scripts for the controller.

5.66.2.3 Platforms

```
System.Collections.Generic.List<Model.Enum.Platform> Crosstales.Common.Util.PlatformController.↵  
Platforms
```

Selected platforms for the controller.

summary>Enable or disable the 'Objects' for the selected 'Platforms' (default: true).


The documentation for this class was generated from the following file:

- D:/slaubenberger/git/assets/FileBrowser/FileBrowserPro/Assets/Plugins/crosstales/Common/Scripts/↵
Util/PlatformController.cs

5.67 Crosstales.Common.Util.RandomColor Class Reference

Random color changer.

Inheritance diagram for Crosstales.Common.Util.RandomColor:



Public Attributes

- bool [UseInterval](#) = true
Use intervals to change the color (default: true).
- Vector2 [ChangeInterval](#) = new Vector2(5, 10)
summary>Random hue range between min (= x) and max (= y) (default: x = 0, y = 1).
- Vector2 [HueRange](#) = new Vector2(0f, 1f)
summary>Random saturation range between min (= x) and max (= y) (default: x = 1, y = 1).
- Vector2 [SaturationRange](#) = new Vector2(1f, 1f)
summary>Random value range between min (= x) and max (= y) (default: x = 1, y = 1).
- Vector2 [ValueRange](#) = new Vector2(1f, 1f)
summary>Random alpha range between min (= x) and max (= y) (default: x = 1, y = 1).
- Vector2 [AlphaRange](#) = new Vector2(1f, 1f)
summary>Use gray scale colors (default: false).
- bool [GrayScale](#)
summary>Modify the color of a material instead of the Renderer (default: not set, optional).
- Material [Material](#)
summary>Set the object to a random color at Start (default: false).
- bool **RandomColorAtStart**

5.67.1 Detailed Description

Random color changer.

5.67.2 Member Data Documentation

5.67.2.1 AlphaRange

```
Vector2 Crosstales.Common.Util.RandomColor.AlphaRange = new Vector2(1f, 1f)
```

summary>Use gray scale colors (default: false).

5.67.2.2 ChangeInterval

```
Vector2 Crosstales.Common.Util.RandomColor.ChangeInterval = new Vector2(5, 10)
```

summary>Random hue range between min (= x) and max (= y) (default: x = 0, y = 1).

5.67.2.3 GrayScale

```
bool Crosstales.Common.Util.RandomColor.GrayScale
```

summary>Modify the color of a material instead of the Renderer (default: not set, optional).

5.67.2.4 HueRange

```
Vector2 Crosstales.Common.Util.RandomColor.HueRange = new Vector2(0f, 1f)
```

summary>Random saturation range between min (= x) and max (= y) (default: x = 1, y = 1).

5.67.2.5 Material

```
Material Crosstales.Common.Util.RandomColor.Material
```

summary>Set the object to a random color at Start (default: false).

5.67.2.6 SaturationRange

```
Vector2 Crosstales.Common.Util.RandomColor.SaturationRange = new Vector2(1f, 1f)
```

summary>Random value range between min (= x) and max (= y) (default: x = 1, y = 1).

5.67.2.7 UseInterval

```
bool Crosstales.Common.Util.RandomColor.UseInterval = true
```

Use intervals to change the color (default: true).

summary>Random change interval between min (= x) and max (= y) in seconds (default: x = 5, y = 10).

5.67.2.8 ValueRange

```
Vector2 Crosstales.Common.Util.RandomColor.ValueRange = new Vector2(1f, 1f)
```

summary>Random alpha range between min (= x) and max (= y) (default: x = 1, y = 1).


The documentation for this class was generated from the following file:

- D:/slaubenberger/git/assets/FileBrowser/FileBrowserPro/Assets/Plugins/crosstales/Common/Scripts/↔
Util/RandomColor.cs

5.68 Crosstales.Common.Util.RandomRotator Class Reference

Random rotation changer.

Inheritance diagram for Crosstales.Common.Util.RandomRotator:



Public Attributes

- bool **UseInterval** = true
Use intervals to change the rotation (default: true).
- Vector2 **ChangeInterval** = new Vector2(10, 20)
summary>Minimum rotation speed per axis (default: 5 for all axis).
- Vector3 **SpeedMin** = new Vector3(5, 5, 5)
summary>Maximum rotation speed per axis (default: 15 for all axis).
- Vector3 **SpeedMax** = new Vector3(15, 15, 15)
summary>Set the object to a random rotation at Start (default: false).
- bool **RandomRotationAtStart**

5.68.1 Detailed Description

Random rotation changer.

5.68.2 Member Data Documentation

5.68.2.1 ChangeInterval

```
Vector2 Crosstales.Common.Util.RandomRotator.ChangeInterval = new Vector2(10, 20)
```

summary>Minimum rotation speed per axis (default: 5 for all axis).

5.68.2.2 SpeedMax

```
Vector3 Crosstales.Common.Util.RandomRotator.SpeedMax = new Vector3(15, 15, 15)
```

summary>Set the object to a random rotation at Start (default: false).

5.68.2.3 SpeedMin

```
Vector3 Crosstales.Common.Util.RandomRotator.SpeedMin = new Vector3(5, 5, 5)
```

summary>Maximum rotation speed per axis (default: 15 for all axis).

5.68.2.4 UseInterval

```
bool Crosstales.Common.Util.RandomRotator.UseInterval = true
```

Use intervals to change the rotation (default: true).

summary>Random change interval between min (= x) and max (= y) in seconds (default: x = 10, y = 20).


The documentation for this class was generated from the following file:

- D:/slaubenberger/git/assets/FileBrowser/FileBrowserPro/Assets/Plugins/crosstales/Common/Scripts/↵ Util/RandomRotator.cs

5.69 Crosstales.Common.Util.RandomScaler Class Reference

Random scale changer.

Inheritance diagram for Crosstales.Common.Util.RandomScaler:



Public Attributes

- bool **UseInterval** = true
Use intervals to change the scale (default: true).
- Vector2 **ChangeInterval** = new Vector2(10, 20)
summary>Minimum scale per axis (default: 0.1 for all axis).
- Vector3 **ScaleMin** = new Vector3(0.1f, 0.1f, 0.1f)
summary>Maximum scale per axis (default: 0.1 for all axis).
- Vector3 **ScaleMax** = new Vector3(3, 3, 3)
summary>Uniform scaling for all axis (x-axis values will be used, default: true).
- bool **Uniform** = true
summary>Set the object to a random scale at Start (default: false).
- bool **RandomScaleAtStart**

5.69.1 Detailed Description

Random scale changer.

5.69.2 Member Data Documentation

5.69.2.1 ChangeInterval

```
Vector2 Crosstales.Common.Util.RandomScaler.ChangeInterval = new Vector2(10, 20)
```

summary>Minimum scale per axis (default: 0.1 for all axis).

5.69.2.2 ScaleMax

```
Vector3 Crosstales.Common.Util.RandomScaler.ScaleMax = new Vector3(3, 3, 3)
```

summary>Uniform scaling for all axis (x-axis values will be used, default: true).

5.69.2.3 ScaleMin

```
Vector3 Crosstales.Common.Util.RandomScaler.ScaleMin = new Vector3(0.1f, 0.1f, 0.1f)
```

summary>Maximum scale per axis (default: 0.1 for all axis).

5.69.2.4 Uniform

```
bool Crosstales.Common.Util.RandomScaler.Uniform = true
```

summary>Set the object to a random scale at Start (default: false).

5.69.2.5 UseInterval

```
bool Crosstales.Common.Util.RandomScaler.UseInterval = true
```

Use intervals to change the scale (default: true).

summary>Random change interval between min (= x) and max (= y) in seconds (default: x = 10, y = 20).


The documentation for this class was generated from the following file:

- D:/slaubenberger/git/assets/FileBrowser/FileBrowserPro/Assets/Plugins/crosstales/Common/Scripts/↔
Util/RandomScaler.cs

5.70 HutongGames.PlayMaker.Actions.SaveFile Class Reference

Save file action for [PlayMaker](#).

Inheritance diagram for HutongGames.PlayMaker.Actions.SaveFile:



Public Member Functions

- override void **OnEnter** ()

Public Attributes

- FsmString [FileName](#) = "MySaveFile"
Name of the file.
- FsmString [Extension](#) = ".txt"
Extension of the file.

5.70.1 Detailed Description

Save file action for [PlayMaker](#).

5.70.2 Member Data Documentation

5.70.2.1 Extension

```
FsmString HutongGames.PlayMaker.Actions.SaveFile.Extension = ".txt"
```

Extension of the file.

5.70.2.2 FileName

```
FsmString HutongGames.PlayMaker.Actions.SaveFile.FileName = "MySaveFile"
```

Name of the file.


The documentation for this class was generated from the following file:

- D:/slaubenberger/git/assets/FileBrowser/FileBrowserPro/Assets/Plugins/crosstales/FileBrowser/3rd party/↔ PlayMaker/Scripts/SaveFile.cs

5.71 Crosstales.UI.Util.ScrollRectHandler Class Reference

Changes the sensitivity of ScrollRects under various platforms.

Inheritance diagram for Crosstales.UI.Util.ScrollRectHandler:



Public Attributes

- ScrollRect **Scroll**
- float **WindowsSensitivity** = 35f
- float **MacSensitivity** = 25f

5.71.1 Detailed Description

Changes the sensitivity of ScrollRects under various platforms.

The documentation for this class was generated from the following file:

- D:/slaubenberger/git/assets/FileBrowser/FileBrowserPro/Assets/Plugins/crosstales/Common/UI/Scripts/↔ Util/ScrollRectHandler.cs

5.72 Crosstales.FB.Util.SetupProject Class Reference

Setup the project to use File Browser.

5.72.1 Detailed Description

Setup the project to use File Browser.


The documentation for this class was generated from the following file:

- D:/slaubenberger/git/assets/FileBrowser/FileBrowserPro/Assets/Plugins/crosstales/FileBrowser/Scripts/↔ Util/SetupProject.cs

5.73 Crosstales.Common.EditorTask.SetupResources Class Reference

Moves all resources to 'Editor Default Resources'.

Inheritance diagram for Crosstales.Common.EditorTask.SetupResources:



Static Public Member Functions

- static void **Setup** ()

Additional Inherited Members

5.73.1 Detailed Description

Moves all resources to 'Editor Default Resources'.


The documentation for this class was generated from the following file:

- D:/slaubenberger/git/assets/FileBrowser/FileBrowserPro/Assets/Plugins/crosstales/Common/Editor/↔ Task/SetupResources.cs

5.74 Crosstales.FB.EditorTask.SetupResources Class Reference

Moves all resources to 'Editor Default Resources'.

Inheritance diagram for Crosstales.FB.EditorTask.SetupResources:



Static Public Member Functions

- static void **Setup** ()

Additional Inherited Members

5.74.1 Detailed Description

Moves all resources to 'Editor Default Resources'.


The documentation for this class was generated from the following file:

- D:/slaubenberger/git/assets/FileBrowser/FileBrowserPro/Assets/Plugins/crosstales/FileBrowser/Editor/↔
Task/SetupResources.cs

5.75 Crosstales.FB.RTFB.ShowMore Class Reference

Shows the details for Runtime File Browser.

Inheritance diagram for Crosstales.FB.RTFB.ShowMore:



Public Member Functions

- void **Show** ()

5.75.1 Detailed Description

Shows the details for Runtime File Browser.


The documentation for this class was generated from the following file:

- D:/slaubenberger/git/assets/FileBrowser/FileBrowserPro/Assets/Plugins/crosstales/FileBrowser/3rd party/↔
Runtime File Browser/Demo/Scripts/ShowMore.cs

5.76 Crosstales.Common.Util.Singleton< T > Class Template Reference

Base-class for all singletons.

Inheritance diagram for Crosstales.Common.Util.Singleton< T >:



Static Public Member Functions

- static void [CreateInstance](#) (bool searchExistingGameObject=true, bool deleteExistingInstance=false)
Creates an instance of this object.
- static void [DeleteInstance](#) ()
Deletes the instance of this object.

Static Public Attributes

- static string [PrefabPath](#)
Fully qualified prefab path.

Protected Member Functions

- virtual void **Awake** ()
- virtual void **OnDestroy** ()
- virtual void **OnApplicationQuit** ()

Static Protected Attributes

- static T **instance**

Properties

- static T [Instance](#) [get, protected set]
Returns the singleton instance of this class.
- bool [DontDestroy](#) [get, set]
Don't destroy gameobject during scene switches.

5.76.1 Detailed Description

Base-class for all singletons.

Type Constraints

T : [Singleton](#)< T >

5.76.2 Member Function Documentation

5.76.2.1 CreateInstance()

```
static void Crosstales.Common.Util.Singleton< T >.CreateInstance (
    bool searchExistingGameObject = true,
    bool deleteExistingInstance = false ) [static]
```

Creates an instance of this object.

Parameters

<i>searchExistingGameObject</i>	Search for existing GameObjects of this object (default: true, optional)
<i>deleteExistingInstance</i>	Delete existing instance of this object (default: false, optional)

5.76.2.2 DeleteInstance()

```
static void Crosstales.Common.Util.Singleton< T >.DeleteInstance ( ) [static]
```

Deletes the instance of this object.

5.76.3 Member Data Documentation

5.76.3.1 PrefabPath

```
string Crosstales.Common.Util.Singleton< T >.PrefabPath [static]
```

Fully qualified prefab path.

5.76.4 Property Documentation

5.76.4.1 DontDestroy

```
bool Crosstales.Common.Util.Singleton< T >.DontDestroy [get], [set]
```

Don't destroy gameobject during scene switches.

5.76.4.2 Instance

`T Crosstales.Common.Util.Singleton< T >.Instance [static], [get], [protected set]`

Returns the singleton instance of this class.

Returns

[Singleton](#) instance of this class.

The documentation for this class was generated from the following file:

- D:/slaubenberger/git/assets/FileBrowser/FileBrowserPro/Assets/Plugins/crosstales/Common/Scripts/↔ Util/Singleton.cs

5.77 Crosstales.Common.Util.SingletonHelper Class Reference

Helper-class for singletons.

Properties

- static bool **isQuitting** [get, set]

5.77.1 Detailed Description

Helper-class for singletons.


The documentation for this class was generated from the following file:

- D:/slaubenberger/git/assets/FileBrowser/FileBrowserPro/Assets/Plugins/crosstales/Common/Scripts/↔ Util/Singleton.cs

5.78 Crosstales.UI.Social Class Reference

[Crosstales](#) social media links.

Inheritance diagram for Crosstales.UI.Social:



Public Member Functions

- void **Facebook** ()
- void **Twitter** ()
- void **LinkedIn** ()
- void **Youtube** ()
- void **Discord** ()

5.78.1 Detailed Description

[Crosstales](#) social media links.


The documentation for this class was generated from the following file:

- [D:/slaubenberger/git/assets/FileBrowser/FileBrowserPro/Assets/Plugins/crosstales/Common/UI/Scripts/Social.↔cs](#)

5.79 Crosstales.UI.StaticManager Class Reference

Static Button Manager.

Inheritance diagram for Crosstales.UI.StaticManager:



Public Member Functions

- void **OpenAssetstore** ()

5.79.1 Detailed Description

Static Button Manager.


The documentation for this class was generated from the following file:

- [D:/slaubenberger/git/assets/FileBrowser/FileBrowserPro/Assets/Plugins/crosstales/Common/UI/Scripts/Static↔Manager.cs](#)

5.80 Crosstales.Common.Util.SurviveSceneSwitch Class Reference

Allows any Unity gameobject to survive a scene switch. This is especially useful to keep the music playing while loading a new scene.

Inheritance diagram for Crosstales.Common.Util.SurviveSceneSwitch:



Public Attributes

- `GameObject[] Survivors`
Objects which have to survive a scene switch.

Additional Inherited Members

5.80.1 Detailed Description

Allows any Unity gameobject to survive a scene switch. This is especially useful to keep the music playing while loading a new scene.

5.80.2 Member Data Documentation

5.80.2.1 Survivors

```
GameObject [] Crosstales.Common.Util.SurviveSceneSwitch.Survivors
```

Objects which have to survive a scene switch.


The documentation for this class was generated from the following file:

- `D:/slaubenberger/git/assets/FileBrowser/FileBrowserPro/Assets/Plugins/crosstales/Common/Scripts/↔ Tool/SurviveSceneSwitch.cs`

5.81 Crosstales.Common.Util.TakeScreenshot Class Reference

Take screen shots inside an application.

Inheritance diagram for Crosstales.Common.Util.TakeScreenshot:



Public Member Functions

- void **Capture** ()
Capture the screen.
- void **Start** ()

Public Attributes

- string **Prefix** = "CT_Screenshot"
Prefix for the generate file names.
- int **Scale** = 1
summary>Key-press to capture the screen (default: F8).
- KeyCode **KeyCode** = KeyCode.F8
summary>Show file location (default: true).
- bool **ShowFileLocation** = true

Additional Inherited Members

5.81.1 Detailed Description

Take screen shots inside an application.

5.81.2 Member Function Documentation

5.81.2.1 Capture()

```
void Crosstales.Common.Util.TakeScreenshot.Capture ( )
```

Capture the screen.

5.81.3 Member Data Documentation

5.81.3.1 KeyCode

```
KeyCode Crosstales.Common.Util.TakeScreenshot.KeyCode = KeyCode.F8
```

summary>Show file location (default: true).

5.81.3.2 Prefix

```
string Crosstales.Common.Util.TakeScreenshot.Prefix = "CT_Screenshot"
```

Prefix for the generate file names.

summary>Factor by which to increase resolution (default: 1).

5.81.3.3 Scale

```
int Crosstales.Common.Util.TakeScreenshot.Scale = 1
```

summary>Key-press to capture the screen (default: F8).


The documentation for this class was generated from the following file:

- D:/slaubenberger/git/assets/FileBrowser/FileBrowserPro/Assets/Plugins/crosstales/Common/Scripts/↵
Tool/TakeScreenshot.cs

5.82 Crosstales.UI.UIDrag Class Reference

Allow to Drag the Windows around.

Inheritance diagram for Crosstales.UI.UIDrag:



Public Member Functions

- void **OnDrag** ()

5.82.1 Detailed Description

Allow to Drag the Windows around.


The documentation for this class was generated from the following file:

- D:/slaubenberger/git/assets/FileBrowser/FileBrowserPro/Assets/Plugins/crosstales/Common/UI/Scripts/UI↵
Drag.cs

5.83 Crosstales.UI.UIFocus Class Reference

Change the Focus on from a Window.

Inheritance diagram for Crosstales.UI.UIFocus:



Public Member Functions

- void [OnPanelEnter](#) ()
Panel entered.

Public Attributes

- string [ManagerName](#) = "Canvas"
Name of the gameobject containing the [UIWindowManager](#).

5.83.1 Detailed Description

Change the Focus on from a Window.

5.83.2 Member Function Documentation

5.83.2.1 OnPanelEnter()

```
void Crosstales.UI.UIFocus.OnPanelEnter ( )
```

Panel entered.

5.83.3 Member Data Documentation

5.83.3.1 ManagerName

```
string Crosstales.UI.UIFocus.ManagerName = "Canvas"
```

Name of the gameobject containing the [UIWindowManager](#).


The documentation for this class was generated from the following file:

- D:/slaubenberger/git/assets/FileBrowser/FileBrowserPro/Assets/Plugins/crosstales/Common/UI/Scripts/UI↔
Focus.cs

5.84 Crosstales.UI.UIHint Class Reference

Controls a [UI](#) group (hint).

Inheritance diagram for Crosstales.UI.UIHint:



Public Member Functions

- void **FadeUp** ()
- void **FadeDown** ()

Public Attributes

- CanvasGroup [Group](#)
Group to fade.
- float [Delay](#) = 2f
Delay in seconds before fading (default: 2).
- float [FadeTime](#) = 2f
Fade time in seconds (default: 2).
- bool [Disable](#) = true
Disable [UI](#) element after the fade (default: true).
- bool [FadeAtStart](#) = true
Fade at Start (default: true).

5.84.1 Detailed Description

Controls a [UI](#) group (hint).

5.84.2 Member Data Documentation

5.84.2.1 Delay

```
float Crosstales.UI.UIHint.Delay = 2f
```

Delay in seconds before fading (default: 2).

5.84.2.2 Disable

```
bool Crosstales.UI.UIHint.Disable = true
```

Disable [UI](#) element after the fade (default: true).

5.84.2.3 FadeAtStart

```
bool Crosstales.UI.UIHint.FadeAtStart = true
```

Fade at Start (default: true).

5.84.2.4 FadeTime

```
float Crosstales.UI.UIHint.FadeTime = 2f
```

Fade time in seconds (default: 2).

5.84.2.5 Group

```
CanvasGroup Crosstales.UI.UIHint.Group
```

Group to fade.


The documentation for this class was generated from the following file:

- [D:/slaubenberger/git/assets/FileBrowser/FileBrowserPro/Assets/Plugins/crosstales/Common/UI/Scripts/UIHint.cs](#)

5.85 Crosstales.UI.UIResize Class Reference

Resize a [UI](#) element.

Inheritance diagram for Crosstales.UI.UIResize:



Public Member Functions

- void **OnPointerDown** (PointerEventData data)
- void **OnDrag** (PointerEventData data)

Public Attributes

- Vector2 **MinSize** = new Vector2(300, 160)
Minimum size of the [UI](#) element.
- Vector2 **MaxSize** = new Vector2(800, 600)
Maximum size of the [UI](#) element.

5.85.1 Detailed Description

Resize a [UI](#) element.

5.85.2 Member Data Documentation

5.85.2.1 MaxSize

```
Vector2 Crosstales.UI.UIResize.MaxSize = new Vector2(800, 600)
```

Maximum size of the [UI](#) element.

5.85.2.2 MinSize

```
Vector2 Crosstales.UI.UIResize.MinSize = new Vector2(300, 160)
```

Minimum size of the [UI](#) element.


The documentation for this class was generated from the following file:

- D:/slaubenberger/git/assets/FileBrowser/FileBrowserPro/Assets/Plugins/crosstales/Common/UI/Scripts/UI↵
Resize.cs

5.86 Crosstales.UI.UIWindowManager Class Reference

Change the state of all Window panels.

Inheritance diagram for Crosstales.UI.UIWindowManager:



Public Member Functions

- void [ChangeState](#) (GameObject active)
Change the state of all windows.

Public Attributes

- GameObject[] [Windows](#)
All Windows of the scene.

5.86.1 Detailed Description

Change the state of all Window panels.

5.86.2 Member Function Documentation

5.86.2.1 ChangeState()

```
void Crosstales.UI.UIWindowManager.ChangeState (  
    GameObject active )
```

Change the state of all windows.

Parameters

<i>active</i>	Active window.
---------------	----------------

5.86.3 Member Data Documentation

5.86.3.1 Windows

```
GameObject [] Crosstales.UI.UIWindowManager.Windows
```

All Windows of the scene.

The documentation for this class was generated from the following file:

- D:/slaubenberger/git/assets/FileBrowser/FileBrowserPro/Assets/Plugins/crosstales/Common/UI/Scripts/UI↵
WindowManager.cs

5.87 Crosstales.FB.EditorTask.UpdateCheck Class Reference

Checks for updates of the asset.

Static Public Member Functions

- static void **UpdateCheckForEditor** (out string result, out [UpdateStatus](#) st)

Static Public Attributes

- const string **TEXT_NOT_CHECKED** = "Not checked."
- const string **TEXT_NO_UPDATE** = "No update available - you are using the latest version."

5.87.1 Detailed Description

Checks for updates of the asset.


The documentation for this class was generated from the following file:

- D:/slaubenberger/git/assets/FileBrowser/FileBrowserPro/Assets/Plugins/crosstales/FileBrowser/Editor/↵
Task/UpdateCheck.cs

5.88 Crosstales.UI.WindowManager Class Reference

Manager for a Window.

Inheritance diagram for Crosstales.UI.WindowManager:



Public Member Functions

- void **ClosePanel** ()

Public Attributes

- float **Speed** = 3f
Window movement speed (default: 3).
- GameObject[] **Dependencies**
Dependent GameObjects (active == open).

5.88.1 Detailed Description

Manager for a Window.

5.88.2 Member Data Documentation

5.88.2.1 Dependencies

```
GameObject [] Crosstales.UI.WindowManager.Dependencies
```

Dependent GameObjects (active == open).

5.88.2.2 Speed

```
float Crosstales.UI.WindowManager.Speed = 3f
```

Window movement speed (default: 3).


The documentation for this class was generated from the following file:

- D:/slaubenberger/git/assets/FileBrowser/FileBrowserPro/Assets/Plugins/crosstales/Common/UI/Scripts/Window↵
Manager.cs

5.89 Crosstales.FB.WrapperExample Class Reference

Example for a custom wrapper with all callbacks (only for demonstration - it doesn't do anything). NOTE: please make sure you understand the [Wrapper](#) and its variables

Inheritance diagram for Crosstales.FB.WrapperExample:



Public Member Functions

- override string[] [OpenFiles](#) (string title, string directory, string defaultName, bool multiselect, params [ExtensionFilter](#)[] extensions)
Open native file browser for multiple files.
- override string[] [OpenFolders](#) (string title, string directory, bool multiselect)
Open native folder browser for multiple folders.
- override string [SaveFile](#) (string title, string directory, string defaultName, params [ExtensionFilter](#)[] extensions)
Open native save file browser.
- override void [OpenFilesAsync](#) (string title, string directory, string defaultName, bool multiselect, [ExtensionFilter](#)[] extensions, System.Action< string[]> cb)
Asynchronously opens native file browser for multiple files.
- override void [OpenFoldersAsync](#) (string title, string directory, bool multiselect, System.Action< string[]> cb)
Asynchronously opens native folder browser for multiple folders.
- override void [SaveFileAsync](#) (string title, string directory, string defaultName, [ExtensionFilter](#)[] extensions, System.Action< string > cb)
Asynchronously opens native save file browser.

Properties

- override bool **canOpenMultipleFiles** [get]
- override bool **canOpenMultipleFolders** [get]
- override bool **isPlatformSupported** [get]
- override bool **isWorkingInEditor** [get]

5.89.1 Detailed Description

Example for a custom wrapper with all callbacks (only for demonstration - it doesn't do anything). NOTE: please make sure you understand the [Wrapper](#) and its variables

5.89.2 Member Function Documentation

5.89.2.1 OpenFiles()

```
override string [] Crosstales.FB.WrapperExample.OpenFiles (
    string title,
    string directory,
    string defaultName,
    bool multiselect,
    params ExtensionFilter[] extensions ) [virtual]
```

Open native file browser for multiple files.

Parameters

<i>title</i>	Dialog title
<i>directory</i>	Root directory
<i>defaultName</i>	Default file name (currently only supported under Windows standalone)
<i>multiselect</i>	Allow multiple file selection
<i>extensions</i>	List of extension filters. Filter Example: new ExtensionFilter ("Image Files", "jpg", "png")

Returns

Returns array of chosen files. Zero length array when cancelled

Implements [Crosstales.FB.Wrapper.BaseCustomFileBrowser](#).

5.89.2.2 OpenFilesAsync()

```
override void Crosstales.FB.WrapperExample.OpenFilesAsync (
    string title,
    string directory,
    string defaultName,
    bool multiselect,
    ExtensionFilter[] extensions,
    System.Action< string[]> cb ) [virtual]
```

Asynchronously opens native file browser for multiple files.

Parameters

<i>title</i>	Dialog title
<i>directory</i>	Root directory
<i>defaultName</i>	Default file name (currently only supported under Windows standalone)
<i>multiselect</i>	Allow multiple file selection
<i>extensions</i>	List of extension filters. Filter Example: new ExtensionFilter ("Image Files", "jpg", "png")
<i>cb</i>	Callback for the async operation.

Returns

Returns array of chosen files. Zero length array when cancelled

Implements [Crosstales.FB.Wrapper.BaseCustomFileBrowser](#).

5.89.2.3 OpenFolders()

```
override string [] Crosstales.FB.WrapperExample.OpenFolders (
    string title,
    string directory,
    bool multiselect ) [virtual]
```

Open native folder browser for multiple folders.

Parameters

<i>title</i>	Dialog title
<i>directory</i>	Root directory
<i>multiselect</i>	Allow multiple folder selection

Returns

Returns array of chosen folders. Zero length array when cancelled

Implements [Crosstales.FB.Wrapper.BaseCustomFileBrowser](#).

5.89.2.4 OpenFoldersAsync()

```
override void Crosstales.FB.WrapperExample.OpenFoldersAsync (
    string title,
    string directory,
    bool multiselect,
    System.Action< string[]> cb ) [virtual]
```

Asynchronously opens native folder browser for multiple folders.

Parameters

<i>title</i>	Dialog title
<i>directory</i>	Root directory
<i>multiselect</i>	Allow multiple folder selection
<i>cb</i>	Callback for the async operation.

Returns

Returns array of chosen folders. Zero length array when cancelled

Implements [Crosstales.FB.Wrapper.BaseCustomFileBrowser](#).

5.89.2.5 SaveFile()

```
override string Crosstales.FB.WrapperExample.SaveFile (
    string title,
    string directory,
    string defaultName,
    params ExtensionFilter[] extensions ) [virtual]
```

Open native save file browser.

Parameters

<i>title</i>	Dialog title
<i>directory</i>	Root directory
<i>defaultName</i>	Default file name
<i>extensions</i>	List of extension filters. Filter Example: new ExtensionFilter ("Image Files", "jpg", "png")

Returns

Returns chosen file. Empty string when cancelled

Implements [Crosstales.FB.Wrapper.BaseCustomFileBrowser](#).

5.89.2.6 SaveFileAsync()

```
override void Crosstales.FB.WrapperExample.SaveFileAsync (
    string title,
    string directory,
    string defaultName,
    ExtensionFilter[] extensions,
    System.Action< string > cb ) [virtual]
```

Asynchronously opens native save file browser.

Parameters

<i>title</i>	Dialog title
<i>directory</i>	Root directory
<i>defaultName</i>	Default file name
<i>extensions</i>	List of extension filters. Filter Example: new ExtensionFilter ("Image Files", "jpg", "png")
<i>cb</i>	Callback for the async operation.

Returns

Returns chosen file. Empty string when cancelled

Implements [Crosstales.FB.Wrapper.BaseCustomFileBrowser](#).

The documentation for this class was generated from the following file:

- D:/slaubenberger/git/assets/FileBrowser/FileBrowserPro/Assets/Plugins/crosstales/FileBrowser/Scripts/Wrapper↵
Example.cs

5.90 Crosstales.Common.Util.XmlHelper Class Reference

Helper-class for XML.

Static Public Member Functions

- static void [SerializeToFile](#)< T > (T obj, string filename)
Serialize an object to an XML-file.
- static T [DeserializeFromFile](#)< T > (string filename, bool skipBOM=false)
Deserialize a XML-file to an object.
- static string [SerializeToString](#)< T > (T obj)
Serialize an object to an XML-string.
- static T [DeserializeFromString](#)< T > (string xmlAsString, bool skipBOM=true)
Deserialize a XML-string to an object.
- static T [DeserializeFromResource](#)< T > (string resourceName, bool skipBOM=true)
Deserialize a Unity XML resource (TextAsset) to an object.

5.90.1 Detailed Description

Helper-class for XML.

5.90.2 Member Function Documentation

5.90.2.1 DeserializeFromFile< T >()

```
static T Crosstales.Common.Util.XmlHelper.DeserializeFromFile< T > (  
    string filename,  
    bool skipBOM = false ) [static]
```

Deserialize a XML-file to an object.

Parameters

<i>filename</i>	XML-file of the object
<i>skipBOM</i>	Skip BOM (optional, default: false)

Returns

Object

5.90.2.2 DeserializeFromResource< T >()

```
static T Crosstales.Common.Util.XmlHelper.DeserializeFromResource< T > (  
    string resourceName,  
    bool skipBOM = true ) [static]
```

Deserialize a Unity XML resource (TextAsset) to an object.

Parameters

<i>resourceName</i>	Name of the resource
<i>skipBOM</i>	Skip BOM (optional, default: true)

Returns

Object

5.90.2.3 DeserializeFromString< T >()

```
static T Crosstales.Common.Util.XmlHelper.DeserializeFromString< T > (
    string xmlAsString,
    bool skipBOM = true ) [static]
```

Deserialize a XML-string to an object.

Parameters

<i>xmlAsString</i>	XML of the object
<i>skipBOM</i>	Skip BOM (optional, default: true)

Returns

Object

5.90.2.4 SerializeToFile< T >()

```
static void Crosstales.Common.Util.XmlHelper.SerializeToFile< T > (
    T obj,
    string filename ) [static]
```

Serialize an object to an XML-file.

Parameters

<i>obj</i>	Object to serialize.
<i>filename</i>	File name of the XML.

5.90.2.5 SerializeToString< T >()

```
static string Crosstales.Common.Util.XmlHelper.SerializeToString< T > (
    T obj ) [static]
```

Serialize an object to an XML-string.

Parameters

<i>obj</i>	Object to serialize.
------------	----------------------

Returns

Object as XML-stringValid path

The documentation for this class was generated from the following file:

- D:/slaubenberger/git/assets/FileBrowser/FileBrowserPro/Assets/Plugins/crosstailes/Common/Scripts/↔ Util/XmlHelper.cs

5.91 Crosstailes.FB.Demo.ZInstaller Class Reference

Installs the 'UI'-package from [Common](#).

5.91.1 Detailed Description

Installs the 'UI'-package from [Common](#).

The documentation for this class was generated from the following file:

- D:/slaubenberger/git/assets/FileBrowser/FileBrowserPro/Assets/Plugins/crosstailes/FileBrowser/Demos/↔ Editor/ZInstaller.cs

Chapter 6

More information

6.1 Homepage

<https://www.crosstales.com/>

6.2 AssetStore

<https://assetstore.unity.com/lists/crosstales-42213?aid=10111NGT>

6.3 Forum

<https://forum.unity.com/threads/file-browser-native-file-browser-for-windows-and-macos.510403/>

6.4 Documentation

<https://www.crosstales.com/media/data/assets/FileBrowser/FileBrowser-doc.pdf>

6.5 Discord

<https://discord.gg/ZbZ2sh4>

6.6 Demos

6.6.1 Windows

https://drive.google.com/file/d/1sE-6uhp2nk_5B85jvoiMWdk__HqUPSek/view?usp=sharing

6.6.2 macOS

<https://drive.google.com/file/d/1sAB953F-fpRmTSks9f2ZM0sMV7CEyyUA/view?usp=sharing>

6.6.3 Linux

https://drive.google.com/file/d/1LAm9v8Mu9jvF_8ZU0X3UU8nLKCdobzrj/view?usp=sharing

6.7 Videos

<https://www.youtube.com/c/Crosstales>

6.7.1 Tutorial

<https://youtu.be/nczXecD0uB0?list=PLgtonIO6Tb41XTMeeZ836tjHlKg0084S>

Index

- Active
 - Crosstales.Common.Util.PlatformController, [193](#)
- AddSymbolsToAllTargets
 - Crosstales.Common.EditorTask.BaseCompileDefines, [28](#)
- AlphaRange
 - Crosstales.Common.Util.RandomColor, [194](#)
- APPLICATION_PATH
 - Crosstales.Common.Util.BaseConstants, [31](#)
- Arguments
 - Crosstales.Common.Util.CTProcessStartInfo, [94](#)
- AskOverwriteFile
 - Crosstales.FB.FileBrowser, [144](#)
- ASSET_3P_PLAYMAKER
 - Crosstales.Common.Util.BaseConstants, [31](#)
- ASSET_3P_ROCKTOMATE
 - Crosstales.Common.Util.BaseConstants, [31](#)
- ASSET_3P_RTFB
 - Crosstales.FB.Util.Constants, [81](#)
- ASSET_3P_VOLUMETRIC_AUDIO
 - Crosstales.Common.Util.BaseConstants, [31](#)
- ASSET_API_URL
 - Crosstales.FB.Util.Constants, [81](#)
- ASSET_AUTHOR
 - Crosstales.Common.Util.BaseConstants, [32](#)
- ASSET_AUTHOR_URL
 - Crosstales.Common.Util.BaseConstants, [32](#)
- ASSET_BUILD
 - Crosstales.FB.Util.Constants, [81](#)
- ASSET_BWF
 - Crosstales.Common.Util.BaseConstants, [32](#)
- ASSET_CHANGED
 - Crosstales.FB.Util.Constants, [82](#)
- ASSET_CONTACT
 - Crosstales.FB.Util.Constants, [82](#)
- ASSET_CREATED
 - Crosstales.FB.Util.Constants, [82](#)
- ASSET_CT_URL
 - Crosstales.Common.Util.BaseConstants, [32](#)
- ASSET_DJ
 - Crosstales.Common.Util.BaseConstants, [32](#)
- ASSET_FB
 - Crosstales.Common.Util.BaseConstants, [32](#)
- ASSET_FORUM_URL
 - Crosstales.FB.Util.Constants, [82](#)
- ASSET_ID
 - Crosstales.FB.EditorUtil.EditorConstants, [102](#)
- ASSET_MANUAL_URL
 - Crosstales.FB.Util.Constants, [82](#)
- ASSET_NAME
 - Crosstales.FB.Util.Constants, [82](#)
- ASSET_NAME_SHORT
 - Crosstales.FB.Util.Constants, [83](#)
- ASSET_OC
 - Crosstales.Common.Util.BaseConstants, [33](#)
- ASSET_PATH
 - Crosstales.FB.EditorUtil.EditorConfig, [101](#)
 - Crosstales.FB.Util.Config, [77](#)
- ASSET_PRO_URL
 - Crosstales.FB.Util.Constants, [83](#)
- ASSET_RADIO
 - Crosstales.Common.Util.BaseConstants, [33](#)
- ASSET_RTV
 - Crosstales.Common.Util.BaseConstants, [33](#)
- ASSET_SOCIAL_DISCORD
 - Crosstales.Common.Util.BaseConstants, [33](#)
- ASSET_SOCIAL_FACEBOOK
 - Crosstales.Common.Util.BaseConstants, [33](#)
- ASSET_SOCIAL_LINKEDIN
 - Crosstales.Common.Util.BaseConstants, [33](#)
- ASSET_SOCIAL_TWITTER
 - Crosstales.Common.Util.BaseConstants, [34](#)
- ASSET_SOCIAL_YOUTUBE
 - Crosstales.Common.Util.BaseConstants, [34](#)
- ASSET_TB
 - Crosstales.Common.Util.BaseConstants, [34](#)
- ASSET_TPB
 - Crosstales.Common.Util.BaseConstants, [34](#)
- ASSET_TPS
 - Crosstales.Common.Util.BaseConstants, [34](#)
- ASSET_TR
 - Crosstales.Common.Util.BaseConstants, [34](#)
- ASSET_UID
 - Crosstales.FB.EditorUtil.EditorConstants, [102](#)
- ASSET_UPDATE_CHECK_URL
 - Crosstales.FB.Util.Constants, [83](#)
- ASSET_URL
 - Crosstales.FB.EditorUtil.EditorConstants, [102](#)
- ASSET_VERSION
 - Crosstales.FB.Util.Constants, [83](#)
- ASSET_VIDEO_TUTORIAL
 - Crosstales.FB.Util.Constants, [83](#)
- ASSET_WEB_URL
 - Crosstales.FB.Util.Constants, [83](#)
- AudioSources
 - Crosstales.UI.Audio.AudioSourceController, [25](#)
- canOpenMultipleFiles
 - Crosstales.FB.FileBrowser, [142](#)

- Crosstales.FB.Wrapper.IFileBrowser, [185](#)
- canOpenMultipleFolders
 - Crosstales.FB.FileBrowser, [143](#)
 - Crosstales.FB.Wrapper.IFileBrowser, [185](#)
- CanRead
 - Crosstales.Common.Util.MemoryCacheStream, [188](#)
- CanSeek
 - Crosstales.Common.Util.MemoryCacheStream, [188](#)
- CanWrite
 - Crosstales.Common.Util.MemoryCacheStream, [188](#)
- Capture
 - Crosstales.Common.Util.TakeScreenshot, [208](#)
- ChangeInterval
 - Crosstales.Common.Util.RandomColor, [194](#)
 - Crosstales.Common.Util.RandomRotator, [196](#)
 - Crosstales.Common.Util.RandomScaler, [198](#)
- ChangeState
 - Crosstales.UI.UIWindowManager, [214](#)
- CleanUrl
 - Crosstales.Common.Util.BaseHelper, [58](#)
- ClearLineEndings
 - Crosstales.Common.Util.BaseHelper, [59](#)
- ClearSpaces
 - Crosstales.Common.Util.BaseHelper, [59](#)
- ClearTags
 - Crosstales.Common.Util.BaseHelper, [59](#)
- CMD_WINDOWS_PATH
 - Crosstales.Common.Util.BaseConstants, [35](#)
- COMPILE_DEFINES
 - Crosstales.FB.EditorUtil.EditorConfig, [100](#)
- ConnectionLimit
 - Crosstales.Common.Util.CTWebClient, [97](#)
- CreateInstance
 - Crosstales.Common.Util.Singleton< T >, [204](#)
- CreateNoWindow
 - Crosstales.Common.Util.CTProcessStartInfo, [94](#)
- CreateString
 - Crosstales.Common.Util.BaseHelper, [60](#)
- Crosstales, [11](#)
- Crosstales.Common, [11](#)
- Crosstales.Common.EditorTask, [11](#)
- Crosstales.Common.EditorTask.BaseCompileDefines, [27](#)
 - AddSymbolsToAllTargets, [28](#)
 - RemoveSymbolsFromAllTargets, [28](#)
- Crosstales.Common.EditorTask.BaseSetupResources, [74](#)
- Crosstales.Common.EditorTask.NYCheck, [189](#)
- Crosstales.Common.EditorTask.SetupResources, [201](#)
- Crosstales.Common.EditorUtil, [11](#)
- Crosstales.Common.EditorUtil.BaseEditorHelper, [44](#)
 - FindAssetsByType< T >, [46](#)
 - getBuildNameFromBuildTarget, [46](#)
 - getBuildTargetForBuildName, [47](#)
 - getCLIArgument, [47](#)
 - InvokeMethod, [47](#)
 - isValidBuildTarget, [48](#)
 - ReadOnlyTextField, [48](#)
 - RefreshAssetDatabase, [48](#)
 - RestartUnity, [48](#)
 - SeparatorUI, [49](#)
- Crosstales.Common.Model, [12](#)
- Crosstales.Common.Model.Enum, [12](#)
 - Platform, [12](#)
 - SampleRate, [12](#)
- Crosstales.Common.Tool, [12](#)
- Crosstales.Common.Tool.FreeCam, [174](#)
 - FastMovementSpeed, [176](#)
 - FastZoomSensitivity, [176](#)
 - FreeLookSensitivity, [176](#)
 - MovementSpeed, [176](#)
 - StartLooking, [175](#)
 - StopLooking, [175](#)
 - ZoomSensitivity, [176](#)
- Crosstales.Common.Util, [13](#)
- Crosstales.Common.Util.BackgroundController, [26](#)
 - Objects, [27](#)
- Crosstales.Common.Util.BaseConstants, [28](#)
 - APPLICATION_PATH, [31](#)
 - ASSET_3P_PLAYMAKER, [31](#)
 - ASSET_3P_ROCKTOMATE, [31](#)
 - ASSET_3P_VOLUMETRIC_AUDIO, [31](#)
 - ASSET_AUTHOR, [32](#)
 - ASSET_AUTHOR_URL, [32](#)
 - ASSET_BWF, [32](#)
 - ASSET_CT_URL, [32](#)
 - ASSET_DJ, [32](#)
 - ASSET_FB, [32](#)
 - ASSET_OC, [33](#)
 - ASSET_RADIO, [33](#)
 - ASSET_RTV, [33](#)
 - ASSET_SOCIAL_DISCORD, [33](#)
 - ASSET_SOCIAL_FACEBOOK, [33](#)
 - ASSET_SOCIAL_LINKEDIN, [33](#)
 - ASSET_SOCIAL_TWITTER, [34](#)
 - ASSET_SOCIAL_YOUTUBE, [34](#)
 - ASSET_TB, [34](#)
 - ASSET_TPB, [34](#)
 - ASSET_TPS, [34](#)
 - ASSET_TR, [34](#)
 - CMD_WINDOWS_PATH, [35](#)
 - DEV_DEBUG, [35](#)
 - FACTOR_GB, [35](#)
 - FACTOR_KB, [35](#)
 - FACTOR_MB, [35](#)
 - FLOAT_32768, [35](#)
 - FLOAT_TOLERANCE, [36](#)
 - FORMAT_NO_DECIMAL_PLACES, [36](#)
 - FORMAT_PERCENT, [36](#)
 - FORMAT_TWO_DECIMAL_PLACES, [36](#)
 - PATH_DELIMITER_UNIX, [36](#)
 - PATH_DELIMITER_WINDOWS, [36](#)
 - PREFIX_FILE, [39](#)

- PROCESS_KILL_TIME, [37](#)
- SHOW_BWF_BANNER, [37](#)
- SHOW_DJ_BANNER, [37](#)
- SHOW_FB_BANNER, [37](#)
- SHOW_OC_BANNER, [37](#)
- SHOW_RADIO_BANNER, [37](#)
- SHOW_RTV_BANNER, [38](#)
- SHOW_TB_BANNER, [38](#)
- SHOW_TPB_BANNER, [38](#)
- SHOW_TPS_BANNER, [38](#)
- SHOW_TR_BANNER, [38](#)
- Crosstales.Common.Util.BaseHelper, [56](#)
 - CleanUrl, [58](#)
 - ClearLineEndings, [59](#)
 - ClearSpaces, [59](#)
 - ClearTags, [59](#)
 - CreateString, [60](#)
 - CurrentPlatform, [70](#)
 - FileCopy, [60](#)
 - FormatBytesToHRF, [61](#)
 - FormatSecondsToHourMinSec, [61](#)
 - GetDirectories, [61](#)
 - GetDrives, [61](#)
 - GetFiles, [62](#)
 - getIP, [62](#)
 - hasActiveClip, [62](#)
 - HSVToRGB, [63](#)
 - isAndroidPlatform, [70](#)
 - isAppleBasedPlatform, [67](#)
 - isEditor, [67](#)
 - isEditorMode, [68](#)
 - isIL2CPP, [70](#)
 - isInternetAvailable, [70](#)
 - isIOSBasedPlatform, [68](#)
 - isIOSPlatform, [70](#)
 - isLinuxEditor, [71](#)
 - isLinuxPlatform, [71](#)
 - isMacOSEditor, [71](#)
 - isMacOSPlatform, [71](#)
 - isMobilePlatform, [68](#)
 - isPS4Platform, [72](#)
 - isStandalonePlatform, [68](#)
 - isTvOSPlatform, [72](#)
 - isValidURL, [63](#)
 - isWebGLPlatform, [72](#)
 - isWebPlatform, [69](#)
 - isWindowsBasedPlatform, [69](#)
 - isWindowsEditor, [72](#)
 - isWindowsPlatform, [73](#)
 - isWSABasedPlatform, [69](#)
 - isWSAPlatform, [73](#)
 - isXboxOnePlatform, [73](#)
 - OpenFile, [64](#)
 - OpenURL, [64](#)
 - RemoteCertificateValidationCallback, [64](#)
 - ShowFileLocation, [64](#)
 - SplitStringToLines, [66](#)
 - StreamingAssetsPath, [73](#)
 - ValidateFile, [66](#)
 - ValidatePath, [66](#)
 - ValidURLFromFilePath, [67](#)
- Crosstales.Common.Util.CTPlayerPrefs, [84](#)
 - DeleteAll, [85](#)
 - DeleteKey, [85](#)
 - GetBool, [85](#)
 - GetDate, [85](#)
 - GetFloat, [86](#)
 - GetInt, [86](#)
 - GetString, [87](#)
 - HasKey, [87](#)
 - Save, [87](#)
 - SetBool, [87](#)
 - SetDate, [88](#)
 - SetFloat, [88](#)
 - SetInt, [88](#)
 - SetString, [89](#)
- Crosstales.Common.Util.CTProcess, [89](#)
 - ExitCode, [92](#)
 - ExitTime, [92](#)
 - Handle, [92](#)
 - HasExited, [92](#)
 - Id, [92](#)
 - isBusy, [93](#)
 - Kill, [91](#)
 - StandardError, [93](#)
 - StandardOutput, [93](#)
 - Start, [91](#)
 - StartInfo, [93](#)
 - StartTime, [93](#)
- Crosstales.Common.Util.CTProcessStartInfo, [94](#)
 - Arguments, [94](#)
 - CreateNoWindow, [94](#)
 - FileName, [95](#)
 - RedirectStandardError, [95](#)
 - RedirectStandardOutput, [95](#)
 - StandardErrorEncoding, [95](#)
 - StandardOutputEncoding, [95](#)
 - UseCmdExecute, [95](#)
 - UseShellExecute, [96](#)
 - UseThread, [96](#)
 - WorkingDirectory, [96](#)
- Crosstales.Common.Util.CTWebClient, [96](#)
 - ConnectionLimit, [97](#)
 - Timeout, [97](#)
- Crosstales.Common.Util.HelperCT, [179](#)
- Crosstales.Common.Util.HelperCTEditor, [179](#)
- Crosstales.Common.Util.MemoryCacheStream, [187](#)
 - CanRead, [188](#)
 - CanSeek, [188](#)
 - CanWrite, [188](#)
 - Length, [188](#)
 - MemoryCacheStream, [188](#)
 - Position, [189](#)
- Crosstales.Common.Util.PlatformController, [192](#)
 - Active, [193](#)
 - Objects, [193](#)

- Platforms, [193](#)
- Crosstales.Common.Util.RandomColor, [193](#)
 - AlphaRange, [194](#)
 - ChangeInterval, [194](#)
 - GrayScale, [194](#)
 - HueRange, [195](#)
 - Material, [195](#)
 - SaturationRange, [195](#)
 - UseInterval, [195](#)
 - ValueRange, [195](#)
- Crosstales.Common.Util.RandomRotator, [196](#)
 - ChangeInterval, [196](#)
 - SpeedMax, [196](#)
 - SpeedMin, [196](#)
 - UseInterval, [197](#)
- Crosstales.Common.Util.RandomScaler, [197](#)
 - ChangeInterval, [198](#)
 - ScaleMax, [198](#)
 - ScaleMin, [198](#)
 - Uniform, [198](#)
 - UseInterval, [198](#)
- Crosstales.Common.Util.Singleton< T >, [203](#)
 - CreateInstance, [204](#)
 - DeleteInstance, [204](#)
 - DontDestroy, [204](#)
 - Instance, [204](#)
 - PrefabPath, [204](#)
- Crosstales.Common.Util.SingletonHelper, [205](#)
- Crosstales.Common.Util.SurviveSceneSwitch, [207](#)
 - Survivors, [207](#)
- Crosstales.Common.Util.TakeScreenshot, [207](#)
 - Capture, [208](#)
 - KeyCode, [208](#)
 - Prefix, [208](#)
 - Scale, [209](#)
- Crosstales.Common.Util.XmlHelper, [220](#)
 - DeserializeFromFile< T >, [221](#)
 - DeserializeFromResource< T >, [221](#)
 - DeserializeFromString< T >, [221](#)
 - SerializeToFile< T >, [222](#)
 - SerializeToString< T >, [222](#)
- Crosstales.ExtensionMethods, [108](#)
 - CTAddRange< K, V >, [110](#)
 - CTContains, [110](#)
 - CTContainsAll, [110](#)
 - CTContainsAny, [111](#)
 - CTDeepSearch, [111](#)
 - CTDump, [112](#), [113](#), [115](#)
 - CTDump< K, V >, [115](#)
 - CTDump< T >, [116](#)
 - CTEndsWith, [117](#)
 - CTEquals, [117](#)
 - CTIndexOf, [117](#), [118](#)
 - CTIsInteger, [118](#)
 - CTIsNumeric, [119](#)
 - CTIsVisibleFrom, [119](#)
 - CTLastIndexOf, [119](#)
 - CTReadFully, [120](#)
 - CTReplace, [120](#)
 - CTReverse, [121](#)
 - CTShuffle< T >, [121](#)
 - CTStartsWith, [122](#)
 - CTToString< T >, [122](#)
 - CTToTitleCase, [123](#)
- Crosstales.FB, [14](#)
- Crosstales.FB.Demo, [14](#)
 - Crosstales.FB.Demo.EventTester, [105](#)
 - Crosstales.FB.Demo.Examples, [106](#)
 - Crosstales.FB.Demo.GUIMain, [177](#)
 - Crosstales.FB.Demo.GUIScenes, [177](#)
 - Crosstales.FB.Demo.Util, [14](#)
 - Crosstales.FB.Demo.Util.CustomWrapperController, [98](#)
 - Crosstales.FB.Demo.ZInstaller, [223](#)
- Crosstales.FB.EditorExtension, [14](#)
 - Crosstales.FB.EditorExtension.FileBrowserEditor, [150](#)
 - Crosstales.FB.EditorIntegration, [15](#)
 - Crosstales.FB.EditorIntegration.ConfigBase, [78](#)
 - Crosstales.FB.EditorIntegration.ConfigPreferences, [79](#)
 - Crosstales.FB.EditorIntegration.ConfigWindow, [79](#)
 - Crosstales.FB.EditorIntegration.FileBrowserGameObject, [151](#)
 - Crosstales.FB.EditorIntegration.FileBrowserMenu, [158](#)
- Crosstales.FB.EditorTask, [15](#)
 - UpdateStatus, [15](#)
- Crosstales.FB.EditorTask.AAAConfigLoader, [21](#)
- Crosstales.FB.EditorTask.AutoInitialize, [26](#)
- Crosstales.FB.EditorTask.CompileDefines, [75](#)
- Crosstales.FB.EditorTask.Launch, [186](#)
- Crosstales.FB.EditorTask.SetupResources, [201](#)
- Crosstales.FB.EditorTask.UpdateCheck, [215](#)
- Crosstales.FB.EditorUtil, [16](#)
 - Crosstales.FB.EditorUtil.BuildPostprocessor, [74](#)
 - Crosstales.FB.EditorUtil.EditorConfig, [98](#)
 - ASSET_PATH, [101](#)
 - COMPILE_DEFINES, [100](#)
 - HIERARCHY_ICON, [100](#)
 - isLoading, [100](#)
 - Load, [99](#)
 - PREFAB_AUTOLOAD, [100](#)
 - PREFAB_PATH, [100](#)
 - Reset, [99](#)
 - Save, [99](#)
 - UPDATE_CHECK, [101](#)
- Crosstales.FB.EditorUtil.EditorConstants, [101](#)
 - ASSET_ID, [102](#)
 - ASSET_UID, [102](#)
 - ASSET_URL, [102](#)
 - PREFAB_SUBPATH, [103](#)
- Crosstales.FB.EditorUtil.EditorHelper, [103](#)
 - FBUnavailable, [104](#)
 - GO_ID, [104](#)
 - InstantiatePrefab, [104](#)
 - isFileBrowserInScene, [105](#)
 - MENU_ID, [105](#)
- Crosstales.FB.Extension, [107](#)
- Crosstales.FB.ExtensionFilter, [107](#)

- Crosstales.FB.FileBrowser, [123](#)
 - AskOverwriteFile, [144](#)
 - canOpenMultipleFiles, [142](#)
 - canOpenMultipleFolders, [143](#)
 - CurrentOpenFiles, [144](#)
 - CurrentOpenFolders, [144](#)
 - CurrentOpenSingleFile, [144](#)
 - CurrentOpenSingleFolder, [144](#)
 - CurrentSaveFile, [145](#)
 - CustomMode, [145](#)
 - CustomWrapper, [145](#)
 - GetDirectories, [127](#)
 - GetDrives, [127](#)
 - GetFiles, [128](#)
 - isPlatformSupported, [143](#)
 - isWorkingInEditor, [143](#)
 - LegacyFolderBrowser, [145](#)
 - NameSaveFile, [145](#)
 - OnOpenFilesComplete, [147](#)
 - OnOpenFilesStart, [147](#)
 - OnOpenFoldersComplete, [147](#)
 - OnOpenFoldersStart, [147](#)
 - OnSaveFileComplete, [147](#)
 - OnSaveFileStart, [147](#)
 - OpenFiles, [128](#), [129](#)
 - OpenFilesAsync, [130–132](#)
 - OpenFolders, [133](#)
 - OpenFoldersAsync, [133](#), [134](#)
 - OpenSingleFile, [135](#), [136](#)
 - OpenSingleFileAsync, [136](#), [137](#)
 - OpenSingleFolder, [137](#)
 - OpenSingleFolderAsync, [138](#)
 - SaveFile, [138](#), [139](#)
 - SaveFileAsync, [140–142](#)
 - TextAllFiles, [146](#)
 - TitleOpenFile, [146](#)
 - TitleOpenFiles, [146](#)
 - TitleOpenFolder, [146](#)
 - TitleOpenFolders, [146](#)
 - TitleSaveFile, [146](#)
- Crosstales.FB.FileBrowserWSAImpl, [170](#)
 - DEBUG, [173](#)
 - isBusy, [173](#)
 - LastGetDirectories, [171](#)
 - LastGetDrives, [171](#)
 - LastGetFiles, [172](#)
 - LastOpenFile, [172](#)
 - LastOpenFiles, [172](#)
 - Selection, [172](#)
- Crosstales.FB.OnOpenFilesCompleted, [189](#)
- Crosstales.FB.OnOpenFoldersCompleted, [190](#)
- Crosstales.FB.OnSaveFileCompleted, [190](#)
- Crosstales.FB.RTFB, [16](#)
- Crosstales.FB.RTFB.FileBrowserRTFB, [159](#)
 - LoadButtonText, [163](#)
 - OpenFiles, [160](#)
 - OpenFilesAsync, [160](#)
 - OpenFolders, [161](#)
 - OpenFoldersAsync, [161](#)
 - SaveButtonText, [163](#)
 - SaveFile, [162](#)
 - SaveFileAsync, [162](#)
 - ShowAllFiles, [163](#)
- Crosstales.FB.RTFB.FileBrowserRTFBEditor, [164](#)
- Crosstales.FB.RTFB.FileBrowserRTFBGameObject, [164](#)
- Crosstales.FB.RTFB.FileBrowserRTFBMenu, [165](#)
- Crosstales.FB.RTFB.ShowMore, [202](#)
- Crosstales.FB.Util, [16](#)
- Crosstales.FB.Util.Config, [76](#)
 - ASSET_PATH, [77](#)
 - DEBUG, [77](#)
 - isLoading, [77](#)
 - Load, [76](#)
 - NATIVE_WINDOWS, [77](#)
 - Reset, [77](#)
 - Save, [77](#)
- Crosstales.FB.Util.Constants, [80](#)
 - ASSET_3P_RTFB, [81](#)
 - ASSET_API_URL, [81](#)
 - ASSET_BUILD, [81](#)
 - ASSET_CHANGED, [82](#)
 - ASSET_CONTACT, [82](#)
 - ASSET_CREATED, [82](#)
 - ASSET_FORUM_URL, [82](#)
 - ASSET_MANUAL_URL, [82](#)
 - ASSET_NAME, [82](#)
 - ASSET_NAME_SHORT, [83](#)
 - ASSET_PRO_URL, [83](#)
 - ASSET_UPDATE_CHECK_URL, [83](#)
 - ASSET_VERSION, [83](#)
 - ASSET_VIDEO_TUTORIAL, [83](#)
 - ASSET_WEB_URL, [83](#)
 - FB_SCENE_OBJECT_NAME, [84](#)
- Crosstales.FB.Util.Helper, [178](#)
- Crosstales.FB.Util.SetupProject, [200](#)
- Crosstales.FB.Wrapper, [17](#)
- Crosstales.FB.Wrapper.BaseCustomFileBrowser, [39](#)
 - OpenFiles, [40](#)
 - OpenFilesAsync, [40](#)
 - OpenFolders, [41](#)
 - OpenFoldersAsync, [41](#)
 - OpenSingleFile, [42](#)
 - OpenSingleFolder, [42](#)
 - SaveFile, [43](#)
 - SaveFileAsync, [43](#)
- Crosstales.FB.Wrapper.BaseFileBrowser, [50](#)
 - OpenFiles, [51](#)
 - OpenFilesAsync, [52](#)
 - OpenFolders, [52](#)
 - OpenFoldersAsync, [53](#)
 - OpenSingleFile, [53](#)
 - OpenSingleFolder, [54](#)
 - SaveFile, [54](#)
 - SaveFileAsync, [55](#)
- Crosstales.FB.Wrapper.FileBrowserEditor, [148](#)

- OpenFiles, [149](#)
- OpenFolders, [149](#)
- SaveFile, [150](#)
- Crosstales.FB.Wrapper.FileBrowserGeneric, [151](#)
 - OpenFiles, [152](#)
 - OpenFolders, [153](#)
 - SaveFile, [153](#)
- Crosstales.FB.Wrapper.FileBrowserLinux, [154](#)
 - OpenFiles, [155](#)
 - OpenFolders, [155](#)
- Crosstales.FB.Wrapper.FileBrowserMac, [156](#)
 - OpenFiles, [157](#)
 - OpenFolders, [157](#)
 - SaveFile, [158](#)
- Crosstales.FB.Wrapper.FileBrowserWindows, [165](#)
 - OpenFiles, [166](#)
 - OpenFolders, [166](#)
 - SaveFile, [167](#)
- Crosstales.FB.Wrapper.FileBrowserWSA, [168](#)
 - FileBrowserWSA, [168](#)
 - OpenFiles, [169](#)
 - OpenFolders, [169](#)
 - SaveFile, [170](#)
- Crosstales.FB.Wrapper.IFileBrowser, [180](#)
 - canOpenMultipleFiles, [185](#)
 - canOpenMultipleFolders, [185](#)
 - isPlatformSupported, [185](#)
 - isWorkingInEditor, [186](#)
 - OpenFiles, [181](#)
 - OpenFilesAsync, [181](#)
 - OpenFolders, [182](#)
 - OpenFoldersAsync, [182](#)
 - OpenSingleFile, [183](#)
 - OpenSingleFolder, [183](#)
 - SaveFile, [184](#)
 - SaveFileAsync, [184](#)
- Crosstales.FB.Wrapper.Linux, [17](#)
- Crosstales.FB.Wrapper.Mac, [17](#)
- Crosstales.FB.WrapperExample, [216](#)
 - OpenFiles, [217](#)
 - OpenFilesAsync, [218](#)
 - OpenFolders, [218](#)
 - OpenFoldersAsync, [219](#)
 - SaveFile, [219](#)
 - SaveFileAsync, [220](#)
- Crosstales.UI, [18](#)
- Crosstales.UI.Audio, [18](#)
- Crosstales.UI.Audio.AudioFilterController, [21](#)
 - FindAllAudioFilters, [22](#)
 - FindAllAudioFiltersOnStart, [23](#)
 - ResetAudioFilters, [23](#)
- Crosstales.UI.Audio.AudioSourceController, [23](#)
 - AudioSources, [25](#)
 - FindAllAudioSources, [24](#)
 - FindAllAudioSourcesOnStart, [25](#)
 - Loop, [25](#)
 - Mute, [25](#)
 - Pitch, [25](#)
 - ResetAllAudioSources, [24](#)
 - ResetAudioSourcesOnStart, [25](#)
 - StereoPan, [26](#)
 - Volume, [26](#)
- Crosstales.UI.CompileDefines, [75](#)
- Crosstales.UI.Social, [205](#)
- Crosstales.UI.StaticManager, [206](#)
- Crosstales.UI.UIDrag, [209](#)
- Crosstales.UI.UIFocus, [210](#)
 - ManagerName, [210](#)
 - OnPanelEnter, [210](#)
- Crosstales.UI.UIHint, [211](#)
 - Delay, [212](#)
 - Disable, [212](#)
 - FadeAtStart, [212](#)
 - FadeTime, [212](#)
 - Group, [212](#)
- Crosstales.UI.UIResize, [213](#)
 - MaxSize, [213](#)
 - MinSize, [213](#)
- Crosstales.UI.UIWindowManager, [214](#)
 - ChangeState, [214](#)
 - Windows, [214](#)
- Crosstales.UI.Util, [18](#)
- Crosstales.UI.Util.FPSDisplay, [173](#)
 - FPS, [174](#)
 - FrameUpdate, [174](#)
- Crosstales.UI.Util.ScrollRectHandler, [200](#)
- Crosstales.UI.WindowManager, [215](#)
 - Dependencies, [216](#)
 - Speed, [216](#)
- CTAddRange< K, V >
 - Crosstales.ExtensionMethods, [110](#)
- CTContains
 - Crosstales.ExtensionMethods, [110](#)
- CTContainsAll
 - Crosstales.ExtensionMethods, [110](#)
- CTContainsAny
 - Crosstales.ExtensionMethods, [111](#)
- CTDeepSearch
 - Crosstales.ExtensionMethods, [111](#)
- CTDump
 - Crosstales.ExtensionMethods, [112](#), [113](#), [115](#)
- CTDump< K, V >
 - Crosstales.ExtensionMethods, [115](#)
- CTDump< T >
 - Crosstales.ExtensionMethods, [116](#)
- CTEndsWith
 - Crosstales.ExtensionMethods, [117](#)
- CTEquals
 - Crosstales.ExtensionMethods, [117](#)
- CTIndexOf
 - Crosstales.ExtensionMethods, [117](#), [118](#)
- CTIsInteger
 - Crosstales.ExtensionMethods, [118](#)
- CTIsNumeric
 - Crosstales.ExtensionMethods, [119](#)
- CTIsVisibleFrom

- Crosstales.ExtensionMethods, [119](#)
- CTLastIndexOf
 - Crosstales.ExtensionMethods, [119](#)
- CTReadFully
 - Crosstales.ExtensionMethods, [120](#)
- CTReplace
 - Crosstales.ExtensionMethods, [120](#)
- CTReverse
 - Crosstales.ExtensionMethods, [121](#)
- CTShuffle< T >
 - Crosstales.ExtensionMethods, [121](#)
- CTStartsWith
 - Crosstales.ExtensionMethods, [122](#)
- CTToString< T >
 - Crosstales.ExtensionMethods, [122](#)
- CTToTitleCase
 - Crosstales.ExtensionMethods, [123](#)
- CurrentOpenFiles
 - Crosstales.FB.FileBrowser, [144](#)
- CurrentOpenFolders
 - Crosstales.FB.FileBrowser, [144](#)
- CurrentOpenSingleFile
 - Crosstales.FB.FileBrowser, [144](#)
- CurrentOpenSingleFolder
 - Crosstales.FB.FileBrowser, [144](#)
- CurrentPlatform
 - Crosstales.Common.Util.BaseHelper, [70](#)
- CurrentSaveFile
 - Crosstales.FB.FileBrowser, [145](#)
- CustomMode
 - Crosstales.FB.FileBrowser, [145](#)
- CustomWrapper
 - Crosstales.FB.FileBrowser, [145](#)
- DEBUG
 - Crosstales.FB.FileBrowserWSAImpl, [173](#)
 - Crosstales.FB.Util.Config, [77](#)
- Delay
 - Crosstales.UI.UIHint, [212](#)
- DeleteAll
 - Crosstales.Common.Util.CTPlayerPrefs, [85](#)
- DeleteInstance
 - Crosstales.Common.Util.Singleton< T >, [204](#)
- DeleteKey
 - Crosstales.Common.Util.CTPlayerPrefs, [85](#)
- Dependencies
 - Crosstales.UI.WindowManager, [216](#)
- DeserializeFromFile< T >
 - Crosstales.Common.Util.XmlHelper, [221](#)
- DeserializeFromResource< T >
 - Crosstales.Common.Util.XmlHelper, [221](#)
- DeserializeFromString< T >
 - Crosstales.Common.Util.XmlHelper, [221](#)
- DEV_DEBUG
 - Crosstales.Common.Util.BaseConstants, [35](#)
- Disable
 - Crosstales.UI.UIHint, [212](#)
- DontDestroy
 - Crosstales.Common.Util.Singleton< T >, [204](#)
- ExitCode
 - Crosstales.Common.Util.CTProcess, [92](#)
- ExitTime
 - Crosstales.Common.Util.CTProcess, [92](#)
- Extension
 - HutongGames.PlayMaker.Actions.OpenFile, [191](#)
 - HutongGames.PlayMaker.Actions.SaveFile, [199](#)
- FACTOR_GB
 - Crosstales.Common.Util.BaseConstants, [35](#)
- FACTOR_KB
 - Crosstales.Common.Util.BaseConstants, [35](#)
- FACTOR_MB
 - Crosstales.Common.Util.BaseConstants, [35](#)
- FadeAtStart
 - Crosstales.UI.UIHint, [212](#)
- FadeTime
 - Crosstales.UI.UIHint, [212](#)
- FastMovementSpeed
 - Crosstales.Common.Tool.FreeCam, [176](#)
- FastZoomSensitivity
 - Crosstales.Common.Tool.FreeCam, [176](#)
- FB_SCENE_OBJECT_NAME
 - Crosstales.FB.Util.Constants, [84](#)
- FBUnavailable
 - Crosstales.FB.EditorUtil.EditorHelper, [104](#)
- FileBrowserWSA
 - Crosstales.FB.Wrapper.FileBrowserWSA, [168](#)
- FileCopy
 - Crosstales.Common.Util.BaseHelper, [60](#)
- FileName
 - Crosstales.Common.Util.CTProcessStartInfo, [95](#)
 - HutongGames.PlayMaker.Actions.SaveFile, [199](#)
- FindAllAudioFilters
 - Crosstales.UI.Audio.AudioFilterController, [22](#)
- FindAllAudioFiltersOnStart
 - Crosstales.UI.Audio.AudioFilterController, [23](#)
- FindAllAudioSources
 - Crosstales.UI.Audio.AudioSourceController, [24](#)
- FindAllAudioSourcesOnStart
 - Crosstales.UI.Audio.AudioSourceController, [25](#)
- FindAssetsByType< T >
 - Crosstales.Common.EditorUtil.BaseEditorHelper, [46](#)
- FLOAT_32768
 - Crosstales.Common.Util.BaseConstants, [35](#)
- FLOAT_TOLERANCE
 - Crosstales.Common.Util.BaseConstants, [36](#)
- FORMAT_NO_DECIMAL_PLACES
 - Crosstales.Common.Util.BaseConstants, [36](#)
- FORMAT_PERCENT
 - Crosstales.Common.Util.BaseConstants, [36](#)
- FORMAT_TWO_DECIMAL_PLACES
 - Crosstales.Common.Util.BaseConstants, [36](#)
- FormatBytesToHRF
 - Crosstales.Common.Util.BaseHelper, [61](#)
- FormatSecondsToHourMinSec
 - Crosstales.Common.Util.BaseHelper, [61](#)
- FPS

- Crosstales.UI.Util.FPSDisplay, [174](#)
- FrameUpdate
 - Crosstales.UI.Util.FPSDisplay, [174](#)
- FreeLookSensitivity
 - Crosstales.Common.Tool.FreeCam, [176](#)
- GetBool
 - Crosstales.Common.Util.CTPlayerPrefs, [85](#)
- getBuildNameFromBuildTarget
 - Crosstales.Common.EditorUtil.BaseEditorHelper, [46](#)
- getBuildTargetForBuildName
 - Crosstales.Common.EditorUtil.BaseEditorHelper, [47](#)
- getCLIArgument
 - Crosstales.Common.EditorUtil.BaseEditorHelper, [47](#)
- GetDate
 - Crosstales.Common.Util.CTPlayerPrefs, [85](#)
- GetDirectories
 - Crosstales.Common.Util.BaseHelper, [61](#)
 - Crosstales.FB.FileBrowser, [127](#)
- GetDrives
 - Crosstales.Common.Util.BaseHelper, [61](#)
 - Crosstales.FB.FileBrowser, [127](#)
- GetFiles
 - Crosstales.Common.Util.BaseHelper, [62](#)
 - Crosstales.FB.FileBrowser, [128](#)
- GetFloat
 - Crosstales.Common.Util.CTPlayerPrefs, [86](#)
- GetInt
 - Crosstales.Common.Util.CTPlayerPrefs, [86](#)
- getIP
 - Crosstales.Common.Util.BaseHelper, [62](#)
- GetString
 - Crosstales.Common.Util.CTPlayerPrefs, [87](#)
- GO_ID
 - Crosstales.FB.EditorUtil.EditorHelper, [104](#)
- GrayScale
 - Crosstales.Common.Util.RandomColor, [194](#)
- Group
 - Crosstales.UI.UIHint, [212](#)
- Handle
 - Crosstales.Common.Util.CTProcess, [92](#)
- hasActiveClip
 - Crosstales.Common.Util.BaseHelper, [62](#)
- HasExited
 - Crosstales.Common.Util.CTProcess, [92](#)
- HasKey
 - Crosstales.Common.Util.CTPlayerPrefs, [87](#)
- HIERARCHY_ICON
 - Crosstales.FB.EditorUtil.EditorConfig, [100](#)
- HSVToRGB
 - Crosstales.Common.Util.BaseHelper, [63](#)
- HueRange
 - Crosstales.Common.Util.RandomColor, [195](#)
- HutongGames, [19](#)
- HutongGames.PlayMaker, [19](#)
 - HutongGames.PlayMaker.Actions, [19](#)
 - HutongGames.PlayMaker.Actions.BaseFBAction, [49](#)
 - ResultPath, [50](#)
 - StartPath, [50](#)
 - HutongGames.PlayMaker.Actions.OpenFile, [190](#)
 - Extension, [191](#)
 - HutongGames.PlayMaker.Actions.OpenFolder, [191](#)
 - HutongGames.PlayMaker.Actions.SaveFile, [199](#)
 - Extension, [199](#)
 - FileName, [199](#)
- Id
 - Crosstales.Common.Util.CTProcess, [92](#)
- Instance
 - Crosstales.Common.Util.Singleton< T >, [204](#)
- InstantiatePrefab
 - Crosstales.FB.EditorUtil.EditorHelper, [104](#)
- InvokeMethod
 - Crosstales.Common.EditorUtil.BaseEditorHelper, [47](#)
- isAndroidPlatform
 - Crosstales.Common.Util.BaseHelper, [70](#)
- isAppleBasedPlatform
 - Crosstales.Common.Util.BaseHelper, [67](#)
- isBusy
 - Crosstales.Common.Util.CTProcess, [93](#)
 - Crosstales.FB.FileBrowserWSAImpl, [173](#)
- isEditor
 - Crosstales.Common.Util.BaseHelper, [67](#)
- isEditorMode
 - Crosstales.Common.Util.BaseHelper, [68](#)
- isFileBrowserInScene
 - Crosstales.FB.EditorUtil.EditorHelper, [105](#)
- isIL2CPP
 - Crosstales.Common.Util.BaseHelper, [70](#)
- isInternetAvailable
 - Crosstales.Common.Util.BaseHelper, [70](#)
- isIOSBasedPlatform
 - Crosstales.Common.Util.BaseHelper, [68](#)
- isIOSPlatform
 - Crosstales.Common.Util.BaseHelper, [70](#)
- isLinuxEditor
 - Crosstales.Common.Util.BaseHelper, [71](#)
- isLinuxPlatform
 - Crosstales.Common.Util.BaseHelper, [71](#)
- isLoaded
 - Crosstales.FB.EditorUtil.EditorConfig, [100](#)
 - Crosstales.FB.Util.Config, [77](#)
- isMacOSEditor
 - Crosstales.Common.Util.BaseHelper, [71](#)
- isMacOSPlatform
 - Crosstales.Common.Util.BaseHelper, [71](#)
- isMobilePlatform
 - Crosstales.Common.Util.BaseHelper, [68](#)
- isPlatformSupported
 - Crosstales.FB.FileBrowser, [143](#)
 - Crosstales.FB.Wrapper.IFileBrowser, [185](#)
- isPS4Platform
 - Crosstales.Common.Util.BaseHelper, [72](#)

- isStandalonePlatform
 - Crosstales.Common.Util.BaseHelper, [68](#)
- isTvOSPlatform
 - Crosstales.Common.Util.BaseHelper, [72](#)
- isValidBuildTarget
 - Crosstales.Common.EditorUtil.BaseEditorHelper, [48](#)
- isValidURL
 - Crosstales.Common.Util.BaseHelper, [63](#)
- isWebGLPlatform
 - Crosstales.Common.Util.BaseHelper, [72](#)
- isWebPlatform
 - Crosstales.Common.Util.BaseHelper, [69](#)
- isWindowsBasedPlatform
 - Crosstales.Common.Util.BaseHelper, [69](#)
- isWindowsEditor
 - Crosstales.Common.Util.BaseHelper, [72](#)
- isWindowsPlatform
 - Crosstales.Common.Util.BaseHelper, [73](#)
- isWorkingInEditor
 - Crosstales.FB.FileBrowser, [143](#)
 - Crosstales.FB.Wrapper.IFileBrowser, [186](#)
- isWSABasedPlatform
 - Crosstales.Common.Util.BaseHelper, [69](#)
- isWSAPlatform
 - Crosstales.Common.Util.BaseHelper, [73](#)
- isXboxOnePlatform
 - Crosstales.Common.Util.BaseHelper, [73](#)
- KeyCode
 - Crosstales.Common.Util.TakeScreenshot, [208](#)
- Kill
 - Crosstales.Common.Util.CTPProcess, [91](#)
- LastGetDirectories
 - Crosstales.FB.FileBrowserWSAImpl, [171](#)
- LastGetDrives
 - Crosstales.FB.FileBrowserWSAImpl, [171](#)
- LastGetFiles
 - Crosstales.FB.FileBrowserWSAImpl, [172](#)
- LastOpenFile
 - Crosstales.FB.FileBrowserWSAImpl, [172](#)
- LastOpenFiles
 - Crosstales.FB.FileBrowserWSAImpl, [172](#)
- LegacyFolderBrowser
 - Crosstales.FB.FileBrowser, [145](#)
- Length
 - Crosstales.Common.Util.MemoryCacheStream, [188](#)
- Load
 - Crosstales.FB.EditorUtil.EditorConfig, [99](#)
 - Crosstales.FB.Util.Config, [76](#)
- LoadButtonText
 - Crosstales.FB.RTFB.FileBrowserRTFB, [163](#)
- Loop
 - Crosstales.UI.Audio.AudioSourceController, [25](#)
- ManagerName
 - Crosstales.UI.UIFocus, [210](#)
- Material
 - Crosstales.Common.Util.RandomColor, [195](#)
- MaxSize
 - Crosstales.UI.UIResize, [213](#)
- MemoryCacheStream
 - Crosstales.Common.Util.MemoryCacheStream, [188](#)
- MENU_ID
 - Crosstales.FB.EditorUtil.EditorHelper, [105](#)
- MinSize
 - Crosstales.UI.UIResize, [213](#)
- MovementSpeed
 - Crosstales.Common.Tool.FreeCam, [176](#)
- Mute
 - Crosstales.UI.Audio.AudioSourceController, [25](#)
- NameSaveFile
 - Crosstales.FB.FileBrowser, [145](#)
- NATIVE_WINDOWS
 - Crosstales.FB.Util.Config, [77](#)
- Objects
 - Crosstales.Common.Util.BackgroundController, [27](#)
 - Crosstales.Common.Util.PlatformController, [193](#)
- OnOpenFilesComplete
 - Crosstales.FB.FileBrowser, [147](#)
- OnOpenFilesStart
 - Crosstales.FB.FileBrowser, [147](#)
- OnOpenFoldersComplete
 - Crosstales.FB.FileBrowser, [147](#)
- OnOpenFoldersStart
 - Crosstales.FB.FileBrowser, [147](#)
- OnPanelEnter
 - Crosstales.UI.UIFocus, [210](#)
- OnSaveFileComplete
 - Crosstales.FB.FileBrowser, [147](#)
- OnSaveFileStart
 - Crosstales.FB.FileBrowser, [147](#)
- OpenFile
 - Crosstales.Common.Util.BaseHelper, [64](#)
- OpenFiles
 - Crosstales.FB.FileBrowser, [128](#), [129](#)
 - Crosstales.FB.RTFB.FileBrowserRTFB, [160](#)
 - Crosstales.FB.Wrapper.BaseCustomFileBrowser, [40](#)
 - Crosstales.FB.Wrapper.BaseFileBrowser, [51](#)
 - Crosstales.FB.Wrapper.FileBrowserEditor, [149](#)
 - Crosstales.FB.Wrapper.FileBrowserGeneric, [152](#)
 - Crosstales.FB.Wrapper.FileBrowserLinux, [155](#)
 - Crosstales.FB.Wrapper.FileBrowserMac, [157](#)
 - Crosstales.FB.Wrapper.FileBrowserWindows, [166](#)
 - Crosstales.FB.Wrapper.FileBrowserWSA, [169](#)
 - Crosstales.FB.Wrapper.IFileBrowser, [181](#)
 - Crosstales.FB.Wrapper.Example, [217](#)
- OpenFilesAsync
 - Crosstales.FB.FileBrowser, [130–132](#)
 - Crosstales.FB.RTFB.FileBrowserRTFB, [160](#)
 - Crosstales.FB.Wrapper.BaseCustomFileBrowser, [40](#)

- Crosstales.FB.Wrapper.BaseFileBrowser, [52](#)
- Crosstales.FB.Wrapper.IFileBrowser, [181](#)
- Crosstales.FB.WrapperExample, [218](#)
- OpenFolders
 - Crosstales.FB.FileBrowser, [133](#)
 - Crosstales.FB.RTFB.FileBrowserRTFB, [161](#)
 - Crosstales.FB.Wrapper.BaseCustomFileBrowser, [41](#)
 - Crosstales.FB.Wrapper.BaseFileBrowser, [52](#)
 - Crosstales.FB.Wrapper.FileBrowserEditor, [149](#)
 - Crosstales.FB.Wrapper.FileBrowserGeneric, [153](#)
 - Crosstales.FB.Wrapper.FileBrowserLinux, [155](#)
 - Crosstales.FB.Wrapper.FileBrowserMac, [157](#)
 - Crosstales.FB.Wrapper.FileBrowserWindows, [166](#)
 - Crosstales.FB.Wrapper.FileBrowserWSA, [169](#)
 - Crosstales.FB.Wrapper.IFileBrowser, [182](#)
 - Crosstales.FB.WrapperExample, [218](#)
- OpenFoldersAsync
 - Crosstales.FB.FileBrowser, [133](#), [134](#)
 - Crosstales.FB.RTFB.FileBrowserRTFB, [161](#)
 - Crosstales.FB.Wrapper.BaseCustomFileBrowser, [41](#)
 - Crosstales.FB.Wrapper.BaseFileBrowser, [53](#)
 - Crosstales.FB.Wrapper.IFileBrowser, [182](#)
 - Crosstales.FB.WrapperExample, [219](#)
- OpenSingleFile
 - Crosstales.FB.FileBrowser, [135](#), [136](#)
 - Crosstales.FB.Wrapper.BaseCustomFileBrowser, [42](#)
 - Crosstales.FB.Wrapper.BaseFileBrowser, [53](#)
 - Crosstales.FB.Wrapper.IFileBrowser, [183](#)
- OpenSingleFileAsync
 - Crosstales.FB.FileBrowser, [136](#), [137](#)
- OpenSingleFolder
 - Crosstales.FB.FileBrowser, [137](#)
 - Crosstales.FB.Wrapper.BaseCustomFileBrowser, [42](#)
 - Crosstales.FB.Wrapper.BaseFileBrowser, [54](#)
 - Crosstales.FB.Wrapper.IFileBrowser, [183](#)
- OpenSingleFolderAsync
 - Crosstales.FB.FileBrowser, [138](#)
- OpenURL
 - Crosstales.Common.Util.BaseHelper, [64](#)
- PATH_DELIMITER_UNIX
 - Crosstales.Common.Util.BaseConstants, [36](#)
- PATH_DELIMITER_WINDOWS
 - Crosstales.Common.Util.BaseConstants, [36](#)
- Pitch
 - Crosstales.UI.Audio.AudioSourceController, [25](#)
- Platform
 - Crosstales.Common.Model.Enum, [12](#)
- Platforms
 - Crosstales.Common.Util.PlatformController, [193](#)
- Position
 - Crosstales.Common.Util.MemoryCacheStream, [189](#)
- PREFAB_AUTOLOAD
 - Crosstales.FB.EditorUtil.EditorConfig, [100](#)
- PREFAB_PATH
 - Crosstales.FB.EditorUtil.EditorConfig, [100](#)
- PREFAB_SUBPATH
 - Crosstales.FB.EditorUtil.EditorConstants, [103](#)
- PrefabPath
 - Crosstales.Common.Util.Singleton< T >, [204](#)
- Prefix
 - Crosstales.Common.Util.TakeScreenshot, [208](#)
- PREFIX_FILE
 - Crosstales.Common.Util.BaseConstants, [39](#)
- PROCESS_KILL_TIME
 - Crosstales.Common.Util.BaseConstants, [37](#)
- ReadOnlyTextField
 - Crosstales.Common.EditorUtil.BaseEditorHelper, [48](#)
- RedirectStandardError
 - Crosstales.Common.Util.CTProcessStartInfo, [95](#)
- RedirectStandardOutput
 - Crosstales.Common.Util.CTProcessStartInfo, [95](#)
- RefreshAssetDatabase
 - Crosstales.Common.EditorUtil.BaseEditorHelper, [48](#)
- RemoteCertificateValidationCallback
 - Crosstales.Common.Util.BaseHelper, [64](#)
- RemoveSymbolsFromAllTargets
 - Crosstales.Common.EditorTask.BaseCompileDefines, [28](#)
- Reset
 - Crosstales.FB.EditorUtil.EditorConfig, [99](#)
 - Crosstales.FB.Util.Config, [77](#)
- ResetAllAudioSources
 - Crosstales.UI.Audio.AudioSourceController, [24](#)
- ResetAudioFilters
 - Crosstales.UI.Audio.AudioFilterController, [23](#)
- ResetAudioSourcesOnStart
 - Crosstales.UI.Audio.AudioSourceController, [25](#)
- RestartUnity
 - Crosstales.Common.EditorUtil.BaseEditorHelper, [48](#)
- ResultPath
 - HutongGames.PlayMaker.Actions.BaseFBAction, [50](#)
- SampleRate
 - Crosstales.Common.Model.Enum, [12](#)
- SaturationRange
 - Crosstales.Common.Util.RandomColor, [195](#)
- Save
 - Crosstales.Common.Util.CTPlayerPrefs, [87](#)
 - Crosstales.FB.EditorUtil.EditorConfig, [99](#)
 - Crosstales.FB.Util.Config, [77](#)
- SaveButtonText
 - Crosstales.FB.RTFB.FileBrowserRTFB, [163](#)
- SaveFile
 - Crosstales.FB.FileBrowser, [138](#), [139](#)
 - Crosstales.FB.RTFB.FileBrowserRTFB, [162](#)
 - Crosstales.FB.Wrapper.BaseCustomFileBrowser, [43](#)

- Crosstales.FB.Wrapper.BaseFileBrowser, [54](#)
- Crosstales.FB.Wrapper.FileBrowserEditor, [150](#)
- Crosstales.FB.Wrapper.FileBrowserGeneric, [153](#)
- Crosstales.FB.Wrapper.FileBrowserMac, [158](#)
- Crosstales.FB.Wrapper.FileBrowserWindows, [167](#)
- Crosstales.FB.Wrapper.FileBrowserWSA, [170](#)
- Crosstales.FB.Wrapper.IFileBrowser, [184](#)
- Crosstales.FB.WrapperExample, [219](#)
- SaveFileAsync
 - Crosstales.FB.FileBrowser, [140–142](#)
 - Crosstales.FB.RTFB.FileBrowserRTFB, [162](#)
 - Crosstales.FB.Wrapper.BaseCustomFileBrowser, [43](#)
 - Crosstales.FB.Wrapper.BaseFileBrowser, [55](#)
 - Crosstales.FB.Wrapper.IFileBrowser, [184](#)
 - Crosstales.FB.WrapperExample, [220](#)
- Scale
 - Crosstales.Common.Util.TakeScreenshot, [209](#)
- ScaleMax
 - Crosstales.Common.Util.RandomScaler, [198](#)
- ScaleMin
 - Crosstales.Common.Util.RandomScaler, [198](#)
- Selection
 - Crosstales.FB.FileBrowserWSAImpl, [172](#)
- SeparatorUI
 - Crosstales.Common.EditorUtil.BaseEditorHelper, [49](#)
- SerializeToFile< T >
 - Crosstales.Common.Util.XmlHelper, [222](#)
- SerializeToString< T >
 - Crosstales.Common.Util.XmlHelper, [222](#)
- SetBool
 - Crosstales.Common.Util.CTPlayerPrefs, [87](#)
- SetDate
 - Crosstales.Common.Util.CTPlayerPrefs, [88](#)
- SetFloat
 - Crosstales.Common.Util.CTPlayerPrefs, [88](#)
- SetInt
 - Crosstales.Common.Util.CTPlayerPrefs, [88](#)
- SetString
 - Crosstales.Common.Util.CTPlayerPrefs, [89](#)
- SHOW_BWF_BANNER
 - Crosstales.Common.Util.BaseConstants, [37](#)
- SHOW_DJ_BANNER
 - Crosstales.Common.Util.BaseConstants, [37](#)
- SHOW_FB_BANNER
 - Crosstales.Common.Util.BaseConstants, [37](#)
- SHOW_OC_BANNER
 - Crosstales.Common.Util.BaseConstants, [37](#)
- SHOW_RADIO_BANNER
 - Crosstales.Common.Util.BaseConstants, [37](#)
- SHOW_RTV_BANNER
 - Crosstales.Common.Util.BaseConstants, [38](#)
- SHOW_TB_BANNER
 - Crosstales.Common.Util.BaseConstants, [38](#)
- SHOW_TPB_BANNER
 - Crosstales.Common.Util.BaseConstants, [38](#)
- SHOW_TPS_BANNER
 - Crosstales.Common.Util.BaseConstants, [38](#)
- Crosstales.Common.Util.BaseConstants, [38](#)
- SHOW_TR_BANNER
 - Crosstales.Common.Util.BaseConstants, [38](#)
- ShowAllFiles
 - Crosstales.FB.RTFB.FileBrowserRTFB, [163](#)
- ShowFileLocation
 - Crosstales.Common.Util.BaseHelper, [64](#)
- Speed
 - Crosstales.UI.WindowManager, [216](#)
- SpeedMax
 - Crosstales.Common.Util.RandomRotator, [196](#)
- SpeedMin
 - Crosstales.Common.Util.RandomRotator, [196](#)
- SplitStringToLines
 - Crosstales.Common.Util.BaseHelper, [66](#)
- StandardError
 - Crosstales.Common.Util.CTProcess, [93](#)
- StandardErrorEncoding
 - Crosstales.Common.Util.CTProcessStartInfo, [95](#)
- StandardOutput
 - Crosstales.Common.Util.CTProcess, [93](#)
- StandardOutputEncoding
 - Crosstales.Common.Util.CTProcessStartInfo, [95](#)
- Start
 - Crosstales.Common.Util.CTProcess, [91](#)
- StartInfo
 - Crosstales.Common.Util.CTProcess, [93](#)
- StartLooking
 - Crosstales.Common.Tool.FreeCam, [175](#)
- StartPath
 - HutongGames.PlayMaker.Actions.BaseFBAction, [50](#)
- StartTime
 - Crosstales.Common.Util.CTProcess, [93](#)
- StereoPan
 - Crosstales.UI.Audio.AudioSourceController, [26](#)
- StopLooking
 - Crosstales.Common.Tool.FreeCam, [175](#)
- StreamingAssetsPath
 - Crosstales.Common.Util.BaseHelper, [73](#)
- Survivors
 - Crosstales.Common.Util.SurviveSceneSwitch, [207](#)
- TextAllFiles
 - Crosstales.FB.FileBrowser, [146](#)
- Timeout
 - Crosstales.Common.Util.CTWebClient, [97](#)
- TitleOpenFile
 - Crosstales.FB.FileBrowser, [146](#)
- TitleOpenFiles
 - Crosstales.FB.FileBrowser, [146](#)
- TitleOpenFolder
 - Crosstales.FB.FileBrowser, [146](#)
- TitleOpenFolders
 - Crosstales.FB.FileBrowser, [146](#)
- TitleSaveFile
 - Crosstales.FB.FileBrowser, [146](#)
- Uniform

Crosstales.Common.Util.RandomScaler, [198](#)
UPDATE_CHECK
Crosstales.FB.EditorUtil.EditorConfig, [101](#)
UpdateStatus
Crosstales.FB.EditorTask, [15](#)
UseCmdExecute
Crosstales.Common.Util.CTProcessStartInfo, [95](#)
UseInterval
Crosstales.Common.Util.RandomColor, [195](#)
Crosstales.Common.Util.RandomRotator, [197](#)
Crosstales.Common.Util.RandomScaler, [198](#)
UseShellExecute
Crosstales.Common.Util.CTProcessStartInfo, [96](#)
UseThread
Crosstales.Common.Util.CTProcessStartInfo, [96](#)

ValidateFile
Crosstales.Common.Util.BaseHelper, [66](#)
ValidatePath
Crosstales.Common.Util.BaseHelper, [66](#)
ValidURLFromFilePath
Crosstales.Common.Util.BaseHelper, [67](#)
ValueRange
Crosstales.Common.Util.RandomColor, [195](#)
Volume
Crosstales.UI.Audio.AudioSourceController, [26](#)

Windows
Crosstales.UI.UIWindowManager, [214](#)
WorkingDirectory
Crosstales.Common.Util.CTProcessStartInfo, [96](#)

ZoomSensitivity
Crosstales.Common.Tool.FreeCam, [176](#)