


| | |
|--------|---|
| A16 | ABS control module |
| B161 | AC refrigerant pressure sensor |
| B138 | Accelerator pedal position (APP) sensor |
| 31 | Battery - |
| 30 | Battery + |
| S13 | Brake pedal position (BPP) switch |
| B132 | Camshaft position (CMP) sensor |
| S258 | Clutch pedal position (CPP) switch |
| CAN-H | Controller area network (data bus) high |
| CAN-L | Controller area network (data bus) low |
| B54 | Crankshaft position (CKP) sensor |
| X1 | Data link connector (DLC) |
| A207 | Electronic stability program (ESP) control module |
| A35 | Engine control module (ECM) |
| A95 | Engine coolant blower motor control module |
| R93 | Engine coolant heater |
| K242 | Engine coolant heater relay |
| B24 | Engine coolant temperature (ECT) sensor |
| H63 | Engine malfunction indicator lamp (MIL) |
| Y151 | Exhaust gas recirculation (EGR) valve actuator |
| B149 | Exhaust gas recirculation (EGR) valve position sensor |
| R64 | Fuel filter heater |
| H91 | Fuel filter warning lamp |
| S266 | Fuel filter warning lamp switch |
| Y194 | Fuel flow control valve |
| B186 | Fuel rail pressure (FRP) sensor |
| B31 | Fuel temperature sensor |
| B82 | Fuel/water separator sensor |
| X28-II | Fuse box/relay plate, engine bay 1 |
| X28-IV | Fuse box/relay plate, engine bay 3 |
| X28-I | Fuse box/relay plate, fascia |
| F | Fuses |
| A104 | Glow plug control module |
| H25 | Glow plug warning lamp |
| R5 | Glow plugs |
| 15 | Ignition switch - ignition ON |
| Y3 | Injector |
| A5 | Instrument panel |
| A75 | Instrumentation control module |
| B25 | Intake air temperature (IAT) sensor |
| B25-I | Intake air temperature (IAT) sensor 1 |
| B25-II | Intake air temperature (IAT) sensor 2 |
| B30 | Mass air flow (MAF) sensor |
| A11-I | Multifunction control module 1 |
| A11-II | Multifunction control module 2 |
| P7 | Tachometer |
| B105 | Turbocharger (TC) boost pressure sensor |
| Y209 | Turbocharger (TC) intercooler bypass actuator |
| B234 | Turbocharger (TC) intercooler bypass actuator position sensor |
| Y68 | Turbocharger (TC) wastegate regulating valve |
| VAN | Vehicle area network (data bus) |
| P9 | Vehicle speedometer |



| | | | |
|-------------------|------------------|--------------------------|--------------|
| bl = blue | br = brown | el = cream | ge = yellow |
| gn = green | gr = grey | nf = neutral | og = orange |
| rs = pink | rt = red | sw = black | vi = violet |
| ws = white | hbl = light blue | hgn = light green | rbr = maroon |
| x = braided cable | y = high tension | z = non-cable connection | |

NOTE: In certain diagrams (Citroen, Peugeot & Renault), colour codes are replaced by numbers which are used to identify a particular cable and not the colour. In this instance, the cables will be numbered at each end close to the harness connector.

