A16	ABS control module		
B161	AC refrigerant pressure sensor		
B138	Accelerator pedal position (APP) sensor		
G1	Alternator		
31	Battery -		
30	Battery +		
S13	Brake pedal position (BPP) switch		
S258	Clutch pedal position (CPP) switch		
CAN-H	Controller area network (data bus) high		
CAN-L	Controller area network (data bus) low		
B54	Crankshaft position (CKP) sensor		
X1	Data link connector (DLC)		
A207	Electronic stability program (ESP) control module		
R94	Engine breather heater		
A35	Engine control module (ECM)		
M6	Engine coolant blower motor		
A95	Engine coolant blower motor control module		
K12	Engine coolant blower motor relay		
B24	Engine coolant temperature (ECT) sensor		
R96	Engine coolant thermostat		
B86	Engine coolant thermostat Engine oil level sensor		
S389	Engine oil reversersor Engine oil pressure switch		
Y104			
M12	Evaporative emission (EVAP) canister purge valve		
	Fuel pump (FP)		
F	Fuse hav/relevable anning hav 4		
X28-II	Fuse box/relay plate - engine bay 1		
X28-III	Fuse box/relay plate - engine bay 2		
X28-I	Fuse box/relay plate - fascia 1		
B72-I	Heated oxygen sensor (HO2S) 1		
B72-II	Heated oxygen sensor (HO2S) 2		
T1	Ignition coil		
S1	Ignition switch		
15	Ignition switch - ignition ON		
Y3	Injector		
A5	Instrument panel		
A75	Instrumentation control module		
B25	Intake air temperature (IAT) sensor		
B69	Knock sensor (KS)		
B83	Manifold absolute pressure (MAP) sensor		
A11-I	Multifunction control module 1		
A11-II	Multifunction control module 2		
A81	Power steering control module		
W11	Spare cable		
A177	Throttle control unit		
M89	Throttle motor		
B169	Throttle motor position sensor		
D109	Thrown motor position contest		

```
□19 □18 □17 □16 □15 □14 □13 □12 □11 □10 □9 □8 □7 □6 □5 □4 □3 □2 □1 □37 □36 □35 □34 □33 □32 □31 □30 □29 □28 □27 □26 □25 □24 □23 □22 □21 □20 □55 □54 □53 □52 □51 □50 □49 □48 □47 □46 □45 □44 □43 □42 □41 □40 □39 □38 □40 □40 □39 □38
```

bl = blue	br = brown	el = cream	ge = yellow
gn = green	gr = grey	nf = neutral	og = orange
rs = pink	rt = red	sw = black	vi = violet
ws = white	hbl = light blue	hgn = light green	rbr = maroon
x = braided cable	y = high tension	z = non-cable connection	

NOTE: In certain diagrams (Citroen, Peugeot & Renault), colour codes are replaced by numbers which are used to identify a particular cable and not the colour. In this instance, the cables will be numbered at each end close to the harness connector.

Manufacturer: Citroen
Engine code: KFV (TU3A)

Tuned for: R-Cat

Model: C3 I/II/First/Classic 1,4


© Autodata Limited 2010

Valid forever. 28.10.2020


V8.500- /Autodata

Output: 55 (75) 5400 Year: 2005-10





Year: 2005-10



© Autodata Limited 2010