A16	ABS control module
S341	AC refrigerant triple pressure switch
B138	Accelerator pedal position (APP) sensor
31	Battery -
30	Battery +
S13	Brake pedal position (BPP) switch
Y81	Camshaft position (CMP) actuator
B132	Camshaft position (CMP) sensor
S258	Clutch pedal position (CPP) switch
CAN-H	Controller area network (data bus) high
CAN-L	Controller area network (data bus) low
B54	Crankshaft position (CKP) sensor
X1	Data link connector (DLC)
A207	Electronic stability programme (ESP) control module
A35	Engine control module (ECM)
M6	Engine coolant blower motor
K12	Engine coolant blower motor relay
R46	Engine coolant blower motor resistor
B24	Engine coolant temperature (ECT) sensor
H63	Engine malfunction indicator lamp (MIL)
Y104	Evaporative emission (EVAP) canister purge valve
M12	Fuel pump
F	Fuse
X28-II	Fuse box/relay plate, engine bay 1
X28-III	Fuse box/relay plate, engine bay 2
X28-I	Fuse box/relay plate, fascia 1
X28-IV	Fuse box/relay plate, fascia 2
B72	Heated oxygen sensor (HO2S)
B72-I	Heated oxygen sensor (HO2S) 1
B72-II	Heated oxygen sensor (HO2S) 2
B72-III	Heated oxygen sensor (HO2S) 3
B72-IV	Heated oxygen sensor (HO2S) 4
T1	Ignition coil
15	Ignition switch - ignition ON
Y3	Injector
A5	Instrument panel
A75	Instrumentation control module
B25	Intake air temperature (IAT) sensor
B69	Knock sensor (KS)
B83	Manifold absolute pressure (MAP) sensor
A11	Multifunction control module
S231	Power steering pressure (PSP) switch
H111	Stop engine warning lamp
P7	Tachometer
15	Tailgate, RH
B169	Throttle motor position sensor
M89	Throttle position motor
A57	Transmission control module (TCM)
VAN	Vehicle area network (data bus)
P9	Vehicle speedometer

AD72818

bl = blue	br = brown	el = cream	ge = yellow
gn = green	gr = grey	nf = neutral	og = orange
rs = pink	rt = red	sw = black	vi = violet
ws = white	hbl = light blue	hgn = light green	rbr = maroon
x = braided cable	y = high tension	z = non-cable connection	

NOTE: In certain diagrams (Citroen, Peugeot & Renault), colour codes are replaced by numbers which are used to identify a particular cable and not the colour. In this instance, the cables will be numbered at each end close to the harness connector.

30

15

A5

H63 H111 P7 P9

A75

3 6 9

9004J 9005J XC15C

VAN
VAN

A
C
B

B169 M89

1352A 1352B

B132 B132

B138 B54 I II X1 S258 K12 K12 M6 R46
I III

1 2 3 4 1 2 4 3 6 5 1 2 1 2 1 2 7 1 1 1 3 1 3

1356A 1356B 1550 (1592) 1540 152A 1599B 1599C/D

1377 1378 1380 1379 1361 1362 1219 1367 1218 1220 1335 1334 1356 1353 1352 1354 9006 1384 1550 1540 1514

B B B B C C C C C C C C C C C C B B B B B
a1 a2 b1 k1 e2 e3 b4 c3 b3 c4 l4 m3 b1 c1 b2 c2 h2 f1 k4 j4 f2

A35

A=gr
B=br
C=sw

f2 e2 m1 f1 e1 m2 c3 b3 a3 e3 d4 e4 a3 m4 h1 m4 l4 d2 d3 a1 a2 a3 a4 c4 d4
A A C A A C A A A B B B B B B B A A C C C C A A

1301 1300 123 1305 1304 125 1364 1393 1363 7109 8092 8093 8094 MC21D MC21C MH32B MH32A 1357 1366 134 135 136 137 1365 1341

3 4 3 4 1 3 1 1 2 3 1 2 1 2 1 2 1
B72-III B72-IV
1 2 1 2 2 2 S341 2 2 2 2 2
B83 S231 B24 B69 B69 B25
I II

1351D 123 1351C 125 1364 M700 1357 (1367) 1365

D

MC21A MC21A MC21B M21A

31

39819 EP1 EP1 EP1