| Y11  | AC compressor clutch                             |  |  |  |
|------|--------------------------------------------------|--|--|--|
| K263 | AC compressor clutch cut-off relay               |  |  |  |
| S149 | AC master switch                                 |  |  |  |
| 31   | Battery -                                        |  |  |  |
| 30   | Battery +                                        |  |  |  |
| B132 | Camshaft position (CMP) sensor                   |  |  |  |
| B54  | Crankshaft position (CKP) sensor                 |  |  |  |
| X1   | Data link connector (DLC)                        |  |  |  |
| A35  | Engine control module (ECM)                      |  |  |  |
| B24  | Engine coolant temperature (ECT) sensor          |  |  |  |
| H63  | Engine malfunction indicator lamp (MIL)          |  |  |  |
| Y104 | Evaporative emission (EVAP) canister purge valve |  |  |  |
| M12  | Fuel pump (FP)                                   |  |  |  |
| F    | Fuse                                             |  |  |  |
| B72  | Heated oxygen sensor (HO2S)                      |  |  |  |
| Y99  | Idle air control (IAC) valve                     |  |  |  |
| A52  | Ignition amplifier                               |  |  |  |
| T1   | Ignition coil                                    |  |  |  |
| 15   | Ignition switch - ignition ON                    |  |  |  |
| Y3   | Injector                                         |  |  |  |
| A5   | Instrument panel                                 |  |  |  |
| B25  | Intake air temperature (IAT) sensor              |  |  |  |
| Y102 | Intake manifold air control solenoid             |  |  |  |
| B69  | Knock sensor (KS)                                |  |  |  |
| B83  | Manifold absolute pressure (MAP) sensor          |  |  |  |
| A171 | Relay module (RM)                                |  |  |  |
| R10  | Throttle body heater                             |  |  |  |
| B147 | Throttle position (TP) sensor                    |  |  |  |
| B33  | Vehicle speed sensor (VSS)                       |  |  |  |
| P9   | Vehicle speedometer                              |  |  |  |

-19 -18 -17 -16 -15 -14 -13 -12 -11 -10 -9 -8 -7 -6 -5 -4 -3 -2 -1 -37 -36 -35 -34 -33 -32 -31 -30 -29 -28 -27 -26 -25 -24 -23 -22 -21 -20 -55 -54 -53 -52 -51 -50 -49 -48 -47 -46 -45 -44 -43 -42 -41 -40 -39 -38

AD72618

Manufacturer: Peugeot
Engine code: XU10J4Z (RFT)
Tuned for: R-Cat

Model: 405 2,0 16V Output: 110 (150) 6500 Year: 1994-95 © Autodata Limited 2010 **Valid forever.** 10.10.2020

| bl = blue         | br = brown       | el = cream               | ge = yellow  |
|-------------------|------------------|--------------------------|--------------|
| gn = green        | gr = grey        | nf = neutral             | og = orange  |
| rs = pink         | rt = red         | sw = black               | vi = violet  |
| ws = white        | hbl = light blue | hgn = light green        | rbr = maroon |
| x = braided cable | y = high tension | z = non-cable connection |              |


NOTE: In certain diagrams (Citroen, Peugeot & Renault), colour codes are replaced by numbers which are used to identify a particular cable and not the colour. In this instance, the cables will be numbered at each end close to the harness connector.

Manufacturer: Peugeot
Engine code: XU10J4Z (RFT)
Tuned for: R-Cat

**Model:** 405 2,0 16V **Output:** 110 (150) 6500

Year: 1994-95

© Autodata Limited 2010



Manufacturer: Peugeot
Engine code: XU10J4Z (RFT)
Tuned for: R-Cat

Model: 405 2,0 16V Output: 110 (150) 6500 Year: 1994-95 © Autodata Limited 2010

Valid forever. 10.10.2020

V8 500- / Autodata