

Summary of creative project

This project uses recycled materials (cardboard, old T-shirt) to create a model that emulates the cap of *Amanita hemibapha* subsp. *similis* (Boedijn) Corner & Bas (Figure 1). Its gills consist of a selection of 8 gilled mushrooms from the phylum of Basidiomycota. Mushrooms were selected based on aesthetics, colour and edibility, in order of descending priority.

A short introduction of each fungus was then done in flashcard style on the gills of the mushrooms introducing their distinguishing identifications and 3 fun facts related to selected mushroom species tailored to general audience as a means to spark their curiosity in learning about the selected species and the fungi taxa (Figure 2).




Figure 1. Photograph of creative project. "Cap" component was an emulation of *Amanita hemibapha* subsp. *similis* (Boedijn) Corner & Bas cap and is wearable as a hat accessory. "Gill" components act as detachable flashcards introducing selected Basidiomycota species

Figure 2. Write up of 8 selected Basidiomycota mushroom species used for this project.

References:

- Bustillos, R. G., Dulay, R. M., Kalaw, S. P., & Reyes, R. G. (2024). Diversity of macrofungi along elevation gradients in Mt. Arayat Protected Landscape, Arayat, Pampanga, the Philippines. *Studies in Fungi*, 9(1), 0–0. <https://doi.org/10.48130/sif-0024-0017>
- Corner, E. J. H., & Bas, C. (1962). The genus *Amanita* in Singapore and Malaya. *Persoonia - Molecular Phylogeny and Evolution of Fungi*, 2(3), 241–304.
- Fungi*. NParks. (2025, August 29). <https://www.nparks.gov.sg/nature/species-list/species-detail/fungi>
- Joshi, K., & Joshi, A. R. (2008). Ethnobotanical Studies on Some Lower Plants of the Central Development Region, Nepal. *Ethnobotanical Leaflets*, 12.
- Lee, S. (2021). Rediscovery of the Sculptured *Amanita* - *Amanita sculpta*. In *Gardenwise* (Vol. 56, pp. 28–31). essay, Singapore Botanic Gardens. Retrieved March 29, 2026, from [https://www.nparks.gov.sg/sbg/research/publications/-/media/sbg/gardenwise/gw_pdf_2020-2029/gw_2021_vol_56_\(feb\).pdf](https://www.nparks.gov.sg/sbg/research/publications/-/media/sbg/gardenwise/gw_pdf_2020-2029/gw_2021_vol_56_(feb).pdf).
- Lee, S. M. L. (2022). The status of bioluminescent fungal species in Singapore. *NATURE IN SINGAPORE*. <https://doi.org/10.26107/NIS-2022-0124>
- Nascimento, C., & Alves, M. (2014). New Records of Agaricaceae (Basidiomycota, Agaricales) from Araripe Nacional Forest, Ceará State, Brazil. *Mycosphere*, 5(2), 319–332. <https://doi.org/10.5943/mycosphere/5/2/6>
- Nawaz, R., Murad, W., Irshad, M., Callac, P., & Hussain, S. (2024). *agaricus* subgenus *pseudochitonia* in Malakand, Pakistan: An updated phylogeny and description of three new species. *Mycologia*, 116(4), 577–600. <https://doi.org/10.1080/00275514.2024.2334473>

- Senthilarasu, G. (2016). Diversity of Agaric Mycota of Western Ghats of Karnataka, India. *Current Research in Environmental & Applied Mycology*, 6(2), 75–101.
<https://doi.org/10.5943/cream/6/2/3>
- Strack, R. (2019). Harnessing fungal bioluminescence. *Nature Methods*, 16(2), 140–140.
<https://doi.org/10.1038/s41592-019-0311-4>
- Sysouphanthong, P., Thongklang, N., Liu, J.-K., & Vellinga, E. C. (2021). Description of lepiotaceous fungal species of the genera chlorophyllum, Clarkeinda, Macrolepiota, Pseudolepiota, and xanthagaricus, from Laos and Thailand. *Diversity*, 13(12), 666.
<https://doi.org/10.3390/d13120666>
- t Kaewgrajang, T., Kaewjunsri, S., Jannual, N., & Nipitwattanaphon, M. (2020). Morphological and Molecular Identification of Some Lactarius and Russula species. *Genetics Society of Thailand*, 13, 44–58. <https://doi.org/https://doi.org/10.14456/gag.2020.6>
- Vellinga, E. C. (2004). Ecology and distribution of lepiotaceous fungi (Agaricaceae) a review. *Nova Hedwigia*, 78(3–4), 273–299. <https://doi.org/10.1127/0029-5035/2004/0078-0273>
- Wisitrassameewong, K., Manz, C., Hampe, F., Looney, B. P., Boonpratuang, T., Verbeken, A., Thummarukcharoen, T., Apichitnaranon, T., Pobkwamsuk, M., Caboň, M., & Adamčík, S. (2022). Two new Russula species (fungi) from dry dipterocarp forest in Thailand suggest niche specialization to this habitat type. *Scientific Reports*, 12(1).
<https://doi.org/10.1038/s41598-022-06836-x>