

Github spec kit ir Automaker patirtis



Spec Driven Development




specs / 420800-linking-ui-select-link-part1
contracts
link-relations-patch.md
screenshots
UI-design
2026-03-03 14_27_34-Links-drawer-Colibri-scree...
2026-03-03 18_31_28-Add-New-Link.png
2026-03-05 13_11_23-Add Link.png
2026-03-05 15_04_15-Add Link hover effect.png
420800-requirements.md
data-model.md
plan.md
quickstart.md
research.md
spec.md
tasks.md
M
tmp

Tasks: Tab Links Management UI

Phase 2: Foundational (Blocking Prerequisites)

Phase 3: User Story 1 - Create Link Dialog + Search + Stage Add (Priority: P1) 🎯 MVP

Goal: User can open Add Link dialog, search ADO work items by ID/text, select one result, and stage a `Related` link add that enables Save.

Independent Test: In Links drawer, open Add Link dialog, search by ID and by text, select a valid item, confirm, and verify dialog closes + Save is enabled with staged change visible.

Validation for User Story 1

- [x] T017 [US1] Document manual Step-1/Step-2 flow in `specs/420800-linking-ui-select-link-part1/quickstart.md`
- [x] T018 [US1] Add explicit manual validation prompt text for reviewer execution in `specs/420800-linking-ui-select-link-part1/quickstart.md`


Implementation for User Story 1

- [x] T019 [US1] Add Add-Link trigger button in Links drawer controls in `apps/extensions/gdpf-hub/src/Contributions/GdpfHub/components/Tabs/TabLinks.tsx`
- [x] T020 [US1] Create add-link dialog component shell in `apps/extensions/gdpf-hub/src/Contributions/GdpfHub/components/Tabs/TabLinksAddDialog.tsx`
- [x] T021 [US1] Add dialog open/close state wiring in `apps/extensions/gdpf-hub/src/Contributions/GdpfHub/components/Tabs/TabLinks.tsx`
- [x] T022 [US1] Add search input state and handlers in `apps/extensions/gdpf-hub/src/Contributions/GdpfHub/components/Tabs/TabLinksAddDialog.tsx`
- [x] T023 [US1] Add search-by-ID branch (numeric query) in `apps/extensions/gdpf-hub/src/Contributions/GdpfHub/components/Tabs/TabLinksAddDialog.tsx`
- [x] T024 [US1] Add search-by-text branch in `apps/extensions/gdpf-hub/src/Contributions/GdpfHub/components/Tabs/TabLinksAddDialog.tsx`
- [x] T025 [US1] Add search API integration helper hook in `apps/extensions/gdpf-hub/src/Contributions/GdpfHub/hooks/useTabLinkSearchResults.ts`
- [x] T026 [US1] Add result-row mapper (ID/Title/Project/Type) in `apps/extensions/gdpf-hub/src/Contributions/GdpfHub/hooks/useTabLinkSearchResults.ts`
- [x] T027 [US1] Render result list/table in add-link dialog in `apps/extensions/gdpf-hub/src/Contributions/GdpfHub/components/Tabs/TabLinksAddDialog.tsx`
- [x] T028 [US1] Add single-row selection state in add-link dialog in `apps/extensions/gdpf-hub/src/Contributions/GdpfHub/components/Tabs/TabLinksAddDialog.tsx`
- [x] T029 [US1] Disable dialog OK until a valid row is selected in `apps/extensions/gdpf-hub/src/Contributions/GdpfHub/components/Tabs/TabLinksAddDialog.tsx`
- [x] T030 [US1] Build `System.LinkTypes.Related` relation payload from selected row in `apps/extensions/gdpf-hub/src/Contributions/GdpfHub/components/Tabs/TabLinks.tsx`
- [x] T031 [US1] Stage pending add-change in active work item state in `apps/extensions/gdpf-hub/src/Contributions/GdpfHub/components/Tabs/TabLinks.tsx`
- [x] T032 [US1] Close dialog on confirm and keep staged add in drawer state in `apps/extensions/gdpf-hub/src/Contributions/GdpfHub/components/Tabs/TabLinks.tsx`
- [x] T033 [US1] Merge staged-added links into displayed links view model in `apps/extensions/gdpf-hub/src/Contributions/GdpfHub/components/Tabs/TabLinks.tsx`
- [x] T034 [US1] Add duplicate-prevention check for already linked work item IDs in `apps/extensions/gdpf-hub/src/Contributions/GdpfHub/components/Tabs/TabLinks.tsx`
- [x] T035 [US1] Add EN text keys for dialog labels/search/empty/error in `packages/modules/locale/src/locales/en/details.json`
- [x] T036 [P] [US1] Add DE text keys for dialog labels/search/empty/error in `packages/modules/locale/src/locales/de/details.json`
- [x] T037 [US1] Wire i18n keys in `apps/extensions/gdpf-hub/src/Contributions/GdpfHub/components/Tabs/TabLinks.tsx`
- [x] T038 [US1] Wire i18n keys in `apps/extensions/gdpf-hub/src/Contributions/GdpfHub/components/Tabs/TabLinksAddDialog.tsx`
- [x] T039 [US1] Add keyboard/aria labels for Add Link trigger and dialog controls in `apps/extensions/gdpf-hub/src/Contributions/GdpfHub/components/Tabs/TabLinksAddDialog.tsx`
- [x] T040 [US1] Add dialog layout styles matching drawer screenshot constraints in `apps/extensions/gdpf-hub/src/Contributions/GdpfHub/styles/TabWorkItemLink.scss`

Checkpoint: User Story 1 is independently functional (open dialog → search → select → stage add).

Phase 4: User Story 2 - Save/Discard Link Diffs (Priority: P2)

Github Spec kit





Pros:


- Brings structure to AI-assisted development
- Prevents “vibe coding” chaos
- Creates review checkpoints
- Great for large or messy real-world projects
- Reduces unintended code changes


Cons:


- Setup takes time, not good for small tasks
- Sometimes feels like waterfall. Need to know for sure what you want to build. Otherwise you need often actively review, analyze, clarify and maintain specs


localhost:3007/board
Chat
my-project
Search features by keywo
Usage
Worktree Bar
Auto Mode
Plan
Dashboard
PROJECT
Kanban Board
Graph View
File Editor
Agent Runner
Terminal
TOOLS
GITHUB
Notifications
Project Settings
Running Agents
Settings
Documentation
Feedback
Worktree:
016-redesign-to-v0-ui
Backlog
Select
In Progress
Waiting Approval
Verified
Uncategorized
My current project has these color themes: Dark, Light, Emerald, Forest, Mint. I want you to: 1) Remove theme Emerald. 2) Add theme "Catppucci...
More
016-redesign-to-v0-ui
Opus 4.5
Logs
Ready for Ideas
Add your first feature idea to get started using the button below, or let AI help generate ideas.
Press N to add
No Items Awaiting Approval
Features will appear here after implementation is complete and need your review.
No Verified Features
Approved features will appear here. They can then be completed and archived.
Add Feature
Quick


localhost:3007/board
Chat
Agent Output
Summary
Logs
Changes
Raw
My current project has these color themes: Dark, Light, Catppuccin, Forest, Mint. I want you to: 1) Add theme "Sky" similar (or the same) to the theme from Automaker.
.automaker/features/feature-1772462652114-u52pf0t7ik9/feature.json.bak2 +20 -6
.a...2026-03-02_16_43_47-C_Users_EugenijusS_OneDrive_-_Macaw_Documents_Tasks_2026_txt_-_Notepad-1772462683210.png deleted
.automaker/memory/gotchas.md +1 -1
.automaker/notifications.json +11
frontend/src/components/ThemeToggle.tsx +2 -1
import { Moon, Sun, Leaf, Check, Cat } from 'lucide-react'
import { Moon, Sun, Leaf, Check, Cat, Cloud } from 'lucide-react'
import { Button } from '@/components/ui/button'
import {
DropdownMenu,
{ value: 'catppuccin', label: 'Catppuccin', icon: Cat, description: 'Soothing Pastel' },
{ value: 'light-forest', label: 'Forest', icon: Leaf, description: 'Deep & Rich' },
{ value: 'light-mint', label: 'Mint', icon: Leaf, description: 'Soft & Cool' },
{ value: 'sky', label: 'Sky', icon: Cloud, description: 'Light sky blue' },
]
export function ThemeToggle() {
frontend/src/components/theme-provider.tsx +2 -2
import * as React from 'react'
export type Theme = 'dark' | 'light' | 'catppuccin' | 'light-forest' | 'light-mint'
export const THEMES: Theme[] = ['dark', 'light', 'catppuccin', 'light-forest', 'light-mint']
export type Theme = 'dark' | 'light' | 'catppuccin' | 'light-forest' | 'light-mint' | 'sky'
export const THEMES: Theme[] = ['dark', 'light', 'catppuccin', 'light-forest', 'light-mint', 'sky']
interface ThemeProviderContext {


localhost:3007/ideation
Chat
my-project
v0.15.0 W1
Dashboard
PROJECT
Kanban Board K
Graph View H
File Editor
Agent Runner A
Terminal T
TOOLS
Ideation I
Spec Editor D
Context C
Memory Y
GITHUB
Notifications 4
Project Settings ⇧ S
Running Agents
Settings S
Documentation
Feedback
v0.15.0 W1
Ideation
Dashboard › Generate Ideas
Generate Ideas
Back
Features
New capabilities and functionality
UX/UI
Design and user experience improvements
Developer Experience
Developer tooling and workflows
Growth
User engagement and retention
Technical
Architecture and infrastructure
Security
Security improvements and vulnerability fixes
Performance
Performance optimization and speed improvements
Accessibility
Accessibility features and inclusive design
Analytics
Analytics, monitoring, and insights features


localhost:3007/ideation
Chat
my-project
Dashboard
PROJECT
Kanban Board
Graph View
File Editor
Agent Runner
Terminal
TOOLS
Ideation
Spec Editor
Context
Memory
GITHUB
Notifications
Project Settings
Running Agents
Settings
Documentation
Feedback
Ideation
Review and accept generated ideas
Discard All (7)
Accept All (7)
Generate Ideas
7 ideas ready for review
Automation Opportunities 7
Manual Processes & Automation Opportunities
Medium
Automation Opportunities
Manual Processes & Automation Opportunities
Accept
Dismiss
1. Upload → OCR is always two separate steps
Medium
Automation Opportunities
Every image requires a manual "Extract Text" click after uploading. There's no way to say "extract text from everything I upload." A user uploading 20 study notes must click Extract Text 20 times. **Opportunity:** Add an **"Auto-extract on upload"** toggle. When enabled, trigger OCR automatically for each file immediately after it's saved — in the existing `POST /api/upload` handler, before returning the response. ---
Accept
Dismiss
2. No batch OCR
Medium
Automation Opportunities
The spec explicitly listed "Batch OCR for multiple images simultaneously" as out of scope, but it's the most obvious repetitive task. Selection mode exists (for flashcard generation) but not for bulk OCR. **Opportunity:** Reuse the existing selection mode UI to add a **"Extract Text from Selected"** bulk action button alongside the existing "Generate Flashcards" button. ---
Accept
Dismiss
3. OCR → Flashcard pipeline requires many manual steps
Medium
Automation Opportunities
After images have OCR text, generating a flashcard deck requires: entering selection mode → selecting each image → opening the modal → naming the deck → configuring options → submitting → navigating to the flashcard page. That's 6–8 clicks for something users will do repeatedly. **Opportunity:** Add a **"Quick Deck from Folder"** action on folder views — one click to generate flashcards from all OCR-complete images in a folder, with the folder name as the deck name default. ---
Accept
Dismiss


localhost:3007/board
my-project
Dashboard
PROJECT
Kanban Board
Graph View
File Editor
Agent Runner
Terminal
TOOLS
Ideation
Spec Editor
Context
Memory
GITHUB
Notifications
Project Settings
Running Agents
Settings
Documentation
Feedback
Search features by keywo
Usage
Worktree Bar
Auto Mode
Plan
Worktree:
main
Backlog
Select
In Progress
Waiting Approval
Verified
ui
2. No batch OCR
The spec explicitly listed "Batch OCR for multiple images simultaneously" as out of scope, but it's the most obvious repetitive task. Selection mode exist...
More
Opus 4.6
Edit
Make
4. Flashcard decks stored only in localStorage
The `useFlashcards` hook saves decks to `localStorage` only. Manually-created decks are ephemeral — cleared on browser data wipe, not...
5. Failed/pending OCR images require manual rediscovery
There's no way to re-run OCR on all `failed` or `pending` images at once. Users must scroll the gallery, identify failed images by status icon, and...
1. Upload → OCR is always two separate steps
Add Feature
Quick
Nothing in Progress
Drag a feature from the backlog here or click implement to start working on it.
No Items Awaiting Approval
Features will appear here after implementation is complete and need your review.
No Verified Features
Approved features will appear here. They can then be completed and archived.


Klausimas ne ar AI gali dirbt developerio darbą - atsakymas aiškus. Dabar klausimas kaip man sunaudoti mažiausią kiekį AI tokenų (t.y. piniginių lešų) kad atliktas rezultatas būtų geras, ar net geresnis... Pageidautinai tol kol aš miegu.
Agentas turi turėt principus kaip validuoti savo darbą: „segregation of duties“. Aiškios taisyklės apibrėžti kas yra gerai atliktas darbas
Kaip organizuoti darbą: žmonių komanda + AI agentų komanda 🤔