



# **HORIZON BASED AMBIENT OCCLUSION**

**by Michaël Jimenez**

# **USER GUIDE**

# Table of Contents

1. Introduction.....	3
2. Requirements.....	3
3. Usage.....	4
4. Presets.....	5
5. General settings.....	5
6. AO settings.....	6
7. Color bleeding settings.....	7
8. Blur settings.....	8
9. Universal Render Pipeline.....	9
10. Support.....	12

# 1. Introduction

**Horizon Based Ambient Occlusion** (HBAO) is a post processing image effect to use in order to add realism to your scenes. It helps accentuating small surface details and reproduce light attenuation due to occlusion.

**HBAO** delivers **more accurate** AO compared to the other SSAO solutions available on the asset store, and this without any compromise on performances. This algorithm is **highly optimized** to use minimal GPU time and offers the best quality to performance ratio.

HBAO is compatible with both forward and deferred rendering, and artifact free with forward rendered SpeedTrees and foliage. Source code included in the package.

The effect is scalable in order to achieve the proper performances.

**With Color Bleeding feature. HBAO is Gaia extension ready.**

Supports **Unity 5.0+** and **Virtual Reality** (both Multi and Single Pass).

## 2. Requirements

HBAO is fully compatible with Unity 5 and newer versions.

Shader Model 3.0 compatible hardware is required (All Nvidia cards since GeForce 6 series, all AMD cards since R500/X1xxx Series and Intel since GMA 3150).

### 3. Usage

This image effect now comes with 2 variants: HBAO and HBAO\_Integrated. HBAO is the normal post FX way, HBAO\_Integrated as its name implies is integrated into the rendering pipeline with command buffers. HBAO\_Integrated is generally more flexible and allows PBR lit AO with "Before Reflections" integration stage.

In order to use this image effect, just add one of the 2 script variant to your main camera.

For this you can drag the HBAO.cs (or HBAO\_Integrated) script on your camera or select it from the Add Component menu (Image Effects/HBAO).

**Important notice:** the placement of the HBAO component in your post FX stack is really important! It should theoretically be the first effect in the chain meaning it should be placed on top.

The above is still applicable to HBAO\_Integrated.

In most scenarios, using **medium quality** with a **medium blur** and a radius near to 1 will yield very good results, this is what the normal preset uses.

You can use the presets as a starting point for your tweaks, but depending if you are targetting high performances vs beautiful AO you can use the following custom settings:

- high performances: low quality with wide blur, small radius,
- normal: medium quality with medium blur, medium radius,
- fine ao: high quality with narrow blur, large radius.

For even more performances you can use half or quarter resolution AO, but it generally introduces some objectionable flickering when the camera is in movement (and especially with fine geometry like foliage) so I recommend to turn it on only for specific use case.

Using color bleeding is heavier on performances as it requires an additional color sampling. The normal color bleeding saturation to use is 1.

## 4. Presets

The presets are here to help you as a guide on how to reach a specific level of quality or performance but once it is applied you can fine tune the settings as you please.

To apply a preset, first select it then click the Apply Preset button.

## 5. General settings

**Integration Stage:** this setting is only available in HBAO\_Integrated, it is really important one. Depending on the rendering path used (Forward or Deferred) you have the choice between "Before Image Effect Opaque", "After Lighting" or "Before Reflections" (Unity 5.2+ required for "Before Reflections").

In forward rendering, you have no other choice than "Before Image Effect Opaque", this is expected as the 2 other stages are for the deferred rendering pipeline. In Deferred you can choose any stage, but the better is "After Lighting" or "Before Reflections". With "Before Reflections" you'll get fully PBR lit AO which is great for realism whereas with "After Lighting" the AO won't be lit.

Reference:

<http://docs.unity3d.com/Manual/GraphicsCommandBuffers.html>

**Quality** (Lowest/Low/Medium/High/Highest): the quality used for the AO calculation. Higher the quality is, more sampling it requires and higher is the impact on performances.

**Deinterleaving** (Disabled/2x/4x): new technology introduced in update 1.5. To get a real benefit from this setting, you need to use quite high resolutions. Deinterleaving is better used with resolutions ranging from HD to UltraHD.

Note: 2x deinterleaving can introduce some banding due to its limited dither pattern, this can be hidden with higher quality and wider blur.

**Resolution** (Full/Half): the resolution at which AO calculation should be performed. Not available when deinterleaving is enabled.

Note: can introduce some objectionable flickering when the camera is in movement (and especially with fine geometry like foliage) so I recommend to turn it on only for specific use case.

**Display Mode:** the way the AO is displayed on screen. You have the choice between normal and a few debug views.

## 6. AO settings

**Radius:** the AO calculation radius in world units.

**Max Radius Pixels:** the maximum AO radius in pixels, this can be used to limit how much the radius can grow for close objects.

Note: this can help to reduce the performance drop from close up views but keep in minds that it's a nonsense to get very low max radius pixels with large radiuses.

**Bias:** low tessellation geometry tends to make occlusion variations appear at creases and ridges, which betray the underlying tessellation. To remove these artifacts, the algorithm uses an angle bias which restricts the hemisphere.

**Intensity:** this value allow you to control how much the AO intensity is.

**Use Multi Bounce / Multi Bounce Influence:** enable multibounce AO approximation, with the influence setting you can adjust how much it is contributing to final result.

**Offscreen Samples Contribution:** how much offscreen samples are contributing to AO, this helps to stabilize AO on screen borders. A value of 0.2 seems optimal, may have a slight performance impact.

**Max Distance:** the max distance in world units at which AO can be drawn. You can use it to avoid occlusion at far distances and you should be careful to set this value lower to your camera far clipping plane to not waste performances.

**Distance Falloff:** the falloff distance of occlusion in world units. This prevents AO to appear cut in the max distance.

**Per Pixel Normals** (GBuffer/Camera/Reconstruct): generally GBuffer normals are preferable over Camera normals as it gives more precision, and hence less wobbles in movement. Reconstruct mode is the heavier on performance since it is calculated from depth, however you may find it's preferable to take this perf hit instead of the overhead of the scene being redrawn in Forward rendering.

Note: GBuffer mode is only available for Deferred shading.

**Base Color:** allow you to tint the AO, the alpha channel being unused.

## 7. Color bleeding settings

**Enabled:** should color bleeding be used. Please remember that using color bleeding is heavier on performances as it requires an additional color sampling.

**Saturation:** controls the saturation of the color bleeding. The normal saturation to use is 1.

**Albedo multiplier:** this value scales the albedo contribution of the color bleeding samples.

## 8. Blur settings

**Amount** (None/Narrow/Medium/Wide/Extra Wide): this lets you control how much to blur the occlusion.


**Sharpness**: sharpens AO around depth discontinuities. This is preferable to use the maximum value to get a clean sharpened blur.




## 9. Universal Render Pipeline

HBAO fully support URP 7.1.8+ (Unity 2019.3+) but the required content is packaged inside SRP folder, you will need to unpack it into your project by double clicking it.


Once done, browse to your pipeline renderer asset in your project window, select it and in inspector add a HBAO Renderer Feature to your renderer by clicking the plus icon:




The HBAO Renderer Feature is added to the list:




HBAO require rendering a depth texture in order to work, select you pipeline asset in the project window, and in inspector make sure depth texture is enabled (you can enable it too directly on a camera):



At anytime you can create your own custom settings with Assets menu or contextual menu in your project window: Create→HBAO→HBAO Renderer Settings, then fill it in HBAO Renderer settings field by clicking small wheel:



Now you can browse to the HBAO Renderer Settings asset in URP folder (or the location of your custom settings asset) in order to change HBAO settings:



## 10. Support

In case you need help, you can use the forum thread:

<http://forum.unity3d.com/threads/horizon-based-ambient-occlusion-hbao-image-effect.387374/>

For any support request, please drop me an email at [jimmikaelkael@gmail.com](mailto:jimmikaelkael@gmail.com)