

# Quantifying Europe's Cycling Infrastructure using OSM (QECIO 2.02): Metadata



## General Information

### Authors:

- Aleksander Buczyński - [a.buczynski@ecf.com](mailto:a.buczynski@ecf.com)
- Andrea Chavez-Pacheco
- Eleanor Denneman

With assistance from Arnaud Briol, John Hammerschlag and Gautier Radermecker, data scientists from Agilytic, as a part of the 1% for the Planet programme.

### Date of data collection:

PBF files downloaded 29 August – 1 September 2023 from [Geofabrik](#).

### Date of last code update:

5 September 2023.

### Information about geographic location:

37 countries including 27 EU member states.

**Methodology:** <https://european-cyclists-federation.github.io/Documents/Methodology.pdf>

**Keywords:** cycle infrastructure, Open Street Map (OSM), NUTS3.

## Data and files overview

### Description:

The country folder contains the cycle networks per area of analysis (NUTS3). It contains information on the OSMid, type of infrastructure, surface, smoothness, width, and a link to the OSM website of each way.

The CSV file contains information, on the country, the NUTS3, the date of creation of the summary, and values of interest.

### Units of measure:

The units for the data sets are either in kilometres (km) for lengths or percentages (%) for ratios.

### Format of the files:

The network files are in geopackage (GPKG format) and can be opened using software such as ArcGIS, or QGIS.

A comma separated values (CSV) file with a summary of numerical results for each NUTS3 area is also available.

## Sharing and accessing information

### Restrictions:

Please consider that this is work in progress. Data might get updated as we improve our heuristics.

### Links to publications:

Please visit our previous edition [here](#).

### Recommended citation for the data.

Not yet established.

# Description of csv file columns

Column CSV file	Description
<b>Country</b>	The NUTS 0 country code.
<b>City</b>	Name of the NUTS 3 region.
<b>Lat, Lon</b>	Latitude, Longitude.
<b>Area</b>	Area in square kilometres.
<b>Date</b>	Last time the code was executed.
<b>local_oneway_km</b>	Length of one-way local roads.
<b>local_twoway_km</b>	Length of two-way local roads.
<b>local_contra_km</b>	Length of local roads with contraflow cycling.
<b>overview-local-road-network</b>	Total length of the local road network
<b>overview-cycle-tracks-km</b>	Total length of the cycle tracks.
<b>overview-shared_pedestrians-km</b>	Total length of the cycle and pedestrian tracks.
<b>overview-limited-access-km</b>	Total length of the limited access roads.
<b>overview-total-cycle-infrastructure</b>	Total length of the analysed roads for surface analysis. This is the sum of tracks, lanes, cycle and pedestrian tracks and limited access roads.
<b>overview-busways-km</b>	Total length of bus and cycle lanes.
<b>overview-cycle_streets-km</b>	Total length of cycle streets.
<b>overview-ext-cycle-infrastructure</b>	Total length of the extended cycle infrastructure.
<b>sum_total_surface</b>	Total length of analysed roads with surface tag.
<b>sum_total_smoothness</b>	Total length of analysed roads with smoothness tag.
<b>sum_total_width</b>	Total length of analysed roads with width tag.
<b>percentage_with_surface_tag</b>	Share of roads with the tag. Calculated as $\text{sum\_total\_surface} / \text{overview-total-cycle-infrastructure}$
<b>percentage_with_smoothness_tag</b>	Share of roads with the tag. Calculated as $\text{sum\_total\_smoothness} / \text{overview-total-cycle-infrastructure}$
<b>percentage_with_width_tag</b>	Share of roads with the tag. Calculated as $\text{sum\_total\_width} / \text{overview-total-cycle-infrastructure}$
<b>surface-type-infra-type*-surface-type*-km</b>	Total length of a given cycle infrastructure and their respective surface.
<b>percent_surface_type-infra-type*-surface-type*-km</b>	Share of a given cycle infrastructure type and surface to the total infrastructure type.
<b>surface-quality-infra-type*-surface-type*-km</b>	Total length of a given cycle infrastructure and their respective quality.
<b>percent_surface_quality-infra-type*-quality-type*-km</b>	Share of a given cycle infrastructure type and quality to the total infrastructure type.
<b>type-infra-type*-directionality*</b>	Total length of a given cycle infrastructure and their directionality.
<b>ratio-cycle_tracks-main_roads</b>	Ratio cycle tracks to main roads.
<b>ratio-cycle_infra-main_roads</b>	Ratio of analysed roads for surface to main roads. Not presented in the dashboard.
<b>ratio-contraflow</b>	Ratio of contraflow cycling.

**infra-type\*** = cycle tracks | cycle and pedestrian tracks | cycle lanes | limited access roads | bus and cycle lanes | cycle streets.

**surface-type\*** = asphalt/concrete | blocks/slabs/cobbles | stabilised gravel | gravel/dirt | unknown | unrecognised

**quality-type\*** = perfectly rideable | well rideable | moderately rideable | badly rideable | not rideable | unknown

**directionality\*** = unidirectional | bidirectional

**European Cyclists' Federation**

Mundo Madou  
Avenue des Arts 7-8  
B-1210 Brussels  
+32 2 329 03 80  
office@ecf.com



[www.ecf.com](http://www.ecf.com)