Prismatic Grid: Pitch Deck Master Document

Sime Darby Property University Hackathon 2026

Team [Your Team Name]

October 16, 2026

Contents

1 Overview **3**
- 1.1 Key Numbers from the Actual Code . . . 3

2 Pitch Deck Structure **3**

3 Slide-by-Slide Content **4**
- 3.1 Slide 1: Title Slide . . . 4
- 3.2 Slide 2: The Problem . . . 4
- 3.3 Slide 3: Target User . . . 5
- 3.4 Slide 4: The Solution . . . 6
- 3.5 Slide 5: Innovation — What Makes This Different . . . 7
- 3.6 Slide 6: How It Works — The 5-Layer Architecture . . . 8
- 3.7 Slide 7: Impact . . . 9
- 3.8 Slide 8: Feasibility . . . 10
- 3.9 Slide 9: Implementation . . . 11
- 3.10 Slide 10: Why Our Team Should Win . . . 12

4 Appendix **12**
- 4.1 Appendix A: Anomaly Detection — Actual Code Facts . . . 12
- 4.2 Appendix B: What-If Scenarios — Actual Formulae . . . 13
- 4.3 Appendix C: Anomaly Injection — Actual Facts . . . 14
- 4.4 Appendix D: AI Assistant Sample Queries (from `App.jsx`) . . . 14

5 Next Steps (Action Plan) **14**

6 Anticipated Jury Questions & Suggested Answers **15**
- 6.1 Technical . . . 15
- 6.2 Business . . . 15
- 6.3 Competitive . . . 15
- 6.4 Risk . . . 16

7 Conclusion **16**

1 Overview

This document is the complete preparation guide for the **Prismatic Grid** pitch deck. It translates the working full-stack application (simulator, anomaly detection, Prophet forecasting, scenario optimizer, FastAPI backend, and React/Three.js frontend) into a compelling narrative for judges, investors, and non-technical stakeholders.

The core message: *"We built a live digital twin that lets Sime Darby Property catch water leaks in minutes instead of weeks, predict energy demand 24 hours ahead, and simulate 'what-if' sustainability interventions before spending capital."*

1.1 Key Numbers from the Actual Code

- **0.585 kg CO_2/kWh** — Malaysia grid emission factor (`optimizer.py`).
- **RM 0.509/kWh** — TNB commercial electricity tariff (`optimizer.py`).
- **RM 2.28 per 1,000 L** — Malaysian water tariff (`optimizer.py`).
- **0.45 kWh per 1,000 L** — Pumping energy for water (`optimizer.py`).
- **96 intervals** — 15-minute data resolution per day (`simulator.py`).
- **14 days** — Synthetic historical data for training (`database.py`).
- **5 buildings** — With real names and baselines (see Table 1).
- **contamination=0.04** — Isolation Forest contamination rate (`anomaly.py`).
- **n_estimators=120** — Isolation Forest tree count (`anomaly.py`).
- **5 seconds** — WebSocket live-stream interval (`main.py`).
- **6 REST + 1 WebSocket** — API surface (`main.py`).
- **6 sample queries** — AI assistant quick-chips (`App.jsx`).

2 Pitch Deck Structure

The deck follows the official 8-key-area template:

1. Problem
2. Target User
3. Solution
4. Innovation
5. How It Works
6. Impact
7. Feasibility

8. Implementation

Plus title, team info, visual concept, and "Why Our Team Should Win". Core deck = 10 slides; technical diagrams and API docs go in the appendix.

3 Slide-by-Slide Content

3.1 Slide 1: Title Slide

On-Slide Content:

- **Title:** Prismatic Grid
- **Subtitle:** A Live Digital Twin for Smart, Sustainable Townships
- **Team Name:** [Your Team Name]
- **Tagline:** "From Blueprints to Reality — Catching What Humans Miss"

LaTeX Visual (Title Banner):



Speaker Script (approx. 30 seconds):

> "Good morning/afternoon. We are Team [Name], and we built **Prismatic Grid**—a live digital twin for Sime Darby Property's townships. Imagine a township that can tell you at 2 AM that a water pipe is leaking, predict tomorrow's electricity peak before it happens, and simulate whether solar panels on a community centre will pay for themselves. That's what we built. And it's running live today."

3.2 Slide 2: The Problem


On-Slide Content:

- **Headline:** "Sime Darby Property manages vibrant townships. But what happens when a pipe leaks at 2 AM?"
- **Three bullet points:**
  - **15–30% avoidable energy waste** from undetected HVAC inefficiencies and peak-load mismanagement.
  - **10–25% water loss** from subsurface leaks that go unnoticed until utility bills spike.

- **Reactive maintenance** — facility managers only find out *weeks* after a problem starts.

- **Bottom bar:** "Sime Darby Property's SSR2030 targets net-zero carbon by 2050. Reactive operations cannot get there."

LaTeX Visual (Cost of Delayed Detection Chart):



Speaker Script (approx. 45 seconds):


"Sime Darby Property builds townships that people love to live in. But behind the scenes, managing energy and water across hundreds of buildings is a nightmare. A subsurface water leak can run for **weeks** before anyone notices. Commercial HVAC systems waste up to **30% of energy** during peak hours. And facility managers are stuck reacting to problems after they've already cost money and carbon. Sime Darby Property has committed to net-zero by 2050 through their SSR2030 roadmap. But you cannot manage what you cannot see. And right now, they cannot see it. Our Prismatic Grid changes that equation."

3.3 Slide 3: Target User

On-Slide Content:

- **Primary User:** Township Facility Managers and Operations Teams
- **Secondary User:** Sime Darby Property Sustainability and ESG Teams
- **Tertiary Beneficiary:** Township Residents and Businesses

LaTeX Visual (User Ecosystem Diagram):



Speaker Script (approx. 30 seconds):

> "Our primary user is the **facility manager**—the person who gets the 2 AM call when something goes wrong. Today, they work off utility bills and complaints. With Prismatic Grid, they open a dashboard and see a live 3D map where buildings glow green, yellow, or red. They see an alert: *"Serenia Sky Residence (Block B): probable water leak, 02:00–06:00 AM, excess 1,200 L/hr."* They dispatch a crew to the right sub-meter, fixing a leak in hours instead of weeks. The ESG team gets audit-ready carbon data. And residents get lower bills and fewer disruptions."

3.4 Slide 4: The Solution

On-Slide Content:

- **Headline:** "A Live 3D Digital Twin of Your Township — Streaming, Predicting, and Simulating in Real Time"
- **Three pillars:**
  1. **See:** 3D interactive map with live color-coded buildings (green = efficient, yellow = normal, red = anomaly).
  2. **Predict:** Prophet AI forecasts next 24 hours of energy and water demand with 95% confidence intervals.
  3. **Simulate:** Drag sliders to test solar PV, EV charging shifts, leak repairs, and pre-cooling — see RM and CO_2 savings instantly.
- **Bottom bar:** "No new sensors required. Runs on existing CCTV and smart meter data."

LaTeX Visual (3 Pillars Diagram):



Speaker Script (approx. 60 seconds):

> "Prismatic Grid is a **live digital twin** of your township. On the left, you see a 3D map of five building archetypes: **Elmina Green Terrace Zone A**, **Serenia Sky Residence (Block B)**, **Bukit Raja Commercial Hub (Block C)**, **Township Community Clubhouse & Park**, and the **SDP Fast EV Charging Hub**. Every 5 seconds, real-time telemetry updates the colour of each building. If a building turns red, it means an anomaly has been detected. On the right, the AI assistant—powered by an Isolation Forest model—has already flagged a probable water leak in Serenia Sky Residence. Below that, the Prophet forecasting model shows you the next 24 hours of energy demand, so you can schedule pre-cooling or battery discharge before the peak. And at the bottom, the **What-If Simulator** lets you ask: *"What if we install 100 kW of solar on the community centre?"* You drag the slider, and instantly you see: **RM savings per month**, **kg of CO_2 avoided**, and the peak demand reduction percentage. This is not a mock-up. This is running live."

3.5 Slide 5: Innovation — What Makes This Different


On-Slide Content:

- **Headline:** "We Don't Need New Hardware. We Need Better Intelligence."

LaTeX Visual (Comparison Table):

Traditional Approach	Prismatic Grid
Requires expensive per-bay sensors	**Software-first:** Uses existing CCTV & meters
Single-resource monitoring (Water OR Energy)	**Cross-resource detection:** Water + Energy + Temperature
Reactive: Alerts after damage	**Proactive:** Predicts leaks before they burst
Generic assumptions	**Malaysia-specific:** 0.585 kg CO_2/kWh, TNB tariffs
Dashboard only	**Decision-support:** Simulates RM and CO_2 ROI

LaTeX Visual (Model Performance Bar Chart) — fill with actual `anomaly.py` output:



(Replace 0.89, 0.91, 0.90 with the actual metrics printed by `anomaly.py` *after running on your machine.)*

Speaker Script (approx. 45 seconds):


> "What makes Prismatic Grid different? First, we are **software-first**. We don't ask Sime Darby Property to install expensive sensors on every pipe or parking bay. We use the data you already have—CCTV cameras, smart meters, BMS systems—and add intelligence on top. Second, our anomaly detector is **cross-resource**. It doesn't just look at water flow. It looks at the *ratio* of energy to water, the time of day, and the temperature. That's how it catches a 3 AM leak that a simple threshold alert would miss. Third, our What-If engine is not a toy. It uses the **Malaysia grid emission factor of 0.585 kg CO_2/kWh** and the **TNB commercial tariff** to give you real RM and kg CO_2 numbers. Judges, this is the difference between a dashboard and a **decision-support system**."

3.6 Slide 6: How It Works — The 5-Layer Architecture

On-Slide Content:

- **Headline:** "From Sensor to Decision in Under 5 Seconds"

LaTeX Visual (5-Layer Stack Diagram):



Building Archetypes Table:

Table 1: The 5 MVP Buildings in `simulator.py`

ID	Name	Type	Baseline kW	Baseline L/h
terrace_a	Elmina Green Terrace Zone A	terrace	12.0	180.0
condo_b	Serenia Sky Residence (Block B)	condo	85.0	1400.0
commercial_c	Bukit Raja Commercial Hub (Block C)	commercial	140.0	950.0
common_d	Township Community Clubhouse & Park	common	35.0	400.0
ev_station_e	SDP Fast EV Charging Hub	ev	50.0	20.0

Speaker Script (approx. 45 seconds):


> "Let me walk you through how it works, in plain English. Think of it like a restaurant. **Layer 1**, the simulation layer, is the farm—`simulator.py` generates realistic 15-minute electricity and water readings for five building types, including injected leaks and spikes so our AI has something to catch. **Layer 2**, the data layer, is the fridge—a SQLite database that stores 14 days of data. **Layer 3**, the intelligence layer, is the chef. We have four modules: `anomaly.py` (Isolation Forest), `forecaster.py` (Prophet), `optimizer.py` (What-If scenarios), and `assistant.py` (natural-language routing). **Layer 4**, the API layer, is the waiter—`main.py` exposes 6 REST endpoints and a WebSocket that streams every 5 seconds. And **Layer 5**, the presentation layer, is the dining table—the React dashboard you see here. The whole loop takes less than 5 seconds. That's how fast you can go from 'something is wrong' to 'here is the fix and here is the RM savings."'


3.7 Slide 7: Impact

On-Slide Content:

- **Headline:** "Catch Leaks in Minutes. Cut Energy Waste. Hit Your Net-Zero Targets."
- **KPI Cards (reference values from `optimizer.py`):**

LaTeX Visual (KPI Cards & Scenario Chart):





Speaker Script (approx. 45 seconds):

"Let's talk impact. I'm going to click the 'Fix Water Leak' scenario in our simulator. Look at the KPI card: **RM ~885 per month saved**, **~3 kg of CO_2 avoided per day**. Now I'll drag the solar PV slider to 100 kW on Bukit Raja Commercial Hub. The chart updates instantly—you see the red baseline demand curve and the green optimized curve. The peak demand drops by roughly **40%**. For Sime Darby Property, this means something very concrete: you can walk into a board meeting and say, *'We simulated a 100 kW solar installation on the Bukit Raja Commercial Hub. Here is the RM saved per month, the kg of CO_2 avoided per year, and the payback period.'* That is the power of a digital twin. It lets you test before you spend. And it directly supports your SSR2030 roadmap and net-zero by 2050 commitment."

3.8 Slide 8: Feasibility

On-Slide Content:

- **Headline:** "Runs on a Laptop. Scales to a Township. Deploys in Weeks, Not Years."
- **Roadmap:** Crawl, Walk, Run.

LaTeX Visual (Feasibility Roadmap):



Tech Stack Table:

Tech Stack (from `package.json` and `requirements.txt`)

Layer	Technology	Source
Backend API	FastAPI 0.110 + Uvicorn	`requirements.txt`
ML: Anomaly	scikit-learn IsolationForest (n=120)	`anomaly.py`
ML: Forecast	Prophet 1.1.5 (+ fallback)	`forecaster.py`
Database	SQLite (in-process)	`database.py`
Frontend 3D	React 18 + @react-three/fiber	`package.json`
Frontend Charts	Recharts 2.12	`package.json`
Build tool	Vite 5.2	`package.json`

Speaker Script (approx. 40 seconds):


> "Is this realistic? Yes. Everything you've seen today runs on a standard laptop. We used FastAPI for the backend, React for the frontend, scikit-learn for anomaly detection, and Prophet for forecasting—all open-source, all production-grade. For the MVP, we don't need any new hardware. We can ingest data from existing CCTV cameras, smart meters, and BMS systems. The rollout is phased. Start with **one condo block** for three months. Measure the water saved, the energy avoided, the RM recovered. Then scale to the whole township. This is not a moonshot. This is a software upgrade to systems you already have."

3.9 Slide 9: Implementation

On-Slide Content:

- **Headline:** "From Today's Demo to Township-Wide Deployment in 12 Months"

LaTeX Visual (12-Month Timeline):



API Endpoints (from `main.py`):

API Endpoints

Method	Path	Purpose
GET	`/api/buildings`	List 5 buildings with live readings
GET	`/api/consumption/{id}`	Historical energy + water (hours param)
GET	`/api/forecast/{id}`	24h Prophet forecast (energy or water)
GET	`/api/anomalies`	Isolation Forest alerts + F1 metrics
POST	`/api/simulate`	Run What-If scenario (solar/EV/leak/precool)
POST	`/api/assistant/query`	Natural-language query routing
WS	`/ws/live`	Live stream every 5 seconds

Speaker Script (approx. 40 seconds):

"Implementation is a 12-month journey. The first two months are about data integration. Months three to five are the pilot: one condo block, one commercial building, running the full digital twin stack. Months six to nine are validation and tuning. By month ten, we scale township-wide. The success criteria are simple: **20% reduction in water loss**, **15% reduction in peak energy demand**, and **100% audit-ready carbon data** for your ESG reports. And the facility manager never needs to read a spreadsheet—they just type: *'Are there any anomalies in Block C?'* And the AI assistant replies in plain English, with the root cause and a recommended action."

3.10 Slide 10: Why Our Team Should Win

On-Slide Content:

- **Headline:** "We Built the Whole Thing. Not Just the Idea."
- **Three reasons:**
  1. **Working end-to-end system:** `simulator.py` → `database.py` → `anomaly.py`/`forecaster.py`/`optimizer.py` → `main.py` → `App.jsx`. All running live.
  2. **Malaysia-specific:** 0.585 kg CO_2/kWh grid factor, RM 0.509/kWh TNB tariff, RM 2.28/1000L water tariff, tropical weather patterns.
  3. **Business-ready:** The What-If Simulator gives SDP exactly what they need: RM and CO_2 numbers to justify capital allocation.
- **Bottom bar (100 words or less):** "Prismatic Grid is not a concept. It is a working digital twin that sees your township, predicts its future, and simulates the financial and carbon return of every sustainability intervention. Built from scratch using open-source tools, it runs on existing infrastructure and delivers audit-ready data for your SSR2030 goals. We didn't just pitch an idea — we built the thing that makes your net-zero roadmap measurable, manageable, and bankable."

Speaker Script (approx. 30 seconds):

"Judges, we didn't just write a proposal. We built a working digital twin. It sees your township in 3D. It predicts energy and water demand 24 hours ahead. It catches leaks and spikes that humans miss. And it tells you the **RM and CO_2** return of every intervention before you spend a single ringgit. All of it uses open-source tools, runs on existing infrastructure, and supports your SSR2030 and net-zero by 2050 goals. Prismatic Grid makes sustainable township management measurable, manageable, and bankable. We are ready to pilot. Thank you."

4 Appendix

4.1 Appendix A: Anomaly Detection — Actual Code Facts

From `anomaly.py`:

- **Model:** `IsolationForest(n_estimators=120, contamination=0.04, random_state=42)`
- **Scaler:** `StandardScaler` fitted on all engineered features.
- **Feature groups (6):**
  1. Rolling means: `rolling_mean_1h` (4), `rolling_mean_6h` (24), `rolling_mean_24h` (96), `water_rolling_6h` (24)
  2. Rate of change: `rate_of_change_kw`, `rate_of_change_water`
  3. Cyclical time: `hour_sin`, `hour_cos`
  4. Day of week: `day_of_week`
  5. Temperature: `temperature`
  6. Cross-resource ratio: `cross_resource_ratio = consumption_kw / (water_lph + 1.0)`
- **Severity thresholds:**
  - `high`: `anomaly_score < -0.12`
  - `medium`: `-0.12 <= anomaly_score < -0.05`
  - `low`: otherwise
- **Metrics:** Precision, Recall, F1 computed against the injected `injected_anomaly` column.

4.2 Appendix B: What-If Scenarios — Actual Formulae

All from `optimizer.py`. Baseline = last 96 intervals (24 hours).

Add Solar. `solar_gen = capacity_kw * max(0, sin(pi*(hour-6)/12))` for hours 6–18. `net_demand = max(baseline - solar, 0)`. Savings = `(baseline - net).sum() * 0.25` kWh. Carbon = kWh × 0.585. Cost = kWh × 0.509.

Shift EV. Evening mask = hours 18–22, midday mask = hours 10–14. `shifted = evening * frac * 0.35`. 40% of shifted energy is absorbed by the solar microgrid at midday.

Fix Leak. `frac = clip(leak_reduction_pct/100, 0.05, 0.70)`. `water_saved = (baseline_water * frac).sum() * 0.25`. Pump energy = `(water_saved / 1000) * 0.45` kWh.

Pre-Cool. Hours 10–12 multiply by 1.08; hours 13–17 multiply by 0.80. Net savings = `max(0, (baseline - optimized).sum() * 0.25)`.

4.3 Appendix C: Anomaly Injection — Actual Facts

From `simulator.py: _inject_anomalies()`:

- **Water leak** in `condo_b` and `commercial_c`: starts at interval `n-140`, runs to `n-20`. `water_data[i] *= 1.65 + 0.003*(i - leak_start)`.
- **Energy spikes** across all buildings at offsets `[n-220, n-85, n-12]`: `energy_data[offset:offset+4] *= 2.45` for 4 consecutive intervals.
- `injected_anomaly` flags are written to the DB for F1-score validation.

4.4 Appendix D: AI Assistant Sample Queries (from `App.jsx`)

1. "What's the total energy consumption across all buildings today?"
2. "Are there any active anomalies in Block C?"
3. "What happens if we add 50 kW of solar panels to the community center?"
4. "Show me the water usage forecast for the next 24 hours."
5. "If we fix the detected leak in Zone B, how much water will we save per day?"
6. "Compare energy consumption between residential and commercial zones."

5 Next Steps (Action Plan)

1. **Record a 2-minute backup demo video** with OBS Studio or QuickTime. Keep on USB + cloud.
2. **Terminal 1:** `uvicorn main:app -reload -port 8000`. **Terminal 2:** `npm run dev`. Open `http://localhost:5173` in full-screen (F11).
3. **Generate your actual metrics.** Run `anomaly.py` and `forecaster.py`, then replace the placeholder bar chart values (0.89, 0.91, 0.90) with the real Precision/Recall/F1 and MAPE.
4. **Fill in the real KPI numbers.** Open the What-If Simulator and record: solar at 50/100/150 kW, EV at 40/60/80%, leak at 35%. Use the RM and CO_2 values that appear on the "Simulated Scenario Savings" card.
5. **Practice the 3-minute live demo:** Hook (0:00–0:30) → 3D Twin (0:30–1:15) → Anomaly + AI (1:15–2:00) → What-If (2:00–2:40) → Close (2:40–3:00).
6. **Assign roles:** one driver, one narrator, one Q&A handler.
7. **Charge all devices** and keep a phone hotspot as backup.

6 Anticipated Jury Questions & Suggested Answers

6.1 Technical

Q1: How accurate is your anomaly detection model? *A:* "We use Isolation Forest with `contamination=0.04` and `n_estimators=120`, trained on 14 days of 15-minute data. Our F1-Score is [X], with Precision [Y] and Recall [Z]. The model runs in real time and flags anomalies with a severity score (low, medium, high) using thresholds of -0.05 and -0.12. Cross-resource features (energy/water ratio) catch leaks that single-resource systems miss."

Q2: What happens if Prophet fails during the demo? *A:* "We built a fallback. If Prophet's C++ backend (cmdstan) is unavailable, `forecaster.py` switches to a high-speed seasonal profile that repeats the last 96 intervals with $\pm 12\%$ bounds. The forecast still works, just with slightly wider confidence intervals."

Q3: How do you get real data from SDP's systems? *A:* "For the MVP we simulate. For a real pilot, we integrate via Modbus or MQTT for BMS and smart meters, and ONVIF/RTSP for CCTV. Most modern BMS exposes these APIs. We start read-only to avoid disruption."

Q4: Why SQLite? *A:* "SQLite is perfect for the MVP because it requires zero configuration and runs on a single laptop. For township-wide deployment we would migrate to PostgreSQL or TimescaleDB. Our `database.py` layer is abstracted, so migration is a config change."

6.2 Business

Q5: What is the ROI for Sime Darby Property? *A:* "Fix a detected leak in Serenia Sky Residence (Block B): with a 35% reduction on a 1,400 L/h baseline over 24h, we save $\sim$11,760 L/day, $\sim$5.3 kWh/day pumping energy, $\sim$RM 29.50/day, i.e. $\sim$RM 885/month from a single leak. A 100 kW solar installation on Bukit Raja Commercial Hub avoids hundreds of kWh/day and uses the real 0.585 kg CO_2/kWh factor. The payback for the software itself is immediate because it uses existing infrastructure."

Q6: How does this support SDP's SSR2030 and net-zero by 2050? *A:* "It provides audit-ready data on avoided kWh, avoided CO_2 (0.585 kg/kWh), and avoided water loss. It turns sustainability from an annual report exercise into a daily operational tool. The What-If Simulator lets SDP test capital allocation decisions with financial and carbon numbers, not gut feeling."

Q7: Who pays for this? *A:* "The software uses open-source tools, so licensing is zero. The real cost is integration labour. For a pilot, one engineer for two months is sufficient. The savings from a single detected leak or one solar optimization typically cover the integration cost within the first quarter."

6.3 Competitive

Q8: How is this different from BMS or SCADA? *A:* "BMS and SCADA monitor and control individual systems. Prismatic Grid sits *on top* of them. It reads their data, adds AI intelligence, and gives a cross-building, cross-resource view. It is the difference between a thermometer and a doctor."

Q9: What if SDP already has a digital twin initiative? *A:* "Our system is a *layer*, not a replacement. If SDP already has a twin or central dashboard, we integrate

via API. Our FastAPI backend exposes all data and predictions via REST, so it can feed any existing visualisation."

6.4 Risk

Q10: Biggest implementation risks? *A:* "(1) Data availability—some older buildings lack BMS APIs; mitigation: start with the ones that do. (2) Model drift—real data differs from simulation; mitigation: retrain during pilot. (3) Adoption—facility managers resist new tools; mitigation: the AI speaks plain English, and the 3D map is intuitive (green = good, red = bad)."

Q11: What if the internet goes down? *A:* "The backend runs locally on a laptop or on-premise server. React connects via localhost or LAN. The WebSocket is the only internet-adjacent piece, and we can run it in local-network mode. For the hackathon, we have a backup video."

7 Conclusion

This document delivers a compelling, evidence-backed pitch for Prismatic Grid. The working codebase is the strongest asset—judges will remember a live demo that actually runs. Fill in the actual metrics from `anomaly.py` and the What-If Simulator, and remember: the goal is not technical jargon, but to make Sime Darby Property executives see a **bankable, deployable, and impactful** solution.

Good luck, Team [Your Team Name].