## **D Voice Laryngeal Cancer**

Record ID	
1. Gold Standard Diagnosis	
Did the patient get a laryngoscopy/stroboscopy confirming the presence of a suspicious laryngeal lesion?	<ul><li>Yes</li><li>No</li><li>Not certain</li></ul>
Does the patient have laryngeal cancer confirmed by biopsy/pathology report?	<ul><li>Yes</li><li>No</li><li>Not certain</li></ul>
Did the patient undergo other types of scans? (Select all that apply).	☐ CT of the neck ☐ CT of the chest ☐ MRI of the neck ☐ PET-CT ☐ Ultrasound of the neck
2. Disease Subtype	
Which laryngeal structures are/were involved? (Select all that apply).	<ul> <li>Right vocal fold</li> <li>Left vocal fold</li> <li>Both vocal folds</li> <li>Anterior commissure</li> <li>Ventricular folds (right or left)</li> <li>Subglottal areas</li> </ul>
3. Etiology	
Check any risk factors of this patient in relation to their laryngeal cancer. (Select all that apply).	<ul> <li>☐ Smoking</li> <li>☐ Alcohol</li> <li>☐ Family history</li> <li>☐ Human Papilloma Virus (HPV)</li> <li>☐ Exposure to other harmful substances</li> </ul>
Please specify:	
4. Disease Severity	
What is the T stage of the cancer based on the AJCC Classification?	<ul> <li>○ Tis (carcinoma in situ)</li> <li>○ T1a</li> <li>○ T1b</li> <li>○ T2</li> <li>○ T3</li> <li>○ T4a</li> <li>○ T4b</li> <li>○ Unknown yet</li> </ul>

Please see the table for reference:

**₹EDCap**°

04/08/2024 12:01pm

What is the N stage of the cancer based on the AJCC Classification?	<ul> <li>N0</li> <li>N1</li> <li>N2a</li> <li>N2b</li> <li>N2c</li> <li>N3</li> <li>Unknown yet</li> </ul>		
Please see Table for reference:			
What is the M stage of the cancer based on the AJCC Classification?	<ul><li>○ M0: no distant metastasis</li><li>○ M1: Any distant metastasis</li></ul>		
What is the degree of dysphonia?			
Clinician places slider between 0 and 100; indicates C or I. "Indifeatures responses are free text. Comments about resonance: I			
Legend: C- Sonsistent I = Intermittent MI = Mildly Deviant MO = Moderately Deviant SE = Severely Deviant			
Overall Severity	MI MO SE		
	(Place a mark on the scale above)		
Overall Severity	○ Consistent ○ Intermittent		
Roughness	MI MO SE  (Place a mark on the scale above)		
Roughness	○ Consistent ○ Intermittent		
Breathiness	MI MO SE  (Place a mark on the scale above)		
Breathiness	○ Consistent ○ Intermittent		
Strain	MI MO SE  (Place a mark on the scale above)		
Strain	○ Consistent ○ Intermittent		
Pitch	MI MO SE  (Place a mark on the scale above)		
Pitch (Indicate the nature of the abnormality):			
Pitch	○ Consistent ○ Intermittent		



Loudness	MI	MO	SE		
		(Place a mark on the scale above)			
Loudness (Indicate the nature of the abnormality):		_			
Loudness	○ Consistent ○ Intermittent				
Comments about resonance	○ Normal ○ Other				
Please specify					
Additional Features (for example, diplophonia, fry, falsetto, asthenia, aphonia, pitch instability, tremor, wet/gurgly, or other relevant terms):					
Is the cancer causing stridor at rest?	<ul> <li>○ No, the patient does not have stridor</li> <li>○ Yes, mild stridor</li> <li>○ Yes, moderate stridor</li> <li>○ Yes, severe stridor</li> </ul>				
5. Treatment obtained					
Has the patient undergone any treatment for their condition?	○ Yes ○ No				
Select all that apply:	☐ Radiation☐ Chemothe☐ Immunoth☐ Surgery☐ Voice/Spe☐ Other				
Surgery	☐ Endoscopi ☐ Partial lary	ic laser yngectomy			
Other, please specify					

