API Reference

Get Chains

Copy page

This API returns all possible chains available.

GET https://api.relay.link / chains

Try it

cURL

cURL

```
curl --request GET \
  --url https://api.relay.link/chains
```

Query Parameters

includeChains string | null

200

Response

200 - application/json

Default Response

chains object[]

An array of supported chains

Show child attributes


```
{
  "chains": [
    {
      "id": 123,
      "name": "<string>",
      "displayName": "<string>",
      "httpRpcUrl": "<string>",
      "wsRpcUrl": "<string>",
      "explorerUrl": "<string>",
      "explorerName": "<string>",
      "explorerPaths": {
        "transaction": "<string>",
        "address": "<string>"
      },
      "depositEnabled": true,
      "tokenSupport": "All",
      "disabled": true,
      "partialDisableLimit": 123,
      "blockProductionLagging": true,
      "currency": {
        "id": "<string>",
        "symbol": "<string>",
        "name": "<string>",
        "address": "<string>",
        "decimals": 123,
        "supportsBridging": true
      },
      "withdrawalFee": 123,
      "depositFee": 123,
      "surgeEnabled": true,
      "featuredTokens": [
        {
          "id": "<string>",
          "symbol": "<string>",
          "name": "<string>",
          "address": "<string>",
          "decimals": 123,
          "supportsBridging": true,
          "metadata": {
            "logoURI": "<string>"
          }
        }
      ],
```


mintlify

```
    "erc20Currencies": [
      {
        "id": "<string>",
        "symbol": "<string>",
        "name": "<string>",
        "address": "<string>",
        "decimals": 123,
        "supportsBridging": true,
        "supportsPermit": true,
        "withdrawalFee": 123,
        "depositFee": 123,
        "surgeEnabled": true
      }
    ],
    "solverCurrencies": [
      {
        "id": "<string>",
        "symbol": "<string>",
        "name": "<string>",
        "address": "<string>",
        "decimals": 123
      }
    ],
    "iconUrl": "<string>",
    "logoUrl": "<string>",
    "brandColor": "<string>",
    "contracts": {
      "multicall3": "<string>",
      "multicaller": "<string>",
      "onlyOwnerMulticaller": "<string>",
      "relayReceiver": "<string>",
      "erc20Router": "<string>",
      "approvalProxy": "<string>",
      "v3": {
        "erc20Router": "<string>",
        "approvalProxy": "<string>"
      }
    },
    "vmType": "bvm",
    "explorerQueryParams": {},
    "baseChainId": 123,
    "statusMessage": "<string>",
    "solverAddresses": [
      "<string>"
    ],
```

RELAY

```
      "tags": [
        "<string>"
      ],
      "protocol": {
        "v2": {
          "chainId": "<string>",
          "depository": "<string>",
          "depositoryVault": "<string>"
        }
      }
    }
  ]
}
```