API Reference

Get Status

Copy page

This API returns current status of intent.

GET https://api.relay.link / intents / status / v3

Try it

cURL

```
curl --request GET \
  --url https://api.relay.link/intents/status/v3
```

```
{
  "status": "success",
  "inTxHashes": [
    "0xe53021eaa63d100b08338197d26953e2219bcbad828267dd936c549ff643aad7"
  ],
  "txHashes": [
    "0x9da7bc54dfe6229d6980fd62250d472f23dfe0f41a1cdc870c81a08b3445f254"
  ],
  "updatedAt": 1713290386145,
  "originChainId": 7777777,
  "destinationChainId": 8453
}
```

Relay statuses take one of the following options:

Status	Description
`waiting`	Waiting for deposit confirmation

Status	Description
`pending`	Deposit confirmed, pending destination chain submission
`submitted`	Destination transaction submitted
`success`	Successful fill on destination
`delayed`	Destination fill delayed, still processing
`refunded`	Successfully refunded
`failure`	Unsuccessful fill

Query Parameters

requestId `string`

A unique id representing the execution in the Relay system. You can obtain this id from the requests api or the check object within the step items.

Response

`200 - application/json`

Default Response

status `enum<string>`

Available options: `refund` , `waiting` , `failure` , `pending` , `submitted` , `success`

details `string`

inTxHashes `string[]`

Incoming transaction hashes

txHashes `string[]`

updatedAt `number`

The last timestamp the data was updated

originChainId `number`

destinationChainId `number`

Was this page helpful? Yes No

Powered by mintlify