Prices API Quickstart

A new developer's guide to fetching current and historical token prices via the Prices API.



This guide will help you fetch token prices via the Prices API.

Whether you're building a DeFi protocol, portfolio tracker, or analytics tool, the Prices API provides simple endpoints for current and historical prices.

Endpoints

The Prices API includes the following REST endpoints:

	exchanges for each symbol.	supported chains and exchanges.
Token Prices By Address	Combines prices from DEXes for each contract address and network.	Use this when you need the current price of a specific token on a particular blockchain network.
Historical Prices By Symbol Or Address	Fetches past price data by symbol or address.	Use this when you require historical price data for creating charts or performing analysis.

Getting Started

Via HTTP Requests

Modern web development uses fetch for HTTP requests. The Prices API can be easily accessed using native fetch or any HTTP client library.

No Additional Installation Required

The fetch API is available in all modern browsers and Node.js (18+). For older Node.js versions, you can install `node-fetch`:

Node.js Node.js

```
> # No installation needed - fetch is built-in
```

Usage

Create a new JavaScript file (e.g., `prices-fetch-script.js`) and add one of the following snippets depending on which endpoint you want to call.

```
// Replace with your Alchemy API key:
const apiKey = "demo";

// Define the symbols you want to fetch prices for.
const symbols = ["ETH", "BTC", "USDT"];

async function getTokenPricesBySymbol() {
  try {
    const symbolsParam = symbols.join(',');
    const response = await fetch(`https://api.g.alchemy.com/prices/v1/to
      headers: {
        'Authorization': `Bearer ${apiKey}`
      }
    });

    const data = await response.json();
    console.log("Token Prices By Symbol:");
    console.log(JSON.stringify(data, null, 2));
  } catch (error) {
    console.error("Error:", error);
  }
}

getTokenPricesBySymbol();
```

Running the Script

Execute the script from your command line:

bash

```
$ node prices-fetch-script.js
```

Expected Output:

```
    {
      "symbol": "ETH",
      "prices": [
        {
          "currency": "USD",
          "value": "3000.00",
          "lastUpdatedAt": "2024-04-27T12:34:56Z"
        }
      ],
      "error": null
    },
    {
      "symbol": "BTC",
      "prices": [
        {
          "currency": "USD",
          "value": "45000.00",
          "lastUpdatedAt": "2024-04-27T12:34:56Z"
        }
      ],
      "error": null
    },
    {
      "symbol": "USDT",
      "prices": [
        {
          "currency": "USD",
          "value": "1.00",
          "lastUpdatedAt": "2024-04-27T12:34:56Z"
        }
      ],
      "error": null
    }
  ]
}
```

Installation

Install the `node-fetch` package using `npm` or `yarn`:

npm yarn

```
$ npm install node-fetch
```

Usage

Create a new JavaScript file (e.g., `prices-fetch-script.js`) and add the following code.

By By

```
// prices-fetch-script.js


// Replace with your Alchemy API key:
const apiKey = "YOUR_ALCHEMY_API_KEY";
const fetchURL = `https://api.g.alchemy.com/prices/v1/${apiKey}/tokens/b

// Define the symbols you want to fetch prices for.
const symbols = ["ETH", "BTC", "USDT"];

const params = new URLSearchParams();
symbols.forEach(symbol => params.append('symbols', symbol));

const urlWithParams = `${fetchURL}?${params.toString()}`;

const requestOptions = {
  method: 'GET',
  headers: {
    'Content-Type': 'application/json',
  },
```

```
    console.log("Token Prices By Symbol:");
    console.log(JSON.stringify(data, null, 2));
  })
  .catch(error => console.error('Error:', error));
```

Running the Script

Execute the script from your command line:

bash

```bash
$ node prices-fetch-script.js
```

Expected Output:

json

```json
{
  "data": [
    {
      "symbol": "ETH",
      "prices": [
        {
          "currency": "USD",
          "value": "3000.00",
          "lastUpdatedAt": "2024-04-27T12:34:56Z"
        }
      ],
      "error": null},
    {
      "symbol": "BTC",
      "prices": [
        {
```

```
22        "error": null},
23      {
24        "symbol": "USDT",
25        "prices": [
26          {
27            "currency": "USD",
28            "value": "1.00",
29            "lastUpdatedAt": "2024-04-27T12:34:56Z"
30          }
31        ],
32        "error": null}
33    ]
34  }
```

Was this page helpful? Yes No

Previous

Token Prices By Symbol
Token Prices By Symbol

Next