alchemy_getTokenBalances

POST https://eth-mainnet.g.alchemy.com/v2/{apiKey}

Returns ERC-20 token balances for a given address.

Path Parameters

apiKey string required defaults to `docs-demo`

For higher throughput, create your own API key

Request

address string required defaults to `0xd8dA6BF26964aF9D7eEd9e03E53415D37aA96045`

A 20-byte wallet address.

tokenSpec enum or string[] optional

A token specification: - The string "erc20" - "NATIVE_TOKEN" - "DEFAULT_TOKENS" (deprecated) - An array of token contract addresses.

+ Show 2 variants

options object optional

Optional pagination options.

+ Show 2 properties

Responses

POST /v2/{apiKey}

cURL

```
$ curl --request POST \
>   --url https://eth-mainnet.g.alchemy.com/v2/docs-demo \
>   --header 'Content-Type: application/json' \
>   --data '{
>   "jsonrpc": "2.0",
>   "id": 1,
>   "method": "alchemy_getTokenBalances",
>   "params": [
>     "0xd8dA6BF26964aF9D7eEd9e03E53415D37aA96045",
>     [
>       "0xa0b86991c6218b36c1d19d4a2e9eb0ce3606eb48"
>     ],
>     {
>       "pageKey": "string",
```

Try it

200 Success


```
{
  "jsonrpc": "2.0",
  "id": 1,
  "result": {
    "address": "0xd8dA6BF26964aF9D7eEd9e03E53415D37aA96045",
    "tokenBalances": [
      {
        "contractAddress": "0xa0b86991c6218b36c1d19d4a2e9eb0ce3606eb48",
        "tokenBalance": "0x0000000000000000000000000000000000000000000000000000000
      }
    ]
  }
```

Was this page helpful? Yes No

Previous

alchemy_getTokenMetadata
Returns metadata for a given token contract (name, symbol, decimals, logo).

Next