

TAGOON, SHANICE P.
TIMBANG, EARL JOHN O.
TOXMO. MELDA-VE G.

Website Name: Project SAFE (Sexual Awareness For Everyone)

Website Components:

1. Home Page

The Home Page serves as the main entry point of the website. It introduces visitors to the purpose of the site, provides an overview of STDs, and guides users to important sections through navigation menus and quick-access buttons.

Features:

- Welcome message
- Website objectives
- Quick navigation menu
- Featured STD awareness banner

2. About STDs Page

This page educates users about sexually transmitted diseases by providing definitions, causes, symptoms, transmission methods, and prevention strategies.

Features:

- STD definitions
- Common symptoms
- Causes and risk factors

3. Southern Leyte Statistics Page

This section presents local data and research findings regarding STD and HIV cases in Southern Leyte.

Features:

- Case statistics
- Charts and graphs
- Annual reports
- Community awareness information
- Research findings

4. Types of STDs Page

Users can select a specific disease to learn more about it. Each disease has its own information page.

Feature:

HIV/AIDS

Gonorrhea

Syphilis

Chlamydia

Genital Herpes

Hepatitis B

6. Prevention and Safety Page

Provides guidelines to reduce the risk of STD transmission.

Features:

Do's

Don'ts:

6. Testing and Treatment Centers Page

Users can view healthcare facilities where STD testing and treatment are available.

Features:

Hospital directory

Clinic locations

Contact information

Operating hours

7. Frequently Asked Questions (FAQ)

Users can click questions to reveal answers.

Features

Is HIV curable?

How often should I get tested?

Can STDs be treated?

What are the symptoms?

8. Contact and Help Page

Allows users to contact healthcare providers or website administrators.

Features

Contact form

Email address

Phone numbers

Health office contacts

INFOS TO PUT

Website Name: Project SAFE (Sexual Awareness For Everyone)

1. HOME PAGE

Welcome Message

Welcome to Project SAFE (Sexual Awareness For Everyone), an educational website dedicated to increasing awareness about sexually transmitted diseases (STDs) and promoting healthy sexual practices. Our goal is to provide accurate, reliable, and easy-to-understand information that helps individuals make informed decisions about their sexual health.

Website Objectives

- Increase awareness about STDs.
- Educate the public on prevention, testing, and treatment.
- Reduce stigma surrounding sexual health issues.
- Encourage regular health checkups and testing.
- Provide access to local healthcare resources in Southern Leyte.

Featured STD Awareness Banner

“Knowledge is Protection: Learn, Prevent, Get Tested.”

Every day, thousands of people worldwide are diagnosed with sexually transmitted diseases. Early detection, proper treatment, and preventive measures can significantly reduce complications and improve quality of life.

2. ABOUT STDs PAGE

What are STDs?

Sexually Transmitted Diseases (STDs), also known as Sexually Transmitted Infections (STIs), are infections that are primarily spread through sexual contact, including vaginal, anal, and oral sex. Some STDs can also be transmitted through blood contact, sharing needles, and from mother to child during pregnancy or childbirth.

Common Symptoms

Many STDs may not show symptoms immediately. Common signs include:

- Painful urination
- Unusual discharge from the penis or vagina
- Genital sores or ulcers
- Itching around the genital area
- Lower abdominal pain
- Skin rashes
- Swollen lymph nodes
- Fever and fatigue

Causes

- Bacteria
- Viruses
- Parasites

Risk Factors

- Unprotected sexual activity
- Multiple sexual partners

- Sharing needles
 - Lack of regular testing
 - Previous history of STDs
-

3. SOUTHERN LEYTE STATISTICS PAGE

Southern Leyte is part of the Eastern Visayas region in the Philippines, and like many provinces in the country, it continues to monitor and address the rising concerns related to HIV and other sexually transmitted infections (STIs). According to regional health surveillance reports, HIV cases in Eastern Visayas, including Southern Leyte, have been steadily increasing over the past years. This rise highlights the importance of continuous education, prevention programs, and early testing initiatives within local communities.

In terms of case distribution, data from regional health records show that Southern Leyte contributes a smaller but still significant number of HIV cases compared to larger provinces in the region. Cases are often concentrated in specific municipalities such as Maasin City and Sogod, which have reported higher numbers compared to other areas. Across the region, the majority of HIV cases are among males, particularly young adults aged 15–34 years old, which is also considered the most affected age group nationwide.

Trends in HIV cases show that most infections are linked to sexual transmission, especially unprotected sexual contact. Health data also indicates that a large percentage of cases involve individuals who are unaware of their status until later stages, which emphasizes the importance of regular testing. In Southern Leyte and nearby provinces, health officials continue to strengthen testing services, awareness campaigns, and community-based education programs to reduce stigma and encourage early diagnosis.

Community awareness efforts in Southern Leyte include school-based education programs, local government health campaigns, and outreach activities led by rural health units. These programs aim to improve knowledge about HIV prevention, promote safe sexual practices, and encourage people—especially young individuals—to get tested. The Department of Health and local health offices continue to emphasize that awareness and education are key factors in reducing new infections.

Overall, research shows that while Southern Leyte has relatively lower HIV numbers compared to larger provinces, the continued rise in cases in Eastern Visayas highlights the need for sustained prevention efforts. Regular testing, safe practices, and community education remain essential strategies in controlling the spread of HIV and other STDs in the province.

4. TYPES OF STDs PAGE

a. HIV/AIDS

Human Immunodeficiency Virus (HIV) is a virus that attacks the body's immune system, specifically the CD4 cells, which help the body fight infections. When untreated, HIV weakens the immune system over time, making the person more vulnerable to serious illnesses and infections.

Common symptoms of HIV may include fever, fatigue, weight loss, night sweats, and swollen lymph nodes. However, some people may not experience symptoms in the early stages, which is why many individuals may not know they are infected right away.

HIV is transmitted through unprotected sexual contact, sharing contaminated needles, blood transfusions (rare due to screening), and from mother to child during pregnancy, childbirth, or breastfeeding. Although there is no cure, Antiretroviral Therapy (ART) helps control the virus. Prevention includes condom use, regular testing, PrEP, and avoiding needle sharing.

b. Gonorrhea

Gonorrhea is a bacterial infection caused by *Neisseria gonorrhoeae*. It mainly affects the genital tract, but it can also infect the rectum, throat, and eyes if exposed.

Symptoms may include painful urination, thick yellow or green discharge, and pelvic or abdominal pain. In some cases, especially in women, symptoms may be mild or absent, which can lead to delayed treatment and complications.

It is transmitted through sexual contact with an infected person. Gonorrhea can be treated with antibiotics prescribed by a healthcare provider, although proper medical guidance is important due to antibiotic resistance. Prevention includes practicing safe sex and regular STD testing.

c. Syphilis

Syphilis is a sexually transmitted bacterial infection caused by *Treponema pallidum*. It progresses in stages and can become severe if left untreated.

Early symptoms often include painless sores at the infection site, followed by skin rashes, fever, and fatigue. Because the early sores are painless, many people do not notice them, allowing the infection to spread.

Syphilis is transmitted through direct contact with infected sores during sexual activity. It can be cured with penicillin antibiotics if detected early. Prevention includes condom use, avoiding sexual contact with infected individuals, and regular screening.

d. Chlamydia

Chlamydia is a common bacterial infection caused by *Chlamydia trachomatis*. It can affect both men and women and may lead to serious reproductive health problems if untreated.

Many people with chlamydia do not show symptoms, which is why it is often called a “silent infection.” When symptoms occur, they may include painful urination, unusual genital discharge, and pelvic pain.

It spreads through sexual contact with an infected person. Chlamydia can be easily treated with antibiotics. Prevention methods include consistent condom use, limiting sexual partners, and undergoing routine testing.

e. Genital Herpes

Genital herpes is a viral infection caused by the Herpes Simplex Virus (HSV), most commonly HSV-2, though HSV-1 can also cause it. It is a long-term condition that remains in the body.

Symptoms include painful blisters or sores in the genital area, itching, and a burning sensation. Some people may experience mild symptoms or no symptoms at all, especially during early infection.

It is transmitted through skin-to-skin contact during sexual activity. Although there is no cure, antiviral medications help reduce symptoms and outbreaks. Prevention includes condom use and avoiding sexual contact during active outbreaks.

f. Hepatitis B

Hepatitis B is a viral infection that affects the liver and can lead to both short-term and long-term health problems, including liver damage or liver cancer if untreated.

Symptoms may include fatigue, fever, nausea, abdominal pain, and jaundice, which is the yellowing of the skin and eyes. Some individuals may not show symptoms at all during early infection.

It is transmitted through sexual contact, exposure to infected blood, and from mother to child during childbirth. Hepatitis B can be prevented through vaccination, which is highly effective. Treatment includes antiviral medications and regular medical monitoring to manage the infection.

5. PREVENTION AND SAFETY PAGE

How to Protect Yourself

DO'S:

Practice Safe Sex

Use condoms correctly during every sexual encounter to reduce the risk of infection.

Get Tested Regularly

Regular screening helps detect infections early.

Communicate with Partners

Discuss sexual health openly and honestly.

Seek Medical Advice

Consult healthcare professionals if symptoms appear or after possible exposure.

Get Vaccinated

Receive recommended vaccines, especially for Hepatitis B.

DON'TS:

Do Not Share Needles

Sharing needles can spread HIV, Hepatitis B, and other infections.

Do Not Engage in Unprotected Sex

Unprotected sexual activity increases infection risk.

Do Not Self-Medicate

Improper treatment can worsen infections and cause complications.

Do Not Ignore Symptoms

Early treatment can prevent severe health problems.

Do Not Delay Testing

Prompt testing ensures faster diagnosis and treatment.

5. TESTING AND TREATMENT CENTERS PAGE

Why Get Tested?

Many STDs may not show symptoms immediately. Early testing allows for timely treatment, prevents complications, and reduces transmission to others.

1. Salvacion Oppus Yñiguez Memorial Provincial Hospital

 Location: Barangay Dongon, Mantahan, Maasin City, Southern Leyte, Philippines

 Contact Number: +63 53 570 9142 / 0919 093 9035

 Email: mcc_soymph@yahoo.com

 Operating Hours: Monday–Friday, 8:00 AM – 5:00 PM (Closed weekends)

How to Get There:

- From Maasin City proper, you can take a tricycle or jeepney going to Brgy. Dongon / Provincial Hospital area.
- Travel time is approximately 10–15 minutes depending on traffic.
- The hospital is well-known locally, so you can simply tell the driver: “Provincial Hospital sa Dongon.”

2. Sogod District Hospital

 Location: Osmeña Street, Barangay Zone 1, Sogod, Southern Leyte, Philippines

 Contact Number: 0917 508 4570 / (053) 577 8358

 Email: sogoddistricthospital@gmail.com

 Operating Hours: Monday–Friday, 8:00 AM – 5:00 PM

How to Get There:

- From Sogod town center, the hospital is located along Osmeña Street, easily accessible by tricycle.
- It is near the main public road, so commuters can ask for “District Hospital” and drivers will know the location.
- Travel time is usually 5–10 minutes from Sogod proper.

3. Padre Burgos Community Hospital

 Location: Barangay Sta. Sofia, Padre Burgos, Southern Leyte, Philippines

 Contact Number: 0961 572 8321

 Email: padreburgoshospital@gmail.com

 Operating Hours: Monday–Friday, 8:00 AM – 5:00 PM

How to Get There:

- From Padre Burgos town proper, ride a tricycle going to Sta. Sofia area.

- The hospital is located within a coastal community and is accessible via the main barangay road.
- Travel time is around 5–15 minutes depending on your starting point.

IMPORTANT NOTE

All hospitals listed provide confidential medical services, including STD screening, HIV testing, treatment, and counseling. Patients are encouraged to visit the nearest facility for early consultation, especially if symptoms are present or after possible exposure.

7. FREQUENTLY ASKED QUESTIONS (FAQ)

- **Is HIV curable?**

Currently, there is no cure for HIV. However, antiretroviral therapy (ART) can help people with HIV live long and healthy lives.

- **How often should I get tested?**

Individuals who are sexually active should discuss testing frequency with a healthcare provider. Those with higher risk factors may require more frequent testing.

- **Can STDs be treated?**

Many bacterial STDs such as gonorrhea, chlamydia, and syphilis can be treated and cured with antibiotics. Viral infections such as HIV and herpes can be managed with medication.

- **What are the common symptoms of STDs?**

Symptoms may include unusual discharge, genital sores, painful urination, itching, rashes, fever, or swollen lymph nodes. Some infections may not show symptoms.

- **Can I have an STD without symptoms?**

Yes. Many STDs can be asymptomatic, which is why regular testing is important.

- **Can condoms completely prevent STDs?**

Condoms greatly reduce the risk of STD transmission but do not provide 100% protection.

- **Why is early treatment important?**

Early treatment prevents complications, reduces transmission, and improves overall health outcomes.

- **Where can I get tested in Southern Leyte?**

Testing and consultation services are available at provincial and district hospitals, health centers, and accredited healthcare facilities throughout Southern Leyte.

8. Contact and Help Page

For direct inquiries, you may contact us:

1. Shanice P. Tagoon
 - 09352318594
 - shanicetagoon02@gmail.com
2. Earl John O. Timbang
 - 09273753061
 - timbangearl@gmail.com
3. Meld-Ve G. Tocmo
 - 09933261836
 - meldavetocmo@gmail.com

(with pictures ni namo)