



TOTAL AUSTRAL S.A.
MORENO 877, PISO 8
1091 BUENOS AIRES- C1091AAQ
ARGENTINA

Your Tel.: Attention:

Dear Sirs,

Please provide your best offer for this request for quotations.

Your quotation should be in accordance with our Purchasing General Terms and Conditions already in your hands (if it is not the case please request them) and any Particular Conditions defined within this request for quotations. Please always quote the above reference number and your offer number in your submission

Final shipping address Aguada Pichana Aguada Pichana 8300 PCIA. DE NEUQUÉN ARGENTINA		Contact details Diego Martin PRIETO EP TOTAL AUSTRAL S.A. ARGENTINA Email: Diego.PRIETO@totalenergies.com		
Your reference	Our reference	Incoterms		
Original / Receipt To return duly signed under 8 days For the attention of		Date: Submission deadline: Currency: Collective number:	26.01.2024 29.01.2024 USD 1	
For TOTAL AUSTRAL S.A. :		For AGUADA I	PICHANA UTE :	
Date:		Date:		
Signature:		Signature:		
Thank you for sending back your best offer.				



Request for Quotation :

6000051340



ltem	Material Description	Delivery Date	Quantity	Unit
10	1377851	07.02.2024	4,00	Pallet
	PR No. 10300128 / 00010			
	BIOCIDE GLUTARAL.BIOTREAT7407X1000L Mandatory characteristics of IBCs (Glutaraldehyde concentration 50% or greater) 1. Prepared to include seals on the bottom valve as on the top cap. 2. valve of 1 ½" female and cork. 3. Stackable in quantity 2 units 4. Venting with safety valve (for transport and storage) 5. Full metal basket, without wood or aluminum parts. 6. Possibility of being mobilized with auto-elevator (fork-lift) on four sides. Additional non-mandatory characteristics: 1. Sloping floor for drainage or discharge 2. Graduated scale, allowing the visualization of the contained volume. 3. Loading port with screw cap. 4. Lift capacity, by slings at the top BIOCIDE GLUTARAL.BIOTREAT,7407,1000L Manufacturer Part No: Manufacturer: CLARIANT CERTIFICATION / DOCUMENTATION REQUIREMENTS Safety Data Sheet Reach / CLP compliant Dangerous Goods follow up			

