



Request for Quotation:	6000043856
Date	23.08.2023

TOTAL AUSTRAL S.A. MORENO 877, PISO 8 1091 BUENOS AIRES- C1091AAQ ARGENTINA Your Tel.: Attention:
--

Dear Sirs,
Please provide your best offer for this request for quotations.
Your quotation should be in accordance with our Purchasing General Terms and Conditions already in your hands (if it is not the case please request them) and any Particular Conditions defined within this request for quotations.
Please always quote the above reference number and your offer number in your submission

Final shipping address RINCON LA CENIZA Rincón de la Ceniza 8300 PCIA. DE NEUQUÉN ARGENTINA		Contact details Diego Martin PRIETO EP TOTAL AUSTRAL S.A. ARGENTINA Email: Diego.PRIETO@totalenergies.com
Your reference	Our reference	Incoterms
Original / Receipt To return duly signed under 8 days For the attention of		Information Date: 23.08.2023 Submission deadline: 28.08.2023 Currency: USD Collective number: 1
For TOTAL AUSTRAL S.A. : Date: Signature: Thank you for sending back your best offer.		For RINCON LA CENIZA UTE : Date: Signature:



Moreno 877 Piso 20°
C1091AAQ Ciudad Autónoma de Buenos Aires. República Argentina



Item	Material Description	Delivery Date	Quantity	Unit
10	<p>1408973</p> <p>PR No. 10270676 / 00010</p> <p>"TRIETILENGLICOL PURITY 99% (OR MORE) CnR X 1000 LTS (1125 KG)</p> <p>Mandatory characteristics of IBCs</p> <ol style="list-style-type: none"> 1. Prepared to include seals on the bottom valve as on the top cap. 2. valve of 1 ½" female and cork. 3. Stackable in quantity 2 units 4. Venting with safety valve (for transport and storage) 5. Full metal basket, without wood or aluminum parts. 6. Possibility of being mobilized with auto-elevator (fork-lift) on four sides. <p>Additional non-mandatory characteristics:</p> <ol style="list-style-type: none"> 1. Sloping floor for drainage or discharge 2. Graduated scale, allowing the visualization of the contained volume. 3. Loading port with screw cap. 4. Lift capacity, by slings at the top" <p>TRIETHYLENE, GLYCOL, 99, PCN, IBC, 1000L</p> <p>CERTIFICATION / DOCUMENTATION REQUIREMENTS</p> <p>Safety Data Sheet Reach / CLP compliant</p> <p>Dangerous Goods follow up</p>	08.11.2023	3,00	Pallet