

Respiratory Disease Outbreaks in Toronto Pre, During, and Post Covid-19 Pandemic*

How Coronavirus and Other Respiratory Diseases have responded to the covid-19 pandemic and Toronto pandemic policies

Evelyn Hughes

May 12, 2025

Through the analysis of Outbreaks in Toronto Healthcare Institutions, this paper seeks to identify the trends in respiratory infections in Toronto during the implementation and later lifting of covid-19 preventative policies, including general trends in number of outbreaks, and makeup of respiratory infections. Through data visualization, this analysis finds that while reported coronavirus outbreaks have lowered since pandemic times, “secondary” respiratory diseases such as Influenza (A & B), Parainfluenza, Respiratory Syncytial Virus (RSV), Metapneumovirus, and Rhinovirus that were at lower levels during the pandemic have begun to rise again. At the same time, covid becomes a lesser percentage of overall respiratory diseases. Given different respiratory diseases require different treatment, these findings are relevant for informing healthcare facilities to place a lesser emphasis on covid-19, etc.

1 Introduction

On January 25, 2020, the first case of COVID-19 was reported in Canada, in a healthcare facility in Toronto (Cheese 2025). Around two months later on March 17, Doug Ford declared a state of emergency for Ontario, and the closure of facilities such as schools. Additionally, mask mandates, social distancing guidelines, and vaccine cards were all put into place to mitigate the spread of the disease. Later around 2022, these restrictions began to lift. Schools went back in person, etc, etc, etc. (Compartin 2022). As the restrictions lift, it becomes important to characterize the effect they hold upon respiratory diseases both as a whole, and specific diseases.

*Code and data are available at: [<https://github.com/EveHughes/Donaldson-Paper>].

Previously, in 2021, research was conducted to examine the effects of covid protocol on other respiratory diseases, finding evidence for a decrease in disease during covid protocol (Groves et al 2021). However, there is a lack of literature examining the effects of the lifting of protocol on these same diseases, and examining the general trends. This research aims to fill that gap, and identify how diseases have reacted to the lifting of covid protocol in relation to both their pre covid (2019), and during covid (2020-2022 ish) levels. Doing such can inform policy that encourages disease-specific preventative measures, and promotion of vaccines to prevent increased outbreaks.

This analysis first examines the trends in the overall number of outbreaks and respiratory outbreaks each year to better understand how the number of outbreaks has been varying over the years and identify general trends. Then, it looks at coronavirus, Influenza (A & B), Parainfluenza, Respiratory Syncytial Virus (RSV), Metapneumovirus, and Rhinovirus. Finally, it examines the trends in percentage of respiratory outbreaks with covid as an agent. Through the data visualization, it was found that while coronavirus outbreaks have been falling since their covid levels, other respiratory diseases have been seeing a subsequent increase in cases post pandemic. Additionally, the percentage of respiratory outbreaks with covid as an agent has been decreasing since the pandemic. So, while an emphasis on covid specific protocols is important, preventative measures for other respiratory diseases, such as RSV vaccines, that were overshadowed during the pandemic should be further encouraged (Public Health Agency of Canada 2024).

In the sections that follow are a description of the data, visualization of the data and discussion of the results.

2 Data

2.1 Raw Data

Outbreaks in Toronto Healthcare Institutions data is provided by Toronto Public Health., and is obtained from the OpenData Toronto Portal. The dataset is updated weekly on Thursdays with data as of the Wednesday at 2pm.(<https://open.toronto.ca/dataset/outbreaks-in-toronto-healthcare-institutions/>).

The dataset consists of data from years 2016-2025 inclusive, with each containing instances of outbreaks in toronto healthcare institutions.

“Under the Ontario Health Protection and Promotion Act (HPPA), healthcare institutions (hospitals, long-term care homes and retirement homes) are required to monitor staff and patients/residents for signs and symptoms of gastroenteric (e.g., nausea, vomiting, diarrhea, fever) and respiratory (e.g., cough, runny nose, sore throat, fever) infections. Healthcare institutions must also actively look for, detect and report suspected and/or confirmed outbreaks to their local public health unit”

For every record there is an id number, institution name, institution address, outbreak setting (type of facility), type of outbreak, causative agent-1, causative agent-2, date outbreak began, date outbreak ended, and whether the outbreak is currently active. Below is a preview of this information:

The type of outbreak is listed as Respiratory, Enteric, or Other. By the Ministry of Health, a respiratory outbreak is constituted by “Two cases of acute respiratory infections (ARI) within 48 hours with any common epidemiological link (e.g., unit, floor), at least one of which must be laboratory-confirmed; OR Three cases of ARI (laboratory confirmation not necessary) occurring within 48 hours with any common epidemiological link (e.g., unit, floor). <https://www.toronto.ca/wp-content/uploads/2023/06/9942-Outbreak-Preparedness-ToolkitRespiratoryTableTopFacilitators.pdf>

Causative Agent-1 is either a specific agent (ie: Coronavirus), or “Unable to identify”. Causative Agent-2 is either a specific agent, or “None”.

Below is an example of the raw data from 2019:

<u>_id</u> i64	Institution Name str	Institution Address str	Outbreak Setting str	Type of Outbr str
1	"St. Clair O'Connor Nursing Hom...	"2701 St Clair Ave E"	"LTCH"	"Respiratory"
2	"Deerwood Creek Care Community"	"71 Humberline Dr"	"LTCH"	"Respiratory"
3	"Scarborough Health Network - G...	"3050 Lawrence Ave E"	"Hospital-Acute Care"	"Respiratory"
4	"St.George Care Community"	"225 St George St"	"LTCH"	"Respiratory"
5	"The Heritage Nursing Home - 2n...	"1195 Queen St E"	"LTCH"	"Respiratory"

Figure 1: A line plot on a polar axis

For this analysis, the variables of interest are the yearly number of outbreaks for Influenza (A & B), Parainfluenza, Respiratory Syncytial Virus (RSV), Metapneumovirus, and Rhinovirus. Over 2019-2024.

2.2 Analysis Data

For each year, the number of cases were aggregated, and were aggregated within each respective category. The diseases of interest were: Coronavirus Influenza (A & B), Parainfluenza, Respiratory Syncytial Virus (RSV), Metapneumovirus, and Rhinovirus. Instances of coronavirus and covid-19 were grouped together under the title of “coronavirus”, given covid is caused by a coronavirus. Influenza A & B were additionally grouped together under the title “Influenza”.

Below is a sample of the cleaned data:

Coronavirus i64	Other i64	Unknown i64	Total Agents i64
2	202	75	279
414	105	20	539
359	25	2	386
987	118	13	1118
735	287	41	1063

A line plot on a polar axis

Year i64	Coronavirus i64	Influenza i64	Syncytial Virus i64	Metapneumovirus i64	Rhinovirus i64	Parainfluenza i64	Respirator i64
2019	2	121	43	22	15	16	257
2020	414	46	21	22	12	7	519
2021	359	1	2	1	19	1	385
2022	987	47	32	7	30	5	1107
2023	735	44	60	31	112	39	1016

A line plot on a polar axis

Below are the summary statistics for the cleaned yearly count data:

statistic str	Year f64	Coronavirus f64	Influenza f64	Syncytial Virus f64	Metapneumovirus f64	Rhinovirus f64	Parai f64
"count"	6.0	6.0	6.0	6.0	6.0	6.0	6.0
"null_count"	0.0	0.0	0.0	0.0	0.0	0.0	0.0
"mean"	2021.5	519.333333	59.166667	31.833333	19.333333	47.166667	23.33
"std"	1.870829	340.468305	42.696214	19.630758	12.847827	44.38656	27.45
"min"	2019.0	2.0	1.0	2.0	1.0	12.0	1.0
"25%"	2020.0	359.0	44.0	21.0	7.0	15.0	5.0
"50%"	2022.0	619.0	47.0	33.0	22.0	30.0	16.0
"75%"	2023.0	735.0	96.0	43.0	31.0	95.0	39.0
"max"	2024.0	987.0	121.0	60.0	33.0	112.0	72.0

A line plot on a polar axis




Figure 2: A line plot on a polar axis

3 Results

Total & respiratory & Coronavirus:

We see that the total number of cases fluctuates with the number of respiratory cases, with number of outbreaks increasing since 2019 to 2022, and beginning to decrease afterwards

The number of cases also fluctuates with the number of respiratory cases and total cases, following the same trend described above.

Composition of Respiratory Illness: *** insert graph

Covid / Secondary Disease / Other & Unknown

Influenza: Number of cases fall from 2019- 2021, with 0 cases in 2021, and increase thereafter.

Parainfluenza, RSV, Metapneumovirus, and Rhinovirus:

Each has specifics, see general trend of lower number & some w/ slight decrease reported in pre-pandemic & pandemic, with a subsequent increase post.




Figure 3: A line plot on a polar axis




Figure 4: A line plot on a polar axis




Figure 5: A line plot on a polar axis

4 Discussion

4.1 Rise in Non-Covid Respiratory Outbreaks

If my paper were 10 pages, then should be be at least 2.5 pages. The discussion is a chance to show off what you know and what you learnt from all this.

4.2 Decrease in Covid Percentage of Respiratory Outbreaks

Please don't use these as sub-heading labels - change them to be what your point actually is.

4.3 Weaknesses and next steps

Weaknesses and next steps should also be included.

A References